

1R - 425-85

# REPORTS

DATE:

11-17-09

1R425-85

**Vacuum N-28 Vent  
2009**

RECEIVED

APR 6 2009

Environmental Bureau  
Oil Conservation Division

**DISCLOSURE**

RECEIVED

APP - 6 2010

Environmental Bureau  
Oil Conservation DivisionRICE OPERATING COMPANY  
JUNCTION BOX DISCLOSURE\* REPORT

## BOX LOCATION

SWD SYSTEM	JUNCTION	UNIT	SECTION	TOWNSHIP	RANGE	COUNTY	BOX DIMENSIONS - FEET		
Vacuum	N-28 vent	N	28	17S	35E	Lea	Length	Width	Depth
							eliminated		

LAND TYPE: BLM \_\_\_\_\_ STATE X FEE LANDOWNER \_\_\_\_\_ OTHER \_\_\_\_\_Depth to Groundwater 65 feet NMOCD SITE ASSESSMENT RANKING SCORE: 10Date Started 6/18/2009 Date Completed 6/18/2009 OCD Witness noSoil Excavated n/a cubic yards Excavation Length n/a Width n/a Depth n/a feetSoil Disposed 0 cubic yards Offsite Facility n/a Location n/aFINAL ANALYTICAL RESULTS: Sample Date 6/18/2009 Sample Depth 12 ft

TPH and Chloride laboratory test results completed by using an approved lab and testing procedures pursuant to NMOCD guidelines.

## CHLORIDE FIELD TESTS

Sample Location	PID (field) ppm	GRO mg/kg	DRO mg/kg	Chloride mg/kg
SB #1 12' GRAB	15.0	<10.0	80.3	2,560

LOCATION	DEPTH	mg/kg
background	6"	149
vertical delineation at the junction (source)	3'	856
	4'	1,294
	5'	2,875
	6'	4,013
	7'	6,920
	8'	7,662
	9'	8,714
	10'	2,905
	11'	2,098
	12'	2,117

**General Description of Remedial Action:** This junction was addressed during the Vacuum SWD System abandonment. Clean, imported soil was used to backfill the former junction box site to allow a drilling rig access to the site. An investigation was conducted at the former junction box site using a air-rotary drilling rig to collect soil samples at regular intervals. Chloride field tests were performed on each sample which yielded elevated concentrations. Organic vapors were measured using a PID which yielded low concentrations. The deepest sample, 12 ft BGS, was sent to a commercial laboratory for analysis of chloride and TPH. Laboratory analysis confirmed elevated concentrations of chloride and low concentrations of TPH. The entire bore hole was plugged with bentonite to the ground surface. NMOCD was notified of potential groundwater impact on 11/16/2009.

ADDITIONAL EVALUATION IS MEDIUM PRIORITY

enclosures: photos, lab results, PID (field) screenings, chloride curve

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

SITE SUPERVISOR Jordan Woodfin SIGNATURE [Signature] COMPANY RICE OPERATING COMPANYREPORT ASSEMBLED BY Katie Jones INITIAL KJPROJECT LEADER Larry Bruce Baker Jr. SIGNATURE [Signature] DATE 11-17-09

\*This site is a "DISCLOSURE." It will be placed on a prioritized list of similar sites for further consideration.

## Vacuum N-28 vent

Unit N, Section 28, T17S, R35E



hauling in fresh soil

5/27/2009



backfilling the former junction box site

5/29/2009



drilling SB #1 at the former junction box site

6/18/2009



plugging SB #1 with bentonite

6/18/2009



# ARDINAL LABORATORIES

PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR:  
RICE OPERATING COMPANY  
ATTN: JORDAN WOODFIN  
122 W. TAYLOR  
HOBBS, NM 88240

COPY

Receiving Date: 06/19/09  
Reporting Date: 06/22/09  
Project Number: NOT GIVEN  
Project Name: VACUUM JCT N-28  
Project Location: VACUUM JCT N-28


Sampling Date: 06/18/09  
Sample Type: SOIL  
Sample Condition: COOL & INTACT  
Sample Received By: ML  
Analyzed By: AB/HM

LAB NUMBER SAMPLE ID	GRO	DRO	Cl*
	(C <sub>6</sub> -C <sub>10</sub> )	(>C <sub>10</sub> -C <sub>28</sub> )	
	(mg/kg)	(mg/kg)	(mg/kg)

ANALYSIS DATE	06/20/09	06/20/09	06/19/09
H17668-1 SB #1 @ 12FT	<10.0	80.3	2,560
Quality Control	514	551	500
True Value QC	500	500	500
% Recovery	103	110	100
Relative Percent Difference	4.0	5.7	<0.1

METHODS: TPH GRO & DRO: EPA SW-846 8015 M; Cl: Std. Methods 4500-ClB


\*Analysis performed on a 1:4 w/v aqueous extract. Reported on wet weight.

  
Chemist

  
Date

H17668 TCL RICE

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



101 East Marland, Hobbs, NM 88240 2111 Beechwood, Abilene, TX 79603  
(505) 393-2326 FAX (505) 393-2476 (325) 673-7001 FAX (325) 673-7020

## CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

[illegible]

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

# RICE OPERATING COMPANY

122 West Taylor Hobbs, NM 88240  
 PHONE: (575) 393-9174 FAX: (575) 397-1471  
 PID METER CALIBRATION & FIELD REPORT FORM

COPY

<input checked="" type="checkbox"/>	Model: PGM 7300	Serial No: 590-000183	<input type="checkbox"/>	Model: PGM 7600	Serial No: 110-023920
<input type="checkbox"/>	Model: PGM 7300	Serial No: 590-000508	<input type="checkbox"/>	Model: PGM 7600	Serial No: 110-013744
<input type="checkbox"/>	Model: PGM 7300	Serial No: 590-000504	<input type="checkbox"/>	Model: PGM 7600	Serial No: 110-013676

GAS COMPOSITION: ISOBUTYLENE 100PPM / AIR: BALANCE

LOT NO: 3604	EXPIRATION DATE: 10-9-10
FILL DATE: 4-9-09	METER READING ACCURACY: 100

ACCURACY: +/- 2%

SYSTEM	JUNCTION	UNIT	SECTION	TOWN SHIP	RANGE
Vacuum	VENT N-28	N	28	175	35E

SAMPLE ID	PID	SAMPLE ID	PID
3'	176	Background	
4'	178	6"	0.41
5'	215		
6'	162		
7'	58		
8'	5.5		
9'	10.9		
10'	11.2		
11'	12.6		
12'	15		

I verify that I have calibrated the above instrument in accordance to the manufacture operation manual.

SIGNATURE: 

DATE: 6-18-09



# CHLORIDE CONCENTRATION CURVE


RICE Operating Company

## Vacuum N-28 vent

Unit 'N', Sec. 28, T17S, R35E

Soil Bore samples at the junction (source)

Depth bgs (ft)	[Cl <sup>-</sup> ] ppm
3	856
4	1,294
5	2,875
6	4,013
7	6,920
8	7,662
9	8,714
10	2,905
11	2,098
12	2,117



Groundwater = 65 ft