

1R - 426-150

## REPORTS

DATE:

6-24-10

**L. Peter Galusky, Jr. Ph.D., P.G.**

**Texerra**

**505 N Big Spring, Suite 404 Midland, Texas 79701  
Tel: 432-634-9257 E-mail: lpg@texerra.com**

June 24<sup>th</sup>, 2010

Mr. Edward Hansen  
New Mexico Energy, Minerals, & Natural Resources  
Oil Conservation Division, Environmental Bureau  
1220 S. St. Francis Drive  
Santa Fe, New Mexico 87505

Re: Monitor Well Plugging & Abandonment Report  
NMOCD Case Number: 1R426-150  
Rice Operating Company - BD P-35-1 Jct  
UL P Sec 35 T 21S R 37E

Sent via E-mail and U.S. Mail

Mr. Hansen:

Please be advised that Rice Operating Company has plugged and abandoned the monitor well (MW-1) at their BD P-35-1 Jct site per the specifications given in the NMOCD notice of termination sent via e-mail on April 29<sup>th</sup>, 2010. The monitor well was plugged on June 7<sup>th</sup>, 2010 with cement grout containing between 1% to 3% bentonite; (see attached driller's report and photographs). With this action we understand that Rice Operating Company has fulfilled their requirements under 19.15.29 NMAC for this project.

Rice Operating Company is the service provider (agent) for the BD Salt Water Disposal (SWD) System and has no ownership of any portion of pipeline, well or facility. The BD SWD System is owned by a consortium of oil producers, System Parties, who provide all operating capital on a percentage ownership/usage basis.

Thank you for your consideration.

Sincerely,

A handwritten signature in black ink, appearing to be 'LPG' or similar initials, with a long horizontal stroke extending to the right.

L. Peter Galusky, Jr. Ph.D.

Copy: Rice Operating Company

**HARRISON &  
COOPER, INC.**

*Drilling & Pump Professionals*

7414 85<sup>th</sup> Street, Lubbock, Texas 79424-4951

P.O. Box 96, Wolfforth, Texas 79382-0096

Ph: (806) 866-4026

Fax: (806) 866-4044

[harrisoncooper-drilling.com](http://harrisoncooper-drilling.com)

**Plugging Report**

Client	Rice Operating
Contractor	Harrison & Cooper
Date Completed	6/7/2010
Site	BD P-35-1
Well ID	MW-1
Casing Diameter	4"
Well Depth	55'
Casing Material	PVC
Plugging Material	Portland/Bentonite Slurry
Slurry Interval	3'-55'
Cement Interval	0'-3'

**Copies: File**

Email (Lara Weinheimer, Jordan Woodfin, Hack Conder)  
Mail (Rice-Hobbs)

Regulated by: Texas Dept. of Licensing & Regulation, Water Well Division, P.O. Box 12157, Austin, TX 78711, (800) 803-9202

**BD jct. P-35-1**


Unit P, Section 35, T21S, R37E



Pulling the monitor well



Plugging with a bentonite/concrete slurry



Completed plugging