ENGINEER D NSL SUSPENSE

ABOVE THIS LINE FOR DIVISION USE ONLY

## NEW MEXICO OIL CONSERVATION DIVISION

- Engineering Bureau -1220 South St. Francis Drive, Santa Fe, NM 87505



### ADMINISTRATIVE APPLICATION CHECK

				OATION OF			
THI	S CHECKLIST IS	S MANDATORY FOR ALL ADM WHICH REQUI	INISTRATIVE APPLICATI RE PROCESSING AT TH	ONS FOR EXCEPTIONS E DIVISION LEVEL IN SA	S TO DIVISION ANTA FE	RULES AND REGUL	ations #28
Applica	ation Acrony					• • •	79348)
		tandard Location] [NS					6319
		wnhole Commingling]	[CTB-Lease Com			Commingling)	il = 60
	[PC-	· · · · ·	OLS - Off-Lease Sto	orage] [OLM-OH	I-Lease Mea	asurement]	nulen# 21
		[WFX-Waterflood Ex	pansion] [PMX-P	ressure Maintena 	nce Expans	sionj // CVIC	Owen# 29
	rean a	<b>טשט-Sait Wat</b> tualified Enhanced Oil F	or a representative			ion Response]	
	[EUK-Q	uaimed Ennanced Oil F	lecovery Certificat	ionj [FFK-F05iti	ive Floauct	ion kesponsej	
[1]	TYPE OF	APPLICATION - Chec	ck Those Which Ap	ply for [A]	.101	0 15/4/	1103853613
1-1/	[A]		Unit - Simultaneou		NSF	17) (1600	774
	[]	NSL NS			7000		
		(1)	67				
	Che	eck One Only for [B] or	( <del>)</del>				
	[B]	*	rage - Measurement	ţ	.5	: <b>D</b>	-042
	r-1	□ DHC □ C1		PC  OLS	□ OLM		111/385 3070
				· · · · · · · · · · · · · · · · · · ·	_ (	3) 116-00	1/10385 3843
	[C]	Injection - Disposa	l - Pressure Increase	e - Enhanced Oil Re	ecovery	<i></i>	
			4X □ SWD □	] IPI 🗌 EOR	□ PPR	-	
		<del></del>					
$\cap$	[D]	Other: Specify					
/ \							
[2]	NOTIFICA	TION REQUIRED T	O: - Check Those V	Vhich Apply, or	Does Not	Apply	
(	[A]	`	alty or Overriding R	• • • •			
$\sim$	[, ,]		ing or overrioning re	of any microse S w			/ .
	[B]	Offset Operato	rs, Leaseholders or	Surface Owner			t el
	[]		,				1 4 (1)
	[C]	Application is	One Which Require	es Published Legal	Notice		Levi
			•	Č			
	[D]	Notification an	d/or Concurrent Ap	proval by BLM or	·SLO		
		U.S. Bureau of Land M	lanagement - Commissioner o	of Public Lands, State Land C	Office		
	[E]	For all of the a	bove, Proof of Notif	fication or Publicat	tion is Attac	hed, and/or,	
	r1					,,	
	[F]	Waivers are At	ttached				
		<del></del>					
[3]	SUBMIT A	CCURATE AND CO	MPLETE INFORM	MATION REQUI	RED TO P	PROCESS THE	TYPE
	OF APPLI	CATION INDICATEI	) ABOVE.	_			
[4]	CERTIFIC	CATION: I hereby certi	fy that the informat	ion submitted with	this applica	ation for adminis	trative
approva	al is <mark>accurat</mark> e	e and complete to the be	est of my knowledge	e. I also understand	d that no ac	tion will be take	n on this
applicat	tion until the	required information an	d notifications are s	submitted to the Di	vision.		
	No	ote: Statement must be com	Aleted by an individual	with managerial and/	or sunanisar	y canacity	
	140	$\sim$ /	1.	with managerial artur	or supervisor	y capacity.	
<u>David</u>	Catanach		tanad	Agent for	or Apache	Corporation	
Print or	Type Name	Signature		Title			
		0/1/					
		2/2/11			nach@netsc	cape.com	
		Date		E-Mail A	Address		

### **Hand Delivered**

New Mexico Oil Conservation Division 1220 S. St. Francis Drive Santa Fe, New Mexico 87505

Attention: Mr. Daniel Sanchez

**Acting Division Director** 

Re: Unorthodox Well Location(s)

Non-Standard Gas Proration Unit(s) &

Simultaneous Dedication

Mark Owen Well No. 28: 1310' FSL & 467' FWL (Unit M) Mark Owen Well No. 29: 2173' FSL & 1330' FWL (Unit K)

Section 35, T-21 South, R-37 East, NMPM,

Blinebry Oil & Gas, Tubb Oil & Gas & Drinkard Pools

Lea County, New Mexico

Dear Mr. Sanchez:

Upon the application of Apache Corporation ("Apache"), Division Order No. NSP-1935/SD-200409-A dated December 17, 2009 approved a 120-acre non-standard gas spacing and proration unit in the Blinebry Oil & Gas Pool (Pro Gas -2480) comprising the NW/4 SW/4 and S/2 SW/4 of Section 35, Township 21 South, Range 37 East, NMPM, Lea County, New Mexico. This non-standard gas unit was to be simultaneously dedicated in the Blinebry Oil & Gas Pool to the following-described wells:

NSP 1935 Mark Owen No. 2 (API No. 30-025-07038) located 660 feet from the South and West lines (Unit M) of Section 35; and the

Mark Owen No. 3 (API No. 30-025-07039) located 660 feet from the South line and 1980 feet from the West line (Unit N) of Section 35.

In addition, Order No. NSP-1935/SD-200409-A authorized Apache to simultaneously dedicate a standard 160-acre gas spacing and proration unit in the Tubb Oil & Gas Pool (Pro Gas-86440) to the following-described Apache operated wells:

Mark Owen No. 1: (API No. 30-025-07037) located 1980 feet from the South line and 660 feet from the West line (Unit L) of Section 35:

Mark Owen No. 3: (API No. 30-025-07039) located 660 feet from the South line and 1980 feet from the West line (Unit N) of Section 35;

MARK OWEN NO. 8 30-025-25-48/

50

Mark Owen No. 8 (API No. 30-025-25481) located 760 feet from the South and West lines (Unit M) of Section 35; and

Mark Owen No. 5 (API No. 30-025-39558) located at a surface location 1460 feet from the South line and 1510 feet from the West line (Unit K) of Section 35 and a bottomhole location 1355 feet from the South and West lines (Unit K) of Section 35. (**Please See Footnote No. 1**).

# Apache plans to drill two additional wells in the SW/4 of Section 35, described as follows:

Mark Owen No. 28 (API No. N/A) located 1310 feet from the South line and 467 feet from the West line (Unit M). This well is to be completed as a gas well in the Blinebry and Tubb Oil & Gas Pools, and as an oil well in the Drinkard Pool (Oil-19190).

Mark Owen No. 29 (API No. N/A) located 2173 feet from the South line and 1330 feet from the West line (Unit K). This well is to be completed as an oil well in the Blinebry Oil & Gas Pool, as a gas well in the Tubb Oil & Gas Pool, and as an oil well in the Drinkard Pool.

Consequently, Apache seeks approval for non-standard gas spacing and proration units in the Blinebry and Tubb Oil & Gas Pools, unorthodox oil and gas well locations in the Blinebry and Tubb Oil & Gas Pools and Drinkard Pool, and simultaneous dedication in the Blinebry and Tubb Oil & Gas Pools, described in detail, as follows:

### Blinebry Oil & Gas Pool

Apache seeks authority to establish three (3) 40-acre non-standard gas spacing and proration units in the Blinebry Oil & Gas Pool comprising the NW/4 SW/4, SW/4 SW/4 and SE/4 SW/4 of Section 35. The SE/4 SW/4 will be dedicated to the Mark Owen No.

3. The NW/4 SW/4 will not be dedicated to any well in the Blinebry Oil & Gas Pool at the present time, however future development on this tract in the Blinebry Oil & Gas Pool is likely. Apache seeks-approval to simultaneously dedicate-the-SW/4 SW/4 of Section 35 to the Mark Owen No. 2/and to the proposed Mark Owen No. 28.

Apache further seeks approval of an unorthodox oil well location in the Blinebry Oil & Gas Pool for the Mark Owen No. 29... This well-will be dedicated to an existing 40-acre oil spacing and proration-unit comprising the NE/4 SW/4 of Section 35.

NSL

### **Tubb Oil & Gas Pool**

Apache seeks authority to establish four (4) non-standard gas spacing and proration units in the Tubb Oil & Gas Pool comprising the NW/4 SW/4, NE/4 SW/4, SW/4 SW/4 and SE/4 SW/4 of Section 35. The NW/4 SW/4 will be dedicated to the Mark Owen No. 1. The SE/4 SW/4 will be dedicated to the Mark Owen No. 3. Apache seeks approval to simultaneously dedicate the SW/4 SW/4 of Section 35 to the Mark Owen Well No(8) and to the proposed Mark Owen No(28) Apache further seeks approval to simultaneously dedicate the NE/4 SW/4 to the Mark Owen No(5) and to the proposed Mark Owen No.

Apache further seeks approval of an unorthodox gas well location in the Tubb Oil & Gas Pool for the Mark Owen Wells No. 28/8(29.)

### **Drinkard Pool**

Apache further seeks unorthodox location approval in the Drinkard Pool for both the proposed Mark Owen Wells No. 28 and 29. In Unit K, Apache operates the Mark Owen Wells No. 4 and 5 which currently produce from the Drinkard Pool. In Unit M, Apache currently operates the Mark Owen Well No. 2 which currently produces from the Drinkard Pool.

The Blinebry and Tubb Oil & Gas Pools are currently governed by the General Rules and Regulations for the Prorated Gas Pools of New Mexico/Special Rules and Regulations for the Blinebry and Tubb Oil & Gas Pools as established by Order No. R-8170, as amended. These rules require standard 160-acre gas spacing and proration units and 40-acre oil spacing and proration units. Setback requirements for gas wells to which more than 40 acres is dedicated are 660 feet to the outer boundary of the spacing unit or of the quarter section, and 330 feet to any governmental quarter-quarter section. The setback requirement for oil wells and gas wells to which no more than 40 acres is dedicated is 330 feet to the outer boundary of the spacing unit.

The Drinkard Pool is subject to Division Rule 19.19.15.9.

The Mark Owen Wells No. 28 and 29 are being drilled as an infill location between existing Blinebry, Tubb and Drinkard producers. Wells at these locations should recover additional oil and gas reserves from the target reservoirs that will otherwise not be drained by the existing wells, thereby preventing waste.

Approval of the proposed non-standard gas spacing and proration units in the Blinebry & Tubb Oil & Gas Pools will facilitate proper acreage dedication in the event any of these wells are reclassified from gas wells to oil wells, or vice versa.

NS L'S

In support of the application, the following tables show the offset wells, drainage areas, estimated ultimate oil and gas recoveries, cumulative oil and gas production (as of 10/2010) and current daily oil and gas producing rates. (Note: drainage areas were calculated from SophiH taken off contoured isopach maps or from log calculations.)

Operator	Well Name	Unit	Reservoir	SophiH (Ft)	Area (Acres)	EUR (MBO)	EUR (MMCFG)
Apache	Mark Owen 1 & 9	L	Blinebry/Tubb	19	22.1	279	5,100
Apache	Mark Owen 4	K	Blinebry/Drinkard	17.5	17.2	200	4,064
Apache	Mark Owen 3	N	Blinebry/Tubb/Drinkard	18	15.4	184	9,378
Apache	Mark Owen 2	M	Blinebry/Drinkard	21	13.2	184	7,951

Operator	Well Name	Unit	Reservoir	Cum Oil (MBO)	Cum Gas (MMCFG)	Daily Oil (Bbls)	Daily Gas (MCFG)
Apache	Mark Owen 1	L	Tubb/Drinkard	6.82	1,667	1.22	171
Apache	Mark Owen 9 *	L	Blinebry	39.4	355	4.2	49
Apache	Mark Owen 4 **	K	Blinebry/Drinkard	47.3	1,807	1.6	147
Apache	Mark Owen 3	N	Blinebry/Tubb/Drinkard	20.6	2,129	1.26	357
Apache	Mark Owen 2	M	Blinebry/Drinkard	10.4	1,849	1.2	176

<sup>\*</sup>Mark Owen No. 9: Cumulative production includes Blinebry and Wantz-Abo Pools. Latest daily Blinebry Oil & Gas Pool production as of 8/2004.

Utilizing the average offset drainage areas and SophiH and applying it to the proposed locations for the Mark Owen Wells No 28 & 29 results in estimated recoveries of 40 MBO and 4,000 MMCF of gas for each well from the Blinebry, Tubb and Drinkard reservoirs.

The affected offset acreage with regards to the unorthodox locations for both the Mark Owen Wells No. 28 & 29 in the Blinebry Oil & Gas, Tubb Oil & Gas and Drinkard Pools is the NW/4 SW/4 of Section 35. This affected acreage is operated by Apache and is contained within the commonly-owned Mark Owen lease.

With regards to the proposed non-standard gas spacing and proration units in the Blinebry Oil & Gas and Tubb Oil & Gas Pools, and the proposed simultaneous dedication in the Blinebry Oil & Gas and Tubb Oil & Gas Pools, Apache is providing notice of this application to all affected offset acreage in the Blinebry Oil & Gas Pool and Tubb Oil & Gas Pool, described as follows:

Acreage Description	<b>Operator</b>
SE/4 of Section 34, T-21S, R-37E	Chevron USA, Inc.
NE/4 of Section 34, T-21S, R-37E	Exxon Mobil Corporation

<sup>\*\*</sup>Mark Owen No. 4: Cumulative production includes Wantz-Abo, Drinkard & Blinebry Pools. Current production is Blinebry & Drinkard only.

N/2 NW/4 & SE/4 NW/4 of Section 35, Conoco-Phillips Company

T-21S, R-37E

SW/4 NW/4 of Section 35, T-21S, R-37E John H. Hendrix Corporation

NE/4 of Section 35, T-21S, R-37E ConocoPhillips Company

SE/4 of Section 35, T-21S, R-37E Oxy USA WTP Ltd. Partnership

N/2 of Section 2, T-22S, R-37E Exxon Mobil Corporation

NE/4 of Section 3, T-22S, R-37E Chevron USA, Inc.

In summary, approval of the application will provide Apache Corporation the opportunity to recover additional oil and gas reserves from the Blinebry, Tubb and Drinkard formations underlying the NE/4 SW/4 and SW/4 SW/4 of Section 35 that may otherwise not be recovered by the existing producing wells, thereby preventing waste, and will not violate correlative rights.

(Please Note: NSL-6127 approved an unorthodox bottomhole location for the Mark Owen No. 5 at 1355 feet from the South and West lines of Section 35. Subsequent to the drilling of the well, the bottomhole location changed to 1376 feet from the South line and 1370 feet from the West line of Section 35. Consequently, Apache Corporation will file an application to amend NSL-6127 for the Mark Owen No. 5 in the following manner:

Blinebry Oil & Gas Pool: Correct the bottomhole location Tubb Oil & Gas Pool: Correct the bottomhole location and amend the acreage dedication to reflect the well is to be dedicated to a 40-acre non-standard gas spacing and proration unit.

Drinkard, Wantz-Abo, Wantz-Granite Wash: Correct the bottomhole location.

In summary, Apache seeks:

### Non-Standard Gas Spacing & Proration Units

In the Blinebry Oil & Gas Pool, Apache seeks approval of three 40-acre non-standard gas spacing and proration units comprising the NW/4 SW/4, SW/4 SW/4 and SE/4 SW/4 of Section 35.

In the Tubb Oil & Gas Pool, Apache seeks approval of four 40-acre non-standard gas spacing and proration units comprising the NW/4 SW/4, SW/4 SW/4, SE/4 SW/4 and NE/4 SW/4 of Section 35.

## Unorthodox Oil & Gas Well Locations NSL

Mark Owen No. 28: Unorthodox gas well location in the Blinebry Oil & Gas Pool

Unorthodox gas well location in the Tubb Oil & Gas Pool Unorthodox oil well location in the Drinkard Pool

Mark Owen No. 29: Unorthodox oil well location in the Blinebry Oil & Gas Pool Unorthodox gas well location in the Tubb Oil & Gas Pool Unorthodox oil well location in the Drinkard Pool

### Simultaneous Dedication-Blinebry Oil & Gas Pool $\subseteq \mathcal{D}$

Apache seeks approval to simultaneously dedicate the SW/4 SW/4 of Section 35 to the Mark Owen No. 2 and to the proposed Mark Owen No. 28.

### Simultaneous Dedication-Tubb Oil & Gas Pool

11

11

Apache seeks approval to simultaneously dedicate the SW/4 SW/4 of Section 35 to the Mark Owen No. 8 and to the proposed Mark Owen No. 28. Apache further seeks authority to simultaneously dedicate the NE/4 SW/4 of Section 35 to the Mark Owen No. \_ SD 5 and to the proposed Mark Owen No. 29.

If you should have any questions, please call me at (505) 690-9453.

Sincerely,

David Catanach, Agent **Apache Corporation** 6120 S. Yale **Suite 1500** 

Tulsa, Oklahoma 74136

Xc: OCD-Hobbs

(A)

DISTRICT I 1625 N. FRENCH DR., HOBBS, NM 88240

### State of New Mexico

Energy, Minerals and Natural Resources Department

Form C-102

Revised October 12, 2005 Submit to Appropriate District Office

State Lease - 4 Copies
Fee Lease - 3 Copies

### DISTRICT II 1301 W. Grand Avenue, Artesia, nm 88210

DISTRICT III 1000 RIO BRAZOS RD., AZTEC, NM 87410 OIL CONSERVATION DIVISION
11885 SOUTH ST. FRANCIS DR.

11885 SOUTH ST. FRANCIS DR. Santa Fe, New Mexico 87505

DISTRICT TV H885 S. ST. FRANCIS DR., SANTA FB, NM 8750:	WELL LOCATION AND A	CREAGE DEDICATION PLAT	☐ AMENDED REPORT
API Number	Pool Code 72480	Bline bry Oil & Gas	(Pro Gas)
Property Code	Property MARK	Name	Well Number 28
OGRID No.	Operator APACHE COI		Elevation 3381'
	Surface I	ocation	

### UL or lot No. Bast/West line Section Township Range Lot Idn Feet from the North/South line Feet from the County 35 21-S 37-E 1310 SOUTH 467 WEST LEA М Bottom Hole Location If Different From Surface

I	UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Peet from the	Bast/West line	County
1			l	<u> </u>				<u> </u>		L
١	Dedicated Acres	Joint or In	fill   Coi	nsolidation Code	Ord	er No.				
l					l					
l			-		1					
١.										

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

		OPERATOR CERTIFICATION  I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
• Mark Owen	GEODETIC COORDINATES NAD 27 NME  Y=522782.3 N X=868093.2 E  LAT.=32.431591 N LONG.=104.140330 W	Signature Date  Printed Name  SURVEYOR CERTIFICATION  I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my
Mark Owen Ab. 29 40-acre oil unif  Mark Owen Ab. 28	LAT. = 32'25'54" N LONG. = 103'08'25" W	DECEMBER 22, 2010  Date Surveyed.  Signature & Scall of Frofessional Surveyor
Mark Owen Owen 16.2 No 3		Certificate No. GARY C. Elisson 12641

DISTRICT I 1625 N. FRENCH DR., HOBBS, NM 88240

### State of New Mexico

Energy, Minerals and Natural Resources Department

Form C-102 Revised October 12, 2005

Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

☐ AMENDED REPORT

Well Number

29

# DISTRICT II 1301 W. GRAND AVENUE, ARTESIA, NM 88210

DISTRICT [I] 1000 RIO BRAZOS RD., AZTEC, NM 87410

DISTRICT IV 11885 S. ST. FRANCIS DR., SANTA FE, NM 87505

API Number

Property Code

OIL CONSERVATION DIVISION

11885 SOUTH ST. FRANCIS DR. Santa Fe, New Mexico 87505

Property Name

MARK OWEN

Pool Code

86440

WELL LOCATION AND ACREAGE DEDICATION PLAT

Tubb Oil & Gas Pool

OGRIDN	OGRID No.			APA	Operator Name ACHE CORPO	RATION	* ***	Elevation 3574'		
		<del></del>		-	Surface Location	on	and the second s	<u></u>	-	
UL or lot No.	Section	Township	Range	Lot Ida	Feet from the	North/South line	Feet from the	East/West line	County	
K	35	21-S	37-E		2173	SOUTH	1330	WEST	LEA	
	J	1	Bo	ttom Hole I	Location If Differer	nt From Surface			4	
UL or lot No.	Section	Towaship	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
Dedicated Acres	Joint or I	nfili Co	nsolidation Code	1.   0	rder No.		1			
					an con an emion	LIDITE ALL DIEDO	Para II. III Deal	COMMON IN ATER		
1	NO ALLOW					UNTIL ALL INTER APPROVED BY TH		CONSOLIDATEL		
					1		OPERAT	OR CERTIFICA	TION	
							true and comple belief, and that working interes land including t has a right to dr to a contract wi working interes	ify that the information to to the best of my kno this organization either of or unleased mineral inthe this local this local in this local thi	wiedge and owns a crest in the clocation or on pursuant eral or ing	
	e "				1		Signature	I	Date	
	i			i i	GEODETIC COC NAD 27		Printed Nat	ne		
					Y=523656 X=868946		SURVEY	OR CERTIFICA	TION	
		Mark Cw No. 29	en		LAT.=32.433 LONG.=104.13		this plat was plo	ify that the well location sted from field notes of me or under my superv	actual	
Mark		)	_		LAT.=32°26'C I ONG.=103'08		that the same is belief.	true and correct to the b	est of my	
No.	/ 	Mart O	wen 5 –			,	Date Survey - Signature & Professiona	Seal of	10	
Mark C No. 20 Mark Mark	8	Mart No.	Own.   3				Sonal S	Cilay O		

# Notice List Apache Corporation Application for Non-Standard Gas Proration Units, Simultaneous Dedication & Non-Standard Well Locations Mark Owen Wells No. 28 & 29

SW/4 of Section 35, T-21 South, R-37 East, NMPM

John H. Hendrix Corporation Box 3040 Midland, Texas 79702-3040

Chevron USA, Inc. Box 36366 Houston, Texas 77236

Exxon Mobil Corporation Box 4721 Houston, Texas 77210-4721

ConocoPhillips Company 3401 E. 30<sup>th</sup> Street Farmington, New Mexico 87402

Oxy USA WTP Ltd. Partnership Box 4294 Houston, Texas 77210-4294

# CERTIFIED MAIL RETURN RECEIPT REQUESTED

TO: OFFSET OPERATORS

Re: Apache Corporation

Non-Standard Gas Proration Units,

Unorthodox Well Locations & Simultaneous Dedication

Mark Owen Wells No. 28 & 29

SW/4 of Section 35, T-21 South, R-37 East, NMPM,

Blinebry Oil & Gas Pool, Tubb Oil & Gas Pool & Drinkard Pool

Lea County, New Mexico

### Ladies and Gentlemen:

Enclosed please find a copy of the application filed by Apache Corporation for administrative approval of three 40-acre non-standard gas spacing and proration units in the Blinebry Oil & Gas Pool, four 40-acre non-standard gas spacing and proration units in the Tubb Oil & Gas Pool, unorthodox oil and gas well locations for the proposed Mark Owen Wells No. 28 and 29 in the Blinebry Oil & Gas Pool, Tubb Oil & Gas Pool and Drinkard Pool, and simultaneous dedication in the Blinebry Oil & Gas Pool and Tubb Oil & Gas Pool.

As the owner of an interest that may be affected by the proposed non-standard gas spacing and proration units, unorthodox oil and gas well locations and simultaneous dedication, you are being provided notice as per Division rules and regulations. Objections must be filed in writing at the Division's Santa Fe office within 20 days from the date this notice was sent to you. If no objection is received within twenty days after the filing of this application and proof of notice with the Division, the application may be approved.

If you should have any questions, please call me at (505) 690-9453.

Sincerely,

David Catanach


**Agent-Apache Corporation** 

6120 S. Yale

**Suite 1500** 

Tulsa, Oklahoma 74136

Enclosure



						Blinebry				Tubb				Drinkard	où ∤
Well	API No.	Unit Ltr	Unit Ltr   Footages	BHL	Exist/New	Unit	NSP	SD	NSL	Unit	NSP	SD	NSL	Unit	NSI
Mark Owen #1	30-025-07037	٦	1980 FS 660 FW		Existing					G-160		0409-A			
							.43								
						G-120-LMN; 1935; 0409-A;	1935;	0409-A;							
Mark Owen #2	30-025-07038	Z	660 FN 660 FS		Existing	New G40 New New	New	New						0-40	
						G-120-LMN;	1935;				****				
Mark Owen #3	30-025-07039	z	660 FS 1980 FW		Existing	New G40 New	New	0409-A		G-160		0409-A			
Mark Owen #4		~	-		Existing	0-40								0-40	
				1355 FS 1355 FW;					-						
Mark Owen #5	30-025-39558	~	1460 FS 150 FW	FW SEE STATE	Existing					G-160		0409-A	6127	6127 0-40	<del></del> -
Mark Owen #8	30-025-25481	Z	760 FS 760 FW				,			G-160		0409-A			
			_												
Mark Owen #28		Z	1310 FS 467FW		New	New G40	SOS	SOS	SOS	G-160		sos	SOS	0-40	SOS
Mark Owen #29		~	2173 FS 1330 FW		New	0-40	_		sos	SOS   G-160		205	555	0-40	202

From:

Brooks, David K., EMNRD

Sent:

Thursday, March 10, 2011 5:07 PM

To:

'drcatanach@netscape.com'

Subject:

Apache - Mark Owen NSL/NSP/SD Application

Dear David

Attached is a draft of a proposed order on this application. Please check it over generally to be sure everything is ok. That way, maybe I won't have to do a nunc pro tunc.

Also, I have a question about the Mark Owen #5. Order NSP 1935 says, as does your application and the C-102 filed with the previous application that resulted in NSP 1935, that it is located at SL 1460 FSL and 1510 FWL and BHL 1355 FS&WL. Your application says this location is in Unit K, which should be correct. Order 1935 and the C-102 included in the previous application had the same location info but say Unit L, which would seem to be wrong based on the footages. However, when I tried to check it I found that the C-102 in the well file shows it to actually be in Unit L at SL 1650 FSL & 1170 FWL and BHL at 1650 FSL & 990 FWL. If that is correct, then Unit L should be dedicated only to the #5 in the Blinebry and, in the Tubb Unit L should be simultaneously dedicated to the #1 and #5 instead of Unit K being simultaneously dedicated to the No. 5 and the No. 29, as requested in your application. Please check this out.

Thanks

David

From:

David Catanach [drcatanach@netscape.com]

Sent:

Monday, March 14, 2011 8:30 AM

To:

Brooks, David K., EMNRD

Cc:

Michelle Hanson

Subject:

RE: Apache - Mark Owen NSL/NSP/SD Application

Attachments:

NSL-6348 Corrections.doc

David.

There are many C-102's in the well file for the Mark Owen No. 5. I'm not sure that any of them are entirely correct.

The correct well location for the Mark Owen No. 5 is: Surface: 1460' FSL & 1510' FWL Bottomhole: 1376' FSL & 1370' FWL. Both the surface and bottomhole locations should be in Unit K.

The person in Hobbs that is reviewing these C-102's keeps changing our surface location to Unit L when it should be in Unit K. Clearly, based on the footages, both the surface and bottomhole locations are in Unit K.

I have reviewed the draft order and have found some corrections that need to be made.

On Page 3, in the paragraph with the heading "The units so established will be dedicated to the following wells"

Section 35-21S-37E in the Tubb OII & Gas Pool

Should Read:

SW/4 SW/4 Mark Owen No. 8 (API No. 30-025-25481) and mark Owen No. 28

[See Simultaneous Dedication Approval below].

In addition on Page 3, under the paragraph heading "Simultaneous Dedication Approval".

I have attached a revised paragraph 1 under that heading. It corrects the simultanous dedication of the SW/4 SW/4 of Section 35 in the Tubb OII & Gas Pool to correctly read the Mark Owen Wells No. 8 and 28.

Paragraph 2 regarding the Mark Owen No. 5 and 29 is correct. (Note: correct pool name to Tubb instead of Tub)

On Page 4 under the heading "Non-Standard Location (NSL) Application:

Uhave attached a corrected version of the items under that heading to show the Mark Owen No. 29 is an unorthodox oil well location in the Blinebry, not gas.

Also, pool indicates Drunkard Pool, should be Drinkard, although I can understand this mistake given the complexity of this application.

If you need anything else, or if you want me to take another look after the corrections are made, let me know.

Thanks,

David

### --- david.brooks@state.nm.us wrote:

From: "Brooks, David K., EMNRD" < david.brooks@state.nm.us>
To: "drcatanach@netscape.com" < drcatanach@netscape.com>
Subject: RE: Apache - Mark Owen NSL/NSP/SD Application

Date: Fri, 11 Mar 2011 15:29:05 +0000

Sorry about that!

From: David Catanach [mailto:drcatanach@netscape.com]

Sent: Friday, March 11, 2011 6:52 AM

To: Brooks, David K., EMNRD

Subject: Re: Apache - Mark Owen NSL/NSP/SD Application

David.

I'd be happy to take a look at the proposed order, however, I was unable to find any attachment to your E-mail. I'm out of town today, so I will review the order this weekend and get back to you first thing Monday morning. Thanks.

### David

### --- david.brooks@state.nm.us wrote:

From: "Brooks, David K., EMNRD" < david.brooks@state.nm.us > To: "drcatanach@netscape.com" < drcatanach@netscape.com > Subject: Apache - Mark Owen NSL/NSP/SD Application

Date: Fri, 11 Mar 2011 00:07:09 +0000

### Dear David

Attached is a draft of a proposed order on this application. Please check it over generally to be sure everything is ok. That way, maybe I won't have to do a nunc pro tunc.

Also, I have a question about the Mark Owen #5. Order NSP 1935 says, as does your application and the C-102 filed with the previous application that resulted in NSP 1935, that it is located at SL 1460 FSL and 1510 FWL and BHL 1355 FS&WL. Your application says this location is in Unit K, which should be correct. Order 1935 and the C-102 included in the previous application had the same location info but say Unit L, which would seem to be wrong based on the footages. However, when I tried to check it I found that the C-102 in the well file shows it to actually be in Unit L at SL 1650 FSL & 1170 FWL and BHL at 1650 FSL & 990 FWL. If that is correct, then Unit L should be dedicated only to the #5 in the Blinebry and, in the Tubb Unit L should be simultaneously dedicated to the #1 and #5 instead of Unit K being simultaneously dedicated to the No. 5 and the No. 29, as requested in your application. Please check this out. Thanks

nanks David

Netscape. Just the Net You Need.
Netscape. Just the Net You Need.

### Simultaneous Dedication Application:

Apache has requested approval to simultaneously dedicate the above-described non-standard 40-acre gas spacing and proration unit consisting of the SW/4 SW/4 in the Binebry Oil & Gas Pool to the following wells:

Mark Owen Well No. 2 (API No. 30-025-07038) located 660 feet from the South and West lines (Unit M) of Section 35; and

Mark Owen Well No. 28 (API No. not yet assigned), located 1310 feet from the South line and 467 feet from the West line (Unit M) of Section 35.

Apache has further requested approval to simultaneously dedicate the above-described non-standard 40-acre gas spacing and proration unit consisting of the SW/4 SW/4 in the Tubb Oil & Gas Pool to the following wells:

Mark Owen Well No. 8 (API No. 30-025-25481) located 760 feet from the South and West lines (Unit M) of Section 35; and

Mark Owen Well No. 28 (API No. not yet assigned), located 1310 feet from the South line and 467 feet from the West line (Unit M) of Section 35.

### Non-Standard Location (NSL) Application:

Apache has requested to drill the Mark Owen Well No. 28 (API No. not yet assigned), at an unorthodox gas well location in the Blinebry and Tubb Oil & Gas Pools, and an unorthodox oil well location in the Drinkard Pool, 1310 feet from the South line and 467 feet from the West line (Unit M) of Section 35.

Apache has further requested to drill the Mark Owen Well No. 29 (API No. not yet assigned), at an unorthodox gas well location in the Tubb Oil & Gas Pool, and an unorthodox oil well location in the Blinebry Oil & Gas Pool and Drinkard Pool 2173 feet from the South line and 1330 feet from the West line (Unit K) of Section 35.

The SW/4 SW/4 of Section 35 will be dedicated to the Mark Owen Well No. 28 as a non-standard 40-acre gas spacing and proration unit in the Binebry and Tubb [see above], and as a standard, 40-acre oil spacing and proration unit in the Drinkard Pool (19190). The NE/4 SW/4 of Section 35 will be dedicated to the Mark Owen Well No. 29 as a non-standard, 40-acre gas spacing and proration unit in the Tubb [see above] and as a standard 40-acre oil spacing and proration unit in the Blinebry and Drinkard Pools [see

above]. The special pool rules applicable to 40-acre oil or gas units in the Blinebry and Tubb and statewide Rule 15.9, applicable to the Drinkard Pool each provide that wells shall be located at least 330 feet from any unit outer boundary. Each of these locations is less than 330 feet from a unit boundary.

From:

Mull, Donna, EMNRD

Sent:

Monday, March 14, 2011 12:23 PM

To:

Kautz, Paul, EMNRD; Brooks, David K., EMNRD; drcatanach@netscape.com

Subject:

RE: Apache - Mark Owen #5 API No. 30-025-39558

This location has been corrected. I have talked to Pat about this and will get with Cindy.

Have a nice day. Donna

From: Kautz, Paul, EMNRD

Sent: Monday, March 14, 2011 9:21 AM

To: Brooks, David K., EMNRD; drcatanach@netscape.com; Mull, Donna, EMNRD

Subject: RE: Apache - Mark Owen #5 API No. 30-025-39558

David

I have check the well file and the well is in U/L K. I am looking into who has been changing K to L

Paul

From: Brooks, David K., EMNRD

Sent: Monday, March 14, 2011 9:08 AM

To: drcatanach@netscape.com; Kautz, Paul, EMNRD; Mull, Donna, EMNRD

Subject: Apache - Mark Owen #5 API No. 30-025-39558

David

I have prepared a corrected draft of the order which is attached.

However, I think before we issue it Apache and our people in Hobbs need to straighten out the location of the Mark Owen No. 5. If the footages you give (SL 1460 FSL & 1510 FWL and 1376 FSL & 1370 FWL) are correct, then I would have assumed this well was in Unit K as that would correspond to those footages unless the section was substantially irregular. However, as I pointed out in my previous email, there are documents in the well file showing different locations. We have the well entered in our system with the footages you indicate, but showing it in Unit L, which is incorrect for these footages, but correct for the footages on the C-102 attached to the APD.

### Paul and Donna

Please look into this and see if you can straighten it out.

Thanks

David Brooks

From:

David Catanach [drcatanach@netscape.com]

Sent:

Monday, March 14, 2011 9:44 AM

To:

Brooks, David K., EMNRD

Cc:

Michelle Hanson; Kautz, Paul, EMNRD

Subject:

Re: Apache - Mark Owen #5 API No. 30-025-39558

David.

I have spoken to Paul Kautz about the well location for the Mark Owen No. 5. He agreed that both the surface and bottomhole location are in Unit K.

On Page 3, Paragraph No. 2, "and the Tubb Oil and Gas Pool" should be deleted. This paragraph only pertains to the Binebry Oil & Gas Pool.

On Page 4, under the heading Non-Standard Location (NSL) Application, there is still confusion. Suggested changes should read:

"Apache has requested to drill the following wells at unorthodox oil and/or gas well locations in the Binebry Oil & Gas Pool, Tubb Oil & Gas Pool and Drinkard Pool, as follows:"

The second sentence of paragraph No. 2 under that heading should read:

"The NE/4 SW/4 of Section 35 will be dedicated to the Mark Owen Well No. 29 as a non-standard, 40-acre gas spacing and proration unit in the Tubb Oil & Gas Pool, and as a standard 40-acre oil spacing and proration unit in the Blinebry Oil & Gas Pool and Drinkard Pool."

Keep the faith, we're almost done.

David

### --- david.brooks@state.nm.us wrote:

From: "Brooks, David K., EMNRD" < david.brooks@state.nm.us>

To: "drcatanach@netscape.com" <drcatanach@netscape.com>, "Kautz, Paul, EMNRD" <paul.kautz@state.nm.us>,

"Mull, Donna, EMNRD" < donna.mull@state.nm.us>

Subject: Apache - Mark Owen #5 API No. 30-025-39558

Date: Mon, 14 Mar 2011 15:08:20 +0000

David

I have prepared a corrected draft of the order which is attached.

However, I think before we issue it Apache and our people in Hobbs need to straighten out the location of the Mark Owen No. 5. If the footages you give (SL 1460 FSL & 1510 FWL and 1376 FSL & 1370 FWL) are correct, then I would have assumed this well was in Unit K as that would correspond to those footages unless the section was substantially irregular. However, as I pointed out in my previous email, there are documents in the well file showing different locations. We have the well entered in our system with the footages you

indicate, but showing it in Unit L, which is incorrect for these footages, but correct for the footages on the C-102 attached to the APD.
Paul and Donna
Please look into this and see if you can straighten it out.
Thanks
David Brooks
Netscape. Just the Net You Need.