ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION



POST OFFICE BOX 2088 STATE LAND OFFICE BUILDING SANTA FE, NEW MEXICO 87501 (505) 827-5800

APPLICATION OF CONOCO, INC. TO EXPAND ITS WATERFLOOD PROJECT IN THE WARREN MCKEE POOL IN LEA COUNTY. NEW MEXICO.

ORDER NO. WFX-566

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Order No. R-5632, Conoco, Inc. has made application to the Division on July 2, 1987 for permission to expand its Warren McKee Unit Waterflood Project in the Warren McKee Pool in Lea County, New Mexico.

NOW, on this 27 day of July, 1987, the Division Director finds:

- 1. That application has been filed in due form.
- 2. That satisfactory information has been provided that all offset operators have been duly notified of the application.
- 3. That no objection has been received within the waiting period as prescribed by Rule 701B.
- 4. That the proposed injection well is eligible for conversion to water injection under the terms of Rule 701.
- 5. That the proposed expansion of the above referenced Waterflood Project will not cause waste nor impair correlative rights.
 - 6. That the application should be approved.

IT IS THEREFORE ORDERED:

That the applicant, Conoco, Inc., be and the same is hereby authorized to inject water into McKee formation into perforations from approximately 9082 feet to approximately 9176 feet through plastic-lined tubing set in a packer at approximately 8950 feet in the following described well for purposes of secondary recovery to wit:

Warren Unit McKee Well No. 88 Unit M, Section 29, Township 20 South, Range 38 East, NMPM, Lea County, New Mexico.

IT IS FURTHER ORDERED:

That the operator shall take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.

That the casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge at the surface or left open to the atmosphere to facilitate detection of leakage in the casing, tubing, or packer.

That prior to commencing injection operations in the well, the casing shall be pressure tested from the surface to the packer setting depth to assure the integrity of the casing.

That the injection well or system shall be equipped with a pressure limiting device which will limit the wellhead pressure on the injection well to no more than 1816 psi.

That the Director of the Division may authorize an increase in injection pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the injected fluid from the McKee formation. That such proper showing shall consist of a valid step-rate test run in accordance with and acceptable to this office.

That the operator shall notify the supervisor of the Hobbs district office of the Division of the date and time of the installation of disposal equipment and of the mechanical integrity test so that the same may be inspected and witnessed.

That the operator shall immediately notify the Supervisor of the Division's Hobbs District Office of the failure of the tubing, casing, or packer in said well or the leakage of water from or around said well and shall take such steps as may be timely or necessary to correct such failure or leakage.

That the subject well shall be governed by all provisions of Division Order No. R-5632 and Rules 702, 703, 704, 705, and 706 not inconsistent herewith.

That the Division Director may rescind or suspend this injection authority if it becomes apparent that the injected water is not being confined to the injection zone or it is endangering any fresh water aquifers.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO OIL CONSERVATION DIVISION

WILLIAM J. LEMAY

Director

SEAL