ADMINISTRATIVE ORDER NO. WFX-753

APPLICATION OF CROSS TIMBERS OPERATING COMPANY TO EXPAND ITS WATERFLOOD PROJECT IN THE MALJAMAR GRAYBURG-SAN ANDRES POOL IN LEA COUNTY, NEW MEXICO

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Division Order No. R-3134, Cross Timbers Operating Company has made application to the Division on May 24, 1999 for permission to expand its Southeast Maljamar Grayburg-San Andres Unit Waterflood Project in the Maljamar Grayburg-San Andres Pool in Lea County, New Mexico.

THE DIVISION DIRECTOR FINDS THAT:

- (1) The original application was filed in due form.
- (2) Satisfactory information was provided that all offset operators had been duly notified of the application.
- (3) No objection had been received within the waiting period as prescribed by Rule 701(B).
- (4) The proposed injection well is eligible for conversion to injection under the terms of Rule 701.
- (5) The proposed expansion of the above referenced waterflood project will not cause waste nor impair correlative rights.
 - (6) The application for reinstatement should be approved.

IT IS THEREFORE ORDERED THAT:

The applicant, Cross Timbers Operating Company, be and the same is hereby authorized to inject water into the Grayburg-San Andres formations through perforations at approximately 4261 feet to approximately 4399 feet using 2 3/8-inch plastic lined tubing set in a packer located within 100 feet of the uppermost injection perforations in the following described well for purposes of

Administrative Order WFX-753 Cross Timbers Operating Company June 29, 1999 Page 2

secondary recovery, to wit:

SEMGSAU Well No.908

Unit 'A' of Section 32, Township 17 South, Range 33 East Injection Interval: 4261 feet to 4399 feet Maximum Injection Pressure: 852 psi

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.

Prior to commencing injection operations into the well, the casing shall be pressure tested from the surface to the packer setting depth to assure the integrity of said casing.

The casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge at the surface or left open to the atmosphere to facilitate detection of leakage in the casing, tubing or packer.

The injection well or system shall be equipped with a pressure limiting device which will limit the wellhead pressure to .2 psi per foot of depth to the uppermost injection perforations of the well.

The Director of the Division may authorize an increase in injection pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the injected fluid from the upper Grayburg-San Andres formations. Such proper showing shall consist of a valid step-rate test run in accordance with and acceptable to this office.

The operator shall notify the supervisor of the Hobbs district office of the Division of the date and time of the installation of injection equipment and of the mechanical integrity test so that the same may be inspected and witnessed.

The operator shall immediately notify the supervisor of the Hobbs district office of the Division of the failure of the tubing, casing or packer in said well and shall take such steps as may be timely and necessary to correct such failure or leakage.

The subject well shall be governed by all provisions of Division Order No. R-3134, as amended and Rules 702-706 of the Division Rules and Regulations not inconsistent herewith.

PROVIDED FURTHER THAT, jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh water or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the injection authority granted herein.

The injection authority granted herein shall terminate one year after the effective date of this order if the operator has not commenced injection operations into the subject well, provided however, the Division, upon written request by the operator, may grant an extension thereof for good cause shown.

DONE at Santa Fe, New Mexico, on this 29th day of June, 1999.

STATE OF NEW MEXICO OIL CONSERVATION DIVISION.

1 2/2

LORI WROTENBERY

Director

SEAL

LW/MWA/kv

cc: Oil Conservation Division - Hobbs

Case File No. 3462