


Mark K. Mosley
Division Manager
Production Department
Hobbs Division
North American Production

Conoco Inc. P.O. Box 460 726 E. Michigan Hobbs, NM 88240 (505) 393-4141



November 25, 1981

New Mexico Oil Conservation Division P.O. Box 2088
Santa Fe, New Mexico 87501

Attention Mr. R. L. Stamets

Gentlemen:

#### Convert Queen "B" Well No. 36 to Salt Water Disposal

Conoco Inc respectfully requests authority to convert the Baish "B" Well No. 36 from a shut-in oil well in the Wolfcamp Formation, with no potential for producing, to an active salt water disposl well in the lower Wolfcamp Formation. The subject well is located 554' FNL & 554' FWL of Section 28, T-17S, R-32E, Lea County, New Mexico. This conversion is necessitated by the high cost of trucking water from the MCA Unit at times when injection wells are "back-flowed" or when other conditions result in the accumulation of surplus water from the MCA Unit Waterflood operations under which the presence of oxygen in the water make it unfit for re-injection into the system. The water to be disposed into Well No. 36 will be of higher quality than the Wolfcamp Formation water, as shown by the attached water analyses. There are no known sources of underground drinking water in the area of this application. Probably Triassic 300 to 400 ft.

The average daily injection rate will be less than 500 BWPD with a

The average daily injection rate will be less than 500 BWPD with a maximum of 1000 BWPD. It is anticipated that initially the water will be injected on a vacuum however it is requested that a maximum pressure of 2000# be approved, which is below the accepted .2# per foot of depth. Injection will be confined to the lower Wolfcamp through perfs 9965' 10,040'. The nearest producing well in the Wolfcamp Formation is more than a mile to the northeast. The six producing Baish Wolfcamp wells (see Exhibit) produce from the upper Wolfcamp at depths from 9732' to 9896' which is about 69' high structurally to the proposed disposal well. No other wells within 1/2 mile radius of Baish B No. 36 have penetrated the Wolfcamp Formation.

Any existing perforations will be squeezed and 5 1/2" casing will be pressure tested and re-squeezed if necessary. After re-perforating desired injection intervals 9965' - 10,040', well will be acidized with 3000 gallons of 15% acid in three stages using 400 gallons of temporary blocking agent consisting of 400# rock salt, 400# benzoic acid flakes, and 20# guar gum gel mixed in 400 gallons of 10#/gallons brine at maximum pressure of 2000 psi.

Hugh called 12-21-81 with Apart that wells within the called 12-21-81 with the part of the called 12-21-81 with the part of the called 12-21-81 with the part of the called 13-21-81 with the part of the called 13-21-81 with the called 13-21-81 with

1993 6

NMOCD Page 2 November 25, 1981

Administrative approval is requested as provided by Order No. R-6702, Rule 701, Paragraph D. If such approval cannot be granted, it is respectfully requested that this case be set for Examiner Hearing on the earliest available docket.

Very truly yours,

for M.K. MosLey

HAI:rej

CC:

Cities Service Oil Company 7
P.O. Box 1919
Midland, Texas 79701

PED Oil Corporation P.O. Drawer 3547 Midland, Texas 79702

Kirby Exploration Company Box 1745 1717 St. James Street Houston, Texas 77001

Tom Kellahin - Santa Fe

Vic Lyon - Houston

# Following appeared in Hobbs News-Sun on October 19, 1981

LEGAL NOTICE OCTOBER 19, 1981 CONVERT WELL TO SALT WATER DISPOSAL

and the straight of the contract of the section of

Conoco Inc., 726 E. Michigan, P.O. Box 460, Hobbs, New Mexico, Phone (505) 393-4141, M. K. Mosley, Division Manager of Production, intends to convert to salt water disposal its Baish B Well No. 36, located 554' FNL & 554' FWL of Section 28, T-17S, R-32E, Lea County, New Mexico. Water will be disposed into the lower Wolfcamp Formation at a depth of 9965' to 10,040', using surface pressures ranging from 0 to 2000 psi, average injection rate of 500 BWPD, maximum rate approximately 1,000 BWPD. Interested parties must file objections or requests for hearing with the Oil Conservation Division, P.O. Box 2088, Santa Fe, New Mexico 87501, within 15 days.

NOTE: The name was changed on regulatory records from Baish B to Queen B. Well number and location are same as above.



Mark K. Mosley
Division Manager
Production Department
Hobbs Division
North American Production

Conoco Inc. P.O. Box 460 726 E. Michigan Hobbs, NM 88240 (505) 393-4141

December 1, 1981

PED Oil Corporation P.O. Drawer 3547 Midland, Texas 79702

ATTENTION: Mr. Rodger Edge

Gentlemen:

Convert to SWD, Queen "B" Well No. 36, Section 28, T-17S, R-32E, Lea County, New Mexico

Conoco Inc. is making application to the New Mexico Oil Conservation Division to convert to saltwater disposal its Queen "B" Well No. 36, located 554' FN & WL of Section 28, T-17S, R-32E, Lea County, N.M. We intend to dispose of water into the lower Wolfcamp Formation. Your company operates a well almost two miles away, which apparently produced from the lower Wolfcamp and is shown on the attached plat. Also attached for your information are details concerning our application, including NMOCD Form C-108, and attachments.

We would appreciate your waiver of any objections to our proposed conversion by signing below and returning one copy of this letter ballot in the enclosed envelope, to the attention of Mr. H. A. Ingram.

Very truly yours,

M.K. Mosley by HAI: rej

Approved this \_\_\_\_\_\_\_ day of \_\_\_\_\_\_\_, 1981

PED Oil Corporation

By Kollge J. Else

CC: NMOCD - Hobbs

### POST OFFICE BOX 20118 STATE LAND OFFICE BUILDING

FURNIT L-108 Revised 7-1-81

	GANTA FE. NEW MEXICU 8/501					
APPLICA	ATION FOR AUTHORIZATION TO INJECT					
vī.	Purpose: Secondary Recovery Pressure Maintenance X Disposal Storage Application qualifies for administrative approval? X yes no					
ИI.	Operator: Conoco Inc.					
	Address: P.O. Box 460, Hobbs, New Mexico 88240					
	Contact party: H. A. Ingram Phone: (505)393-4141					
<b>111</b> .	Well data: Complete the data required on the reverse side of this form for each well proposed for injection. Additional sheets may be attached if necessary.					
√1v.	Is this an expansion of an existing project?  yes  no If yes, give the Division order number authorizing the project					
✓v.	Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.					
VI.	Attach a tabulation of data on <u>all wells</u> of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.					
VII.	Attach data on the proposed operation, including:					
	<ol> <li>Proposed average and maximum daily rate and volume of fluids to be injected;</li> <li>Whether the system is open or closed;</li> <li>Proposed average and maximum injection pressure;</li> <li>Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and</li> <li>If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).</li> </ol>					
VIII. Yz	Attach appropriate geological data on the injection zone including appropriate lithologic detail, geological name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such source known to be immediately underlying the injection interval.					
IX.	Describe the proposed stimulation program, if any.					
х.	Attach appropriate logging and test data on the well. (If well logs have been filed with the Division they need not be resubmitted.)					
XI.	Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.					
NONE	Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground source of drinking water.					
XIII.	Applicants must complete the "Proof of Notice" section on the reverse side of this form.					
XIV.	Certification					
	I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.  Name:  H. M. Ingram  Title Conservation Coordinator					
	Name: H. A. Ingram  Title Conservation Coordinator  Signature: Date: October 30, 1981					
# TC +L	e information required under Sections VI, VIII, X, and XI above has been previously					
submi	tted, it need not be duplicated and resubmitted. Please show the date and circumstance e earlier submittal.					

DISTRIBUTION: Original and one copy to Santa Fe with one copy to the appropriate Division district office.

#### III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application.

  The data must be both in tabular and schematic form and shall include:
  - (1) Lease name; Well No.; location by Section, Township, and Range; and footage location within the section.
  - (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
  - u(3) A description of the tubing to be used including its size, lining material, and setting depth.
  - (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
  - $\checkmark$ (1) The name of the injection formation and, if applicable, the field or pool name.
  - (2) The injection interval and whether it is perforated or open-hole.
  - $\checkmark$  (3) State if the well was drilled for injection or, if not, the original purpose of the well.
  - $\checkmark$  (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
    - (5) Give the depth to and name of the next higher and next lower oil or gas zone in the area of the well, if any.

#### XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) the intended purpose of the injection well; with the exact location of single wells or the section, township, and range location of multiple wells;
- (3) the formation name and depth with expected maximum injection rates and pressures; and
- (4) a notation that interested parties must file objections of requests for hearing with the Oil Conservation Division, P. O. Box 2008, Santa Fe, New Mexico 87501 within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

BAISH WOLFCAMP POOL Active WELLS

	WELL	U	The same of the sa			PERF	۶.	Jul.,	131	1
OPERATOR	F-10 -	L	5	7	R	FROM	TO	Bopp	BWPD	
CONOCO	850 to 4	А	21	175	72 E	9826	9832	7	NR	JUN. 81
	13	E	22	175	32€	9797	9873	8	5	
	BAISH-B HUDSOH	c	22	175	32€	1808	1860	14	Ч	
	1	Μ	15	175	32 €	9732	9878	16	ня	
Kirby	HODIN	K	15	175	328	9747	7893	5	MR	
PET. EXPL. DEN .	f inter	. 0	15	175	32€	10,674		3	2 🌓	
The Lowel	Wold	com j	o Wel			_	This W	sell ok		
sugger well	3 6	D	28	17 \$	32 E		10040	1	ŀ	
ž.			*					•		l /

11652 cs3 hole


1765

OPERATOR		LEASEGUEUN		
Conoco, I	Inc.	-Baish "B"		
WELL NO.	. FOOTAGE LOCATION	SECTION	TOWNSHIP	RANGE
36	554' FNL, 554' FWL	28	17S	32E
. <u>S</u>	ichematic            V Fresh Hzo C	vered <u>Ta</u>	bular Data	
1.1	Hesh Hz	Surface Casing		
	13" CSG	Size13 "	Cemented with	175 sx.
-	at 825	TOC SFC.		
		Hole size		
TOC	3391'	Intermediate Casing		•
100	1     -: 3391	Size <u>8-5/8"</u> "	Cemented with	200 sx.
4	8 5/6"CSG	TOC 3391	feet determined by	temperature surve
	or 4183 Open perfs	Hole size		
	= 5378 - 5428	,		
	(50')	Long string ·		
	will be squeezed	Size <u>5-1/2</u> "	Cemented with	1100sx.
TOC ==:	5890'	TOC5890	feet determined by	temperature survey
		Hole size		
		Total depth 10747'		
		rotal depth 10/4/	<del></del>	
	2 7/8" FLASTIC	Injection interval		,
	LINED	9965 feet to (perforated or open-hol	10.040	feet
		(perforated or open-hol	le, indicate which)	_
			• ,	* \$
		A STATE OF THE STA	of Borney.	
	₩ PKR 01 9900'			•
	2265'			•
	INJUNTERVAL	•		
BD 10,050'	INJ. INTERVAL		. ,	
JD 10,030 <b>△</b>	F 10" 1711 177	10,745'		
т	D. 10,747	10,745 Toga Common office (	March 1	
•	. 5. 10, 11			
			·	
			· 2	
<b>.</b>	. 2 7/9!!	-1		
Tubing si	ize <u>2-7/8''</u> lined	with <u>Diastic</u> (mater	ial)	set in a
	odel ''R'' Packer	packer at	9900	feet
	(brand and model)			
	ribe any other casing-tubing	seal).		
Other Dat	<u>ta</u>			
	of the injection formation			
2. Name	of Field or Pool (if applic	able) Baish-Maljamar-Po	earsall	
	his a new well drilled for i	•	₹7 No	
	o, for what purpose was the	<del></del>	To produce oil	and gas from the
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	nsylvanian formation			
4. Has t	the well ever been perforate give plugging detail (sacks	<pre>d in any other zone(s)? of cement or bridge plug</pre>	List all such perforate (s) used) Perforate	orated intervals ed from 8914 -
at 58	'and squeezed w/400 sx. p. 825', and pumped 275 sx. p. 5/28'	erforated 5335'-5502'	anu aqueezea W/DL 2012 baseaura bas	n sy perforated
<del></del>	<del> 1120 , u.u. 1101 Suuceze</del>	171 111 1747.		
5. Give	the depth to and name of an area. at 9732' Wolfcamp	y overlying and/or under Formation : at 8900' -	lyimy oil or gas zo ABO Formation	ones (paols) in
Citi	at 11,636' - Straw			
	at II,000 - bttaw		•.	

	FIELD	Water	lanks	WATER	ANALYSIS
mg/L	meg/L	mg/L	meq/L	mg/L	mec/L
972		680		1507	124
2360		2000		1723	مالا
52.298		34 704		20655	898
O		0		0	
1220		451		915	15
4400		3900		1050	21.8
50 000		33000		38,000	1071
STRONG		STR		1190	69.8
μ		14		3.8	
7.6		7.4		6.25	
			·	1.04	
Ą				9.3	
1.4		•9		-1.6	
neg		nea		-1.9	
	54-8¢	Champi	m5-1-81	(PO 1	0-19-81
Baish	, A			ma !	Blry 2
			ノ 、		J
			,	$\sim$	
2 2 3			-	Z 1"	
200			,	5 8	
3 . 3	•			708	n J
	972 2360 52298 0 1220 4400 50,000 STRONG 11 7.6 4 1.4 Neg- Champin Baish	mg/L meq/L 972 2360 52298 0 1220 4400 50 1010 STRONG 11 7.6 11 1.4 Neg-	mg/L meg/L mg/L 972 (680 2360 2000 52298 34704 0 0 1220 451 4400 3900 50,000 51RCNG 5TR 11 14 7.6 7.4  1.4 .9 Neg neg Champion 5+80 Champi Baish A Bais	mg/L meg/L mg/L meg/L  972 (680  2360 Z000  52298 34704  0 0  1220 451  4400 3900  STRONG STR  11 14  7.6 7.4  Preg neg  Champion S+80 Champion S-1-81  Baich A Baich B	MATER   MATER   MATER   MATER   May   MATER   May   May

Wolfiamp WATER SAMPLE - ZONE TO BE DISPOSED INTO MCA UNIT (G-SA) WATER TO BE INJECTED

THE ECCUL



CONOCO INC. QUEEN B NO. 36 ELEV 3994 D.F. -3500 I bury how my for the form the 7900 Hamman Man Market Marke TOP LOWER WOLFCAMP 9965 PROPOSED PERF'S 10,040 TOP PENNSYLVANIAN IOLIO' 10200

T.D. 10,500

## OIL CONSERVATION DIVISION DISTRICT I

JAN 11	1032		•	·
		January	6,	1982
	RE:	Propose		
		Propose		
		Propose		
		Propose	d N	SP

Proposed SWD Proposed WFX Proposed PMX

OIL CONSERVATION DIVISION P. O. BOX 2088 SANTA FE, NEW MEXICO 87501


Gentlemen:

I have examined the application for the:

Conoco Inc.	Queen "B"**	No. 36-D	28-17-32
Operator	Lease ar	nd Well No. U	nit, S - T - R
and my recommendat	ions are as follow	NS:	
0.KJ.S.			
**Our records sho	ow this to be the B	aish B No. 36m	С
•	• .		
		<del></del>	

Yours very truly,

/mc



Mark K. Mosley
Division Manager
Production Department
Hobbs Division
North American Production

Conoco Inc. P.O. Box 460 726 E. Michigan Hobbs, NM 88240 (505) 393-4141

December 1, 1981

PED Oil Corporation P.O. Drawer 3547 Midland, Texas 79702

ATTENTION: Mr. Rodger Edge

Gentlemen:

Convert to SWD, Queen "B" Well No. 36, Section 28, T-17S, R-32E, Lea County, New Mexico

Conoco Inc. is making application to the New Mexico Oil Conservation Division to convert to saltwater disposal its Queen "B" Well No. 36, located 554' FN & WL of Section 28, T-17S, R-32E, Lea County, N.M. We intend to dispose of water into the lower Wolfcamp Formation. Your company operates a well almost two miles away, which apparently produced from the lower Wolfcamp and is shown on the attached plat. Also attached for your information are details concerning our application, including NMOCD Form C-108, and attachments.

We would appreciate your waiver of any objections to our proposed conversion by signing below and returning one copy of this letter ballot in the enclosed envelope, to the attention of Mr. H. A. Ingram.

Very truly yours,

M.K. Mosley by HAI:rej

Approved this	day of, 1981
PED Oil Corporation	
By Colls	w. Cla