

OIL CONSERVATION DIVISION
RECEIVED

P.O. BOX 2088
HOBBS, NEW MEXICO 88240
OFFICE (505) 392-1915

PEAK
CONSULTING SERVICES
ENVIRONMENTAL,
GEOLOGICAL & REGULATORY
SPECIALISTS



PCS

August 27, 1991

Mr. David Catanach
Oil Conservation Division
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

Re: Proof of Publication
Texaco SWD application

Dear David:

Please find enclosed the proof of publication for the Getty Federal No. 5 located in section 24 - T22S - R31E in Eddy County New Mexico. I have not received any notice of objection to this applications as of this date.

If you have any questions or if I can be of any assistance, please let me know. Thank you for your time and cooperation.

Sincerely,

Michael L. Pierce
Peak Consulting Services

'91 AUG 24 AM 9 31

Affidavit of Publication

State of New Mexico,
County of Eddy, ss.

E. C. Cantwell, being first duly sworn,
on oath says:

That he is publisher of the Carlsbad Current-Argus, a newspaper published daily at the City of Carlsbad, in said county of Eddy, state of New Mexico and of general paid circulation in said county; that the same is a duly qualified newspaper under the laws of the state wherein legal notices and advertisements may be published; that the printed notice attached hereto was published in the regular and entire edition of said newspaper and not in supplement thereof on the date as follows, to wit:

AUGUST 20, 19 91
_____, 19 ____
_____, 19 ____
_____, 19 ____
_____, 19 ____

that the cost of publication is \$ 11.12 ,
and that payment thereof has been made
and will be assessed as court costs.

E C Cantwell

Subscribed and sworn to before me this

20 day of AUGUST, 19 91

Arzella J. J. J.

My commission expires

6/01/92

Notary Public

August 20, 1991

ADVERTISEMENT

TEXACO PRODUCING, INC., whose address is 205 E. Bender Blvd. HOBBS, NEW MEXICO 88240, proposes to drill the following well for the purpose of disposing produced water from oil and gas production.

The well is the Getty "24" Federal No. 5 well, located at 900' FNL and 1650' FWL Sec. 24 - T22S, R31E, unit C, Eddy County New Mexico. The injection zone is the Bell Canyon Member of the Delaware Formation at 4500' - 5000'. The maximum injection rate will be 2000 bbls/day, with pressure not to exceed limits as set forth by the Oil Conservation Division.

Interested parties must file objections or requests for hearing with the Oil Conservation Division, P.O. Box 2088, Santa Fe, New Mexico 87504-2088, within 15 days.

Inquiries regarding this application should be directed to M. Pierce, P.O. Box 636, Hobbs, New Mexico 88240, (505) 382-1915.



Department of the Interior

OIL CONSERVATION DIVISION
RECEIVED

'91 NOV 5 AM 8 41

November 1, 1991

NM Oil Conservation Division
P. O. Box 2088
Santa Fe, New Mexico
87504

Attention: Mr. William J. Lemay
Director

RE: Administrative Order No. SWD-440
Getty "24" Federal Well No. 5
Unit C, Sec. 24, T-22-S, R-31-E
Eddy County, New Mexico

Gentlemen:

This letter is to inform you that the referenced well was perforated in the interval from 4519'-4688' and 4832'-5110'. This interval is in the Delaware formation as stipulated in the referenced Order but exceeds the footage that was designated as "approximately 4500 feet to approximately 5000 feet". If the Order needs to be amended and requires further action on our part, please inform us of such.

Yours Very Truly,

L. D. Ridenour
Associate Engineer

LDR/s

Chrono

cc: NMOCD-Artesia
BLM-Carlsbad



STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT
OIL CONSERVATION DIVISION

BRUCE KING
GOVERNOR

POST OFFICE BOX 2088
STATE LAND OFFICE BUILDING
SANTA FE, NEW MEXICO 87504
(505) 827-5800

November 21, 1991

Texaco USA
P.O. Box 730
Hobbs, New Mexico 88240

Attention: L. D. Ridenour


Re: Getty "24" Federal Well No. 5

Dear Mr. Ridenour:

Reference is made to your letter dated November 1, 1991, whereby you informed the Division that the Getty "24" Federal Well No. 5 has been perforated in the Delaware formation from 4519'-4688' and 4832'-5110'. It is our understanding that Division Order No. SWD-440, which order authorized the use of the subject well as a disposal well, specified the injection interval to be from approximately 4500 feet to 5000 feet.

Authorization is hereby given to expand the injection interval in the subject well to include the perforated interval from 4500 feet to 5110 feet.

Sincerely,



William J. LeMay
Director

xc: OCD-Hobbs
File-SWD-440 ✓