

Ex. 9: San Simon 5 State #1 API #30-025-27564 UL E, Section 5, T22S, R35E

Exhibit 9-A: Form C-101, Application for Permit to Drill, Re-enter, Deepen, Plugback or Add a Zone, dated 8-24-00. Operator: "Saba Energy of Texas, Inc."

Exhibit 9-B: Form C-103, Sundry Notices and Reports on Wells (notice of intention to plug and abandon), dated 2-12-02. Approved by OCD 2-12-02. Operator: "Greka Energy/Saba Energy of Tx Inc."

C. Unit II
811 South First, Aztec, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

C CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

Before the OCC
Case 13163
de novo
OCD Ex. 9-A

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

Operator Name and Address. Saba Energy of Texas, Inc. 3000 Wilcrest, Suite 220 Houston, Texas 77042		OGRID Number 34703
		API Number 30-025-27564
Property Code 18031	Property Name San Simon "5" State	Well No. 1

⁷ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	5	27S 22	35E		1980	North	660	West	Lea

⁸ Proposed Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
⁹ Proposed Pool 1 Bone Springs					¹⁰ Proposed Pool 2				

¹¹ Work Type Code P	¹² Well Type Code G	¹³ Cable/Rotary R	¹⁴ Lease Type Code S	¹⁵ Ground Level Elevation 3641 GR
¹⁶ Multiple No	¹⁷ Proposed Depth 6900' PB	¹⁸ Formation Bone Springs	¹⁹ Contractor	²⁰ Spud Date 10-1-00

²¹ Proposed Casing and Cement Program

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
17-1/2"	13-3/8"	48#	1100'	1350	Circ.
12-1/4"	9-5/8"	40# & 36#	5636'	3200	Circ.
8-3/4"	7"	23#	10875	750	
6-1/8"	4-1/2" Liner	13/5#	11528	475	TOE: 10600'

²² Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

See attached wellbore schematic. Well will be plugged back to + 6900' with a CIBP. Current zone is *Atocha* with perforations 11166 to 11264 and is depleted. The 6800' zone will be perforated from 6820' to 6838'. BOPs will be tested to 3000 psi high, 250 psi low.

Permit Expires 1 Year From Approval
Date Unless Drilling Underway
Plug-Back

²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>William E. Babyak</i>		OIL CONSERVATION DIVISION	
Printed name: William E. Babyak		Approved by:	
Title: Production Manager		Title:	
Date: August 24, 2000		Approval Date:	Expiration Date:
Phone: 713.266.7993		Conditions of Approval: Attached <input type="checkbox"/>	

Proposed

KB: 21.2'
GL: 3641'

SAN SIMON 5 ST #1
Sec 5, T22S, R35E
Lea County, NM

13 3/8" 48# H-40 @ 1100'
cmtd w/1350 sx CI C to surf

9 5/8" 36# K-55 @ 5625'
cmtd w/3200 sx Lite & CI C to surf

2 3/8" 4.7# N-80 AB Mod to MWL SA @ 10599'
x-over to 2 3/8" 4.7# P-105 AB Mod to Baker SA @ 11528'

7" 23# S-95 @ 10942'
cmtd w/750 sx Lite & CI H

Perfor: 11128-265' (Wolfcamp)

Perfor: 12166-264' (Atoka) 12166-12178
12226-12264

Perfor: 12790-95' (Morrow)
Perfor: 12963-73'

4 1/2" 13.5# N-80 @ 13248' (top @ 10600') cmtd w/475 sx CI H

PBR @ 10600'

Baker DB pkr @ 11528'

Sand fill to 12730' w/9' cmt cap.

JSB 12-12-94

PBTD: 13121'

TD: 13250'

District I
PO Box 1980, Hobbs, NM 88241-1980
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

Form C-1
Revised October 18, 1991
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30 025 27564		Pool Code	Pool Name Wildcat (Atoka)
Property Code	Property Name San Simon "5" State		Well Number 1
OGRID No. 015025	Operator Name Saba Energy of Texas, Inc.		Elevation 3640.8'

10 Surface Location

UL or lot no. E	Section 5	Township 22S	Range 35E	Lot Idn	Feet from the 1980	North/South line North	Feet from the 660	East/West line West	County Lea
--------------------	--------------	-----------------	--------------	---------	-----------------------	---------------------------	----------------------	------------------------	---------------

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
---------------	---------	----------	-------	---------	---------------	------------------	---------------	----------------	--------

12 Dedicated Acres 320	13 Joint or Infill	14 Consolidation Code	15 Order No.
---------------------------	--------------------	-----------------------	--------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16 1980' 660' LG-4135					17 OPERATOR CERTIFICATION <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief</i> W. E. Babyak Signature W. E. Babyak Printed Name Production Manager Title Sept. 10, 2000 Date	
					18 SURVEYOR CERTIFICATION <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i> Date of Survey Signature and Seal of Professional Surveyor:	
					Certificate Number	

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-025-27564

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☒ Other ☐

2. Name of Operator Greka Energy / Saba Energy of TX Inc

3. Address of Operator Greka Energy, Suite 220, Houston, Tx 77042
3000 Westcrest

4. Well Location
Unit Letter E : 1980 feet from the N line and 660 feet from the W line
Section 5 Township 22S Range 35E NMPM County Lea

10. Elevation (Show whether DR, RKB, RT, GR, etc.)
3640.8 (GL)

7. Lease Name or Unit Agreement Name:
San Simon 5 St

8. Well No.
1

9. Pool name or Wildcat
San Simon Wolfcamp

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPLETION <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See attached well bore schematic.
Pump 25sx cmt plug @ 7000' on top of existing CIBP. (6797' - 7000')
Pump 25sx cmt plug @ 9 5/8" csg shoe @ 5625'. (5420' - 5625') (5420' - 5625')
Cut 7" csg @ TOC, ~4800'. POH csg. Pump 25sx cmt plug @ stub. (4697' - 4800')
Pump 25sx cmt plug @ 1800' @ salt zone.
Pump 25sx cmt plug @ 13 3/8" csg shoe @ 1100'. (1050' - 1150')
Pump 13sx cmt plug @ surf. (0' - 60')
Cut off wellhead and install deadman marker.

Before the OCC
Case 13163
de novo
OCD Ex. 9-B

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Prod. Foreman DATE 2-12-02

Type or print name Tracy Headstream Telephone No. 917-769-5157
(This space for State use)

APPROVED BY [Signature] TITLE PETROLEUM ENGINEER DATE FEB 12 2002

Conditions of approval, if any:

PLUGGING & ABANDONMENT WORKSHEET

(3 STRING CSNG)

OPERATOR GREA ENERGY

LEASENAME SAN SIMON 5 SF

SECT 5

TWN N 5 L

WELL # 1

FROM 1980

RNG 225

3525

TD: 13250

FORMATION @ TD

PBTD: 13121


FORMATION @ PBTD

	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	13 3/8	1100	SURF	CIRC	
INTMED 1	9 5/8	5625	SURF	CIRC	
INTMED 2					
PROD	7	10942	4800	CALC.	
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1	4 1/2	10600	13248	10600	CALC
LINER 2					
CUT & PULL @			TOP - BOTTOM		
INTMED 1			PERF	6822 - 6838	
INTMED 2			OPENHOLE	0 -	
PROD	7	@ 4800'			

* REQUIRED PLUGS DISTRICT *

MINNER (ANY)	
YATES	
QUEEN	
CHATELAIN	
SAN ANDREW	
CANYON REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BERRY CANYON	
SOME SPRING	
GLACIER	
FLORIDA	
TUB	
DEWEARD	
ARO	
WC	
TRIN	
STRAWN	
ATOKA	
MOORE	
LEWIS	
DEVONIAN	

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CMNT	
EXAMPLE			
PLUG 01	OH	25 SXS	9830'
PLUG 02	SHOE	50 SXS	8700-8800'
PLUG 03	CRP/35'		5300'
PLUG 04	CRP	25 SXS	5300'
PLUG 05	STUB	50 SXS	4600-4700'
PLUG 06	RETR 802	200 SXS	400
PLUG 07	SURF	10 SXS	0-10'
PLUG 08	CIBP	25 SX	6797-7000
PLUG 09	SHOE	25 SX	5420-5658
PLUG 10	SURF	25 SX	4697-4800
PLUG 11	SURF	25 SX	1800'
PLUG 12	SHOE	25 SX	1050-1150
PLUG 13	SURF	13 SX	0-60
PLUG 14			
PLUG 15			
PLUG 16			
PLUG 17			
PLUG 18			
PLUG 19			
PLUG 20			
PLUG 21			
PLUG 22			
PLUG 23			
PLUG 24			
PLUG 25			
PLUG 26			
PLUG 27			
PLUG 28			
PLUG 29			
PLUG 30			



SAN SIMON 5 ST #1
 Sec 5, T22S, R35E
 Lea County, NM

Proposed

KB: 21.2'
 GL: 3641'

13 3/8" 480 H-40 @ 1100'
 cement w/1350 sz CI C to surf

9 5/8" 360 K-35 @ 5625'
 cement w/3200 sz Lite & CI C to surf

6822' - 6830' 45PP
 6834' - 6838' 45PP

2 3/8" 4.78 N-80 AB Mod to MWL SA @ 10599'
 x-over to 2 3/8" 4.78 P-105 AB Mod to Baker SA @ 11528'

20' cement on top

7" 234 S-95 @ 10942'
 cement w/750 sz Lite & CI H

Perfor: 11128-265' (Wolfcamp)

Perfor: 12166-264' (Atoka)

Perfor: 12790-95' (Morrow)
 Perfor: 12963-73'

4 1/2" 13.5# N-80 @ 13248' (top @ 10600') cement w/475 sz CI H

200 ft 2 3/8" J55 6791'
 TAC
 10 ft 2 3/8" J55 6792'
 SN
 4' PS
 8' 1/2' 6823'

CIBP @ 7000'

CIBP @ 8021'
 2 3/8" STUB 8025'

PBR @ 10600'

Baker DB plr @ 11528'

12,706
 Sand fill to 12730' w/9' cement cap

PBTD: 13121'

TD: 13250'

JSB 12-12-94