

Submit 1 Copy To Appropriate District Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-41594
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No. NA
7. Lease Name or Unit Agreement Name Cedar Canyon 15 #3H
8. Well Number #003H
9. OGRID Number 16696
10. Pool name or Wildcat PIERCE CROSSING; BONE SPRING, EAST

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator OXY USA INC.	
3. Address of Operator P.O. BOX 4294, HOUSTON, TX 77210	
4. Well Location Unit Letter L : 1888 feet from the SOUTH line and 700 feet from the WEST line Section 15 Township 24S Range 29E NMPM County EDDY	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>	BEGIN INJECTION <input checked="" type="checkbox"/>	OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

OXY PLANS TO BEGIN INJECTION IN THE SUBJECT WELL.

PLEASE SEE ATTACHED DOCUMENT FOR DETAILS REGARDING COMMENCING INJECTION PERSUANT TO INJECTION ORDER R-21383.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Stephen Janacek TITLE REGULATORY ENGINEER DATE 7/1/21

Type or print name STEPHEN JANACEK E-mail address: STEPHEN_JANACEK@OXY.COM PHONE: 713-493-1986

For State Use Only

APPROVED BY: Dean R. McClure TITLE Petroleum Engineer DATE 07/12/2021

Conditions of Approval (if any):

WELL: CEDAR CANYON 15 #003H

API: 30-015-41594

INJECTION ORDER: R-21383

PURSUANT TO INJECTION ORDER R-21383:

- NO ADDITIONAL DOWNHOLE INJECTION EQUIPMENT NEEDS TO BE INSTALLED BEFORE BEGINNING OPERATIONS. THE EXISTING EQUIPMENT WILL BE UTILIZED.
- INJECTION WILL BE THROUGH TUBING INSTALLED WITH A PACKER SET AT 8505'.
- THE WELL IS EQUIPPED WITH A PRESSURE CONTROL DEVICE THAT WILL LIMIT THE MAXIMUM SURFACE INJECTION PRESSURE TO NO MORE THAN 1745 PSI FOR PRODUCED WATER, 4350 PSI FOR PRODUCED GAS, AND 2300 PSI FOR CARBON DIOXIDE.
- THE CASING-TUBING ANNULUS WILL BE FILLED WITH INERT FLUID, AND A GAUGE INSTALLED TO DETECT LEAKAGE.
- AN MIT WILL BE PERFORMED PRIOR TO COMMENCEMENT OF INJECTION. OXY WILL NOTIFY NMOCD OF MECHANICAL INTEGRITY TEST 72 HOURS IN ADVANCE.
- THE WELL IS TIED INTO A SCADA MONITORING SYSTEM.