				Page 1	
3				_	
4					
5	REPORTER'S TRANSCRIPT OF PROCEEDINGS				
6	PRE-HEARING TRANSCRIPT				
7					
8	ORIGINAL				
9					
10					
11					
12				OEI	
13			ICHARD EZEANYIM, CHIEF EXAMINER AVID K. BROOKS, LEGAL EXAMINER	上旨	
14			LIP GOETZE, TECHNICAL EXAMINER		
15			July 11, 2013	RECEIVED OCD	
16	Santa Fe, New Mexico				
17					
18	This matter came on for hearing before the New Mexico Oil Conservation Division, Richard Ezeanyim, Chief Examiner, David K. Brooks, Legal Examiner, and Phillip Goetze, Technical Examiner, on Thursday, July 11, 2013, at the New Mexico Energy, Minerals and Natural Resources Department, 1220 South St. Francis Drive, Porter Hall, Room 102, Santa Fe, New Mexico.				
19					
20					
21					
22					
23	REPORTED	BY:	Mary C. Hankins, CCR, RPR		
24	New Mexico CCR #20 Paul Baca Professional Court Report				
25			500 4th Street, Northwest, Suite 105 Albuquerque, New Mexico 87102		

- 1 (8:25 a.m.)
- EXAMINER EZEANYIM: This hearing will come 2
- 3 to order.
- Good morning, ladies and gentlemen. 4
- is July 11th, and we are going to consider Docket Number 5
- 6 Today is going to be a full docket. We tried to
- 7 do everything we could to streamline processes.
- 8 know, that's what I strive for.
- So, first off, I will call out all of the 9
- continuances and dismissals. There are not really a lot 10
- of them, but two or three. So the docket is full. 11
- Going to page 3, Case Number 15022 is 12
- 13 continued July 25th.
- On page 4, Case Number 15024 is continued 14
- 15 to August 8th.
- 16 Case Number 14994 is continued to August
- 19th. This is an off-docket. There is no regular 17
- 18 docket on August 19th. It's a contested case, so we
- continued the OCD to August 19th. So you don't need to 19
- be here on August 19th. 20
- 21 Those are all the continuances and
- 22 dismissals at this time.
- 23 Are there any other continuances or
- 24 dismissals at this time? I do hereby certify that the foregoing w
- (Pre-hearing docket constant, dockét concludés proceding m,) 25

heard by me on (