

Exhibit 17c
 Case No. 15118
 OXY USA Inc.
 5/1/14

FNR 26 Federal #2H Proposed Well Plan



SDI
 Planning Report



Database Company	EDM-Jody Barclay-Local OXY	Local Co-ordinate Reference	Well FNR 26 FED 2H
Project Site	Federal (New Mexico) FNR 26 Federal 2H	TVD Reference	KB @ 3373.90usd (Pg RKB 25)
Well	FNR 26 FED 2H	MD Reference	KB @ 3373.90usd (Pg RKB 25)
Wellbore	Original Wellbore	North Reference	Grid
Design	Design #1	Survey Calculation Method	Minimum Curvature

Planned Survey										
Measured Depth (usd)	Inclination (°)	Azimuth (°)	Vertical Depth (usd)	-N-S (usd)	-E-W (usd)	Vertical Section (usd)	Dogleg Rate (°/100usd)	Bore Rate (°/100usd)	Turn Rate (°/100usd)	
9,500.00	89.35	89.67	7,699.98	12.10	2,123.32	2,123.35	0.00	0.00	0.00	
9,600.00	89.35	89.67	7,701.12	12.67	2,223.31	2,223.35	0.00	0.00	0.00	
9,700.00	89.35	89.67	7,702.26	13.24	2,323.30	2,323.34	0.00	0.00	0.00	
9,800.00	89.35	89.67	7,703.39	13.81	2,423.30	2,423.34	0.00	0.00	0.00	
9,900.00	89.35	89.67	7,704.53	14.38	2,523.29	2,523.33	0.00	0.00	0.00	
10,000.00	89.35	89.67	7,705.66	14.95	2,623.28	2,623.32	0.00	0.00	0.00	
10,100.00	89.35	89.67	7,706.80	15.52	2,723.27	2,723.32	0.00	0.00	0.00	
10,200.00	89.35	89.67	7,707.94	15.09	2,823.26	2,823.31	0.00	0.00	0.00	
10,300.00	89.35	89.67	7,709.07	15.66	2,923.26	2,923.30	0.00	0.00	0.00	
10,400.00	89.35	89.67	7,710.21	16.23	3,023.25	3,023.30	0.00	0.00	0.00	
10,500.00	89.35	89.67	7,711.35	16.80	3,123.24	3,123.29	0.00	0.00	0.00	
10,600.00	89.35	89.67	7,712.48	17.37	3,223.23	3,223.28	0.00	0.00	0.00	
10,700.00	89.35	89.67	7,713.62	17.94	3,323.22	3,323.28	0.00	0.00	0.00	
10,800.00	89.35	89.67	7,714.75	18.51	3,423.22	3,423.27	0.00	0.00	0.00	
10,900.00	89.35	89.67	7,715.89	19.08	3,523.21	3,523.27	0.00	0.00	0.00	
11,000.00	89.35	89.67	7,717.03	19.65	3,623.20	3,623.26	0.00	0.00	0.00	
11,100.00	89.35	89.67	7,718.16	20.22	3,723.19	3,723.25	0.00	0.00	0.00	
11,200.00	89.35	89.67	7,719.30	20.78	3,823.18	3,823.25	0.00	0.00	0.00	
11,300.00	89.35	89.67	7,720.43	21.35	3,923.18	3,923.24	0.00	0.00	0.00	
11,400.00	89.35	89.67	7,721.57	21.92	4,023.17	4,023.23	0.00	0.00	0.00	
11,500.00	89.35	89.67	7,722.71	22.49	4,123.16	4,123.23	0.00	0.00	0.00	
11,600.00	89.35	89.67	7,723.84	23.06	4,223.15	4,223.22	0.00	0.00	0.00	
11,700.00	89.35	89.67	7,724.98	23.63	4,323.14	4,323.21	0.00	0.00	0.00	
11,800.00	89.35	89.67	7,726.12	24.20	4,423.14	4,423.21	0.00	0.00	0.00	
11,900.00	89.35	89.67	7,727.25	24.77	4,523.13	4,523.20	0.00	0.00	0.00	
12,000.00	89.35	89.67	7,728.39	25.34	4,623.12	4,623.19	0.00	0.00	0.00	
12,045.08	89.35	89.67	7,729.90	25.60	4,668.20	4,668.28	0.00	0.00	0.00	

Design Targets										
Target Name	Dip Angle (°)	Dip Dir (°)	TVD (usd)	-N-S (usd)	-E-W (usd)	Northing (usd)	Easting (usd)	Latitude	Longitude	
FNR26 PBHL - plan file target center - Point	0.00	0.00	7,729.90	25.60	4,668.20	463,822.70	651,356.30	32.274	-103.844	