

RECEIVED OCD J. SCOTT HALL

Office: (505) 986-2646

| Santa = 050
| Office: (505) 986-2646
| Company | C www.montand.com

July 2, 2014

Ms. Jami Bailey, Director NM Oil Conservation Division 1220 S. St. Francis Drive Santa Fe, NM 87501

Hand-Delivered

Re: Services, Inc. for Authorization to inject, Lea County, New Mexico

Dear Ms. Bailey:

On behalf of Parker Energy Support Services, Inc., enclosed is an original and one copy of an Application in the above-referenced case. Please set this matter for hearing on the August 7, 2014 examiner docket. Also enclosed is a proposed advertisement for the case.

Very truly yours,

1. I wou dall

J. Scott Hall

JSH:lb **Enclosures** 

582562

325 Paseo de Peralta Santa Fe, New Mexico 87501

T: 505.982.3873 F: 505.982.4289

P.O. Box 2307

Santa Fe, New Mexico 87504-2307

## 

2014 JUL -2 P 4: 16

IN THE MATTER OF THE APPLICATION OF PARKER ENERGY SUPPORT SERVICES, INC. FOR AUTHORIZATION TO INJECT, LEA COUNTY, NEW MEXICO.

CASE NO. <u>/5/80</u>

## **APPLICATION**

Parker Energy Support Services, Inc., ("Parker Energy"), through its undersigned counsel, Montgomery and Andrews, P.A. (J. Scott Hall, Esq.), applies pursuant to 19.15.26.8 NMAC for an order authorizing the injection of water for disposal into the San Andres formation, San Andres SWD pool (96121), in Lea County, New Mexico. In support of its Application, Parker Energy states:

1. Applicant is the operator of the following well:

Harry Leonard NCT J No. 5 Well
API No. 30-025-38789
1,200' FNL & 990' FEL (Unit A)
Section 24
T-21-S, R-36-E, NMPM
Lea County, New Mexico

- 2. The Harry Leonard NCT J No. 5 well is drilled to a total depth of approximately 4,675°. Parker Energy proposes to convert the well and utilize it for injection of water into the San Andres Formation through perforations from 4,100° to 4,320°, and through open hole completion from 4,329° to 4,675°.
- 3. Injection operations through the well will be through gravity flow conducted at an anticipated average daily injection pressure of zero psi. Applicant proposes injection of water at average daily rates of approximately 5,000 bbls and at maximum daily rates of approximately

7,500 bbls. The source of the injected fluids will be formation water from production wells that have been drilled and are scheduled to be drilled in the area.

4. Applicant's proposed injection operation can be conducted in a safe and

responsible manner without causing waste, impairing correlative rights or endangering fresh

water, public health or the environment.

5. Applicant's original request for administrative approval was filed with the

Division on May 16, 2014. Applicant's amended request for administrative approval was filed

on June 18, 2014. Written objection was received and consequently, the matter must be set for

hearing pursuant to NMAC §19.15.26.8 D, with notice to be given by the Division.

WHEREFORE, Applicant requests that this Application be set for hearing before a duly

appointed examiner of the Oil Conservation Division on August 7, 2014 and that after notice and

hearing as required by law, the Division enter its Order approving the utilization of the Harry

Leonard NCT J No. 5 well for the injection of water into the San Andres Formation at the

intervals and at the pressures, volumes and rates indicated, and making such other and further

provisions as the Division determines appropriate.

Respectfully submitted,

MONTGOMERY & ANDREWS, P. A.

 $\mathbf{R}_{\mathbf{W}}$ 

J. Scott Hall

P.O. Box 2307

Santa Fe, NM 87504-2307

(505) 982-3873 - Telephone

(505) 982-4289 - Fax

Attorneys for Parker Energy Support Services, Inc.

Application of Parker Energy Support Services, Inc. for Authorization to Inject, Lea County, New Mexico. Applicant seeks an order authorizing the injection of water for disposal into the San Andres formation, San Andres SWD Pool (96121) in Lea County, New Mexico in the following well:

Harry Leonard NCT J No. 5 Well
API No. 30-025-38789
1,200' FNL & 990' FEL (Unit A)
Section 24
T-21-S, R-36-E, NMPM
Lea County, New Mexico

Applicant proposes to convert the well and utilize it for injection of water at depths of 4,100' to 4,320', and 4,329 to 4,675' subsurface. The well is located approximately 3 miles northwest of Eunice, New Mexico.