

**Matador Production
Company
Case No. 15320**

Hibiscus State Com 08-19S-35E RN #124H

**STATE OF NEW MEXICO
DEPARTMENT OF ENERGY, MINERALS AND NATURAL
RESOURCES
OIL CONSERVATION DIVISION**

**APPLICATION OF MATADOR
PRODUCTION COMPANY
FOR A NON-STANDARD OIL SPACING
AND PRORATION UNIT AND COMPULSORY
POOLING, LEA COUNTY, NEW MEXICO.**

CASE NO. 15230

EXHIBIT NOTEBOOK

Hibiscus State Com 124H Well

- | | |
|------------|--|
| Exhibit 1 | C-102 Form |
| Exhibit 2 | Summary of Working Interests and Compulsory Pooling List |
| Exhibit 3 | Well Proposal Letters and a copy of the AFE |
| Exhibit 4 | Summary of Communications |
| Exhibit 5 | Offset Information/Surrounding Operators |
| Exhibit 6 | Affidavit, notice letters, proof of mailing |
| Exhibit 7 | Non-Standard Location Order |
| Exhibit 8 | Structure Map |
| Exhibit 9 | Cross Section |
| Exhibit 10 | Isopach Map |
| Exhibit 11 | Hibiscus State Com 124H Completion (well diagram) |
| Exhibit 12 | Draft Order |

District I
1625 N. French Dr. Hobbs, NM 88240
Phone: (505) 393-6161 Fax: (505) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (505) 748-1283 Fax: (505) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1320 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-1460 Fax: (505) 476-1462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT


API Number		Pool Code		Pool Name	
		55610		SCHARB;BONE SPRING	
Property Code		Property Name			Well Number
		HIBISCUS STATE COM 08-19S-35E RN			#124H
OGRID No.		Operator Name			Elevation
		MATADOR PRODUCTION COMPANY			3849'

10 Surface Location									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	5	19-S	35-E	-	200'	SOUTH	352'	EAST	LEA

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	8	19-S	35-E	-	260'	SOUTH	350'	EAST	LEA

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
160.00			

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



District I
 1025 N French Dr., Hobbs, NM 88240
 Phone (575) 393-0101 Fax (575) 393-0720
District II
 911 S First St., Artesia, NM 88210
 Phone (575) 748-1283 Fax (575) 748-9720
District III
 1000 Rin Brazos Rd., Aztec, NM 87410
 Phone (505) 334-8178 Fax (505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone (505) 476-3470 Fax (505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form APD Comments

Permit 202153

PERMIT COMMENTS

Operator Name and Address: MATADOR PRODUCTION COMPANY (228937) One Lincoln Centre Dallas, TX 75240		API Number: 30-025-42502
		Well: HIBISCUS 08 19 35 RN STATE COM #124H

Created By	Comments	Comment Date
AMONROE	Filing for non-standard location in progress.	4/1/2015

District I

1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-0161 Fax: (575) 393-0720

District II

911 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-0720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone: (505) 334-0178 Fax: (505) 334-0170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3470 Fax: (505) 476-3462

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

Form APD Conditions

Permit 202153

PERMIT CONDITIONS OF APPROVAL

Operator Name And Address: MATADOR PRODUCTION COMPANY [228937] One Lincoln Centre Dallas, TX 75240	API Number: 30-025-42502
	Well: HIBISCUS 08 19 35 RN STATE COM #124H

OCD Reviewer	Condition
pkautz	1) SURFACE & INTERMEDIATE CASING - Cement must circulate to surface -- 2) PRODUCTION CASING - Cement must tie back into intermediate casing --
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	Will require a directional survey with the C-104
pkautz	Will require a administrative order for non-standard location prior to placing the well on production.
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.