From

Aaron Myers

Sent

Tuesday April 28 2015 5 13 PM

To

Henry Zollinger

Subject

Re SRO UNIT WELLS 1 6 15 xlsx

We won t be at all I am going to check on everything they are asking for and ensure that they are entitled to it before it goes out They are pushing us right now and I am going to shove back when it becomes necessary

Sent from my iPhone

On Apr 28 2015 at 4 11 PM Henry Zollinger < HZollinger@concho com > wrote

We don t want to give them free data!

**Thanks** 

Henry Zollinger COG Operating LLC Office 432 221 0487

On Apr 28 2015 at 5 08 PM Aaron Myers < AMyers@concho com > wrote

It is a mess with their term assignment and farm out related to SRO unit. We are trying to appease them in order to get comm agreements signed I ll fill you in tomorrow at dinner Won t take five minutes

Sent from my iPhone

On Apr 28 2015 at 4 01 PM Henry Zollinger < HZollinger@concho com> wrote

What is this all about? Did they participate in these wells and not get any data?

Thanks

Henry Zollinger **COG Operating LLC** Office 432 221 0487

Begin forwarded message

From Savannah Haller < shaller@concho com> Date April 28 2015 at 10 48 13 AM CDT To Henry Zollinger <HZollinger@concho com> Cc Aaron Myers < AMyers@concho com > Ryan Owen <rowen@concho com> Brent Sawyer <<u>BSawyer@concho com</u>>

Subject FW SRO UNIT WELLS 1 6 15 xlsx

NMOCC CASE Nos 15441, 15481, 15482 NEX, SRO2 LLC AND SRO3 LLC Exhibit No 59 February 28 2017

Henry

Please read below Attached is an SRO spreadsheet from Nearburg along with their updated well requirements. Nearburg will need well info for all of the SRO wells highlighted in yellow. Can you please help with gathering the logs for these wells?

Can you please send electronic copies of this info to me rather than straight to Nearburg? Aaron is planning to put all of the information on a thumb drive so we don't have to send multiple emails/attachments. Please let me know if you have any questions. Thank you SO much!

# Savannah

From Aaron Myers
Sent Monday, April 27 2015 12 12 PM
To Savannah Haller
Cc Ryan Owen Brent Sawyer
Subject FW SRO UNIT WELLS 1 6 15 xlsx

# Savannah

We need to start rounding up well information for Nearburg for the wells highlighted in yellow on the attached spreadsheet. Also attached herewith is a revised well requirements spreadsheet from Nearburg. If you can round this up and put it in a folder on the H drive that would be great. We are going to put all the information on a thumb drive so we don thave to send multiple emails/attachments. If we can have this rounded up by next Monday at the latest that would be great.

I am headed to Santa Fe this afternoon Email me if you have any questions or you can call me on my work cell in the morning I will be working from the office in Santa Fe Thanks in advance for your help with this

Aaron Myers | Senior Landman - NM Delaware Basin |
COG Operating LLC
One Concho Center
600 W Illinois Avenue
Midland TX 79701
p 432 688 6674
f 432 221 0856
<image001 jpg>

From Randy Howard [mailto.rhoward@nearburg.com]
Sent Friday, April 24 2015 11 11 AM
To Brett Gilson Aaron Myers

Cc John Turro Subject SRO UNIT WELLS 1 6 15 xlsx

We enjoyed visiting with you two this morning Thanks again for coming by our office

Attached is the spreadsheet we discussed this morning I have added the 43H & 44H wells pursuant to our discussion. Note that we have well information on wells in red only and that we are not in pay on wells that are highlighted in yellow.

Hope this helps

Thank you

Randy Howard Land Manager Nearburg Producing Company 432 818 2914 (direct line) 432 599 0382 (cell)

<SRO UNIT WELLS 1 6 15 xlsx> <0569\_001 pdf> From Aaron Myers

Sent Monday April 27 2015 1 12 PM

**To** Savannah Haller

**Cc** Ryan Owen Brent Sawyer

**Subject** FW SRO UNIT WELLS 1 6 15 xlsx


Attachments SRO UNIT WELLS 1 6 15 xlsx 0569\_001 pdf

# Savannah

We need to start rounding up well information for Nearburg for the wells highlighted in yellow on the attached spreadsheet. Also attached herewith is a revised well requirements spreadsheet from Nearburg. If you can round this up and put it in a folder on the H. drive that would be great. We are going to put all the information on a thumb drive so we don't have to send multiple emails/attachments. If we can have this rounded up by next Monday at the latest that would be great.

I am headed to Santa Fe this afternoon Email me if you have any questions or you can call me on my work cell in the morning. I will be working from the office in Santa Fe. Thanks in advance for your help with this

Aaron Myers | Senior Landman – NM Delaware Basin |
COG Operating LLC
One Concho Center
600 W Illinois Avenue
Midland TX 79701
p 432 688 6674
f 432 221 0856



From Randy Howard [mailto rhoward@nearburg com]
Sent Friday April 24 2015 11 11 AM
To Brett Gilson Aaron Myers
Cc John Turro

Subject SRO UNIT WELLS 1 6 15 xlsx

We enjoyed visiting with you two this morning Thanks again for coming by our office

Attached is the spreadsheet we discussed this morning. I have added the 43H & 44H wells pursuant to our discussion. Note that we have well information on wells in red only and that we are not in pay on wells that are highlighted in yellow.

Hope this helps

Thank you

Randy Howard Land Manager Nearburg Producing Company 432 818 2914 (direct line) 432 599 0382 (cell)

O UNIT WE	LLS										
		WELL						(320/6424.280592) x (unit acs/total acs)			
T.O.	INT PD NEX	NO.	A/K/A	SEC, TSH, RNG	SPACING UNIT	total acs	in unit	0.0041509	% LESS DEV/LEG	NEX ORRI	DIFFERENCE
	0.00321724	1H		S:4, T:26S, R:28E	N/2N/2 SEC 4-26S-28E	160	160	0.0041509	0.7750675	0.0032172	0.0000000
	0.00057089	2H		S:32, T:25S, R:28E	S/2S/2 SEC 32-25S-28E	160	40	0.0010377	0.5501349	0.0005709	0.0000000
	0.0020791	3H		S:18, T:26S, R:28E	N/2N/2 SEC 18-26S-28E	159.72	80	0.0020791	1.0000000	0.0020791	0.0000000
	0.00103773	4H	105H	S:16, T:26S, R:28E	N/2N/2 SEC 16-26S-28E	160	40	0.0010377	1.0000000	0.0010377	0.0000000
	0.00114178	5H	103H	S:8, T:26S, R:28E	S/2S/2 SEC 8-26S-28E	160	80	0.0020755	0.5501349	0.0011418	0.0000000
	0.00114178	6H		S:5, T:26S, R:28E	N/2N/2 SEC 5-26S-28E	160	80	0.0020755	0.5501349	0.0011418	0.0000000
	0.00114386	7H	104H	S:7, T:26S, R:28E	S/2S/2 SEC 7-26S-28E	159.71	80	0.0020792	0.5501349	0.0011439	0.0000000
	0.00207546	8H	111H	S:2, T:26S, R:28E	S/2S/2 SEC 2-265-28E	160	80	0.0020755	1.0000000	0.0020755	0.0000000
	0.00415092	9Н		S:33, T:255, R:28E	W/2W/2 SEC 33-25S-28E	160	160	0.0041509	0.5501349	0.0022836	0.0018674
0.0041509	0.0041509	10H		S:3, T:26S, R:28E	W/2W/2 SEC 3 & W/2NW/4 SEC 10-26S-28E	240	240	0.0041509	1.0000000	0.0041509	0.0000000
0.0020755	0.0020755	11H		S:34, T:25S, R:28E	W/2W/2 SEC 34-25S-28E	160	80	0.0020755	1.0000000	0.0020755	0.0000000
	n/a	12H		S:32, T:25S, R:28E	E/2E/2 SEC 32-25S-28E	160	160	0.0041509	0.5501349	0.0022836	
	0.00415092	13H		S:15, T:26S, R:28E	N/2N/2 SEC 15-26S-28E	160	160	0.0041509	1.0000000	0.0041509	0.0000000
	0.00415092	14H		5:10, T:265, R:28E	S/2S/2 SEC 10-26S-28E	160	160	0.0041509	1.0000000	0.0041509	0.0000000
	0.00415092	15H	102H	S:17, T:265, R:28E	N/2N/2 SEC 17-26S-28E	160	160	0.0041509	1.0000000	0.0041509	0.0000000
	0.00362319	16H		S:20, T:26S, R:28E	W/2W/2 SEC 20-26S-28E	160	160	0.0041509	1.0000000	0.0041509	-0.0005277
	0.00415092	17H		S:9, T:26S, R:28E	N/2N/2 SEC 9-26S-28E	160	160	0.0041509	1.0000000	0.0041509	0.0000000
	0.00415092	18H		S:17, T:26S, R:28E	E/2E/2 SEC 17 & 20-26S-28E	320	320	0.0041509	1.0000000	0.0041509	0.0000000
	n/a	020H		S:3, T:26S, R:28E	E/2E/2 SEC 3 & E/2NE/4 SEC 10-26S-28E	240	240	0.0041509	1.0000000	0.0041509	
	0.0041509	31H		S:4, T:26S, R:28E	SW/4NE/4,W/2SE/4 SEC 4 & W/2E/2 SEC 9-26S-28E	280	280	0.0041509	1.0000000	0.0041509	0.0000000
	n/a	043H		S:17, T:26S, R:28E	W/2W/2 SEC 17 & 20	280	280				
	n/a	044H		S:17, T:265, R:28E	E/2W/2 SEC 17 & 20	280	280				
	n/a	046H		S:5, T:265, R:28E	W/2W/2 SEC 5-26S-28E	160	160	0.0041509	0.5501349	0.0022836	
	n/a	048H		S:7, T:26S, R:28E	W/2E/2 SEC 7 & W/2E/2 SEC 18-26S-28E	320	320	0.0041509	0.7750675	0.0032172	
	n/a	053H		S:16, T:26S, R:28E	E/2E/2 SEC 16-26S-28E	160	160	0.0041509	1.0000000	0.0041509	
	n/a	58H		S:2, T:26S, R:28E	E/2W/2 SEC 2-26S-28E	160	160	0.0041509	1.0000000	0.0041509	
	n/a	59H		S:2, T:26S, R:28E	W/2W/2 SEC 2-26S-28E	160	160	0.0041509	1.0000000	0.0041509	
	n/a	061H		S:15, T:265, R:28E	W/2E/2 SEC 15-26S-28E	160	160	0.0041509	1.0000000	0.0041509	
	n/a	062H		S:15, T:26S, R:28E	E/2W/2 SEC 15-26S-28E	160	160	0.0041509	1.0000000	0.0041509	
	n/a	63H		5:10, T:26S, R:28E	SW/4NW/4,W/2SW/4 SEC 10 & W/2W/2 SEC 15-26S-28E (stacked)	280	280	0.0041509	1.0000000	0.0041509	
	n/a	64H		S:10, T:26S, R:28E	SW/4NW/4,W/2SW/4 SEC 10 & W/2W/2 SEC 15-26S-28E (stacked)	280	280	0.0041509	1.0000000	0.0041509	
	no payment				1/6/15 - CORRECTED WELL DESC FOR 10H & 16H			well info (nothing since 1,	(1/14)		

# **WELL INFORMATION REQUIREMENTS**

Well Name Footage Location

County/State Operator

Operator agrees to furnish to Nearburg Exploration Company LLC and Nearburg Producing Company the information requested herein to reasonably observe the requests made herein by Nearburg and to allow Nearburg the rights and privileges set forth below

#### Α **DRILLING AND MUDLOGGER REPORTS**

Copies of any and all daily drilling and mudlogger reports containing current depth and status general summary deviation surveys mud properties daily and cumulative costs background gas and drilling break intervals in which a show is present with a description of show and the lithology containing the show. Daily well and mudlogger reports should be a mailed daily by 10 30 a m. CST and if requested a weekly recap mailed/faxed to the following

NEARBURG EXPLORATION COMPANY LLC **Drilling Reports** 3300 N A Street Building 2 Suite 120 Midland Texas 79705 Attn daily reports dailyreport@nearburg.com FAX. (432) 687 4130

NEARBURG EXPLORATION COMPANY L.L C Mudlogs and Electric Logs 3300 N A Street Building 2 Suite 120 Midland Texas 79705 Attn daily reports dailyreport@nearburg.com FAX (432) 686-7806

Kimberly Crandell (1) Michael Griffin (1)

#### В

8

HARD COPY WELL DATA
The following tisted data should be mailed as follows

Upon request well history at

completion of the well

NEARBURG EXPLORATION COMPANY LLC **NEARBURG PRODUCING COMPANY** 3300 N A Street Building 2 Suite 120 Midland Texas 79705 P O Box 823085 Dallas Texas 75382 3085 Attn As designated below Aftn As designated below MIDLAND DALLAS Copy of survey plats permit Tim Green (1) to drill and other regulatory forms and letters filed with any governmental agencies Copy of the drilling and 2 Matt Lee (1) Michael Griffin (1) completion procedures 48 hours prior to commencement of operation 3 Copies of the final mud log Bill Elton (2) Michael Griffin (1) Copies of the field prints Bill Elton (1) Michael Griffin (1) Of all logs run in the well Put LAS & PDS Print Files (including repeat section) on Interact. Notify Bill Elton @ belton@nearburg.com Copies of the final composite 5 Michael Griffin (1) prints of all logs run in well 6 Copy of well log customer diskette Michael Griffin (1) 3 /2 LAS format or CD 7 One initial and final copy Bill Elton (1) Michael Griffin (1) of any DST coring sample analysis formation fluid analysis or test reports on the well

Page 2 Well Information Requirements

norma	ation Requirements	MIDLAND	DALLAS
9	Copy of the bit record and mud recap	Matt Lee (1)	0
10	One copy of Operator s State Production Report (monthly)	Rue Landon (1)	0
11	One sample cut of all samples if any collected by mudlog crew	Bill Elton (1)	0
12	One (1) completed slabbed section of any whole core ( chips from those portions removed for special analysis)	Bill Elton (1)	0

One (1) copy each of all title opinions governmental OCD examiner and commission hearing orders and curative instruments covering the spacing unit for the well should be sent to

NEARBURG EXPLORATION COMPANY L L C 3300 N A Building 2 Suite 120 Midland Texas 79705 Attn Land Department NEARBURG PRODUCING COMPANY P O Box 823085 Dallas Texas 75382 3085 Attn Land Administration

### C <u>NOTIFICATION</u>

Nearburg should receive 24 hour notice of the following events spudding wireline logging open hole testing coring or plugging of the well. Notification should be by phone to one of the following persons in the order indicated.

<u>NAME</u>	<u>OFFICE</u>	<u>HOME</u>	<u>CELL</u>
Bill Elton (Geology)	(432) 818-2920	(432) 697 9923	(432) 528 9749
Tim Speer (Engineering)	(432) 818-2930	(432) 694-6749	(432) 528-8036
Randy Howard (Land)	(432) 818-2914	(432) 697-4118	(432) 599-0382

- 2 If you anticipate a major decision (plugging casing point etc.) that involves Nearburg over a weekend or holiday please notify Bill Elton. Tim Speer or Randy Howard by phone (in the order listed) no later than the day prior to such weekend of holiday.
- 3 SLB InterACT Request access for Bill Elton and Tim Speer

# D ACCESS TO LOCATION

Nearburg Producing Company and Nearburg Exploration Company L L C its employees consultants or agents shall have full and free access to the drilling location to include the dernck floor AND mudlogging unit at all times without notice and all well operation and information obtained or conducted during the drilling completing or producing life of any well to which Nearburg is entitled to receive such well information.

# E SPECIAL REQUIREMENTS FOR ADDITIONAL WELL INFORMATION

Nearburg Producing Company and Nearburg Exploration Company L L C reserve the right to run a velocity survey acoustic surveys or other well bore logs or tests including the Schlumberger hi-res density and FMI for spot ELAN analysis and DST(s) to its satisfaction if not run by the operator or in the case where operator runs same operator shall furnish to Nearburg all such information or surveys In addition Nearburg may require operator to run a two-man mudlogging unit.

# F GEOLOGIC PROGNOSIS, DRILLING PLAN, COMPLETION PLAN

Prior to any operation. Operator shall furnish to Nearburg a geologic prognosis drilling plan and well completion plan specifying in reasonable detail the procedure of work for the proposed operation. Including but not limited to anticipated tops of formations and anticipated formations to be DST along with type of elogs and other tests anticipated to be run in the operation in the geologic prog. surface bottom hole or end of lateral locations as applicable anticipated hole size type and amount of bits to be used use of downhole motors and/or steering devices to be used directional plan and copies of directional surveys while drilling types of drilling fluid along with mud weights water loss and other components of the drilling fluid casing design in the drilling plan and casing design details of perf locations frac design including locations and stages along with amounts and types of fluid and propant to be used in the completion plan. Such prognosis/plan shall be sent to Nearburg not later than 48 hours prior to commencement of any such operation preferably along with or shortly after a proposal is sent to Nearburg which requires a timely election.

# G PRODUCTION DATA

Email the daily production for the first 90 days to <a href="mailto:data">dailyreport@neerburg.com</a>
This should include all production data specifically including but not limited to flow rates gas mcfd oil bopd water bwpd ngl s choke size FTP FCP and method of production