

Mewbourne Oil Company

Eddy County, New Mexico

Motley 6/7 W2DE Fed Com #1H

Sec 6, T24S, R28E

SL 220 FNL & 415 FWL, Sec 6

BHL 2327 FNL & 330 FWL, Sec 7

Plan Design #1

Standard Planning Report

20 April, 2017



Planning Report

Database	Hobbs	Local Co ordinate Reference	Site Motley 6/7 W2DE Fed Com #1H
Company	Mewbourne Oil Company	TVD Reference	WELL @ 3136 0usft (Original Well Elev)
Project	Eddy County New Mexico	MD Reference	WELL @ 3136 0usft (Original Well Elev)
Site	Motley 6/7 W2DE Fed Com #1H	North Reference	Grid
Well	Sec 6 T24S R28E	Survey Calculation Method	Minimum Curvature
Wellbore	BHL 2327 FNL & 330 FWL Sec 7		
Design	Design #1		

Project	Eddy County New Mexico		
Map System	US State Plane 1927 (Exact solution)	System Datum	Mean Sea Level
Geo Datum	NAD 1927 (NADCON CONUS)		
Map Zone	New Mexico East 3001		

Site	Motley 6/7 W2DE Fed Com #1H		
Site Position	Map	Northing	456 000 00 usft
From		Easting	561 725 00 usft
Position Uncertainty	0 0 usft	Slot Radius	13 3/16
		Latitude	32 15 12 611 N
		Longitude	104 8 1 197 W
		Grid Convergence	0 11

Well	Sec 6 T24S R28E		
Well Position	+N/ S	0 0 usft	Northing
	+E/ W	0 0 usft	Easting
Position Uncertainty	0 0 usft	Wellhead Elevation	3 136 0 usft
		Latitude	32 15 12 611 N
		Longitude	104 8 1 197 W
		Ground Level	3 109 0 usft

Wellbore	BHL 2327 FNL & 330 FWL Sec 7		
Magnetics	Model Name	Sample Date	Declination
			()
	IGRF200510	12/31/2009	8 01
			Dip Angle
			()
			Field Strength
			(nT)
			48 749

Design	Design #1		
Audit Notes			
Version	Phase	PROTOTYPE	Tie On Depth
			0 0
Vertical Section	Depth From (TVD)	+N/-S	+E/ W
	(usft)	(usft)	(usft)
	0 0	0 0	0 0
			Direction
			()
			180 56

Plan Sections										
Measured	Inclination	Azimuth	Vertical	+N/-S	+E/ W	Dogleg	Build	Turn	TFO	Target
Depth	()	()	Depth	(usft)	(usft)	Rate	Rate	Rate	()	
(usft)			(usft)			(/100usft)	(/100usft)	(/100usft)		
0 0	0 00	0 00	0 0	0 0	0 0	0 00	0 00	0 00	0 00	
9 610 0	0 00	0 00	9 610 0	0 0	0 0	0 00	0 00	0 00	0 00	
9 692 6	8 17	265 00	9 692 3	0 5	5 9	9 90	9 90	0 00	265 00	
10 585 7	90 10	179 89	10 252 0	574 0	85 0	10 01	9 17	9 53	85 14 LP 794 FNL & 330 F	
17 435 7	90 10	179 89	10 240 0	7 424 0	72 0	0 00	0 00	0 00	0 00 BHL 2327 FNL & 330 F	

Planning Report

Database	Hobbs	Local Co ordinate Reference	Site Motley 6/7 W2DE Fed Com #1H
Company	Mewbourne Oil Company	TVD Reference	WELL @ 3136 0usft (Original Well Elev)
Project	Eddy County New Mexico	MD Reference	WELL @ 3136 0usft (Original Well Elev)
Site	Motley 6/7 W2DE Fed Com #1H	North Reference	Grid
Well	Sec 6 T24S R28E	Survey Calculation Method	Minimum Curvature
Wellbore	BHL 2327 FNL & 330 FWL Sec 7		
Design	Design #1		

Planned Survey									
Measured Depth (usft)	Inclination ()	Azimuth ()	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (/100usft)	Build Rate (/100usft)	Turn Rate (/100usft)
0 0	0 00	0 00	0 0	0 0	0 0	0 0	0 00	0 00	0 00
SL 220 FNL & 415 FWL Sec 6									
100 0	0 00	0 00	100 0	0 0	0 0	0 0	0 00	0 00	0 00
200 0	0 00	0 00	200 0	0 0	0 0	0 0	0 00	0 00	0 00
300 0	0 00	0 00	300 0	0 0	0 0	0 0	0 00	0 00	0 00
400 0	0 00	0 00	400 0	0 0	0 0	0 0	0 00	0 00	0 00
500 0	0 00	0 00	500 0	0 0	0 0	0 0	0 00	0 00	0 00
600 0	0 00	0 00	600 0	0 0	0 0	0 0	0 00	0 00	0 00
700 0	0 00	0 00	700 0	0 0	0 0	0 0	0 00	0 00	0 00
800 0	0 00	0 00	800 0	0 0	0 0	0 0	0 00	0 00	0 00
900 0	0 00	0 00	900 0	0 0	0 0	0 0	0 00	0 00	0 00
1 000 0	0 00	0 00	1 000 0	0 0	0 0	0 0	0 00	0 00	0 00
1 100 0	0 00	0 00	1 100 0	0 0	0 0	0 0	0 00	0 00	0 00
1 200 0	0 00	0 00	1 200 0	0 0	0 0	0 0	0 00	0 00	0 00
1 300 0	0 00	0 00	1 300 0	0 0	0 0	0 0	0 00	0 00	0 00
1 400 0	0 00	0 00	1 400 0	0 0	0 0	0 0	0 00	0 00	0 00
1 500 0	0 00	0 00	1 500 0	0 0	0 0	0 0	0 00	0 00	0 00
1 600 0	0 00	0 00	1 600 0	0 0	0 0	0 0	0 00	0 00	0 00
1 700 0	0 00	0 00	1 700 0	0 0	0 0	0 0	0 00	0 00	0 00
1 800 0	0 00	0 00	1 800 0	0 0	0 0	0 0	0 00	0 00	0 00
1 900 0	0 00	0 00	1 900 0	0 0	0 0	0 0	0 00	0 00	0 00
2 000 0	0 00	0 00	2 000 0	0 0	0 0	0 0	0 00	0 00	0 00
2 100 0	0 00	0 00	2 100 0	0 0	0 0	0 0	0 00	0 00	0 00
2 200 0	0 00	0 00	2 200 0	0 0	0 0	0 0	0 00	0 00	0 00
2 300 0	0 00	0 00	2 300 0	0 0	0 0	0 0	0 00	0 00	0 00
2 400 0	0 00	0 00	2 400 0	0 0	0 0	0 0	0 00	0 00	0 00
2 500 0	0 00	0 00	2 500 0	0 0	0 0	0 0	0 00	0 00	0 00
2 600 0	0 00	0 00	2 600 0	0 0	0 0	0 0	0 00	0 00	0 00
2 700 0	0 00	0 00	2 700 0	0 0	0 0	0 0	0 00	0 00	0 00
2 800 0	0 00	0 00	2 800 0	0 0	0 0	0 0	0 00	0 00	0 00
2 900 0	0 00	0 00	2 900 0	0 0	0 0	0 0	0 00	0 00	0 00
3 000 0	0 00	0 00	3 000 0	0 0	0 0	0 0	0 00	0 00	0 00
3 100 0	0 00	0 00	3 100 0	0 0	0 0	0 0	0 00	0 00	0 00
3 200 0	0 00	0 00	3 200 0	0 0	0 0	0 0	0 00	0 00	0 00
3 300 0	0 00	0 00	3 300 0	0 0	0 0	0 0	0 00	0 00	0 00
3 400 0	0 00	0 00	3 400 0	0 0	0 0	0 0	0 00	0 00	0 00
3 500 0	0 00	0 00	3 500 0	0 0	0 0	0 0	0 00	0 00	0 00
3 600 0	0 00	0 00	3 600 0	0 0	0 0	0 0	0 00	0 00	0 00
3 700 0	0 00	0 00	3 700 0	0 0	0 0	0 0	0 00	0 00	0 00
3 800 0	0 00	0 00	3 800 0	0 0	0 0	0 0	0 00	0 00	0 00
3 900 0	0 00	0 00	3 900 0	0 0	0 0	0 0	0 00	0 00	0 00
4 000 0	0 00	0 00	4 000 0	0 0	0 0	0 0	0 00	0 00	0 00
4 100 0	0 00	0 00	4 100 0	0 0	0 0	0 0	0 00	0 00	0 00
4 200 0	0 00	0 00	4 200 0	0 0	0 0	0 0	0 00	0 00	0 00
4 300 0	0 00	0 00	4 300 0	0 0	0 0	0 0	0 00	0 00	0 00
4 400 0	0 00	0 00	4 400 0	0 0	0 0	0 0	0 00	0 00	0 00
4 500 0	0 00	0 00	4 500 0	0 0	0 0	0 0	0 00	0 00	0 00
4 600 0	0 00	0 00	4 600 0	0 0	0 0	0 0	0 00	0 00	0 00
4 700 0	0 00	0 00	4 700 0	0 0	0 0	0 0	0 00	0 00	0 00
4 800 0	0 00	0 00	4 800 0	0 0	0 0	0 0	0 00	0 00	0 00
4 900 0	0 00	0 00	4 900 0	0 0	0 0	0 0	0 00	0 00	0 00
5 000 0	0 00	0 00	5 000 0	0 0	0 0	0 0	0 00	0 00	0 00
5 100 0	0 00	0 00	5 100 0	0 0	0 0	0 0	0 00	0 00	0 00
5 200 0	0 00	0 00	5 200 0	0 0	0 0	0 0	0 00	0 00	0 00

Planning Report

Database	Hobbs	Local Co ordinate Reference	Site Motley 6/7 W2DE Fed Com #1H
Company	Mewbourne Oil Company	TVD Reference	WELL @ 3136 0usft (Original Well Elev)
Project	Eddy County New Mexico	MD Reference	WELL @ 3136 0usft (Original Well Elev)
Site	Motley 6/7 W2DE Fed Com #1H	North Reference	Grid
Well	Sec 6 T24S R28E	Survey Calculation Method	Minimum Curvature
Wellbore	BHL 2327 FNL & 330 FWL Sec 7		
Design	Design #1		

Planned Survey									
Measured Depth (usft)	Inclination ()	Azimuth ()	Vertical Depth (usft)	+N/ S (usft)	+E/ W (usft)	Vertical Section (usft)	Dogleg Rate (/100usft)	Build Rate (/100usft)	Turn Rate (/100usft)
5 300 0	0 00	0 00	5 300 0	0 0	0 0	0 0	0 00	0 00	0 00
5 400 0	0 00	0 00	5 400 0	0 0	0 0	0 0	0 00	0 00	0 00
5 500 0	0 00	0 00	5 500 0	0 0	0 0	0 0	0 00	0 00	0 00
5 600 0	0 00	0 00	5 600 0	0 0	0 0	0 0	0 00	0 00	0 00
5 700 0	0 00	0 00	5 700 0	0 0	0 0	0 0	0 00	0 00	0 00
5 800 0	0 00	0 00	5 800 0	0 0	0 0	0 0	0 00	0 00	0 00
5 900 0	0 00	0 00	5 900 0	0 0	0 0	0 0	0 00	0 00	0 00
6 000 0	0 00	0 00	6 000 0	0 0	0 0	0 0	0 00	0 00	0 00
6 100 0	0 00	0 00	6 100 0	0 0	0 0	0 0	0 00	0 00	0 00
6 200 0	0 00	0 00	6 200 0	0 0	0 0	0 0	0 00	0 00	0 00
6 300 0	0 00	0 00	6 300 0	0 0	0 0	0 0	0 00	0 00	0 00
6 400 0	0 00	0 00	6 400 0	0 0	0 0	0 0	0 00	0 00	0 00
6 500 0	0 00	0 00	6 500 0	0 0	0 0	0 0	0 00	0 00	0 00
6 600 0	0 00	0 00	6 600 0	0 0	0 0	0 0	0 00	0 00	0 00
6 700 0	0 00	0 00	6 700 0	0 0	0 0	0 0	0 00	0 00	0 00
6 800 0	0 00	0 00	6 800 0	0 0	0 0	0 0	0 00	0 00	0 00
6 900 0	0 00	0 00	6 900 0	0 0	0 0	0 0	0 00	0 00	0 00
7 000 0	0 00	0 00	7 000 0	0 0	0 0	0 0	0 00	0 00	0 00
7 100 0	0 00	0 00	7 100 0	0 0	0 0	0 0	0 00	0 00	0 00
7 200 0	0 00	0 00	7 200 0	0 0	0 0	0 0	0 00	0 00	0 00
7 300 0	0 00	0 00	7 300 0	0 0	0 0	0 0	0 00	0 00	0 00
7 400 0	0 00	0 00	7 400 0	0 0	0 0	0 0	0 00	0 00	0 00
7 500 0	0 00	0 00	7 500 0	0 0	0 0	0 0	0 00	0 00	0 00
7 600 0	0 00	0 00	7 600 0	0 0	0 0	0 0	0 00	0 00	0 00
7 700 0	0 00	0 00	7 700 0	0 0	0 0	0 0	0 00	0 00	0 00
7 800 0	0 00	0 00	7 800 0	0 0	0 0	0 0	0 00	0 00	0 00
7 900 0	0 00	0 00	7 900 0	0 0	0 0	0 0	0 00	0 00	0 00
8 000 0	0 00	0 00	8 000 0	0 0	0 0	0 0	0 00	0 00	0 00
8 100 0	0 00	0 00	8 100 0	0 0	0 0	0 0	0 00	0 00	0 00
8 200 0	0 00	0 00	8 200 0	0 0	0 0	0 0	0 00	0 00	0 00
8 300 0	0 00	0 00	8 300 0	0 0	0 0	0 0	0 00	0 00	0 00
8 400 0	0 00	0 00	8 400 0	0 0	0 0	0 0	0 00	0 00	0 00
8 500 0	0 00	0 00	8 500 0	0 0	0 0	0 0	0 00	0 00	0 00
8 600 0	0 00	0 00	8 600 0	0 0	0 0	0 0	0 00	0 00	0 00
8 700 0	0 00	0 00	8 700 0	0 0	0 0	0 0	0 00	0 00	0 00
8 800 0	0 00	0 00	8 800 0	0 0	0 0	0 0	0 00	0 00	0 00
8 900 0	0 00	0 00	8 900 0	0 0	0 0	0 0	0 00	0 00	0 00
9 000 0	0 00	0 00	9 000 0	0 0	0 0	0 0	0 00	0 00	0 00
9 100 0	0 00	0 00	9 100 0	0 0	0 0	0 0	0 00	0 00	0 00
9 200 0	0 00	0 00	9 200 0	0 0	0 0	0 0	0 00	0 00	0 00
9 300 0	0 00	0 00	9 300 0	0 0	0 0	0 0	0 00	0 00	0 00
9 400 0	0 00	0 00	9 400 0	0 0	0 0	0 0	0 00	0 00	0 00
9 500 0	0 00	0 00	9 500 0	0 0	0 0	0 0	0 00	0 00	0 00
9 600 0	0 00	0 00	9 600 0	0 0	0 0	0 0	0 00	0 00	0 00
9 610 0	0 00	0 00	9 610 0	0 0	0 0	0 0	0 00	0 00	0 00
KOP @ 9 610									
9 692 6	8 17	265 00	9 692 3	0 5	5 9	0 6	9 90	9 90	0 00
9 700 0	8 27	259 83	9 699 6	0 7	6 9	0 7	10 01	1 29	69 44
9 800 0	14 02	214 87	9 797 9	11 9	20 9	12 1	10 01	5 75	-44 96
9 900 0	22 89	199 72	9 892 7	40 2	34 5	40 5	10 01	8 87	15 15
10 000 0	32 40	192 93	9 981 2	84 7	-47 1	85 2	10 01	9 52	6 78
10 045 5	36 81	190 93	10 018 6	110 0	52 4	110 5	10 01	9 69	-4 41
FTP 330 FNL & 363 FWL Sec 6									
10 100 0	42 13	189 01	10 060 7	144 1	58 3	144 7	10 01	9 76	3 52

Planning Report

Database	Hobbs	Local Co ordinate Reference	Site Motley 6/7 W2DE Fed Com #1H
Company	Mewbourne Oil Company	TVD Reference	WELL @ 3136 0usft (Original Well Elev)
Project	Eddy County New Mexico	MD Reference	WELL @ 3136 0usft (Original Well Elev)
Site	Motley 6/7 W2DE Fed Com #1H	North Reference	Grid
Well	Sec 6 T24S R28E	Survey Calculation Method	Minimum Curvature
Wellbore	BHL 2327 FNL & 330 FWL Sec 7		
Design	Design #1		

Planned Survey

Measured Depth (usft)	Inclination ()	Azimuth ()	Vertical Depth (usft)	+N/ S (usft)	+E/ W (usft)	Vertical Section (usft)	Dogleg Rate (/100usft)	Build Rate (/100usft)	Turn Rate (/100usft)
10 200 0	51 95	186 34	10 128 8	216 6	68 0	217 2	10 01	9 82	2 67
10 300 0	61 82	184 30	10 183 3	299 9	75 6	300 6	10 01	9 86	2 03
10 400 0	71 70	182 62	10 222 8	391 5	81 1	392 2	10 01	9 89	1 69
10 500 0	81 61	181 12	10 245 8	-488 6	84 3	489 4	10 01	9 90	1 50
10 585 7	90 10	179 89	10 252 0	574 0	85 0	574 8	10 01	9 91	1 43
LP 794 FNL & 330 FWL Sec 6									
10 600 0	90 10	179 89	10 252 0	588 3	85 0	589 1	0 00	0 00	0 00
10 700 0	90 10	179 89	10 251 8	688 3	84 8	689 1	0 00	0 00	0 00
10 800 0	90 10	179 89	10 251 6	788 3	84 6	789 1	0 00	0 00	0 00
10 900 0	90 10	179 89	10 251 4	888 3	84 4	889 1	0 00	0 00	0 00
11 000 0	90 10	179 89	10 251 3	988 3	84 2	989 1	0 00	0 00	0 00
11 100 0	90 10	179 89	10 251 1	1 088 3	84 0	1 089 1	0 00	0 00	0 00
11 200 0	90 10	179 89	10 250 9	1 188 3	83 8	1 189 0	0 00	0 00	0 00
11 300 0	90 10	179 89	10 250 7	1 288 3	83 6	1 289 0	0 00	0 00	0 00
11 400 0	90 10	179 89	10 250 6	1 388 3	83 5	1 389 0	0 00	0 00	0 00
11 500 0	90 10	179 89	10 250 4	1 488 3	83 3	1 489 0	0 00	0 00	0 00
11 600 0	90 10	179 89	10 250 2	1 588 3	83 1	1 589 0	0 00	0 00	0 00
11 700 0	90 10	179 89	10 250 0	1 688 3	82 9	1 689 0	0 00	0 00	0 00
11 800 0	90 10	179 89	10 249 9	1 788 3	82 7	1 789 0	0 00	0 00	0 00
11 900 0	90 10	179 89	10 249 7	1 888 3	82 5	1 889 0	0 00	0 00	0 00
12 000 0	90 10	179 89	10 249 5	1 988 3	82 3	1 989 0	0 00	0 00	0 00
12 100 0	90 10	179 89	10 249 3	2 088 3	82 1	2 089 0	0 00	0 00	0 00
12 200 0	90 10	179 89	10 249 2	2 188 3	81 9	2 189 0	0 00	0 00	0 00
12 300 0	90 10	179 89	10 249 0	2 288 3	81 7	2 289 0	0 00	0 00	0 00
12 400 0	90 10	179 89	10 248 8	2 388 3	81 6	2 389 0	0 00	0 00	0 00
12 500 0	90 10	179 89	10 248 6	2 488 3	81 4	2 489 0	0 00	0 00	0 00
12 600 0	90 10	179 89	10 248 5	2 588 3	81 2	2 588 9	0 00	0 00	0 00
12 700 0	90 10	179 89	10 248 3	2 688 3	81 0	2 688 9	0 00	0 00	0 00
12 800 0	90 10	179 89	10 248 1	2 788 3	80 8	2 788 9	0 00	0 00	0 00
12 900 0	90 10	179 89	10 247 9	2 888 3	80 6	2 888 9	0 00	0 00	0 00
13 000 0	90 10	179 89	10 247 8	2 988 3	80 4	2 988 9	0 00	0 00	0 00
13 100 0	90 10	179 89	10 247 6	3 088 3	80 2	3 088 9	0 00	0 00	0 00
13 200 0	90 10	179 89	10 247 4	3 188 3	80 0	3 188 9	0 00	0 00	0 00
13 300 0	90 10	179 89	10 247 2	3 288 3	79 8	3 288 9	0 00	0 00	0 00
13 400 0	90 10	179 89	10 247 1	3 388 3	79 7	3 388 9	0 00	0 00	0 00
13 500 0	90 10	179 89	10 246 9	3 488 3	79 5	3 488 9	0 00	0 00	0 00
13 600 0	90 10	179 89	10 246 7	3 588 3	79 3	3 588 9	0 00	0 00	0 00
13 700 0	90 10	179 89	10 246 5	3 688 3	79 1	3 688 9	0 00	0 00	0 00
13 800 0	90 10	179 89	10 246 4	3 788 3	78 9	3 788 9	0 00	0 00	0 00
13 900 0	90 10	179 89	10 246 2	3 888 3	78 7	3 888 9	0 00	0 00	0 00
14 000 0	90 10	179 89	10 246 0	3 988 3	78 5	3 988 9	0 00	0 00	0 00
14 100 0	90 10	179 89	10 245 8	-4 088 3	78 3	4 088 8	0 00	0 00	0 00
14 200 0	90 10	179 89	10 245 7	-4 188 3	78 1	4 188 8	0 00	0 00	0 00
14 300 0	90 10	179 89	10 245 5	-4 288 3	78 0	4 288 8	0 00	0 00	0 00
14 400 0	90 10	179 89	10 245 3	-4 388 3	77 8	4 388 8	0 00	0 00	0 00
14 500 0	90 10	179 89	10 245 1	-4 488 3	77 6	4 488 8	0 00	0 00	0 00
14 600 0	90 10	179 89	10 245 0	-4 588 3	77 4	4 588 8	0 00	0 00	0 00
14 700 0	90 10	179 89	10 244 8	-4 688 3	77 2	4 688 8	0 00	0 00	0 00
14 800 0	90 10	179 89	10 244 6	-4 788 3	77 0	4 788 8	0 00	0 00	0 00
14 900 0	90 10	179 89	10 244 4	-4 888 3	76 8	4 888 8	0 00	0 00	0 00
15 000 0	90 10	179 89	10 244 3	-4 988 3	76 6	4 988 8	0 00	0 00	0 00
15 100 0	90 10	179 89	10 244 1	-5 088 3	76 4	5 088 8	0 00	0 00	0 00
15 200 0	90 10	179 89	10 243 9	-5 188 3	76 2	5 188 8	0 00	0 00	0 00

Planning Report

Database	Hobbs	Local Co ordinate Reference	Site Motley 6/7 W2DE Fed Com #1H
Company	Mewbourne Oil Company	TVD Reference	WELL @ 3136 0usft (Original Well Elev)
Project	Eddy County New Mexico	MD Reference	WELL @ 3136 0usft (Original Well Elev)
Site	Motley 6/7 W2DE Fed Com #1H	North Reference	Grid
Well	Sec 6 T24S R28E	Survey Calculation Method	Minimum Curvature
Wellbore	BHL 2327 FNL & 330 FWL Sec 7		
Design	Design #1		

Planned Survey									
Measured Depth (usft)	Inclination ()	Azimuth ()	Vertical Depth (usft)	+N/ S (usft)	+E/ W (usft)	Vertical Section (usft)	Dogleg Rate (/100usft)	Build Rate (/100usft)	Turn Rate (/100usft)
15 300 0	90 10	179 89	10 243 7	5 288 3	76 1	5 288 8	0 00	0 00	0 00
15 400 0	90 10	179 89	10 243 6	5 388 3	75 9	5 388 8	0 00	0 00	0 00
15 500 0	90 10	179 89	10 243 4	5 488 3	75 7	5 488 7	0 00	0 00	0 00
15 600 0	90 10	179 89	10 243 2	5 588 3	75 5	5 588 7	0 00	0 00	0 00
15 700 0	90 10	179 89	10 243 0	5 688 3	75 3	5 688 7	0 00	0 00	0 00
15 800 0	90 10	179 89	10 242 9	5 788 3	75 1	5 788 7	0 00	0 00	0 00
15 900 0	90 10	179 89	10 242 7	5 888 3	74 9	5 888 7	0 00	0 00	0 00
16 000 0	90 10	179 89	10 242 5	5 988 3	74 7	5 988 7	0 00	0 00	0 00
16 100 0	90 10	179 89	10 242 3	6 088 3	74 5	6 088 7	0 00	0 00	0 00
16 200 0	90 10	179 89	10 242 2	6 188 3	74 3	6 188 7	0 00	0 00	0 00
16 300 0	90 10	179 89	10 242 0	6 288 3	74 2	6 288 7	0 00	0 00	0 00
16 400 0	90 10	179 89	10 241 8	6 388 3	74 0	6 388 7	0 00	0 00	0 00
16 500 0	90 10	179 89	10 241 6	6 488 3	73 8	6 488 7	0 00	0 00	0 00
16 600 0	90 10	179 89	10 241 5	6 588 3	73 6	6 588 7	0 00	0 00	0 00
16 700 0	90 10	179 89	10 241 3	6 688 3	73 4	6 688 7	0 00	0 00	0 00
16 800 0	90 10	179 89	10 241 1	6 788 3	73 2	6 788 7	0 00	0 00	0 00
16 900 0	90 10	179 89	10 240 9	6 888 3	73 0	6 888 7	0 00	0 00	0 00
17 000 0	90 10	179 89	10 240 8	6 988 3	72 8	6 988 6	0 00	0 00	0 00
17 100 0	90 10	179 89	10 240 6	7 088 3	72 6	7 088 6	0 00	0 00	0 00
17 200 0	90 10	179 89	10 240 4	7 188 3	72 4	7 188 6	0 00	0 00	0 00
17 300 0	90 10	179 89	10 240 2	7 288 3	72 3	7 288 6	0 00	0 00	0 00
17 400 0	90 10	179 89	10 240 1	7 388 3	72 1	7 388 6	0 00	0 00	0 00
17 435 7	90 10	179 89	10 240 0	7 424 0	72 0	7 424 3	0 00	0 00	0 00
BHL 2327 FNL & 330 FWL Sec 7									

Design Targets									
Target Name hit/miss target Shape	Dip Angle ()	Dip Dir ()	TVD (usft)	+N/ S (usft)	+E/ W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
SL 220 FNL & 415 FW plan hits target center Point	0 00	0 00	0 0	0 0	0 0	456 000 00	561 725 00	32 15 12 611 N	104 8 1 197 W
KOP @ 9 610 plan hits target center Point	0 00	0 00	9 610 0	0 0	0 0	456 000 00	561 725 00	32 15 12 611 N	104 8 1 197 W
FTP 330 FNL & 363 Fv plan hits target center Point	0 00	0 00	10 018 6	110 0	52 4	455 890 00	561 672 63	32 15 11 524 N	104 8 1 809 W
BHL 2327 FNL & 330 F plan hits target center Point	0 00	0 00	10 240 0	7 424 0	72 0	448 576 00	561 653 00	32 13 59 143 N	104 8 2 196 W
LP 794 FNL & 330 FW plan hits target center Point	0 00	0 00	10 252 0	574 0	85 0	455 426 00	561 640 00	32 15 6 933 N	104 8 2 200 W

Motley 6/7 W2DE Fed Com #1H

