

**COLEMAN OIL GAS, INC.
JUNIPER SWD #1**

SURFACE CASING
8 5/8" CSG. @ 224.21 FT. KB
CEMENTED WITH 150 SXS

**CEMENT CIRCULATED TO
SURFACE ON SURFACE AND
PRODUCTION CASING.
PRODUCTION CASING TWO STAGE**

PRODUCTION CASING
5 1/2", 15.50#, J-55, @ 4123 FT KB.
STAGE #1
LEAD WITH 55 SXS B
TAILED WITH 100 SXS B
STAGE #2
216 SXS B LITE
TAILED WITH 100 SXS B

TUBING STRING
40 JOINTS 1263.29 FT.
SEATING NIPPLE
1 JOINT 31.26 FT.

2 7/8" BTM TBG @ ± 2950 FT KB.
BOTTOM HOLE PRESSURE SENSOR
SENSOR ± 2950 FT KB.

2 7/8" SN @ ± 2951 FT KB.
SN CUP TYPE 2.24 I.D.
ARROW SET IX
PACKER @ ± 2958 FT KB.

STAGE COLLAR @ 1645.77 FT. KB.
PBD @ 4076.54
PIPE LANDED @ 4123 FT. KB.
T.D. @ 4125 FT. KB.

PERFORATIONS ABOVE PACKER

2176 - 2205	2431 - 2436
2210 - 2249	2460 - 2477
2264 - 2270	2519 - 2554
2303 - 2307	2563 - 2576
2311 - 2320	2581 - 2633
2322 - 2332	2639 - 2667
2334 - 2341	2671 - 2683
2345 - 2371	2686 - 2694
2380 - 2388	2697 - 2703
2393 - 2402	2713 - 2724
2406 - 2421	2727 - 2743
2423 - 2428	2750 - 2758

PERFORATIONS BELOW PACKER

3036 - 3056
3296 - 3304
3346 - 3354
3530 - 3536
3724 - 3734
3822 - 3833
3838 - 3845
3862 - 3871
3895 - 3901
3913 - 3926
3943 - 3951
3956 - 3974

BEFORE THE OIL CONSERVATION DIVISION
Santa Fe, New Mexico
Case No. 13812 Exhibit No. 8
Submitted by:
COLEMAN OIL & GAS, INC.
Hearing Date: November 9, 2006

Monument #1

SURFACE CASING

8 5/8" CSG. @ 227 FT. KB

CIRCULATED CEMENT TO SURFACE

SURFACE HOLE SIZE 12 1/4" Hole

PRODUCTION HOLE SIZE 7 7/8"

15' SURFACE PLUG @ 0 - 15 FEET

62 SACK PLUG @ 350 - 550 FEET

62 SACK PLUG @ 1300 - 1500 FEET

62 SACK PLUG @ 1700 - 1900 FEET

62 SACK PLUG @ 3900 - 4100 FEET

62 SACK PLUG @ 4900 - 5100 FEET

62 SACK PLUG @ 5800 - 6100 FEET

Pictured Cliffs 1381

Mesaverde 2126

Mancos 3976

Gallup 4846

Greenhorn 5740
Dakota 5852

T.D. @ 6100 FT. KB.

Monument #2

Pg 52

