


Wellbore Schematic (From Surface to TD)

Printed: 10/12/2007

Davis N # 1

Cambrian#: 710001

API # 3000520228



1980 FNL & 1980 FWL	GL Elev:	4,434.00
Sec,Blk,Sur(Lbr,Lge,Sur)or(Sec,Twn,Rng): 18, T-8S R-33E,	Fill Depth:	
County, State: Chaves, NM	PBTD:	9,144.00
Aux ID:	TD:	9,150.00
KB = 19; DF = ; All Depths Corr To: KB	BOP:	

Hole Size

Diameter	Top At	Btm At	Date Drilled
17.5000	0.00	408.00	
11.0000	408.00	4,820.00	
7.8750	4,820.00	9,150.00	

Surface Casing

Date Ran:

Description	#	Diameter	Weight	Grade	Length	Top At	Btm At
Casing		13.3750	54.50		408.00	19.00	427.00

Production Casing String 1

Date Ran:

Description	#	Diameter	Weight	Grade	Length	Top At	Btm At
Casing		8.6250	32.00		4,820.00	19.00	4,839.00
Liner Hanger		5.5000	17.00	J55	4,305.00	4,839.00	9,144.00

Top of Liner @ 4602'

Cement

# Sx	Class	Weight	I D	O D	Top At	Btm At	TOC Per
450	H		13.375	17.500	0.00	408.00	Circ
750	TRLW		8.625	11.000	2,100.00	4,820.00	TS
400	TR		5.500	7.875	7,000.00	9,144.00	TS

Zone and Perfs

San Andres

Perforations

Top	Bottom	Formation	Status	Opened	Closed	# / Ft	Ttl #
4,261.00	4,288.00		A	10/28/1975			
4,327.00	4,346.00		A	10/28/1975			
4,354.00	4,357.00		A	10/28/1975			
4,367.00	4,373.00		A	10/28/1975			
4,403.00	4,413.00		A	10/28/1975			
4,439.00	4,461.00		A	10/28/1975			
4,474.00	4,477.00		A	10/28/1975			
8,909.00	8,919.00		PA		10/28/1975		

Wellbore Plugs and Junk

Top	Bottom	Type	Diameter	Solid	Date
4,590.00	4,597.00	CIBP	8.625	Yes	10/28/1975

Tubing String 1

Date Ran: 6/26/1997

Description	#	Diameter	Weight	Grade	Length	Top At	Btm At
Tbg Sect 1	140	2.3750	4.60	J55	4,337.76	18.99	4,356.75
Stg Nipple	1	2.3750			1.10	4,356.75	4,357.85
Prf Nipple	1	2.3750			4.32	4,357.85	4,362.17