

FORM, TOP

WLHU GRB 4 SD UT TRACT 10B #4

CURRENT WELLBORE DIAGRAM

Newmont Oil Co

SU-T-R 3-18S-29E

API #: 30-015-03260

LOCATION: 990' FNL & 330' FEL

CO, ST: EDDY, NEW MEXICO

STATUS: P&A

8 5/8" @ 459'
w/ 50 sx Cmt

LOG ELEVATION: 3539' DF
GROUND ELEVATION:

CASING				
Hole				
Pipe	8 5/8"	7"		
Weight				
Grade				
Thread				
Depth	459'	2516'		
Mud wt				

Spud: 6/19/1940
Completed: 8/16/1940

Unable to read P&A report--requested more info from Socorro

TOC @

info from Socorro

Get FIA Report



7 " @ 2516 ' w/ 200 sx Cmt

2501 = TOP GGG

2601-08 = Loco Mus

TD 2741'

Problem

FORM	TOP
	
Filled hole w/12# mud & cmt'd top of 8 1/4" csg	
TOC @ 322' (calc)	
8 1/4" @ 447' w/ 50 sx Cmt	
	
Pld 1821' 7" csg	
TOC @ 2100' (calc)	
7" @ 2517' w/ 100 sx Cmt 60' plug from TD thru pay zone	
TD 2660'	

WLHU GRB4 SD UT TRACT 31 #2			
CURRENT WELLBORE DIAGRAM			
Newmont Oil Co			
SU-T-R	2-18S-29E	API #: 30-015-03254	
LOCATION: 990' FS & WL			
CO, ST: EDDY, NEW MEXICO			
STATUS: P & A			
Well taken over by Newmont as P&A, but no apparent subsequent action.			

LOG ELEVATION:	
GROUND ELEVATION: 3500'	

CASING			
Hole			
Pipe	8 1/4"	7"	
Weight			
Grade			
Thread			
Depth	447'	2517'	
Mud wt			

Spud: 4/14/1945
Completed: 7/15/1945

Problem

FORM	TOP
Filled hole w/12# mud & cmtd top of 8 1/4" csg.	
TOC @ 328' (calc)	
8 1/4" @ 453' w/ 50 sx Cmt	
Pld 603' of 7" csg	
TOC @ 1837' (calc)	
7" @ 2523' w/ 100 sx Cmt	
70' Cmt plug above pay zone	
TD 2654'	

WLHU GRB 4 SD UT TRACT 31 #1			
CURRENT WELLBORE DIAGRAM			
Newmont Oil Co.			
SU-T-R	2-18S-29E	API #: 30-015-03262	
LOCATION: 330' FSL & 990' FWL			
CO, ST: EDDY, NEW MEXICO			
STATUS: P & A			
Well taken over by Newmont as P&A, but no apparent subsequent action.			

LOG ELEVATION:			
GROUND ELEVATION:			

CASING			
Hole	10"	8"	
Pipe	8 1/4"	7"	
Weight			
Grade			
Thread			
Depth	453'	2523'	
Mud wt			

Spud: 11/1/1939
Completed: 11/4/1939

FORM .	TOP																								
Yates #1 CURRENT WELLBORE DIAGRAM Yates Petroleum Corporation																									
SU-T-R 6-18S-30E	API #: 30-015-04470																								
LOCATION: 1980' FSL & 660' FWL																									
CO, ST: EDDY, NEW MEXICO																									
STATUS: P & A																									
TOC @ 339' (calc) <u>8 1/4"</u> @ <u>447'</u> w/ <u>50</u> sx Cmt																									
LOG ELEVATION: GROUND ELEVATION:																									
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3" style="background-color: #f2f2f2;">CASING</th> </tr> </thead> <tbody> <tr> <td>Hole</td> <td></td> <td></td> </tr> <tr> <td>Pipe</td> <td>8 1/4"</td> <td>7"</td> </tr> <tr> <td>Weight</td> <td></td> <td></td> </tr> <tr> <td>Grade</td> <td></td> <td></td> </tr> <tr> <td>Thread</td> <td></td> <td></td> </tr> <tr> <td>Depth</td> <td>447'</td> <td>2700'</td> </tr> <tr> <td>Mud wt</td> <td></td> <td></td> </tr> </tbody> </table>		CASING			Hole			Pipe	8 1/4"	7"	Weight			Grade			Thread			Depth	447'	2700'	Mud wt		
CASING																									
Hole																									
Pipe	8 1/4"	7"																							
Weight																									
Grade																									
Thread																									
Depth	447'	2700'																							
Mud wt																									
Spud: 10/1/1938 Completed: 1/25/1939																									
<!-- Handwritten notes --> 7/5/2002 NOTICE OF intake To P&A 10/17/02 PLWEEing BUT Hole problems + NO Records of Fun P&A <!-- Vertical scale labels --> TOC @ 2014' (calc) 2337' Queen 7736' CBG, 3220' S.A.																									
TD 2874' <u>7 "</u> @ <u>2700 '</u> w/ <u>100</u> sx Cmt																									

FORM	TOP				
8 1/4" @ 484' w/ 50 sx cmt 7" @ 2541' w/ 100 sx cmt Perfs 3026-3252' TD 3252'		State A 4			
		CURRENT WELLBORE DIAGRAM			
		COG OPERATING, LLC			
		SU-T-R 36-17S-29E	API #: 30-015-03795		
		LOCATION: 2310' FNL & 990' FWL			
		CO, ST: EDDY, NEW MEXICO			
		STATUS: E			
		LOG ELEVATION:			
		GROUND ELEVATION: 2561'			
		CASING			
		Hole			
		Pipe	8 1/4"	7"	
		Weight			
		Grade			
		Thread			
		Depth	484'	2541'	
		Mud wt			
		Spud: 6/21/1939			
		Completed: 9/9/1939			
		2550 TOP ERG			
		30 82 TOP SA			

Problen


FORM	TOP																																
State A 5 CURRENT WELLBORE DIAGRAM COG OPERATING, LLC SU-T-R 36-17S-29E API #: 30-015-03796 LOCATION: 2310' FNL & 330' FEL CO, ST: EDDY, NEW MEXICO STATUS: TA																																	
7" @ 590' w/ 25 sx cmt LOG ELEVATION: GROUND ELEVATION: 3565' <table border="1"><thead><tr><th colspan="4">CASING</th></tr></thead><tbody><tr><td>Hole</td><td></td><td></td><td></td></tr><tr><td>Pipe</td><td>7"</td><td>4 1/2"</td><td></td></tr><tr><td>Weight</td><td></td><td></td><td></td></tr><tr><td>Grade</td><td></td><td></td><td></td></tr><tr><td>Thread</td><td></td><td></td><td></td></tr><tr><td>Depth</td><td>590'</td><td>3105'</td><td></td></tr><tr><td>Mud wt</td><td></td><td></td><td></td></tr></tbody></table> Spud: 3/21/1940 Completed: 5/14/1940 Re-entered: 4/27/1964 Re-completed: 6/2/1964 OLD not HOLE New HOLE 2760-2767 FIRST zone of inlets was DRY 2760-2767 FIRST zone of inlets was DRY 2804-2870 ZOI 3077-3083 ZOI 2550 TOP GPS 3062 TOP SA Perfs 2717-2737' 4 1/2" @ 3105' w/ 135 sx cmt TD 3112'		CASING				Hole				Pipe	7"	4 1/2"		Weight				Grade				Thread				Depth	590'	3105'		Mud wt			
CASING																																	
Hole																																	
Pipe	7"	4 1/2"																															
Weight																																	
Grade																																	
Thread																																	
Depth	590'	3105'																															
Mud wt																																	

Wor Proben in 1995
450 TALK of P&A !!
Current

Faded well *Problem*

FORM.	TOP		0-30' w/25 sx	WLHU G4S UT TRACT 11-6 CURRENT WELLBORE DIAGRAM Yates Petroleum Corp.																																
			Perf @ 50' sqzd 50sx 30sx @ 60-170' TOC @ 234' Perf @ 250' w/150 sx 250-450' w/ 100 sx	SU-T-R 11-18S-29E API #: 30-015-03392 LOCATION: 330' FSL 2310' FWL CO, ST: EDDY, NEW MEXICO <i>N</i> STATUS: P & A																																
			8 1/4" @ 400' w/ 50 sx Cmt	LOG ELEVATION: GROUND ELEVATION: 3507'																																
				<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4" style="text-align: center;">CASING</th> </tr> </thead> <tbody> <tr><td>Hole</td><td></td><td></td><td></td></tr> <tr><td>Pipe</td><td>8 1/4"</td><td></td><td></td></tr> <tr><td>Weight</td><td></td><td></td><td></td></tr> <tr><td>Grade</td><td></td><td></td><td></td></tr> <tr><td>Thread</td><td></td><td></td><td></td></tr> <tr><td>Depth</td><td>400'</td><td></td><td></td></tr> <tr><td>Mud wt</td><td></td><td></td><td></td></tr> </tbody> </table>	CASING				Hole				Pipe	8 1/4"			Weight				Grade				Thread				Depth	400'			Mud wt			
CASING																																				
Hole																																				
Pipe	8 1/4"																																			
Weight																																				
Grade																																				
Thread																																				
Depth	400'																																			
Mud wt																																				
			Spud: 05/15/1945 Completed: 07/14/1945																																	
			<i>450'</i> <i>6/14/98</i> <i>Top Salt 450'</i> <i>BS = 935'</i> <i>RS @ 2120'</i> <i>Agar gel</i> <i>2510 T.P. & BG</i> <i>2635' G4 SAND</i>																																	
		TD 3014'																																		

Problem

FORM	TOP
	
10 sx @ surface	
TOC @ 289'	
8 5/8" @ 406' w/ 50 sx Cmt	
20 sx @ 412'	
Pulled 7" csg @ 1000'	
TOC @ 1668'	
7" @ 2351' w/ 100 sx Cmt	
2567' TOP PAY	
10 sx @ 2700'	
TD 2750'	


STATE 0-16 #1
CURRENT WELLBORE DIAGRAM
DONNELL DRILLING COMPANY
SU-T-R 16-18S-29E API #: 30-015-03424
LOCATION: 330' FNL 1650' FEL
CO, ST: EDDY, NEW MEXICO
STATUS: P & A

LOG ELEVATION:
GROUND ELEVATION: 3512'

CASING			
Hole	12 1/4"	8 1/4"	
Pipe	8 5/8"	7"	
Weight			
Grade			
Thread			
Depth	406'	2351'	
Mud wt			

Spud: 11/17/1939
Completed: 12/21/1939

Problem

FORM.	TOP																
																	
	Set marker w/10 sx																
	TOC @ 305' (calc) 385-485'																
	8 5/8" @ 425' w/ 50 sx Cmt																
<table border="1"><thead><tr><th colspan="2">SOUTHERN UNION #1</th></tr><tr><th colspan="2">CURRENT WELLBORE DIAGRAM</th></tr><tr><th colspan="2">A. J. Smith</th></tr></thead><tbody><tr><td>SU-T-R</td><td>17-18S-29E</td></tr><tr><td colspan="2">API #: 30-015-04521</td></tr><tr><td colspan="2">LOCATION: 2310' FNL & 330' FWL</td></tr><tr><td colspan="2">CO, ST: EDDY, NEW MEXICO</td></tr><tr><td colspan="2">STATUS: D&A</td></tr></tbody></table>		SOUTHERN UNION #1		CURRENT WELLBORE DIAGRAM		A. J. Smith		SU-T-R	17-18S-29E	API #: 30-015-04521		LOCATION: 2310' FNL & 330' FWL		CO, ST: EDDY, NEW MEXICO		STATUS: D&A	
SOUTHERN UNION #1																	
CURRENT WELLBORE DIAGRAM																	
A. J. Smith																	
SU-T-R	17-18S-29E																
API #: 30-015-04521																	
LOCATION: 2310' FNL & 330' FWL																	
CO, ST: EDDY, NEW MEXICO																	
STATUS: D&A																	
<table border="1"><tr><td>LOG ELEVATION:</td></tr><tr><td>GROUND ELEVATION: 3496'</td></tr></table>		LOG ELEVATION:	GROUND ELEVATION: 3496'														
LOG ELEVATION:																	
GROUND ELEVATION: 3496'																	
<table border="1"><thead><tr><th colspan="2">CASING</th></tr></thead><tbody><tr><td>Hole</td><td></td></tr><tr><td>Pipe</td><td>8 5/8"</td></tr><tr><td>Weight</td><td></td></tr><tr><td>Grade</td><td></td></tr><tr><td>Thread</td><td></td></tr><tr><td>Depth</td><td>425'</td></tr><tr><td>Mud wt</td><td></td></tr></tbody></table>		CASING		Hole		Pipe	8 5/8"	Weight		Grade		Thread		Depth	425'	Mud wt	
CASING																	
Hole																	
Pipe	8 5/8"																
Weight																	
Grade																	
Thread																	
Depth	425'																
Mud wt																	
Spud: 8/31/1961 Completed: 10/2/1961																	
Queen 1885' 2350 TOP GBG 2140 2780 2680' = TOP S.A.																	
TD 3214'																	