




12.000 in
0% Excess
365 ft



12.000 in
0% Excess
365 ft
9.625 in Csg
36.00 lbm/ft
365 ft




12.000 in 0% Excess 365 ft
9.625 in Csg 36.00 lbm/ft 365 ft




12.000 in
0% Excess
365 ft

9.625 in Csg
36.00 lbm/ft
365 ft

8.650 in
0% Excess
1800 ft





12.000 in
0% Excess
365 ft

9.625 in Csg
40.00 lbm/ft
365 ft

8.625 in
0% Excess
1800 ft


7.000 in Csg
26.00 lbm/ft
1797 ft

12.000 in
0% Excess
365 ft

9.625 in Csg
40.00 lbm/ft
365 ft

8.625 in
0% Excess
1800 ft

7.000 in Csg
26.00 lbm/ft
1797 ft



12.000 in
0% Excess
365 ft


9.625 in Csg
40.00 lbm/ft
365 ft

8.625 in
0% Excess
1800 ft

7.000 in Csg
26.00 lbm/ft
1797 ft

6.250 in
0% Excess
2870 ft

4.500 in Csg
9.50 lbm/ft
2870 ft



12.000 in
0% Excess
365 ft


9.625 in Csg
40.00 lbm/ft
365 ft

8.625 in
0% Excess
1800 ft

7.000 in Csg
26.00 lbm/ft
1797 ft

6.250 in
0% Excess
2870 ft

4.500 in Csg
9.50 lbm/ft
2870 ft



12.000 in
0% Excess
365 ft

9.625 in Csg
40.00 lbm/ft
365 ft


Perforation
2698 ft


8.625 in
0% Excess
1800 ft

7.000 in Csg
26.00 lbm/ft
1797 ft

6.250 in
0% Excess
2870 ft

4.500 in Csg
9.50 lbm/ft
2870 ft





12.000 in
0% Excess
365 ft

9.625 in Csg
40.00 lbm/ft
365 ft

2.375 in Tbg
4.70 lbm/ft
2660 ft

8.625 in
0% Excess
1800 ft

7.000 in Csg
26.00 lbm/ft
1797 ft

6.250 in
0% Excess
2870 ft

4.500 in Csg
9.50 lbm/ft
2870 ft

