

<b>QUAY VALLEY, INC.</b>	<b>Bobby Gray/Gray Pumping</b>
<b>JULY, 1996</b>	<b>915/943-4397</b>
	<b>NEMU #6</b>
<b>Status</b>	(WIWSI) Formerly: Wilder #9
<b>County &amp; State</b>	Lea County, New Mexico
<b>Spud Date:</b>	08/04/1959
<b>Completion</b>	08/19/1959
<b>Total Depth</b>	4,696'
<b>Surface Casing</b>	7 5/8" @ 651' 300 sx TOC: Circ. to Surface
	Hole Size: 11"
<b>Production Casing</b>	4 1/2" @ 4,696' 175 sx TOC: 3,450'
	Hole Size: 6 1/4"
<b>Tubing Size</b>	2 3/8" bare steel tbg ran @ no more than 100' above perforations.
<b>Perforations</b>	4,651'-61'; 4,276'-90'
<b>Packer Size &amp; Type</b>	Baker Model AD-1 (or equivalent or better). Packer set no more than 100' above perforations.
<b>Bridge Plug, If one</b>	

NEMU #6  
Corrected Perforations from  
4,651' - 62' to 4,651' - 61'

# QUAY VALLEY, INC

North El Mar Unit #8

FORMERLY CONTINENTAL OIL WILDER #23

(API# 30-025-082870)

PROPOSED CO2 INJECTION CONFIGURATION

990' FNL & 990' FWL

Section 25, T-26-S, R-32-E


Lea County, New Mexico

GL: 3122 KB: 3133

SPUD: 5/19/60 COMPLETION: 6/6/60

Drilling comments:

Completion Comments:



**QUAY VALLEY, INC.**  
**JULY, 1996**

Bobby Gray/Gray Pumping  
915/943-4397

**NEMU #8**

Status	(WIWSI) Formerly: Wilder #23
County & State	Lea County, New Mexico
Spud Date:	05/19/60
Completion	06/06/60
Total Depth	4,684'
Surface Casing	7 5/8" @ 340' 175sx TOC: Surface Hole Size: 11"
Production Casing	4 1/2" @ 4,684 2,275 cu ' TOC: 1,050' Hole Size: 6 3/4"
Tubing Size	2 3/8" bare steel tbg ran @ no more than 100' above perforations.
Perforations	4,639'-42', 4,644'-48', 4,652'-54'
Packer Size & Type	Baker Model AD-1 (or equivalent or better). Packer set no more than 100' above perforations.
Bridge Plug, If one	

# QUAY VALLEY, INC

North El Mar Unit #10

FORMERLY CONTINENTAL OIL WILDER #27

(API# 30-025-082990)

PROPOSED CO2 INJECTION CONFIGURATION

1980' FNL & 1980' FEL  
Section 26, T-26-S, R-32-E  
Lea County, New Mexico

SPUD: 8/3/60 COMPLETION: 8/12/60

Drilling comments:

GL: 3097'

DF: 3108'

Completion Comments:

OLE: 11"

7 5/8" surface casing @ 330'  
cemented w/ 125 sx

TOC @ 1090' BY TEMP. SURVEY

2 3/8" BARE STEEL TUBING  
RAN @ NO MORE THAN  
100' ABOVE PERFORATIONS  
BAKER MODEL AD-1 ( or EQUIVALENT or BETTER)  
PACKER SET NO MORE THAN  
100' ABOVE PERFORATIONS

DELAWARE SAND INJECTION FORMATION  
NORTH EL MAR FIELD  
DRILLED ORIGINALLY FOR OIL WELL  
NO PERFORATIONS IN ANY OTHER ZONE  
NO OVERLYING and/or UNDERLYING OIL  
OR GAS ZONES IN THIS AREA

Delaware Perfs; 4529'-35' w/ 4JSPF

HOLE: 6 3/4"

TD 4583'

4 1/2" 9.5# CSG @ 4582  
CMT W/700 SX.

**QUAY VALLEY, INC.**  
**JULY, 1996**

**Bobby Gray/Gray Pumping**  
**915/943-4397**

**NEMU #10**

Status	(WIWSI) Formerly: Wilder #27
County & State	Lea County, New Mexico
Spud Date:	08/03/60
Completion	08/12/60
Total Depth	4,583'
Surface Casing	7 5/8" @ 330' 125 sx TOC: Hole Size: 11"
Production Casing	4 1/2" @ 4,583' 700 sx TOC: 1090' by temp Hole Size: 6 3/4" survey
Tubing Size	2 3/8" bare steel tbg ran @ no more than 100' above perforations.
Perforations	4,529'-35'
Packer Size & Type	Baker Model AD-1 (or equivalent or better). Packer set no more than 100' above perforations.
Bridge Plug, If one	

# QUAY VALLEY, INC

North El Mar Unit #12

FORMERLY CONTINENTAL OIL WILDER #21

(API# 30-025-082940)

1980' FNL & 660' FEL

Section 26, T-26-S, R-32-E

Lea County, New Mexico

Unit H,

3110' GL 3121'DF

SPUD: 4/29/60 COMPLETION: 5/16/60

Drilling comments:

Completion Comments:

