

THIS DATA PERTAINS TO SECTION 3 OF THE C-108

LEASE NAME	WELL #	API #	S-T-R	LOC'N.	CURRENT STATUS	TD/PBTD	CASING PROGRAM	TOC	COMP. ZONE	PACKER DEPTH	OTHER ZONES
A. N. Etz	2	03922	25A-16-30	810' FNL 510' FEL	P&A	3100' 3100'	8 1/4" Csg set @ 408' w/ 50 sxs 5 1/2" Csg set @ 4895' w/ 100 sxs	235' 2286'	2895-3100 Perf	2850	NONE
A. N. Etz	3	03923	25G-16-30	2130' FNL 1650' FEL	P&A	3100' 3100'	5 1/2" Csg set @ 4900' w/ 150 sxs	1986'	2900-3100	2850	NONE
A. N. Etz	1	03921	25-H-16-30	1980' FNL 510' FEL	P&A	3090' 3090'	8 5/8" Csg set @ 575' w/ 50 sxs 5 1/2" Cst set @ 2902' w/ 100 sxs	370' 2293'	2902-3090 OH	2850	NONE
LOE	4	10571	25H-16-30	1650' FNL 990' FEL	Active Prod.	3212' 3212'	13 3/8" Csg. set @ 30' w/ 25 sxs. 8 5/8" Csg set @ 415' w/ 350 sxs. 4 1/2" Csg. set @ 3212' w/ 175 sxs.	Circ. Circ. 2414'	3046-3187 Perf	2975'	NONE
Etz E (Walnut)	4	03927	25I-16-30	1980' FSL 660' FEL	Active Prod.	3100' 3100'	8 1/4" Csg set @ 973' w/ 25 sxs 7" Csg set @ 2860' w/ 100 sxs	886' 2174'	2860-3100 OH	2775	NONE
Etz E	1	03924	25P-16-30	660' FSL 660' FEL	InActive Prod.	3235' 3235'	8 1/4" Csg set @ 490' w/ 25 sxs 7" Csg set @ 2800' w/ 100 sxs 5 1/2" Csg set @ 3151' w/ 75 sxs	403' 2114' 2694'	3044-3235 OH & Perf	3100	NONE

State "H"	3	04031	36A-16-30	810' FNL 600' FEL	Active Prod.	3555' 3555'	10" set @ 482' w/ 100 sxs 7" set @ 2815' w/ 100 sxs. 4 1/2" Lnr 2706-3252 Liner set 2/71	Circ. 2189'	2815-3555' OH 3012-217' Perf	2950'	NONE
State H	2	04030	36B-16-30	660' FNL 1980' FEL	Active Prod.	3035' 3035'	8 1/4" set @ 494' w/ 50 sxs 7" set @ 2795' w/ 100 sxs. 4 1/2" Lnr 2795'-3208' Set 5/69	320' 2109'	2795-3035' OH 2996-3190' Perf	2950	NONE
Continental State	3	04020	36C-16-30	660' FNL 1980' FWL	P&A	3228' 3228'	10 3/4" set @ 561' w/ 50 sxs 5 1/2" set @ 2838' w/ 100 sxs.	Circ. 2229'	2838-3228' OH	2775	NONE
Continental State	4	04021	36D-16-30	660' FNL 660' FWL	P&A	3030' 3030'	10 3/4" Csg set @ 533' w/ 50 sxs 5 1/2" Csg set @ 2819' w/ 100 sxs	265' 2210'	2819-3030 OH	2850	NONE
Continental State	2	04019	36E-16-30	1980' FNL 660' FWL	Active Prod.	3020' 3020'	10" Csg set @ 560' w/ 50 sxs 5 1/2" set @ 2855' w/ 100 sxs.	204' 2246'	2855-3020 OH	2775	NONE

LEASE NAME	WELL #	API #	S-T-R	LOC'N.	CURRENT STATUS	TD/ PBD	CASING PROGRAM	TOC	COMP. ZONE	PACKER DEPTH	OTHER ZONES
Continental St.	1	30-015 04018	36F-16-30	1980' FNL 1980' FWL	P&A W/W	3205' 3030'	8 1/4" Csg set @ 545' w/ 100 sxs. 5 1/2" Csg set @ 2859' w/ 100 sxs	198' 2250'	2859-3205 OH	2775	NONE
State H (Witch)	1		36G-16-30	1980' FNL 1980' FEL	Active Prod.	3050' 3050'	10 3/4" Csg set @ 550' w/ 50 sxs 5 1/2" Csg set @ 2923' w/ 100 sxs	Circ. 2314'	2923-3050 OH	2875	NONE
Tellier State	1	NA	36H-16-30	1980' FNL 660' FEL	P&A	3114' 3114'	8 1/4" Csg set @ 498' w/ 50 sxs 5 1/2" Csg set @ 2800' w/ 150 sxs	324' 1886'	2800-3114 OH	2775	NONE

Etz	4	20183	19J-16-31	1980' FSL 1980' FEL	Active Prod.	3322' 3321'	8 5/8" Csg set @ 476' w/ 450 sxs. 4 1/2" Csg set @ 3321' w/ 300 sxs.	Circ. 1953'	3145-3263 Perf	3100	NONE
Carper	2	04855	19K-16-31	1980' FSL 1660' FWL	P&A	3315' 3315'	8 5/8" Csg set @ 370' w/ 50 sxs 5 1/2" Csg set @ 3315' w/ 100 sxs	165' 2706'	3054-3263 Perf	3000	NONE
Carper	1	04854	19L-16-31	1980' FSL 500' FWL	Active Prod.	3264' 3264'	8 5/8" Csg set @ 342' w/ 50 sxs 5 1/2" Csg set @ 3263' w/ 100 sxs	137' 2654'	3035-114 Perf	2950	NONE
Etz	1	04852	19M-16-31	660' FSL 504' FWL	P&A	3277' 3277'	10 3/4" Csg set @ 467' w/ 56 sxs. 7" Csg set @ 2855' w/ 100 sxs.	Circ. 2169'	2855-3277 OH	2800	NONE
Etz	2	04853	19N-16-31	660' FSL 1668' FWL	Active Prod.	3362' 3362'	10 3/4" Csg set @ 400' w/ 50 sxs. 7" Csg set @ 2975' w/ 100 sxs.	Circ. 2289'	2975-3362 OH	2950	NONE
Vickers	6	04857	19O-16-31	660' FSL 1980' FEL	Active Prod.	3288' 3288'	8 5/8" Csg set @ 566' w/ 50 sxs. 5 1/2" Csg set @ 3015' w/ 150 sxs. 4 1/2" Lnr @ 2880-3288' w/ 175 sx Liner set 9/65	361' 2102'	3060-257 OH 3060-3257 Perfs.	2950	NONE
Vickers	5	04856	19P-16-31	660' FSL 660' FEL	InActive Prod.	3195' 3195'	8 5/8" Csg set @ 596' w/ 50 sxs. 5 1/2" Csg set @ 2580' w/ 100 sxs.	392' 1971'	2580-3150 OH	2500	NONE

LEASE NAME	WELL #	API #	S-T-R	LOC'N.	CURRENT STATUS	TD/ PBTD	CASING PROGRAM	TOC	COMP. ZONE	PACKER DEPTH	OTHER ZONES
Grier	13	04863	20J-16-31	1980' FSL 1980' FEL	Active Prod.	3535' 3533'	10" Csg set @ 548' w/ 75 sxs 5 1/2" Csg set @ 3535' w/ 76 sxs	105' 3072'	3502-24 Perf	3450	NONE
Rowley Federal	1	10206	20K-16-31	1650' FSL 1980' FWL	P&A	3513' 3499'	5 1/2" Csg set @ 3511' w/150 sxs	2597'	3322-469 Perf	3275	NONE
Rowley Federal	2	10322	20L-16-31	1650' FSL 990' FNL	Active Prod.	3491' 3490'	5 1/2" Csg set @ 3490' w/150 sxs	2576'	3291-3440 Perf	3450	NONE
Grier	3	04858	20M-16-31	330' FSL 510' FWL	P&A WTW	3237' 3237'	8 1/4" Csg set @ 590' w/ 50 sxs 5 1/2" Csg set @ 3115' w/100 sxs	416' 2506'	2574-3237' Perf & OH	2450	NONE
Grier	4	10343	20N-16-31	990' FSL 1980' FWL	Active Prod.	3505' 3499'	5 1/2" Csg set @ 3504' w/ 150 sxs	2591'	3250-3461 Perf	2450	NONE
Baxter "A"	2	04860	20P-16-31	660' FSL 660' FEL	InActive Prod.	3582' 3582'	8 5/8" Csg set @ 349' w/ 275 sxs 5 1/2" Csg set @ 3582' w/ 175 sxs	Circ. 2516'	3354-3562 Perf	3300	NONE

Federal	4	04883	27D-16-31	990' FNL 990' FWL	P&A	3760' 3757'	8 5/8" Csg set @ 423' w/75 sxs 5 1/2" Csg set @ 3760' w/200 sxs	116' 2542'	3575-3741 Perf	3500	NONE
Federal	1	04878	27E-16-31	1980' FNL 660' FWL	P&A	3745' 3745'	9 5/8" Csg set @ 365' w/160 sxs 5 1/2" Csg set @ 3745' w/150 sxs	Circ. 2831'	3714-22 Perf	3675	NONE
Trust	1	04882	27F-16-31	1980' FNL 1650' FWL	P&A	3768' 3763'	8 5/8" Csg set @ 396' w/150 sxs 4 1/2" Csg set @ 3768' w/200 sxs	Circ. 2856'	3579-755 Perf	3500	NONE
Federal	2	04880	27G-16-31	1980' FNL 1980' FEL	P&A	3861' 3836'	8 5/8" Csg set @ 366' w/150 sxs 5 1/2" Csg set @ 3860' w/150 sxs	Circ. 2947'	3550-815 Perf	3500	NONE
Federal J-27	1	10530	27J-16-31	1650' FSL 2310' FEL	InActive Prod.	3800' 3792'	13 3/8" Csg set @ 28' w/50 sxs 5 1/2" Csg set @ 3800' w/150 sxs	Circ. 2886'	3611-779 Perf	3575	NONE
Federal Trust K-27	1	10121	27K-16-31	1980' FSL 1980' FWL	Active Prod.	3775' 3775'	8 5/8" Csg set @ 369' w/150 sxs 5 1/2" Csg set @ 3775' w/75 sxs	Circ. 3318'	3588-756 Perf	3500	NONE

LEASE NAME	WELL #	API #	S-T-R	LOC'N.	CURRENT STATUS	TD/ PBTD	CASING PROGRAM	TOC	COMP. ZONE	PACKER DEPTH	OTHER ZONES
Valentine	2	30-015 10284	27L-16-31	1650' FSL 990' FWL	Active Prod.	3731' / 3725'	13 3/8" Csg set @ 30' w/10 sxs 5 1/2" Csg set @ 3731' w/250 sxs	Circ. 2209'	3505-715 Perf	3450	NONE
Valentine	1	04881	27M-16-31	660' FSL 660' FNL	InActive Prod.	3872' / 3872'	8 1/4" Csg set @ 849' w/50 sxs 7" Csg set @ 3370' w/100 sxs 4 1/2" Lnr set @ 3860' w/85 sxs	676' 2684'	3492-815 Perf	3450	NONE
Jeffers Federal	2	22003	27N-16-31	990' FSL 1650' FWL	InActive Prod.	3780' / 3754'	8 5/8" Csg set @ 400' w/150 sxs 5 1/2" Csg set @ 3774' w/125 sxs	Circ. 3012'	3532-3732 Perf	3500	NONE
Riley 27	1	10270	27O-16-31	990' FSL 2310' FEL	Active Prod.	3792' / 3780'	13 3/8" Csg set @ 30' w/15 sxs 8 5/8" Csg set @ 700' w/50 sxs 4 1/2" Lnr set @ 3792' w/125 sxs	Circ. 495' 3222'	3603-3772 Perf	3550	NONE
Featherstone	1	04887	27P-16-31	330' FSL 330' FEL	Active Prod.	4323' / 3890'	8 1/4" Csg set @ 915' w/50 sxs 7" Csg set @ 3485' w/100 sxs 5 1/2" Csg set @ 3890' w/200 sxs	741' 2799' 2672'	3604-3816 Perf	3550	NONE

Kennedy	4	04889	28A-16-31	660' FNL 660' FEL	P&A	3737' / 3712'	8 5/8" Csg set @ 367' w/210 sxs 5 1/2" Csg set @ 3736' w/150 sxs	Circ. 2822'	3548-3700 Perf	3500	NONE
Kennedy	3	10549	28C-16-31	660' FNL 1650' FWL	P&A	3670' / 3663'	13 3/8" Csg set @ 30' w/25 sxs 4 1/2" Csg set @ 3670' w/150 sxs	Circ. 2986'	3419-622 Perf	3375	NONE
Johnson B	4	04897	28D-16-31	660' FNL 660' FWL	P&A	3475' / 3475'	8 1/4" Csg set @ 764' w/50 sxs 5 1/2" Csg set @ 3329' w/100 sxs	590' 2720'	3329-3475 OH	3275	NONE
Sheldon	3	04896	28E-16-31	1980' FNL 660' FWL	P&A	3475' / 3475'	8 1/4" Csg set @ 734' w/50 sxs 5 1/2" Csg set @ 3286' w/100 sxs	560' 2677'	3286-3475 OH	3200	NONE
Kennedy A	2	10321	28F-16-31	1650' FNL 2310' FWL	Active Prod.	3663' / 3655'	13 3/8" Csg set @ 26' w/13 sxs 5 1/2" Csg set @ 3661' w/200 sxs	Circ. 2443'	3401-3631 Perf	3350	NONE
Sheldon	4	04899	28G-16-31	1980' FNL 1650' FEL	Active Prod.	3726' / 3690'	8 5/8" Csg set @ 737' w/200 sxs 5 1/2" Csg set @ 3726' w/200 sxs	Circ. 2500'	3460-3688 Perf	3400	NONE
Kennedy	1	10149	28H-16-31	1980' FNL 660' FEL	P&A	3729' / 3727'	10 3/4" Csg set @ 25' w/50 sxs 5 1/2" Csg set @ 3729' w/200 sxs	Circ. 2511'	3474-689 Perf	3400	NONE

LEASE NAME	WELL #	API #	S-T-R	LOC'N.	CURRENT STATUS	TD/ PBT	CASING PROGRAM	TOC	COMP. ZONE	PACKER DEPTH	OTHER ZONES
Sheldon	5 or 2	30-015 04900	28J-16-31	2310' FSL 660' FEL	P&A	3710' / 3710'	8 5/8" Csg set @ 735' w/ 250 sxs 5 1/2" Csg set @ 3450' w/ 200 sxs	Circ. 2232'	3450-3710 OH	3400	NONE
Kennedy	3	04890	28J-16-31	2310' FSL 1650' FEL	P & A	3701' / 3685'	8 5/8" Csg set @ 368' w/ 200 sx 5 1/2" Csg set @ 3700' w/ 150 sxs	Circ. 2787'	3444-674 Perf	3400	NONE
Sheldon	1	04894	28K-16-31	1980' FSL 1980' FWL	P&A	4302' / 3599'	4 1/2" Csg set @ 3599' w/ 200 sxs	2687'	3439-49 Perf	3375	NONE
Johnson	4	04892	28L-16-31	1980' FSL 660' FWL	InActive Prod.	3469' / 3469'	8 5/8" Csg set @ 715' w/ 50 sx 5 1/2" Csg set @ 3337' w/ 100 sxs	Circ. 2728'	3337-469 OH	3300	NONE
Sheldon	2	NA	28N-16-31	560' FSL 1880' FWL	InActive Prod.	3624' / 3624'	13 3/8" Csg set @ 30' w/ 10 sxs 5 1/2" Csg set @ 3376' w/ 210 sxs	14' 2097'	3376-624 OH	3300	NONE
Johnson B	7	NA	28O-16-31	660' FSL 1980' FEL	P&A	3457' / 3457'	8 5/8" Csg set @ 737' w/ 50 sx 7" Csg set @ 3373' w/ 100 sxs	533' 2687'	3373-3457 OH	3300	NONE
Sheldon	3	10078	28P-16-31	330' FSL 626' FEL	P&A	3708' / 3708'	13 3/8" Csg set @ 31' w/ 25 sxs 5 1/2" Csg set @ 3446' w/ 100 sxs	Circ. 2837'	3446-3708 OH	3375	NONE

J. N. Fidel "A"	4	04913	29A-16-31	810' FNL 990' FEL	Active Prod.	3563' / 3563'	8 1/4" Csg set @ 708' w/ 50 sx 5 1/2" Csg set @ 3247' w/ 100 sxs 4 1/2" Lnr 3253-3563 W/ 50 sxs Lnr ran 10/62	534' 2638'	3297-432 OH 3311-3514 Perf	3275	NONE
J. N. Fidel "A"	W5		29A-16-31	50' FNL 50' FEL	P&A	3606' / 3606'	4 1/2" Csg set @ 3606' w/ 250 sxs	2466'	3354-3557 Perf	3275	NONE
J. N. Fidel "A"	3	04912	29B-16-31	660' FNL 1980' FEL	Active Prod.	3342' / 3342'	8 5/8" Csg set @ 690' w/ 50 sxs 5 1/2" Csg set @ 3260' w/ 100 sxs 4 1/2" Lnr 3158-514 W/ 35 sxs Lnr ran 5/62	486' 2651'	3260-3342 OH 3269-3358	3200	NONE
Grier	2	04906	29C-16-31	810' FNL 1980' FWL	P& A WTW	3296' / 3296'	8 5/8" Csg set @ 595' w/ 50 sxs 5 1/2" Csg set @ 3150' w/ 100 sxs	390' 2541'	3150-3296 OH	3100	NONE

LEASE NAME	WELL #	API #	S-T-R	LOC'N.	CURRENT STATUS	TD/ PBT	CASING PROGRAM	TOC	COMP. ZONE	PACKER DEPTH	OTHER ZONES
Grier	1	30-015 04905	29D-16-31	760' FNL 560' FWL	InActive Prod.	3230' 3230'	8 5/8" Csg set @ 570' w/ 50 sxs 5 1/2" Csg set @ 3055' w/ 100 sxs	396' 2451'	3055-3230 OH	3000	NONE
Bruning	1	04911	29E-16-31	1980' FNL 660' FWL	P&A WIW	3279' 3279'	8 5/8" Csg set @ 565' w/ 50 sxs 7" Csg 2590-2490' w/ 50 sxs 5 1/2" Csg set @ 3119' w/ 100 sxs	360' ALL 2510'	3119-3279 OH	3075	NONE
Bruning	2	04907	29F-16-31	1980' FNL 1980' FWL	Active Prod.	3276' 3276'	8 1/4" Csg set @ 616' w/ 50 sxs 5 1/2" Csg set @ 3056' w/ 100 sxs	411' 2447'	3056-3287 OH	3000	NONE
Bruning	3	04908	29G-16-31	1980' FNL 1980' FEL	P&A WIW	3376' 3376'	8 5/8" Csg set @ 648' w/ 50 sxs 5 1/2" Csg set @ 3195' w/ 100 sxs	444' 2586'	3195-3376 OH	3125	NONE
Bruning	4	04909	29H-16-31	1980' FNL 660' FEL	Active Prod.	3415' 3415'	8" Csg set @ 685' w/ 50 sxs 5" Csg set @ 3252' w/ 100 sxs	511' 2652'	3252-3415 OH	3175	NONE
Bruning	5	04903	29I-16-31	1980' FSL 660' FEL	P&A	3433' 3433'	8 5/8" Csg set @ 632' w/ 50 sxs 5 1/2" Csg set @ 3265' w/ 100 sxs	427' 2656'	3265-3433 OH	3200	NONE
Carper "G"	3	04914	29J-16-31	1980' FSL 1880' FEL	Active Prod.	3526' 3526'	7" Csg set @ 705' w/ 50 sxs 4 1/2" Csg set @ 3526' w/ 200 sxs	362' 2614'	3478-3502' Perf	3450	NONE
Texas Trading "A"	3	04918	29L-16-31	1980' FSL 660' FWL	Active Prod.	3426' 3426'	8 5/8" Csg set @ 585' w/ 50 sxs 5 1/2" Csg set @ 3193' w/ 100 sxs	411' 2584'	3193-3426 OH	3125	NONE
Texas Trading A	1	04916	29M-16-31	660' FSL 660' FWL	P&A	3458' 3298'	8 1/4" Csg set @ 640' w/ 50 sxs 5 1/2" Csg set @ 3162' w/ 100 sxs 4 1/2" Lnr 3058-3372 W/150 sxs Lnr ran 7/63	466'	3254-84 Perf	3200	NONE
Texas Trading "A"	2	04917	29N-16-31	660' FSL 1980' FWL	InActive Prod.	3354' 3258'	8 5/8" Csg set @ 645' w/ 50 sxs 5 1/2" Csg set @ 3198' w/ 100 sxs	440' 2589'	3198-3354 OH	3125	NONE
Bruning	6	04910	29O-16-31	660' FSL 1980' FEL	P&A	3397' 3397'	8 5/8" Csg set @ 623' w/ 50 sxs 5 1/2" Csg @ 3156' w/ 100 sxs	418' 2547'	3156-3398 OH	3100	NONE
Carper "G"	1	04915	29P-16-31	550' FSL 550' FEL	InActive Prod.	3580' 3580'	8 5/8" Csg set @ 690' w/ 75 sxs 5 1/2" Csg set @ 3580' w/ 110 sxs	383' 2910'	3343-3550 Perf	3500	NONE

LEASE NAME	WELL #	API #	S-T-R	LOC'N.	CURRENT STATUS	TD/PBTD	CASING PROGRAM	TOC	COMP. ZONE	PACKER DEPTH	OTHER ZONES
Vickers	2	04934	30A-16-31	660' FNL 660' FEL	P&A WIW	3205' 3205'	8 5/8" Csg set @ 617' w/ 100 sxs 5 1/2" Csg set @ 3030' w/ 100 sxs	208' 2421'	3030-205 OH	2975	NONE
Vickers	4	04936	30B-16-31	660' FNL 1980' FEL	InActive Prod.	3267' 3258'	8 5/8" Csg set @ 560' w/ 50 sxs 5 1/2" Csg set @ 3004' w/ 100 sxs 4 1/2" Lnr 2892-3267 w/75 sxs Lnr ran 12/65	355' 2395'	3004-3267 OH 3111-256 Perf	3050	NONE
LOE	3	10469	30C-16-31	330' FNL 1995' FWL	P&A	3275' 3275'	13 3/8" Csg set @ 50' w/ 325 sxs 5 1/2" Csg set @ 3275' w/ 300 sxs	Circ. 1448'	3037-230' Perf	2975	NONE
George Etz	1	04923	30D-16-31	810' FNL 503' FWL	P&A	3090' 3090'	8 5/8" Csg set @ 520' w/ 50 sxs 5 1/2" Csg set @ 2907' w/ 100 sxs	346' 2298'	2907-390 OH	2875	NONE
George Etz (Woodward)	1	04904	30E-16-31	1980' FNL 503' FWL	P&A	3150' 3150'	8 5/8" Csg set @ 517' w/ 50 sxs 5 1/2" Csg set @ 2955' w/ 100 sxs	312' 2346'	2955-3150 OH	2875	NONE
George Etz (Woodward)	2	NA	30F-16-31	1980' FNL 1670' FWL	P&A	3138' 3138'	8 5/8" Csg set @ 525' w/ 50 sxs 5 1/2" Csg set @ 2950' w/ 100 sxs	321' 2341'	2950-3138 OH	2900	NONE
Vickers	1	04933	30H-16-31	1980' FNL 660' FEL	Active Prod.	3326' 3326'	8 5/8" Csg set @ 550' w/ 50 sxs 5 1/2" Csg set @ 3100' w/ 100 sxs	346' 2491'	3100-3326 OH	3050	NONE
Fidel	2	04925	30I-16-31	1980' FSL 660' FEL	P&A	3203' 3135'	8 5/8" Csg set @ 602' w/ 50 sxs 6" Csg set @ 3055' w/ 100 sxs	397' 2455'	3055-3135 OH	3000	NONE
Grier	12	04929	30J-16-31	1980' FSL 1980' FEL	Active Prod.	3285' 3285'	10" Csg set @ 526' w/ 50 sxs 8 1/4" Csg set @ 500' w/ 50 sxs 5 1/2" Csg set @ 2988' w/ 100 sxs 4 1/2" Lnr 2872-3284 w/ 250 sxs Lnr run 4/67	326' 2379' 2379'	2988-3184 OH 3091-3271 Perf	3050	NONE
Grier	2		30K-16-31	1980' FSL 1980' FWL	P&A	3138' 3138'	8 1/4" Csg set @ 527' w/ 50 sxs 5 1/2" Csg set @ 2956' w/ 100 sxs	353' 2347'	2956-3138 OH	2900	NONE
Grier	2	04930	30L-16-31	1980' FSL 506' FWL	P&A	3141' 3040'	8 1/4" Csg set @ 495' w/ 50 sxs 5 1/2" Csg set @ 2978' w/ 100 sxs	448' 2369'	2978-3040 OH	2400	NONE
Grier	1	04926	30M-16-31	660' FSL 660' FWL	P&A	3100' 3055'	8 1/4" Csg set @ 495' w/ 50 sxs 7" Csg set @ 2491' w/ 15 sxs 5 1/2" Csg set @ 2977' w/ 100 sxs	321' 2388' 2368'	2977-3055 OH	2900	NONE

LEASE NAME	WELL #	API #	S-T-R	LOC'N.	CURRENT STATUS	TD/PBTD	CASING PROGRAM	TOC	COMP. ZONE	PACKER DEPTH	OTHER ZONES
Grier	1	04931	30N-16-31	660' FSL 1980' FWL	P&A	3157' 3157	8 1/4" Csg set @ 508' w/ 55 sxs 5 1/2" Csg set @ 2957' w/ 100 sxs	317' 2348'	2957-3157 OH	2900	NONE
Grier	10	04927	30O-16-31	660' FSL 1980' FEL	P&A	3307' 3307	8 1/4" Csg set @ 575' w/ 25 sxs 5 1/2" Csg set @ 3053' w/ 100 sxs	488' 2444'	3053-3307 OH	2975	NONE
J. N. Fidel	1	04928	30P-16-31	660' FSL 660' FEL	InActive Prod.	3267' 3267	8 1/4" Csg set @ 607' w/ 50 sxs 5 1/2" Csg set @ 3050' w/ 100 sxs	433' 2441'	3050-3267 OH	2975	NONE

Grier	9	04940	31A-16-31	660' FNL 660' FEL	P&A	3256' 3256	8 1/4" Csg set @ 579' w/ 25 sxs 7" Csg set @ 2482' w/ 100 sxs	492' 1796'	2482-3256 OH	2400	NONE
Grier	11	04946	31B-16-31	660' FNL 1980' FEL	Active Prod.	3380' 3380	10" Csg set @ 550' w/ 50 sxs 5 1/2" Csg set @ 2988' w/ 100 sxs 4 1/2" Lnr 2942-3380 w/ 250 sxs Lnr ran 2/67	255' 2379'	2988-3297 OH 3166-3336 Perf	2925	NONE
Grier	3	04944	31C-16-31	660' FNL 1980' FWL	Active Prod.	3340' 3338	10 3/4" Csg set @ 459' w/ 50 sxs 6 5/8" Csg set @ 2982" w/ 100 sxs	Circ. 2036'	2989-3252 OH	2925	NONE
Grier	1	04942	31D-16-31	660' FNL 660' FWL	Active Prod.	3358' 3358	10" Csg set @ 468' w/ 50 sxs 5 1/2" Cst set @ 2955' w/ 100 sxs 4 1/2" Lnr 2891-3358 w/ 175 sxs Lnr ran 2/68	187' 2346'	2955-3247 OH 3058-3247 Perf	2975	NONE
Grier	2	04943	31E-16-31	1980' FNL 660' FWL	Active Prod.	3265' 3257	10 3/4" Csg set @ 482' w/ 50 sxs 7" Csg set @ 2952' w/ 100 sxs 4 1/2" Lnr 2863-3257 Lnr run 4/69	201' 2266'	3092-3240 OH 3050-3240 Perf	3000	NONE
Grier	4X	04945	31F-16-31	1980' FNL 1950' FWL	Active Prod.	3297' 3297	10" Csg set @ 512' w/ 50 sxs 7" Csg set @ 2965' w/ 100 sxs 4 1/2" Lnr 2802-3260 w/ ??? sxs Lnr run 12/69	Circ. 2279'	2965-3270 OH 3076-3265 Perf	3000	NONE
Grier	5	04947	31G-16-31	1980' FNL 1980' FEL	Active Prod.	3333' 3333	10 3/4" Csg set @ 538' w/ 50 sxs 7" Csg set @ 2985' w/ 100 sxs 4 1/2" Lnr 2933-3333 w/ 100 sxs Lnr run 9/68	Circ. 2299'	2985-3333 OH 3129-3311 Perf	3075	NONE

LEASE NAME	WELL #	API #	S-T-R	LOC'N.	CURRENT STATUS	TD/ PBTD	CASING PROGRAM	TOC	COMP. ZONE	PACKER DEPTH	OTHER ZONES
Carper G	5	NA	31I-16-31	1980' FSL 660' FEL	P&A	3465' 3465'	8 5/8" Csg set @ 1624' w/ 50 sxs	1420'	D & A		NONE
Grier "A"	1	04941	31K-16-31	1980' FSL 1680' FWL	Active Prod.	3244' 3244'	8 5/8" Csg set @ 525' w/ 50 sxs 7" Csg set @ 2838' w/ 100 sxs 4 1/2" Lnr 2782-3244 w/ ??? sxs Lnr run 4/69	320' 2152'	2838-3170 OH 3032-3232 Perf	2975	NONE
Grier A	1	04938	31L-16-31	1980' FSL 511' FWL	P&A	3060' 3060'	8 1/4" Csg set @ 557' w/ 50 sxs 5 1/2" Csg set @ 2955' w/ 400 sxs	383' 519'	2985-3060 OH	2900	NONE

State C	2	04961	32 A-16-31	660' FNL 660' FEL	P&A	3485' 3485'	8 5/8" Csg set @ 675' w/ 50 sxs 5 1/2" Csg set @ 3300' w/ 100 sxs	470' 2691'	3300-3485 OH	3250	NONE
State C	1	04960	32B-16-31	660' FNL 1980' FEL	P&A	3405' 3405'	8 5/8" Csg set @ 632' w/ 50 sxs 5 1/2" Csg set @ 3205' w/ 100 sxs	427' 2596'	3205-3405 OH	3175	NONE
State R	3	04966	32C-16-31	660' FNL 1980' FWL	P&A	3360' 3360'	8 5/8" Cst set @ 597' w/ 50 sxs 5 1/2" Csg set @ 3255' w/ 100 sxs		3255-3360 OH	3200	NONE
State R	1	04964	32D-16-31	660' FNL 660' FWL	P&A	3300' 3300'	8 1/4" Csg set @ 608' w/ 50 sxs 5 1/2" Csg set @ 3210' w/ 125 sx	434' 2448'	3210-3300 OH	3175	NONE
State R	2	04965	32 E-16-31	1650' FNL 990' FWL	P&A	3438' 3438'	8 5/8" Csg set @ 580' w/ 50 sxs 5 1/2" Csg set @ 3235' w/ 100 sxs	375' 2626'	3235-3438 OH	3175	NONE
State R	4	04967	32F-16-31	1980' FNL 1980' FWL	P&A	3330' 3330'	8 5/8" Csg set @ 598' w/ 50 sxs 5 1/2" Csg set @ 3209' w/ 100 sxs	393' 2600'	3209-3330 OH	3175	NONE
State C	4	04963	32G-16-31	1980' FNL 1980' FEL	P&A	3476' 3476'	8 5/8" Csg set @ 560' w/ 50 sxs 5 1/2" Csg set @ 3210' w/ 100 sxs	355' 2601'	3210-3476 OH	3175	NONE
State C	3	04962	32H-16-31	1980' FNL 660' FEL	P&A	3569' 3569'	8 5/8" Csg set @ 648' w/ 50 sxs 7" Csg set @ 2725' w/ 10 sxs 5 1/2" Csg set @ 3295' w/ 100 sxs	443' 2656' 2686'	3295-3569 OH	3225	NONE
Tidewater State	1	04956	32I-16-31	1980' FSL 660' FEL	Active Prod.	3520' 3512'	8 5/8" Csg set @ 350' w/ 250 sxs 5 1/2" Csg set @ 3520' w/ 175 sxs	Circ. 2454'	3304-3498 Perf	3225	NONE

LEASE NAME	WELL #	API #	S-T-R	LOC'N.	CURRENT STATUS	TD/ PBTD	CASING PROGRAM	TOC	COMP. ZONE	PACKER DEPTH	OTHER ZONES
Western Dev. "A" State	2	04959	32J-16-31	1980' FSL 1980' FEL	Active Prod.	3485' 3485'	8 5/8" Csg set @ 363' w/ 250 sxs 5 1/2" Csg set @ 3485' w/ 175 sxs	Circ. 2419'	3218-3383 Perf	3150	NONE
Doolin	2	04954	32L-16-31	1980' FSL 660' FWL	P&A	3294' 3280'	9 5/8" Csg set @ 362' w/ 125 sxs 5 1/2" Csg set @ 3294' w/ 125 sxs	Circ. 2533'	3214-65 Perf	3150	NONE
Doolin	1	04955	32N-16-31	660' FSL 1980' FWL	P&A	3750' 3310'	9 5/8" Csg set @ 358' w/ 150 sxs 5 1/2" Csg set @ 3370' w/ 600 sxs	Circ. Circ.	3164-283 Perf	3100	NONE
Tidewater State	2	04957	32O-16-31	660' FSL 1980' FEL	Active Prod.	3478' 3478'	8 5/8" Csg set @ 349' w/ 160 sxs 5 1/2" Csg set @ 3478' w/ 125 sxs	Circ. 2717'	3207-3375 Perf	3150	NONE

Johnson	6	04972	33A-16-31	660' FNL 660' FEL	P & A	3620' 3620'	8 1/4" Csg set @ 761' w/ 50 sxs 7" Csg set @ 3416' w/ 100 sxs	587' 2730'	3416-3620 OH	3350	NONE
Texas Trading	3	04979	33B-16-31	660' FNL 1980' FEL	Active Prod.	3684' 3684'	8 5/8" Csg set @ 756' w/ 50 sxs 5 1/2" Csg set @ 3381' w/ 100 sxs	551' 2772'	3381-3600 OH	3350	NONE
Johnson A	1	04976	33C-16-31	660' FNL 1980' FWL	P&A	3477' 3477'	8 1/4" Csg set @ 690' w/ 50 sxs 7" Csg set @ 3375' w/ 100 sxs	516' 2689'	3375-3477 OH	3350	NONE
Texas Trading	1	04977	33D-16-31	660' FNL 660' FWL	InActive Prod.	3590' 3590'	8 5/8" Csg set @ 705' w/ 50 sxs 5 1/2" Csg set @ 3338' w/ 100 sxs	531' 2729'	3338-3590 OH	3275	NONE
Texas Trading	2	04978	33E-16-31	1980' FNL 660' FWL	P&A	3470' 3470'	8 5/8" Csg set @ 733' w/ 50 sxs 7" Csg set @ 3330' w/ 100 sxs	528' 2644'	3360-3452 OH	3275	NONE
Johnson "A"	3	04975	33F-16-31	1980' FNL 1980' FWL	Active Prod.	3612' 3612'	8 5/8" Csg set @ 715' w/ 50 sxs 7" Csg set @ 3363' w/ 100 sxs	510' 2677'	3363-3612 OH	3300	NONE
Johnson	5	04971	33H-16-31	1980' FNL 660' FEL	InActive Prod.	3521' 3521'	8 1/4" Csg set @ 755' w/ 50 sxs 5 1/2" Csg set @ 3387' w/ 100 sxs	581' 2778'	3387-3521 OH	3325	NONE
Texas Trading	6	04982	33I-16-31	1980' FSL 660' FEL	P&A	3765' 3765'	8 5/8" Csg set @ 618' w/ 50 sxs 5 1/2" Csg set @ 3380' w/ 50 sxs	413' 3076'	3380-765 OH	3300	NONE
Johnson	15	04973	33J-16-31	2310' FSL 1650' FEL	InActive Prod.	3635' 3635'	8 1/4" Csg set @ 705' w/ 50 sxs 7" Csg set @ 3375' w/ 100 sxs	531' 3368'	3596-3635 OH	3300	NONE

LEASE NAME	WELL #	API #	S-T-R	LOC'N.	CURRENT STATUS	TD/PBTD	CASING PROGRAM	TOC	COMP. ZONE	PACKER DEPTH	OTHER ZONES
Texas Trading	5-B	04981	33K-16-31	1980' FSL 1980' FWL	P&A	3616' 3616'	8 1/4" Csg set @ 725' w/ 50 sxs 5 1/2" Csg set @ 3350' w/ 100 sxs	551' 2741'	3350-616 OH	3225	NONE
Kennedy	5	04969	33L-16-31	1980' FSL 660' FWL	Active Prod.	3558' 3558'	8 5/8" Csg set @ 407' w/ 150 sxs 5 1/2" Csg set @ 3558' w/ 200 sxs	Circ. 2340'	3285-3530 Perf	3225	NONE
Kennedy	4	04968	33M-16-31	660' FSL 660' FWL	Active Prod.	3562' 3562'	8 5/8" Csg set @ 539' w/ 175 sxs 5 1/2" Csg set @ 3562' w/ 200 sxs	Circ. 2344'	3274-3521 Perf	3225	NONE
Texas Trading	7	04983	33N-16-31	810' FSL 1980' FWL	InActive Prod.	3617' 3617'	8" Csg set @ 720' w/ 50 sxs 5 1/2" Csg set @ 3326' w/ 100 sxs	546' 2717'	3326-3618 OH 3295-3305 Perf	3275	NONE
Johnson	14	NA	33O-16-31	510' FSL 2310' FEL	P & A WIW	3798' 3798'	5 1/2" Csg set @ 3279' w/ 50 sxs	2975'	3279-798 OH	3225	NONE
Texas Trading	9	10345	33P-16-31	660' FSL 660' FEL	Active Prod.	3836' 3836'	5 1/2" Csg set @ 3836' w/ 150 sxs	2923'	3289-3501 Perf	3225	NONE

Kennedy Federal	2	10272	34A-16-31	990' FNL 330' FEL	Active Prod.	3840' 3735'	9 5/8" Csg set @ 450' w/ 50 sxs 5 1/2" Csg set @ 3735' w/ 200 sxs	114' 2517'	3603-90 Perf	3550	NONE
Kennedy A	1	10273	34B-16-31	660' FNL 1980' FEL	Active Prod.	3829' 3660'	13 3/8" Csg set @ 35' w/ 27 sxs 7" Csg set @ 3825' w/ 200 sxs	Circ. 2453'	3539-3652 Perf	3475	NONE
Kennedy	1	10271	34C-16-31	660' FNL 1980' FWL	Active Prod.	3788' 3769'	13 3/8" Csg set @ 32' w/ 27 sxs 7" Csg set @ 3785' w/ 200 sxs	Circ. 2413'	3541-750 Perf	3550	NONE
Carper "AB"	4	04990	34D-16-31	660' FNL 660' FWL	Active Prod.	3617' 3617'	8 1/4" Csg set @ 813' w/ 50 sxs 7" Csg set @ 3380' w/ 100 sxs	639' 2694'	3380-3617 OH	3300	NONE
Carper AB	3B	04989	34E-16-31	1980' FNL 660' FWL	P&A	3598' 3598'	8 1/4" Csg set @ 775' w/ 50 sxs 5 1/2" Csg set @ 3397' w/ 100 sxs	602' 2788'	3397-598 OH	3325	NONE
Johnson	9	04994	34F-16-31	1980' FNL 1980' FWL	Active Prod.	4228' 3915'	8 1/4" Csg set @ 725' w/ 50 sxs 5 1/2" Csg set @ 3450' w/ 100 sxs	551' 2841'	3450-915 OH	3375	NONE

LEASE NAME	WELL #	API #	S-T-R	LOC'N.	CURRENT STATUS	TD/ PBDT	CASING PROGRAM	TOC	COMP. ZONE	PACKER DEPTH	OTHER ZONES
Johnson	17	30-015 04998	34G-16-31	2310' FNL 1980' FEL	P&A	3761' 3761'	8 5/8" Csg set @ 100' w/ 50 sxs 5 1/2" Csg set @ 3625' w/ 100 sxs	Circ. 3016'	3625-761 OH	3550	NONE
Kennedy	1	04985	34H-16-31	1980' FNL 660' FEL	Active Prod.	3848' 3819'	8 5/8" Csg set @ 376' w/ 150 sxs 5 1/2" Csg set @ 3848' w/ 200 sxs	Circ. 2630'	3589-1796 Perf	3525	NONE
Carper AB	1	04987	34J-16-31	1980' FSL 660' FEL	P&A	3855' 3855'	8 1/4" Csg set @ 800' w/ 50 sxs 5 1/2" Csg set @ 3465' w/ 100 sxs	826' 2856'	3465-855 OH	3400	NONE
Johnson	18	21771	34J-16-31	1980' FNL 2080' FEL	Active Prod.	3775' 3747'	13 3/8" Csg set @ 38' w/ 50 sxs 4 1/2" Csg set @ 3775' w/ 914 sxs	Circ. Circ.	3486-3594 Perf	3425	NONE
Carper	5	04991	34K-16-31	1980' FSL 1980' FWL	P & A W1W	3527' 3527'	8 1/4" Csg set @ 825' w/ 50 sxs 5 1/2" Csg set @ 3370' w/ 100 sxs	651' 2761'	3370-527 OH	3300	NONE
Johnson	8	04993	34L-16-31	1980' FSL 660' FWL	Active Prod.	3728' 3728'	8 5/8" Csg set @ 745' w/ 50 sxs 5 1/2" Csg set @ 3395' w/ 100 sxs	540' 2786'	3395-1728 OH	3325	NONE
Johnson	10	04995	34M-16-31	660' FSL 660' FWL	Active Prod.	3703' 3703'	8 5/8" Csg set @ 745' w/ 50 sxs 5 1/2" Csg set @ 3395' w/ 100 sxs	540' 2786'	3395-3703 OH	3325	NONE
Carper Federal	6	04992	34N-16-31	660' FSL 1980' FWL	Active Prod.	3753' 3753'	8" Csg set @ 813' w/ 50 sxs 5 1/2" Csg set @ 3362' w/ 100 sxs 4 1/2" Lnr 3255-714 w/ 100 sxs Lnr ran 4/65	640' 2753'	3363-3592 OH 3434-698 Perf	3400	NONE
Johnson	12	04997	34O-16-31	990' FSL 1980' FEL	P&A	3760' 3760'	8 5/8" Csg set @ 770' w/ 50 sxs 7" Csg set @ 3484' w/ 100 sxs	565' 2798'	3484-3760 OH	3400	NONE
Carper "AB"	2	04988	34P-16-31	660' FSL 660' FEL	Active Prod.	3544' 3544'	8 1/4" Csg set @ 862' w/ 50 sxs 5 1/2" Csg set @ 3465' w/ 100 sxs	688' 2856'	3465-3770 OH	3400	NONE
Vickers	3	4935	30G-16-31	1980' FNL 1980' FEL	P&A	3164' 3164'	8 5/8" Csg set @ 615' w/ 100 sxs 5 1/2" Csg set @ 3020' w/ 100 sxs	206' 2411'	3020-3164 OH	2950'	NONE
Grier	18	24457	31O-16-31	660' FSL 1980' FEL	Active Prod.	3425' 3411'	8 5/8" Csg set @ 520' w/ 400 sxs 5 1/2" Csg set @ 3425' w/ 1500 sxs	Surf. Surf.	3081-3320 Perf	3025	NONE
Grier	4	4951	31N-16-31	660' FSL 1980' FWL	Inactive Prod.	3576' 3305'	8 1/4" Csg set @ 583' w/ 50 sxs 5 1/2" Csg set @ 2947' w/ 100 sxs	410' 2338'	2847-3305 OH	2875	NONE