

NEW MEXICO
OIL CONSERVATION COMMISSION

Gas Well Plat


Date _____

Operator _____ Lease _____ Well No. _____

Name of Producing Formation _____ Pool _____

No. Acres Dedicated to the Well _____

SECTION _____ TOWNSHIP _____ RANGE _____

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name _____

Position _____

Representing _____

Address _____

(over)

R 37 E

2

4

6

5

2

T
21
S

9

16

23

24

19

20

21

24


25

30

29

28

appreciate not



E. G. Rodman (Atlantic) ★ 1 Mae Curry		Continental 1/4, Atlantic 1/4 St. of Texas 1/4, Stanolind 1/4			
Texas Rodman ★ 1		7	L. R. Barton C. E. Aikman Curry ★ 1	8	N. G. Penrose, Inc. (Gulf) 1-A 2 "B" 3 1 U.S.
Tidewater State	Amerada	N. G. Penrose Inc. (Gulf) Alves ★ 3			
Shell State	N. G. Penrose Inc. (Gulf) ★ 2 1		Texas Frank Buttrum 3 2 1	Pan Oil et al 1 3	Cont'l. 1/4 St. of Texas 1/4 4 Atl. 1/4 Stanolind 1/4 "A" 3 Lockhart 2 U.S.
Gulf 18		Alves	Weatherly Dixilyn Orig. Cont'l. 1 1	17	
H. T. Mattern 3 2 4 1					
R. Olsen	1	Ohio 1 L. G. Warlick	L. H. Wentz Lockhart "A" 2 U.S.	N. G. Penrose 1	Tidewater 2 1 Hardy

21 S - 37 E
Lea Co., New Mex.



THE WESTERN COMPANY

GAMMATRON

Simultaneous Radioactivity Log

LOCATION	COMPANY: OHIO OIL COMPANY	COMPANY: OHIO OIL CO.
	WELL: BERTHA BARBER WELL # 11	WELL: BERTHA BARBER WELL #11
	FIELD: MONUMENT BLINEBERRY	FIELD: MONUMENT BLINEBERRY
	COUNTY: LEA STATE: N.M.	COUNTY: LEA STATE: N.M.
	LOCATION: 990' FNL 330' FWL SEC. 5	LOCATION: 990' FNL 330' FWL SEC 5 T-20-S RANGE 27 E
FILE NO.		
LOG NO. 1113	T-20-S RANGE 27 E	
LOG MEAS. FROM: 1.5' ABOVE R.T.	ELEV. 3576.5	
DRLG. MEAS. FROM: 1.5' ABOVE R.T.	ELEV. 3576.5	
PERM. DATUM: 17' ABOVE B.H.	ELEV. 3569.5	

RUN NO.	ONE	ONE		
TYPE OF LOG	G/R	NEUTRON		
DATE	10-22-52	10-22-52		
TOTAL DEPTH (OPERATOR)	5716	5716		
EFFECTIVE DEPTH (OPERATOR)	5714	5714		
EFFECTIVE DEPTH (WESTERN)	5717	5717		
TOP OF LOGGED INTERVAL	SURF.	SURF.		
BOTTOM OF LOGGED INTERVAL	5705	5715		
TYPE OF FLUID IN HOLE	MUD	MUD		
FLUID LEVEL	FULL	FULL		
NEUTRON SOURCE TYPE		600N		
SOURCE SPACING IN.		3.25		
LENGTH OF DETECTOR IN.	30	9.1		
O.D. OF INSTRUMENT IN.	3 5/8	3 5/8		
TIME CONSTANT SEC.	6	4		
LOGGING SPEED FT./MIN.	20-35	20-35		
STATISTICAL VARIATION IN.				
SENSITIVITY REFERENCE	274	275		
RECORDED BY	NICHOLSON			
WITNESSED BY	KERLEY JR.			

CASING RECORD

— INTERVAL —

RUN NO.	BIT SIZE	CASING	WT.-LB.	FROM WELL RECORD	FROM RA LOG
ONE		13 5/8		SURF. TO 300	TO
ONE		8 5/8		SURF. TO 2827	TO
ONE		5 1/2		SURF. TO 5714	TO
				TO	TO
				TO	TO

REMARKS