

NOTICE OF HEARING

TO THE FIDELITY AND CASUALTY COMPANY OF NEW YORK
1122 UNIVERSITY BUILDING
DENVER 2, COLORADO

THROUGH R. F. APODACA, SUPERINTENDENT OF INSURANCE,
STATE OF NEW MEXICO

Please take notice that the following case will be heard before a duly appointed examiner at 9 o'clock a.m. on October 4, 1961, in the Oil Conservation Commission Conference Room, State Land Office Building, Santa Fe, New Mexico.

CASE 2388:

In the matter of the hearing called by the Oil Conservation Commission to permit Juan J. (John J.) Moya and all interested parties to appear and show cause why the Jones Well No. 1, located 1650 feet from the South line and 990 feet from the East line of Section 7, Township 30 North, Range 11 West, San Juan County, New Mexico, should not be plugged.

STATE OF NEW MEXICO
OIL CONSERVATION COMMISSION

/s/ A. L. Porter, Jr.
A. L. PORTER, Jr.
Secretary-Director

S E A L

I hereby certify that the original and two copies of this notice of hearing were served on R. F. Apodaca, Superintendent of Insurance, State of New Mexico, on this 15th day of September, 1961.

Richard S. Morris

OIL CONSERVATION COMMISSION
1000 RIO BRAZOS ROAD
AZTEC, NEW MEXICO

File 2388

September 12, 1961

*Fidelity & Casualty Company of New York
c/o Miller Adjustment Service
108 North Orchard
Farmington, New Mexico*

Attn: Mr. Leonard V. Miller

Dear Sir:

*Please refer to our letter of July 21, 1961 regarding your
plugging responsibility for the John J. Moya #1 Jones well in
the NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 7-30N-11W.*

*I have contacted the Commission attorney in Santa Fe and a case
will be advertised for hearing in the near future to have John J.
Moya show cause why this well should not be properly plugged
and abandoned. After this case has been heard and an order
entered we will issue you further instructions, in order that
you may perform under your bond.*

Yours very truly

*Emery C. Arnold
Supervisor, District #3*

ECA:ks

*cc: Mr. Richard Morris
OCC, Santa Fe, N.M.*

*Mr. John J. Moya
Albuquerque, N.M.*

GOVERNOR
EDWIN L. MECHEM
CHAIRMAN

State of New Mexico
Oil Conservation Commission

LAND COMMISSIONER
E. S. JOHNNY WALKER
MEMBER

STATE GEOLOGIST
A. L. PORTER, JR.
SECRETARY - DIRECTOR

P. O. BOX 871
SANTA FE

October 16, 1961

Mr. George Verity
152 Petroleum Center Building
Farmington, New Mexico

Re: Case No. 2388
Order No. R-2091
Applicant:
Oil Conservation Commission

Dear Sir:

ONE COPY
Enclosed herewith are ~~two~~ copies of the above-referenced Commission order recently entered in the subject case.

Very truly yours,

A. L. Porter, Jr.

A. L. PORTER, Jr.
Secretary-Director

ir/

Carbon copy of order also sent to:

Hobbs OCC x

Artesia OCC

Aztec OCC x

OTHER Mr. John J. Moya, P. O. Box 1700, Farmington, N. Mex.

OIL CONSERVATION COMMISSION
1000 RIO BRAZOS ROAD
AZTEC, NEW MEXICO

Case
2388

November 17, 1961

Mr. Van Miller
Miller Adjustment Service
108 North Orchard Avenue
Farmington, New Mexico

Re: Juan J. Moya #1 Jones
1650/S; 990/E, Sec. 7-T3ON-R11W
San Juan County, N.M.

Dear Mr. Miller:

The progress report you requested for subject well and Order R-2091 follows:

The operator has not contacted this office relative to subject well since Order R-2091 was issued. As of this date there is no indication of any plan to attempt to recompleat subject well as a producible well as provided by said order.

If we can be of further assistance, please contact us.

Yours very truly

A. R. Kendrick
Engineer, District #3

cc: Mr. R. S. Morris
OCC, Santa Fe, N.M.

Mr. Juan J. Moya
Box 1700, Farmington, N.M.

Attachment

OIL CONSERVATION COMMISSION

1000 RIO BRAZOS ROAD

AZTEC, NEW MEXICO 88001

1962 JAN 22 AM 8:01

January 18, 1962

Mr. John J. Moya
P.O. Box 1700
Farmington, New Mexico

Re: John J. Moya # 1, Jones
I-7-30N-11W Aztec Pictured
Cliffs Pool, San Juan County
New Mexico.

Dear Mr. Moya:

We cannot approve the attached forms C-102 received January 12, 1962, for re-entry into subject well because of the following reasons:

- (1.) We approved form C-102, Intent to Plug and Abandon on December 28, 1961, filed by an agent for the bonding company.
- (2.) We had been advised the work would be accomplished on December 28, 1961.
- (3.) We have received a subsequent report of plugging operations as performed.
- (4.) Since the bonding company has plugged and abandoned subject well, they have accomplished their obligation and the bond is technically released.
- (5.) Before we can approve re-entry or the drilling of another well, a new plugging bond must be secured and approved by the Oil Commission.

If we can be of further service please contact us.

Yours very truly,

A.R. Kendrick
A.R. Kendrick
Engineer District # 3

ARK/bj

Encl:

cc: Oil Conservation Commission, Santa Fe, New Mexico
Fidelity & Casualty Company of New York, % Miller Adjustment Service
Farmington, New Mexico

Mr. Frank Yockey, Farmington, New Mexico
File

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL	X	NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICOAztec, New Mexico
(Place)December 27, 1961
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

John J. Moya Jones Well No. 1 in X I
(Company or Operator) Lease (Unit)
NE 1/4 SE 1/4 of Sec. 7, T. 30 N, R. 11 W, NMPM, Aztec-Picture Cliff Pool
(40-acre Subdivision)
San Juan County.

FULL DETAILS OF PROPOSED PLAN OF WORK
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

Intend to plug well as follows:

Set 40 sacks cement plug from 2031' to 1700', fill with mud to 50'.

Set 10 sacks cement from 50' to surface.

Squeeze bradenhead with 20 sacks, reset well head.

Clean Location.

Approved..... 12-28, 1961
Except as follows:Approved
OIL CONSERVATION COMMISSIONBy.....
Title.....
Supervisor Dist. # 3John J. Moya
Company or Operator

By Fidelity & Casualty Co. of New York

Position..... Bonders? *Wm H. Yorkley Agent*
Send Communications regarding well to:

Name Fidelity & Casualty Co. of New York

Address 108 N. Orchard, Farmington N. Mex.

STATE OF NEW MEXICO		
OIL CONSERVATION COMMISSION		
AZUL C DISTRICT OFFICE		
NUMBER OF COPIES RECEIVED		4
DISTRIBUTION		
SANTA FE		4
FILE		1
D. S. G. S.		
LOCAL OFFICE		
TRANSPORTER	OIL G-S	
PROMOTION OFFICE		
OPERATOR		2

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION Shifting Prod. (OTHER) tubing.	X	NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Farmington, N.M.
(Place)

December 11, 1961
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the Jones well No 1

John J. Moya

Jones No 1

Well No. 1

in (Unit)

SE 1/4 SE 1/4 of Sec. 7, T. 30 N., R. 11 W., NMPM, Aztec Pool
aztec County.

FULL DETAILS OF PROPOSED PLAN OF WORK
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

It is intended to pull production tubing out the hole and pull out perforated tube complete out the string which are now located 800 ft from the bottom joint and perhaps to obtain a better uplift action. Set X'mas tree and Intermeter back-in and wait to pressure built-up if pressure do not built-up then tube/will be changed until uplift action is obtained.



Approved Except as follows: 19

Approved
OIL CONSERVATION COMMISSION

By
Title

John J. Moya (Operator)
Company or Operator

By
Position Field Engineer

Send Communications regarding well to:

Name John J. Moya
Address P.O. Box 1700- Farmington, New Mexico

NUMBER OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	7
FILE	
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL
	GAS
PRODUCTION OFFICE	
OPERATOR	3

NEW MEXICO OIL CONSERVATION COMMISSION

FORM C-103
(Rev 3-55)

MISCELLANEOUS REPORTS ON WELLS

(Submit to appropriate District Office as per Commission Rule 1106)

Name of Company FIDELITY & CASUALTY OF NEW YORK		Address 108 N. Orchard, Farmington, N. Mex.	
Lease Jones	Well No. 1	Unit Letter 1	Section 7
		Township 30N	Range 11W
Date Work Performed 12/28/61	Pool Aztec Pictured Cliffs	County San Juan	


THIS IS A REPORT OF: (Check appropriate block)

- ☐ Beginning Drilling Operations
 ☐ Casing Test and Cement Job
 ☐ Other (Explain):
- ☒ Plugging
 ☐ Remedial Work

Detailed account of work done, nature and quantity of materials used, and results obtained.

This well was plugged & abandoned on 12-28-61 as follows:

40 sack cement plug was placed from 1700 to 2031 feet. Well was filled with heavy mud to 474 feet. 60 sack cement plug was placed from 474 feet to surface. This amended plugging plan was approved verbally by the New Mexico Oil Conservation Commission prior to setting of plugs.



Witnessed by John Smock	Position Field Representative	Company Blackman Cementing Service
-----------------------------------	---	--

FILL IN BELOW FOR REMEDIAL WORK REPORTS ONLY

ORIGINAL WELL DATA

D F Elev.	T D	P B T D	Producing Interval	Completion Date
Tubing Diameter	Tubing Depth	Oil String Diameter	Oil String Depth	
Perforated Interval(s)				
Open Hole Interval		Producing Formation(s)		

RESULTS OF WORKOVER

Test	Date of Test	Oil Production BPD	Gas Production MCFPD	Water Production BPD	GOR Cubic feet/Bbl	Gas Well Potential MCFPD
Before Workover						
After Workover						

OIL CONSERVATION COMMISSION

I hereby certify that the information given above is true and complete to the best of my knowledge.

Approved by <i>A. R. Kendrick</i>	Name
Title PETROLEUM ENGINEER DIST. NO. 3	Position <i>Frank Yockley Agent</i>
Date JAN 15 1962	Company FIDELITY & CASUALTY OF NEW YORK

CEMENTING SERVICE TICKET

Blackmon CEMENTING SERVICE

P. O. Box 1217

FARMINGTON, NEW MEXICO

No 189

DATE 12/28/61

WELL OWNER <i>John J. Moyer</i>	FARM WELL No <i>Jones #1</i>	COUNTY STATE <i>San Juan NM</i>
CHARGE TO <i>Frank Jockney</i>	CONTRACTOR <i>Frank Jockney</i>	
STREET <i>821 Kristine Dr</i>	ADDRESS <i>821 Kristine Dr.</i>	
CITY & STATE <i>Farmington NM</i>	CITY & STATE <i>Farmington NM</i>	
TYPE OF JOB <i>Plug & Abandon</i>	CEMENT LEFT IN CASING MEASURED WITH LINE	
CASING SIZE <i>5 1/2" WT.</i>	PRESSURES: CIRC MIN MAX <i>150</i>	
ROD SIZE DEPTH	PLUG BUMPED?	
FLOAT EQUIP. CENT. & SCRATCHERS	PLUGS:	
FLOAT COLLAR	TOP:	
SHOE	BOTTOM	

CEMENT AMOUNT: *100* WT. *15.5* KIND AND AMOUNT OF MIX

TRUCK CALLED OUT *11 AM* ON JOB *12:30* JOB BEGAN *2 PM* JOB COMPLETED *3 PM*

BASE CHARGE	<i>152.00</i>
MATERIAL	
WAITING TIME	
ADDITIONAL CHARGE	
SUB TOTAL	
SALES TAX	<i>3.04</i>
TOTAL	<i>155.04</i>

CEMENTER: *Ward Blackmon*
DRIVER: *John Smock*
TRUCK:

Blackmon Cementing Service shall not be liable for damage to property of well owner and/or customer unless caused by its willful negligence, the provision applying but not limited to subsurface damage or surface damage arising from subsurface damage. Well owner and/or customer shall be responsible for reservoir loss or damage or property damage arising from a well blowout, unless such loss or damage is caused by the willful negligence of Blackmon Cementing Service. If equipment or instrument of Blackmon Cementing Service are lost or damaged at the well, well owner and/or customer shall either recover the same or pay for the replacement thereof. However, such loss or damage caused by the negligence of Blackmon Cementing Service.

Well Owner, Operator or Contractor

Date _____ Time _____

REMARKS:

Spot 40 lbs Cement from T.L. to 1700' displace with mud. Spot 60 lbs Cement from 474 To Top.

