Eac 2431

H. F. SEARS

624 Amarillo Petroleum Building AMARILLO, TEXAS

October 23, 1961

New Lexico Oil Conservation Commission Box 871 Santa Fe, New Mexico

Attention: Mr. Nutter

Re: Sears Navajo 1-5. A-5-24N-10W - Bisti Lower Gallup Oil Pool - San Juan County, New Mexico

Dear Mr. Nutter:

Enclosed is another Form C-128 which shows eighty acres assigned to the above well.

The date that the first oil was produced on this lease was June 3, 1961; however, none of this oil has been sold to date.

Mill you please schedule Mr. Sears a hearing in order that he may obtain an allowable for this well under Rule 107 for his slim hole completion.

As per our conversation today, I think this is all the information that you wanted so that we can get the allowable set for this well.

Yours truly,

Office Manager

Enclosure

JCS:pd

(April 1952)					
				•	
		5			

(SUBMIT IN TRIPLICATE)

ICATE) Indian Agency Navajo TES E INTERIOR Allettee 062577 IRVEY Lease No. 14 20 603 1265

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

NOTICE OF INTENTION TO DRILL		X. SUBSEQUEN	REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE I	PLANS	SUBSEQUENT	REPORT OF SHOOTING OR ACIDI	ZING
NOTICE OF INTENTION TO TEST WAT	ER SHUT-OFF	SUBSEQUEN	REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL	OR REPAIR WELL	SUBSEQUEN	REPORT OF REDRILLING OR RE	PAIR
NOTICE OF INTENTION TO SHOOT OF	R ACIDIZE	SUBSEQUEN	REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR	ALTER CASING	SUPPLEMEN	TARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON	WELL			
(INDICA:	TE ABOVE BY CHECK MARK	NATURE OF REPOR	T, NOTICE, OR OTHER DATA)	
		<u> </u>	tober 7, 1960	, 19
	- 660.	(N)	. ((a (E) .	
Well No. <u>5-1</u> is loc	cated bouft. fro	line a	nd 660 ft. from	ine of sec.
NE 5	24N	10W	NMPM	The last
(14 Sec. and Sec. No.)		(Range)	(Meridian)	
Bisti (Field)	San Juan	or Subdivision)	New Mex	de
	DETAI	LS OF WO	RK	The same part of
	DETAI o objective sands; show size ing points, and all of is 5300', and plan to drill the Gallup For rations. We yard of cements 5/8" hole we be a size of the si	LS OF WOI es, weights, and le ther important pi d product ll to TD ormation, plan to nt; then with 150 52") in a	ngths of proposed casings; indicat roposed work) ion from the Galusing air for cit cementing and is set 60' of 32.75 1000' of 17# 7" sacks of cement; 6½" hole with	e mudding jobs, cement- llup Formation, fracturing 5# 10 3/4" Surface
around 5200'. We drilling through through the performance conduit with one casing set in an eset 5300' of $9\frac{1}{2}$ # accement.	DETAI o objective sands; show size ing points, and all of is 5300', and plan to drill the Gallup For rations. We yard of cement 3 5/8" hole with 42" (or 14# 5	LS OF WOI es, weights, and le ther important pi d product ll to TD ormation, plan to nt; then with 150 52") in a	ion from the Galusing air for cicementing and fiset 60' of 32.75 1000' of 17# 7" sacks of cement; 6±" hole with lation.	e mudding jobs, coment- lup Formation, fracturing 5# 10 3/4" Surface; and last 100 sacks of
The estimated TD: around 5200'. We drilling through through through through through with one casing set in an est 5300' of $9\frac{1}{2}$ # cement.	DETAI o objective sands; show size ing points, and all of its 5300', and plan to drill the Gallup Forations. We ward of cements 5/8" hole which the Gallup is 5/8" to 14# 50' of the Gallup is the Ga	LS OF WOI es, weights, and le ther important pi d product ll to TD ormation, plan to nt; then with 150 52") in a	ion from the Galusing air for cicementing and fiset 60' of 32.75 1000' of 17# 7" sacks of cement; 6±" hole with lation.	o mudding jobs, coment- lup Formati irculation, fracturing 5# 10 3/4" Surface and last 100 sacks of
The estimated TD around 5200'. We drilling through through through through through the performance on duit with one casing set in an set 5300' of 9½# cement. We plan to core 50 Tunderstand that this plan of work Company H.F. S.	DETAI o objective sands; show size ing points, and all of its 5300', and plan to drill the Gallup Forations. We ward of cements 5/8" hole which the Gallup is 5/8" to 14# 50' of the Gallup is the Ga	LS OF WOI es, weights, and le ther important pi d product ll to TD ormation, plan to nt; then with 150 52") in a	ion from the Galusing air for cicementing and fiset 60' of 32.75 1000' of 17# 7" sacks of cement; 6±" hole with lation.	o mudding jobs, coment- lup Formati irculation, fracturing 5# 10 3/4" Surface and last 100 sacks of
The estimated TD around 5200'. We drilling through through through through through through the performance on duit with one casing set in an est 5300' of 9½# cement. We plan to core 50 Lunderstand that this plan of work Company H.F. S.	DETAI o objective sands; show size ing points, and all of is 5300', and plan to drill the Gallup Forations. We ward of cements 5/8" hole with the Gallup Forations of the Gallup Forations of the Gallup Forations. We ward of cements 5/8" hole with the Gallup Forations of	LS OF WOI es, weights, and le ther important pi d product ll to TD ormation, plan to nt; then with 150 52") in a	ion from the Galusing air for cicementing and fiset 60' of 32.75 1000' of 17# 7" sacks of cement; 6±" hole with lation.	e mudding jobs, coment llup Formati irculation, fracturing 5# 10 3/4" Surface ; and last 100 sacks of

NUMBER OF COPIE	SRECEI	/ED	
DIS	TRIBUTIO	ON	
SANTA FE			
FILE			
U.S.G.S.		,	7
LAND OFFICE			
TRANSPORTER	OIL		
TRANSPORTER	GAS		
PRORATION OFFI	CE		

NEW MEXICO OIL CONSERVATION COMMISSION

FORM C-128 Revised 5/1/57

WELL LOCATION AND ACREAGE DEDICATION PLAT

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE

ORATION OFFICE								
		BY THEO		CTION A	102 2k	RUCTION	7241	
perator CALADIA	I.F. SEARS	s in Section	then outled is	ase N	avajo	obee daign	Operator shall fu	Well No.
A A	Section seld add	Township 24 N	ORTH to diod	Range 10 WE	ST ^{edibe}	County	JUAN a rolated	.5.
ctual Footage Lo	feet from the	NORTH	line and	660	feet	from the	EAST 1	ine
ound Level Elev 6868.3	Producing Gall		plat the loc	ool wolla !!	Bist	e Commis	Dedic Dedic	ated Acreage:
who has the rig another. (65— If the answer to wise? YES	ht to drill into a 3-29 (e) NMSA 1 o question one is NO	n the dedicate nd to produce p 935 Comp.) "no," have the If answer is "	from any pool as the interests of s yes," Type of	ned on the pland to appropria all the owners Consolidation	at below? ate the positions been con non	YESx roduction e nsolidated	NO ("O on the state of the	of or himself and
	question two is	"no," list all	the owners and			10100	WADE	CELVEII
wner				Land	Descripti	on		
					1	OCT11	1960	JJ 10 7000
		SECTI	ON B			DIST	3 CERT	IFICATION W MEXICO
			5		b-6	-660'-	Name C: Position Office Company H.F. Se	Manager 27, 1960
							shown on the plate plotted from field surveys made by supervision, and and correct to the and belief. Date Surveyed	that the well location at in SECTION B was d notes of actual me or under my that the same is true the best of my knowledge.
							Registered Prof and/or Land Sur James	P. Leese
The same of the sa			1		1	7	Certificate No.	1463

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called fer in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.