

Exhibit VI.B.
 Tabulation of Well Data for Wells Outside Proposed Unit Area but within Area of Review.*
 PROPOSED HALEY CHAVEROO SAN ANDRES UNIT
 Chaves and Roosevelt Counties, New Mexico

Operator Lease	Well #/Unit	Status	Compl. Date	Datum Elev. Feet	TD or PBTD Feet	Casing Record		Completion Interval Feet	Initial Treatment		Initial		Potential BWPD	Remarks	
						Size Inches	Depth Feet		Acid/ G	Frac/ # Sand	BOPD	MCFGPD			
Sec. 26, T7SR33E															
Glenday Corp. of Nevada															
Federal 26	3K	P	06-05-66	4370	4338	4 1/2	W330	4398	4153-4283	2000	45000#	F 441	251	-	
	2L	P	05-23-66	4384	4356	4 1/2	W330	4402	4142-4292	2000	28200#	F 469	275	-	
	1M	S	06-22-66	4380	4365	4 1/2	W350	4400	4108-4284	2000	45000#	F 516	123	-	Last prod. date 2/86
	4N	P	06-15-66	4371	4329	4 1/2	W330	4380	4125-4294	2000	45000#	F 282	-	21	
Sec. 27, T7SR33E															
Lynx Petroleum Cons.															
Morgan A Federal	6I	P	02-20-66	4387	4387	5 1/2	W225	4426	4211-4287	1500	20000#	F 75	23	-	
	5J	P	02-13-66	4399	4369	4 1/2	W260	4438	4218-4287	2000	20000#	F 165	144	-	
	4K	P	02-20-66	4408	N/A	4 1/2	W300	4419	4191-4306	2000	20000#	F 280	130	-	
	1N	P	12-17-65	4406	4394	4 1/2	W350	4427	4178-4296	2000	20000#	F 144	262	-	
	2O	P	12-21-65	4405	4420	4 1/2	W350	4453	4196-4296	2300	-	F 72	128	-	
	3P	P	01-28-66	4404	4387	7	W550	4450	4232-4302	1500	20000#	F 180	209	3	
Dalport Oil Corp.															
Federal	1M	S	11-23-65	4416	4470	4 1/2	W300	4499	4192-4366	2000	20000#	F 80	144	-	Last prod. date 11/86
	2L	S	02-23-66	4419	4480	4 1/2	W300	4447	4200-4318.5	2000	20000#	F 165	96	-	Last prod. date 11/86
Sec. 28, T7SR33E															
Chaveroo Operating Co.															
Farrell Federal	9I	P	01-18-66	4423	4428	4 1/2	W800	4460	4252-4418	2000	-	F 159	114	-	
	7J	S	01-07-66	4426	4427	4 1/2	W800	4460	4247-4393	2000	45000#	F 141	-	-	Last prod. date 10/86
	5K	S	12-08-65	4431	4418	4 1/2	W800	4454	4248-4402	2000	45000#	P 129	-	-	Last prod. date 9/73
	2L	S	10-29-65	4437	4432	4 1/2	W300	4470	4263-4414	2000	-	Swab	86	-	Last prod. date 9/86
	1M	P	10-09-65	4430	4404	4 1/2	W300	4411	4262-4392	2500	15500#	P 78	-	-	
	3N	S	11-19-65	4426	4430	4 1/2	W350	4474	4243-4403	2000	30000#	P 68	-	-	Last prod. date 9/73
	4O	S	11-28-65	4425	4420	4 1/2	W350	4455	4257-4402	2000	30000#	P 54	-	-	Last prod. date 9/86
	6P	P	12-24-65	4422	4428	4 1/2	W800	4462	4271-4406	2000	45000#	F 224	-	-	
	23M	S	05-02-84	4415	4463	4 1/2	W300	4503	4180-4263	2000	43500#	P 46	45	40	Last prod. date 9/86
	24N	P	03-01-84	4412	4461	4 1/2	W300	4501	4202-4295	24000	-	P 22	120	-	

Exhibit VI.B.
 Tabulation of Well Data for Wells Outside Proposed Unit Area but within Area of Review.*
 PROPOSED HALEY CHAVEROO SAN ANDRES UNIT
 Chaves and Roosevelt Counties, New Mexico

Operator Lease	Well #/Unit Status	Compl. Date	Datum Elev. Feet	TD or PBTD Feet	Casing Record		Completion Interval Feet	Initial Treatment		Initial		Potential BHPD	Remarks	
					Size Inches	Depth Feet		Acid/ G	Frac/ # Sand	BOPD	MCFGPD			
Sec. 29, T7SR33E														
Champlin Petroleum Co.														
Lauck Federal	2I	P&A	09-03-65	4438	4438	4 1/2 W325	4440	4230-4392	2500	25000#	Swab 260	-	16	Plugging approved 1984
	12J	P&A	05-06-66	4445	4438	4 1/2 W325	4440	4202-4404	500	40000#	P 96	-	24	Plugging approved 1987
	1P	P&A	07-20-65	4441	4455	4 1/2 W300	4459	4282-4348	2500	-	F 165	64	18	Plugging approved 1984
Union Pacific Res.	40	P	11-16-65	4447	4448	4 1/2 W325	4453	4288-4406	2500	40000#	Swab 165	99	15	
Sec. 32, T7SR33E														
Champlin, et al.														
State 32-7-33	3I	P	06-14-65	4438	4381	4 1/2 W350	4384	4298-4363	2500	25000#	F 165	234	2	Injection well Last prod. date 3/83 Plugging approved 1984 Plugging approved 1984 Plugging approved 1979 Last prod. date 9/85
	5J	I	08-02-65	4441	N/A	4 1/2 W325	4480	4303-4425	3000	30000#	Swab 144	-	19	
	60	S	09-19-65	4444	4472	4 1/2 W300	4480	4227-4449	3500	25000#	Swab 204	-	54	
	4P	P&A	08-16-65	4436	N/A	4 1/2 W325	4484	4289-4372	2500	25000#	Swab 266	-	8	
	2A	P&A	06-06-65	4436	4351	4 1/2 W350	4439	4298-4342	4500	-	F 162	62	2	
	1B	P&A	04-19-65	4438	N/A	4 1/2 W350	4379	4280-4346	3000	-	Swab 73	-	63	
	2G	TA	06-27-65	4442	4370	4 1/2 W325	4384	4272-4352	2500	25000#	F 177	321	-	
	2H	P	03-20-65	4439	8730	5 1/2 W750	9100	4299-4347	8500	-	Swab 148	-	2	
Hondo State														
Plugged and abandoned														
Sec. 35, T7SR33E														
Texaco Producing Co.														
Hobbs T	16C	P&A	12-14-71	4382	N/A	8-5/8 W800	4510	-	-	-	-	-	-	
Chaveroo Operating Co.														
Shackleford	1D	P	05-25-66	4390	4472	4 1/2 W350	4497	4167-4318	3500	-	F 264	-	-	
Marathon Oil Co.														
State DA	1E	S	02-20-66	4377	4437	4 1/2 W800	4466	4205-4332	4000	30000#	P 47	10	3	Last prod. date 8/87
State Sec. 35	3F	P	03-18-66	4378	4432	4 1/2 W350	4440	4186-4326	3000	40000#	F 99	100	12	
	1L	P	01-12-66	4377	4405	5 1/2 W350	4442	4244-4334	4000	40000#	F 294	123	29	
	2M	P	03-17-66	4373	4360	4 1/2 W350	4372	4182-4333	2500	40000#	P 82	60	9	
State DE	1N	S	04-17-66	4368	4442	4 1/2 W800	4476	4207-4336	2000	-	F 136	121	-	Last prod. date 4/86
State CV	1K	P	02-08-66	4367	4405	4 1/2 W400	4437	4178-4316	3900	-	F 73	39	-	

Exhibit VI.B.
 Tabulation of Well Data for Wells Outside Proposed Unit Area but within Area of Review.*
 PROPOSED HALEY CHAVEROO SAN ANDRES UNIT
 Chaves and Roosevelt Counties, New Mexico

Operator Lease	Well #/Unit Status	Compl. Date	Datum Elev. Feet	TD or PBTD Feet	Casing Record		Completion Interval Feet	Initial Treatment		Initial Potential		Remarks	
					Size Inches	Depth Feet		Acid/ G	Frac/ # Sand	BOPD	MCFGPD		BWPD
Sec. 2, T8SR33E													
Kerr-McGee Corp.													
State F													
	2C P	06-13-66	4364	4360	5½ W350	4406	4199-4347	2500	45000#	F 261	150	-	*One half (½) mile of Unit Boundary.
	1D P	06-03-66	4381	4352	5½ W300	4378	4211-4341	2000	44000#	F 376	104	-	
	3E P	07-06-66	4377	4386	5½ W350	4420	4203-4339	4500	-	P 129	100	16	
	4F P	07-12-66	4372	4398	5½ W350	4430	4200-4328	2500	42000#	F 200	175	-	
	5L P	09-01-66	4387	4343	5½ W375	4346	4208-4331	2500	30000#	F 266	-	-	
	11M P	10-21-66	4386	4334	5½ W350	4344	4210-4332	2500	45000#	F 395	217	-	
	10N P	10-11-66	4375	4334	5½ W350	4336	4238-4331	2500	45000#	F 473	284	-	
	14C P	10-16-80	4366	4455	4½ W730	4499	4181-4353	5500	111000#	P 14	9	81	
Sec. 3, T8SR33E													
Western State Prod.													
Champlin State													
	1M P&A	02-18-72	4408	4372	4½ W150	4372	4208-4282	2000	40000#	P 27	-	130	Plugging approved 1974
Sec. 4, T8SR33E													
Western States Prod.													
Arco State													
	1G P&A	02-29-68	4423	4415	4½ W150	4415	4237-4379	5500	80000#	P 123	123	12	Plugging approved 1977
C & K Petroleum													
Arco State													
	1J P&A	12-06-68	4428	4420	4½ W375	4420	4230-4402	2000	60000#	P 107	99	95	Plugging approved 1987
	20 P&A	04-22-69	4429	4425	4½ W375	4436	4246-4358	1250	60000#	P 97	44	63	Plugging approved 1982
Undrilled													
T. M. Beall													
	I P	Undrilled											Undrilled
Champlin													
State 4													
	A	Undrilled											Undrilled
	1C P&A	01-08-66	4437	4290	4½ W375	4415	4245-4273	4000	40000#	Swab 68	-	160	Plugging approved 1984
	2F P&A	06-09-66	4436	4429	4½ W325	4431	4189-4405	500	40000#	P 37	27	83	Plugging approved 1984
	4H P&A	12-04-76	4419	4456	4½ W300	4504	4245-4346	3000	70000#	P 10	6	105	Plugging approved 1987
Kaneb Production Co.													
Champlin State													
	1B TA	06-17-68	4433	4414	4½ W150	4414	4285-4377	2000	80000#	P 50	63	105	Last prod. 5/78
Myco													
State I													
	1D P	10-14-65	4435	-	4½ W350	4500	4246-4384	2000	25000#	F 192	144	8	

Exhibit VI.B.
 Tabulation of Well Data for Wells Outside Proposed Unit Area but within Area of Review.*
 PROPOSED HALEY CHAVERO SAN ANDRES UNIT
 Chaves and Roosevelt Counties, New Mexico

Operator Lease	Well #/Unit Status	Compl. Date	Datum Elev. Feet	TD or PBTD Feet	Casing Record		Completion Interval Feet	Initial Treatment		Initial		Potential BOPD	Remarks
					Size Inches	Depth Feet		Acid/ G	Frac/ # Sand	BOPD	MCFGPD		
Sec. 5, T8SR33E													
Union Pacific													
State 5	2A TA	02-21-66	4444	N/A	4 1/2 W325	4416	4214-4391	2500	-	Swab 72	-	72	Last prod. date 3/87
	1B P	12-18-65		4418	4 1/2 W325	4420	4328-4374	2500	25000#	Swab 104	-	64	
	5G I	09-17-76	4435	4484	4 1/2 W250	4525	4223-4401	4000	70000#	P 70	81	173	Injection well
	6H P	08-17-76	4434	4395	4 1/2 W250	4485	4230-4373	5000	70000#	P 45	54	150	
Sec. 9, T8S,R33E													
Yates Petroleum, et al													
Federal 9	1B	02-17-72	4416	N/A	4 1/2 W150	4365	4252-4310	2000	35000#	P 34	-	124	Plugging Approved 1975
	A	Undrilled											Undrilled
Sec. 10, T8SR33E													
Yates Petroleum Corporation													
Sun U-Federal	3A P	03-28-67	4396	4430	4 1/2 W200	4459	4240-4366	3250	20000#	P 16	29	250	
	2H SWD	04-26-67	4382	4375	4 1/2 W200	4454	4340-4357	2500	-	Swab 98	131	33	SWD
Sun Oil Company													
New Mexico X Federal	1A P&A	03-12-84	4374	4325	4 1/2 W250	4440	4193-4334	3000	-	P 44	120	60	Plugging Approved 1973
	3B P&A	06-09-67	4405	4414	5 1/2 W200	4449	4243-4356	1200	40000#	Swab 136	48	90	Plugging Approved 1973
	5G P&A	11-07-67	4399	4426	4 1/2 W200	4447	4271-4358	2000	33000#	P 13	-	6	Plugging Approved 1977
	2H P&A	10-15-82	4350	4397	4 1/2 W225	4397	4219-4308	2000	30000#	P 12	5	15	Plugging Approved 1973
Union													
	C	Undrilled											Undrilled
	D	Undrilled											Undrilled
	F	Undrilled											Undrilled
Sec. 11, T8SR33E													
Robert N. Enfield													
C.H. Hale	1C P&A	05-15-67	4378	4353	4 1/2 W350	4365	4242-4348	2500	37000#	P 33	-	86	Plugging Approved 1977
Collier Energy, Inc.													
Mary Ella II	1D TA	07-19-81	4372	4425	4 1/2 W1050	4460	4191-4276	3000	-	P 14	5	40	Last Prod. Date 7/83
	E	Undrilled											Undrilled
	F	Undrilled											Undrilled