PERTINENT DATA
PAN AMERICAN D. C. BASKETT "D" LEASE
PRESSURE MAINTENANCE PROJECT
CATO FIELD
CHAVES COUNTY, NEW MEXICO

Proposed Injector	-	D. C. Baskett "D" Well No. 4
Injection Interval	-	3514-3557; 3584-3628 San Andres
Source of Injection Water	-	Produced San Andres Water from Baskett "D" lease.
Anticipated Rate	-	300 - 500 BWPD

BEFORE EXAMINER NUTTER
OIL CONSERVATION COMMISSION
_____ EXHIBIT NO. _____
CASE NO. _____

D.C. BASKETT "D"
WELL NO. 4



BEFORE EXAMINER NUTTER
OIL CONSERVATION COMMISSION
EXHIBIT NO. 3
CASE NO.

PAN AMERICAN
D.C. Baskett "D" #4

THE WESTERN COMPANY

Gammatron

COMPANY PAN AMERICAN PETROLEUM CORPORATION

WELL BASKETT D- #4

FIELD CATO

COUNTY CHAVES STATE NEW MEXICO

Location: 790' FEL & 1980' FSL SEC. 11 T- 8- S R-30-E

Other Services:

Permanent Datum: GROUND LEVEL — Elev. 4178
Log measured from: K.B. 10' ft. above perm. datum
Drilling measured from:

Elev.: K.B. 4188 D.F. GL 4178 4/67

Date	11-16-66	11-16-66
Run No.	ONE	ONE
Type Log	GAMMA RAY	NEUTRON
Depth - Driller		
Depth - Logger	3647	3647
Bottom logged interval	3638	3645.5
Top logged interval	SURF	SURF
Type fluid in hole	WATER	WATER
Salinity PPM Cl		
Density		
Level	FULL	FULL
Max. rec. temp. deg F		
Operating rig time		
Recorded by	VERDEN	
Witnessed by	MR. WILLIAMS	

RUN No.	BIT	BORE HOLE RECORD From	To	CASING RECORD Size	Wgt.	From	To
				5 5/8		SURF	45[illegible]
				4½		SURF	TD

Reproduced By
West Texas Electrical Log Service
Midland, Texas 79701

REFERENCE W870RH

(ELSI)

BEFORE EXAMINER NUTTER
OIL CONSERVATION COMMISSION
PAN AMS EXHIBIT NO. 4
CASE NO. 4232

D.C. Baskett "D" Lease
PERFORMANCE CURVE

CATO - SAN ANDRES - POOL

CHAVES CO., NEW MEXICO



BEFORE EXAMINER NUTTER
OIL CONSERVATION COMMISSION
PAN AMS EXHIBIT NO. 2
CASE NO. 4232