

PARKWAY WATERFLOOD

STATUS	WELL NAME	OPERATOR	LOCATION	TYPE OF WELL	SPUD DATE	COMP. DATE	TD	PBTD	COMP. INTERVAL	FORM.	CASING PROGRAM	TOC
ACTIVE	RENEGADE FED #3	SIETE	35E 19S 29E 2230 FN & 760 FW	OIL	11/15/88	1/26/89	5000'	4298'	4127-4142'	DELA	13 3/8" @ 363' W/700 SXS 8 5/8" @ 3202' W/1790 SXS 5 1/2" @ 5000' W/450 SXS	SURF SURF 1625'
ACTIVE	RENEGADE FED #1	SIETE	35F 19S 29E 1980 FN & 1980 FW	OIL	9/16/88	10/22/88	5800'	5752'	3940-4058'	DELA	13 3/8" @ 357' W/665 SXS 5 1/2" @ 5795' W/2915 SXS	SURF SURF
ACTIVE	RENEGADE FED #2	SIETE	35G 19S 29E 1980 FN & 1980 FE	OIL	11/16/88	12/3/88	5000'	4958'	4190-4211'	DELA	13 3/8" @ 365' W/500 SXS 8 5/8" @ 3201' W/790 SXS 5 1/2" @ 5000' W/350 SXS	SURF SURF 2375'
ACTIVE	APACHE FED #2	MERIDIAN	35H 19S 29E 1980 FN & 990 FE	OIL	3/9/89	4/18/89	4549'	4492'	4176-4210'	DELA	13 3/8" @ 344' W/625 SXS 8 5/8" @ 3200' W/ 2300 SXS 5 1/2" @ 4500' W/650 SXS	SURF SURF SURF
ACTIVE	APACHE FED #1	MERIDIAN	35I 19S 29E 1980 FS & 990 FE	OIL	12/12/88	2/1/89	4500'	4453'	4182-4218'	DELA	13 3/8" @ 365' W/805 SXS 8 5/8" @ 3200' W/2300 SXS 5 1/2" @ 4500' W/650 SXS	SURF SURF SURF
ACTIVE	OSAGE FED #1	SIETE	35J 19S 29E 1980 FS & 1980 FE	OIL	7/18/88	8/12/88	5910'	5848'	4135-4168'	DELA	13 3/8" @ 353' W/350 SXS 8 5/8" @ 3193' W/2860 SXS 5 1/2" @ 5908' W/620 SXS	SURF SURF 1257'
ACTIVE	OSAGE FED #2	SIETE	35K 19S 29E 1980 FS & 1980 FW	OIL	10/2/88	10/24/88	5000'	4948'	4157-4187'	DELA	13 3/8" @ 363' W/740 SXS 5 1/2" @ 4993' W/1550 SXS	SURF SURF
ACTIVE	OSAGE FED #5	SIETE	35L 19S 29E 1980 FS & 760 FW	OIL	11/30/88	1/10/89	5000'	4958'	4135-4150'	DELA	20" @ 173' W/200 SXS 13 3/8" @ 364' W/500 SXS 8 5/8" @ 3200' W/800 SXS 5 1/2" @ 5000' W/450 SXS	SURF SURF SURF 1625'
ACTIVE	OSAGE FED #4	SIETE	35N 19S 29E 660 FS & 1980 FW	OIL	12/1/88	12/30/88	5000'	4948'	4018-4120'	DELA	13 3/8" @ 381' W/400 SXS 8 5/8" @ 3200' W/1405 SXS 5 1/2" @ 5000' W/420 SXS	SURF SURF 1850'
ACTIVE	OSAGE FED #3	SIETE	35O 19S 29E 660 FS & 1980 FW	OIL	11/2/88	11/22/88	5000'	4933'	4201-4222'	DELA	13 3/8" @ 360' W/755 SXS 8 5/8" @ 3218' W/2295 SXS 5 1/2" @ 5000' W/400 SXS	SURF SURF 2000'
ACTIVE	LONGKNIFE 35 #1	SANTA FE	35P 19S 29E 660 FS & 810 FE	OIL	12/13/88	3/1/89	6000'	5980'	5930-5936'	DELA	10 3/4" @ 370' W/350 SXS 7" @ 3200' W/100 SXS 2000 SXS 4 1/2" @ 4850' W/450 SXS	SURF 2459' SURF

PARKWAY WATERFLOOD

STATUS	WELL NAME	OPERATOR	LOCATION	TYPE OF WELL	SPUD DATE	COMP. DATE	TD	PBTD	COMP. INTERVAL	FORM.	CASING PROGRAM	TOC
ACTIVE	PARKWAY 36 #7	SANTA FE	36D 19S 29E 660 FN & 330 FW	OIL	9/14/89	12/1/89	4850'	4694'	4216--4390'	DELA	11 3/4" @ 370' W/500 SXS 7" @ 3200' W/2717' SXS 4 1/2" @ 4850' W/450 SXS	SURF SURF SURF
ACTIVE	PARKWAY 36 #6	SANTA FE	36E 19S 29E 1980 FN & 330 FW	OIL	5/11/89	9/4/89	4790'	4464'	4360--4512'	DELA	11 3/4" @ 406' W/750 SXS 7" @ 3184' W/2235 SXS 4 1/2" @ 4790' W/580 SXS	SURF SURF SURF
ACTIVE	PARKWAY 36 #2	SANTA FE	36L 19S 29E 1980 FS & 330 FW	OIL	3/10/89	5/3/89	5000'	4903'	4006--4237'	DELA	11 3/4" @ 415' W/795 SXS 7" @ 3200' W/3835 SXS 4 1/2" @ 4980' W/700 SXS	SURF SURF SURF
ACTIVE	PARKWAY 36 #3	SANTA FE	36M 19S 29E 990 FS & 330 FW	OIL	5/2/89	7/17/89	5000'	4350'	4261--4327'	DELA	11 3/4" W 365' W/715 SXS 7" @ 3185' W/2135 SXS 4 1/2" @ 5000 S/580 SXS	SURF SURF SURF
INACTIVE	AGAVE IK ST #1	CHEVRON	2C 20S 29E 330 FN & 2310 FW	OIL	8/29/89	7/18/89	4600'	3665'	3747--4458'	DELA	20" @ 450' W/1125 SXS 13 3/8" @ 1159' W/1350 SXS 8 5/8" @ 3670' W/1600 SXS LNR 5 1/2" @ 3350--4600 W/250 S 3350'	SURF SURF SURF SURF
ACTIVE	EDDY IK ST #1	CHEVRON	2G 20S 29E 1980 FN & 1980 FE	OIL	9/17/89	10/29/89	10850'	6250'	6058--6104'	BS	30" @ 40' C/FRC CMT. 20" @ 450 W/1300 SXS 13 3/8" @ 1165 W/1140 SXS 8 5/8" @ 3510' W/1400 SXS 5 1/2" @ 6250' W/1060 SXS	SURF SURF SURF SURF SURF
ACTIVE	PETCO ST COM #3	STRATA	26N 19S 29E 330 FS & 1980 FW	OIL	12/6/89	1/17/90	4740'	NA	4316--4458'	DELA	13 3/8" @ 358' W/350 SXS 8 5/8" @ 3325' W/2930 SXS 5 1/2" @ 4740' W/300 SXS	SURF SURF SURF
P & A	PETCO ST COM #2	PETCO	26N 19S 29E 660 FS & 1980 FW	OIL	5/24/71	7/4/71	10685'	9651'	9622--9646'	WOLF	11 3/4" @ 605 W/600 SXS 8 5/8" @ 3800' W/700 SXS 4 1/2" @ 9779' W/360 SXS	SURF 251' 2855'
ACTIVE	HALCON ST #2	STRATA	26O 19S 29E 330 FS & 1980 FE	OIL	6/27/89	8/15/89	4730	4535'	4244--4258'	DELA	13 3/8" @ 357' W/350 SXS 8 5/8" @ 3285' W/300 SXS 5 1/2" @ 4730' W/250 SXS	SURF 2411' 2855'

8 1/2" H2O
7 1/8"
70' 3 1/2"
H2O

PARKWAY WATERFLOOD

STATUS	WELL NAME	OPERATOR	LOCATION	TYPE OF WELL	SPUD DATE	COMP. DATE	TD	PBTD	COMP. INTERVAL	FORM.	CASING PROGRAM	TOC
ACTIVE	PETCO ST COM #1	STRATA	26P 19S 29E 760 FS & 660 FE	OIL	8/26/70	2/9/89	11880'	9000'	10655-659'	STRAWN	11 3/4" @ 600' W/600 SXS 8 5/8" @ 4090 W/600 SXS 5 1/2" @ 10844' W/400 SXS	SURF 2411' 7844'
ACTIVE	OSAGE FED #8	SIETE	34G 19S 29E 1980 FN & 1980 FE	OIL	4/18/89	6/15/89	11900	11856'	5343-5256'	DELA	20" @ 340' W/635 SXS 8 5/8" @ 3200' W/750 SXS 5 1/2" @ 11900 W/2450 SXS	SURF 1016' SURF
ACTIVE	OSAGE FED #10	SIETE	34H 19S 29E 1980 FN & 1980 FE <i>660</i>	OIL	9/15/89	11/17/89	9500'	7239'	7034-7192'	BS	20" @ 347' W/510 SXS 13 3/8" @ 1150' W/750 SXS 8 5/8" @ 3200' W/1175 SXS 5 1/2" @ 9500' W/1300 SXS	SURF SURF SURF SURF
ACTIVE	OSAGE FED #16	SIETE	34J 19S 29E 2310' FS & 1750' FE	OIL	2/10/90	3/28/90	8300'	8256'	7002-7072'	BS	20" @ 358' W/775 SXS 13 3/8" @ 1150' W/800 SXS 8 5/8" @ 3200' W/1350 SXS 5 1/2" @ 8300' W/925 SXS	SURF SURF SURF SURF
ACTIVE	APACHE A FED #3	MERIDIAN	35A 19S 29E 890 FN & 990 FE	OIL	3/22/89	4/12/89	4550'	4501'	4221-4239'	DELA	13 3/8" @ 359' W/955 SXS 8 5/8" @ 3200' W/1885 SXS 5 1/2" @ 4549' W/400 SXS	SURF SURF 1549'
ACTIVE	APACHE A FED #2	MERIDIAN	35B 19S 29E 990 FN & 1980 FE	OIL	4/3/89	4/22/89	4550'	4504'	4136-4229'	DELA	13 3/8" @ 365' W/378 SXS 8 5/8" @ 3210' W/2300 SXS 5 1/2" @ 4550' W/500 SXS	SURF SURF 800'
ACTIVE	APACHE A FED #1	MERIDIAN	35C 19S 29E 990 FN & 2310 FW	OIL	4/13/89	6/16/89	4550'	4546'	3949-4264'	DELA	13 3/8" @ 372' W/725 SXS 8 5/8" @ 3200' W/2700 SXS 5 1/2" @ 4550' W/540 SXS	SURF SURF 500'
ACTIVE	APACHE A FED #4	MERIDIAN	35D 19S 29E 990 FN & 940 FW	OIL	7/13/89	8/16/89	4550'	4505'	4295-4461'	DELA	13 3/8" @ 353' W/465 SXS 8 5/8" @ 3200' W/4145 SXS 5 1/2" @ 4550' W/425 SXS	SURF SURF 1312'
ACTIVE	FLATHEAD ST #1	SIETE	2B 20S 29E 330 FN & 1650 FE	OIL	7/26/90	9/3/90	4500'	4455'	4118-4146'	DELA	20" @ 340' W/570 SXS 13 3/8" @ 1250' W/930 SXS 8 5/8" @ 3000' W/1100 SXS 5 1/2" @ 4500' W/600 SXS	SURF SURF SURF SURF
P & A	#1-35 FED. WALTER	UNION OIL OF CALIF.	35D 19S 29E 660' FN & 660' FW	OIL	11/22/55	1/9/56	6014'	NA	NONE	DELA	11 3/4" @ 153' W/150 SXS 8 5/8" @ 1200' W/250 SXS 5 1/2" @ 4700' W/225 SXS	SURF SURF 3012'