

EVALUATION OF
WATERFLOOD REDEVELOPMENT PROJECT
SKELLY-PENROSE "B" UNIT
LEA COUNTY, NEW MEXICO

Before the
OIL CONSERVATION COMMISSION
Santa Fe, New Mexico
Case No. 10771 Exhibit No. 3
Submitted By: oxy
Hearing Date: _____

T. SCOTT HICKMAN & ASSOCIATES, INC.

P E T R O L E U M C O N S U L T A N T S

September 28, 1987

Sirgo-Collier, Inc.
P. O. Box 3531
Midland, TX 79702

Home Savings Association
P. O. Box 11023
Midland, TX 79712

Attention: Mr. Manny Sirgo

Attention: Mr. Mike Irons

Casa Energy
P. O. Box 11023
Midland, TX 79712

Attention: Mr. Alan Byars

Gentlemen:

Re: Waterflood Redevelopment Project
Skelly-Penrose "B" Unit
Lea County, New Mexico

In accordance with Messrs. Sirgo's, Byars' and Irons' request, we have evaluated the Proved crude oil and gas reserves as of September 15, 1987 attributed to additional development and re-establishing injection in the Skelly-Penrose "B" Unit, Lea County, New Mexico. The results of this study are discussed in the attached report as outlined in the Table of Contents. A summary of our evaluation to 100% working interest (75% net revenue interest) is as follows:

| | <u>Net Reserves</u> | | <u>Future Net Revenue</u> | |
|-----------------|--|-----------------------------|---|---|
| | <u>Liquid</u> <u>(MBBL)</u> | <u>Gas</u> <u>(MMCF)</u> | <u>Undis-</u> <u>counted</u> <u>(M\$)</u> | <u>Discounted</u> <u>@ 10%</u> <u>(M\$)</u> |
| Effective Date: | - - - - - September 15, 1987 - - - - - | | | |
| PDP Reserves | 143 | 43 | 1,461 | 1,030 |
| PUD Reserves: | | | | |
| Phase I | 564 | 169 | 9,129 | 4,524 |
| Phase II | 456 | 137 | 6,058 | 2,758 |
| Phase III | <u>259</u> | <u>78</u> | <u>3,415</u> | <u>1,553</u> |
| Total PUD | 1,279 | 384 | 18,602 | 8,835 |
| Total Proved | 1,422 | 427 | 20,063 | 9,865 |

EMPIRE PLAZA, SUITE 725
508 W. WALL
MIDLAND, TEXAS 79701

Sirgo-Collier, Inc.
Home Savings Association
Casa Energy
September 28, 1987
Page 2

Net oil and gas reserves are estimated quantities of crude oil, natural gas and natural gas liquid attributed to the composite revenue interests being evaluated after deduction of royalty and/or overriding royalty interests. The Society of Petroleum Evaluation Engineers' reserve definitions, as modified by use of assumed rather than existing economic conditions, were used to classify the reserves. Future net revenue was adjusted for capital expenditures, operating costs, interest reversions, ad valorem taxes and wellhead taxes (severance and windfall profit), but no consideration was given to Federal income taxes or any encumbrances that might exist against the evaluated interests.

Reserves were determined using industry-accepted methods including extrapolation of established performance trends, volumetric calculations, reservoir simulator solutions and analogy to similar producing projects. Where applicable, the evaluator's own experience was used to check the reasonableness of the results.

No attempt was made to quantify any reserves in the "Non-Proved" category. Additional reserve potential may exist in other portions of the unit. However, insufficient geological and/or engineering data exists at this time with which to make a determination sufficient for reserve assignment.

In the preparation of this report, we have reviewed for reasonableness, but accepted without independent verification information furnished by Sirgo-Collier, Inc. with respect to interest factors, current prices, operating costs, gas contracts, current production and various other data. The price and expense escalation scheme and prime discount rate are in accord with current industry expectations, but represent speculation that is subject to changes in economic conditions. The use of predicted rather than existing economic parameters affects both the cash flow projections by the difference in prices and expenses and also the reserve volumes by changing the economic limit at which production is terminated. The assumed pricing also has a major effect on the economic viability of non-developed potential and hence the volume of reserves that can be assigned to the non-producing categories.

No consideration was given to the existing debt burden, which would decrease the value of the producing interests. We are qualified to perform engineering evaluations and do not claim any expertise in accounting or legal matters. As is customary in the profession, no field inspection was made of the properties nor have we verified that all operations are in compliance with any states and/or Federal regulations that apply to them.

Initial oil prices were based on posted prices as of August 28, 1987 after adjusting for gravity and transportation. Oil pricing was held constant to December 31, 1987 then increased \$1/BBL in 1988. Starting

Sirgo-Collier, Inc.
Home Savings Association
Casa Energy
September 28, 1987
Page 3

January 1, 1990, the pricing was escalated at 5% per annum to a maximum of \$35/BBL. The windfall profit tax was not applicable.

Starting gas prices were based on prevailing area prices as of June 1, 1987 and held constant to January 1, 1989. Starting January 1, 1989, the price was escalated at a rate to reach 65% parity with oil by January 1, 2001.

Lease operating expenses were estimated by Sirgo-Collier, Inc. based on anticipated operating conditions for each project phase. Expenses were held constant to January 1, 1989 then escalated at 5% per annum until the primary product reached the maximum price. No equipment salvage value or abandonment costs were included for the properties. The costs for drilling, workovers and re-establishing injection were developed by Sirgo-Collier, Inc. We have reviewed their estimates for reasonableness.

This study was performed using industry-accepted principles of engineering and evaluation that are predicated on established scientific concepts. However, the application of such principles involves extensive judgment and assumptions and is subject to changes in performance data, existing technical knowledge, economic conditions and/or statutory provisions. Unless otherwise noted, we have based our reserve projections on current operating methods and well densities. Consequently, our reserve estimates are furnished with the understanding that some revisions will probably be required in the future, particularly on new wells with little production history and for reserve categories other than Proved Developed Producing. The restriction of production by mechanical, regulatory or market conditions also introduces uncertainty into reserve estimates and projections.

This report is solely for the information of and assistance to Sirgo-Collier, Inc., Casa Energy and Home Savings Association in negotiating loans or credit and is not to be used, circulated, quoted or otherwise referred to for any other purpose without the express written consent of the undersigned except as required by law. Persons other than those to whom this report is addressed shall not be entitled to rely upon the report unless it is accompanied by such consent. Data utilized in this report will be maintained in our files and are available for your use.

Yours very truly,

T. SCOTT HICKMAN & ASSOCIATES, INC.



C. Don Hunter, P. E.

TABLE OF CONTENTS

Discussion

Introduction
Conclusions
Recommendations
Geology and Reservoir Properties
Review of Unit Performance
Reservoir Performance Prediction
Redevelopment Plan and Economics

| | | |
|--------|---|------------------------------|
| Figure | 1 | Type Log |
| | 2 | Structure Map |
| | 3 | Net Pay Isopach |
| | 4 | Oil Recovery Map |
| | 5 | Production Summary |
| | 6 | Injection Summary |
| | 7 | Rate - Time Production Graph |
| | 8 | Proposed Redevelopment Plan |

| | | |
|-------|----|---|
| Table | 1 | Geologic Summary - Penrose Sand Structure |
| | 2 | Performance Data - Total Penrose "B" Unit |
| | 3 | Individual Well Production and Ultimate Recovery |
| | 4 | Individual Well Injection Summary |
| | 5 | Simulation Model Parameters |
| | 6 | Simulation Model Depletion Results |
| | 7 | Proposed Investment Schedule |
| | 8 | Well Count Summary |
| | 9 | Summary of Economics |
| | 10 | Total Proved Cash Flow Projection |
| | 11 | Total Proved Developed Producing Cash Flow Projection |
| | 12 | Total Proved Undeveloped Cash Flow Projection |
| | 13 | Phase I Proved Undeveloped Cash Flow Projection |
| | 14 | Phase II Proved Undeveloped Cash Flow Projection |
| | 15 | Phase III Proved Undeveloped Cash Flow Projection |

D I S C U S S I O N

- - - - -

INTRODUCTION

The Skelly-Penrose "B" Unit is located in the Langlie Mattix Field of southeastern Lea County, New Mexico. The field produces from the Permian age Queen formation at a depth of approximately 3600'. The discovery well for the Unit area was the Skelly-Harrison "A" No. 1, which is now designated the Skelly-Penrose "B" Unit No. 34. Forty-acre development began in the 1930's with drilling continued through the 1950's. Early completion methods consisted of open hole completions stimulated by nitroglycerin. However, the majority of completions are cased holes stimulated by frac treatment.

At the time of unitization - July 1, 1965 - the Penrose "B" Unit was comprised of 63 wells encompassing 2612 acres. Waterflood operations were initiated during mid-1966 on 80-acre, 5-spot patterns. Ultimate primary oil recovery from the Unit has been 1775 MBBL. As of April 1, 1987, total oil production from the Unit was 3,310,156 barrels. Under the current mode of operation, ultimate secondary oil recovery is estimated at 1742 MBBL. The Unit is currently producing at 95 BOPD and 1099 BWPD from 29 active producers. Only 5 injectors are currently active. Approximately 191 MBBL of reserves remain under the current mode of operation. Unit performance is summarized by Table 2.

CONCLUSIONS

1. The Penrose sand formation of the Penrose "B" Unit appears to be geologically contiguous with that of adjoining properties.
2. Oil productive limits of this field are controlled primarily by stratigraphic influence.
3. Under current mode of operations, the Penrose "B" Unit is in the latter stages of depletion.
4. Ultimate primary oil production is estimated at 1775 MBBL.
5. Ultimate secondary oil recovery, under current mode of operation, is estimated at 1742 MBBL.
6. Oil recovery has varied greatly across the field due to variations in completion techniques, reservoir heterogeneity and water injection inefficiencies.
7. An estimated 1705 MBBL of Proved Undeveloped reserves are economically recoverable through infill drilling, rework and the re-establishment and expansion of water injection.

RECOMMENDATIONS

1. Proceed with 20-acre infill drilling, rework, re-establishment of water injection and initiation of 40-acre, 5-spot patterns in phases, as outlined in this report.
2. Development of each subsequent phase should be contingent upon the results of the preceding phase.
3. As sufficient well logs and core data become available, initiate a detail engineering study of the reservoir to maximize economic recovery.

GEOLOGY AND RESERVOIR PROPERTIES

The Skelly-Penrose "B" Unit produces from the Queen and Penrose formations of Permian age. The type log for the field is shown by Figure 1. Ten sand members have been identified and correlated across the field (Table 1). Average depth in the Langlie Mattix Field is approximately 3600'. The productive section consists of layered sand or sandy dolomite, interbedded with shale or non-porous dolomite. No quantitative well logs or cores were available with which to determine lithology. Determinations of depositional environment were beyond the scope of this study. The hydrocarbon accumulation was controlled primarily by stratigraphic factors. Porosity and permeability are apparently highly variable as demonstrated by individual well performance and simulation studies.

Structural position does not appear to be a major factor in defining the production characteristics of the reservoir with the exception of a suspected gas cap in the southern portion of the Unit (Figure 2). The Penrose "B" Unit appears geologically continuous with the Penrose "A" Unit, which adjoins the "B" Unit along the eastern boundary. A significant number of completions extend below -400' subsea with minimal water production reported during primary depletion.

No quantitative well logs or cores were available on the 63 wells in the Unit, although three wells were reported to have been cored. A modern log suite was available from the Penrose "A" Unit No. 66, which was used to approximate porosities and original water saturations for the Penrose sand in this area. This log analysis indicated that the "A" Unit Penrose sand formation was similar in stratigraphic and lithologic character to that of the West Dollarhide Queen Sand Unit (WDQSU). Based on a net pay porosity cutoff of 9% and neutron deflection versus porosity relationships derived from the WDQSU study, apparent net pay was derived from neutron log response. This preliminary estimate of net pay for the Penrose "B" Unit was mapped as shown on Figure 3.

REVIEW OF UNIT PERFORMANCE

The primary depletion mechanism is solution gas-drive with no apparent water influx. Ultimate primary recovery was determined by extrapolation of the individual well decline trends and is summarized

Seven Rivers
Can Encountered
@ MYERS

A, NOT
B

on Table 3 and Figure 4. This yields a total ultimate primary recovery from the Unit of 1775 MBBL.

The Unit became effective July 1, 1965 and water injection was initiated one year later (Figure 7). Oil production response occurred within six months and peaked in early 1971 at 500 BPD with final expansion of the 5-spot pattern. During this period, 37 producers and 26 injectors were active. Oil production had gradually declined to 120 BPD by 1982. The Unit is currently producing 95 BOPD, 30 MCFPD and 1099 BWPB from 29 active producers (Table 3 and Figure 5). During the peak injection years of 1970 through 1973, water injection averaged 7500 BWPB compared to the current 1300 BWPB (Table 4 and Figure 6).

As shown by Table 1, a limited number of Unit wells were also completed in the Queen sand. The Queen sand's contribution to overall performance cannot be broken out due to nonavailability of specific Queen sand interval test data. Unit wells Nos. 41⁴² and 62 were initially completed as gas wells and No. 62 was subsequently converted to water injection. The lack of quantitative well logs in this southern portion of the Unit precluded an analysis of the effect of the apparent gas cap upon performance of the Unit. 7

Determination of secondary recovery was based on extrapolation of individual production decline trends, as shown on Table 3. Ultimate secondary oil recovery for the Unit is estimated to be 1742 MBBL, giving a secondary to primary ratio of 0.98:1. Average secondary oil recovery was 50 MBBL/well for the 35 producers. However, as reflected by the distribution of reserves on Figure 4, secondary oil response was highly erratic, ranging from 4 MBBL to 192 MBBL per producer. This extreme range is larger than can be accounted for by variation in individual well primary performance, which suggests inadequate injection coverage.

RESERVOIR PERFORMANCE PREDICTION

A reservoir simulator was utilized in an effort to 1) gauge the reasonableness of the preliminary net pay isopach, 2) obtain a more comprehensive understanding of reservoir performance and 3) help establish remaining reserve potential.

Reservoir simulation was done with PC-Boast, a three-dimensional, three-phase black oil simulator. PC-Boast can simulate oil and/or gas recovery by fluid expansion, displacement, gravity drainage and capillary imbibition mechanisms. The area for the model was chosen on the basis of relatively high net pay and good primary and secondary performance, which should afford the maximum opportunity for additional reserve recovery. The model area (Figure 3) was represented by a single layer of uniform thickness. Porosity was varied within each of the 72 model blocks to attempt to represent pore volume (Φh) variations in apparent net pay, as shown by Figure 3.

Fluid properties as a function of pressure were derived from empirical correlations, in lieu of lab derived data. Relative permeability relationships were developed from empirical equations for the specified initial fluid saturations. The rock and fluid properties and initial fluid

saturation conditions are presented as Table 5. Individual well productivity index (PI) and pressure constraints were imposed to attempt to duplicate individual well rates and recoveries.

A reasonable history match was obtained in most cases for oil recoveries and oil producing rates. A consistent good match for GOR's could not be obtained, apparently due to gas production from Queen sand completions (Table 1). The lack of accurate fluid properties and relative permeability data would compound the GOR problem. Significantly lower water injection and water production volumes were derived by the model as compared to actual performance. Also, actual injection greatly exceeded water production (Table 2). This suggests inefficient water displacement, i.e., water injection displaced out of zone. Indication of poor injectivity profiles and premature water breakthrough further supports inefficient injection.

Although reasonable history matches were obtained under both primary and waterflood operations (Table 6), the primary objective of the simulation effort was to determine estimates for current oil saturation. The areal oil saturation distribution obtained was utilized as input for the simulator studies of infill drilling and more dense injection pattern spacing, i.e., 40-acre, 5-spot patterns.

REDEVELOPMENT PLAN AND ECONOMICS

A number of simulation runs were made to determine the incremental reserves potential, which could be achieved in the model area through selective infill drilling on 20-acre and 40-acre spacing, 5-spot injection patterns. The modeling results indicate that an additional 1.2 MMBBL of economic oil could be achieved from development of the model area alone.

The simulation results were utilized as a basis for determining infill well locations within the model area. Elsewhere, locations were assigned on the basis of net pay and historical performance. Production performance prediction was based on modeling results and ranged from 15 BOPD/well to 60 BOPD/well. Initial injection rates for the proposed well conversions range from 100 to 300 BOPD.

Proceeding with 20-acre infill drilling, reworking and re-establishing water injection in a phased procedure is recommended (Table 8 and Figure 8). Development of each subsequent phase will depend, to some degree, upon success of the preceding phase. As geological and engineering data becomes available (i.e., well logs, cores and production tests), plans for subsequent phases may require revision, refinement or expansion.

The total project as outlined by this evaluation (Table 8) requires the drilling of 26 producers, reworking 5 producers and conversion of 9 wells to water injection. All redevelopment costs were furnished by Sirgo-Collier, Inc. and were reviewed for reasonableness.

Phase I will require drilling of ten, 20-acre infill producers and re-establishing injection in the central portion of the Unit (Figure 8). Phase II will involve drilling eight, 20-acre infill producers, reworking 5

producers and conversion of 9 wells to water injection. This will establish 40-acre, 5-spot patterns within a portion of Section 5. Phase III will involve the drilling of 8 additional producers as 20-acre infill wells. The total capital cost of the project (Phases I through III) is estimated at \$4.8MM. Table 7 shows the investment schedule by phase as estimated by Sirgo-Collier, Inc. Table 8 is the projected well count under this plan.

Reserves ranged from 28 to 117 MBBL per well based on model simulation with initial rates ranging from 15 to 60 BOPD/well. Gas-oil ratios for individual wells were estimated to average 0.3 MCF/BBL.

Initial oil prices were based on posted prices as of August 28, 1987 after adjusting for gravity and transportation. Oil pricing was held constant to December 31, 1987 then increased \$1/BBL for 1988. Starting January 1, 1990, the pricing was escalated at 5% per annum to a maximum of \$35/BBL. The windfall profit tax was not applicable.

Starting gas prices were based on prevailing area prices as of June 1, 1987 and held constant to January 1, 1989. Starting January 1, 1989, the price was escalated at a rate to reach 65% parity with oil by January 1, 2001.

Lease operating expenses were estimated by Sirgo-Collier, Inc. based on anticipated operating conditions for each project phase utilizing company experience for similar projects. Expenses were held constant to January 1, 1989 then escalated at 5% per annum until the primary product reached the maximum price. The costs for drilling, workovers and re-establishing injection were developed by Sirgo-Collier, Inc. We have reviewed their estimates for reasonableness. No equipment salvage value or abandonment costs were included for the properties.

Project economics indicate that a capital investment of \$4.8MM will generate a 10% discounted future net revenue of \$8.8MM over 24 years giving a 71% rate of return and a 2.0 year payout. The investment cost does not include the initial acquisition cost. A summary of the reserves and economics for each phase and the total project is shown on Table 9. Tables 10, 11 and 12 show the economic summaries for Total Proved, Proved Developed Producing and Proved Undeveloped, respectively. Tables 13, 14 and 15 are Proved Undeveloped cash flows for Phases I, II and III.

PENROSE "B" UNIT WELL NO. 52

(Skelly Harrison B-5)
1900 FN & WL Sec. 9-T23S-R37E
Lea County, N.M.

T/QUEEN

T/PENROSE




Figure 1


TYPE LOG

SIRGO-COLLIER, INC.

Penrose "B" Unit
Langlie Mattix 7 Rivers Queen Grayburg Field
Lea County, New Mexico

T. SCOTT HICKMAN & ASSOCIATES, INC.

PETROLEUM CONSULTANTS



Langlie Mattix "B-4"
Penrose (On. Sd.) Unit


Skelly Penrose A Unit

STRUCTURE MAP
Top of Penrose Sand
 SIRGO - COLLIER, INC
 PENROSE "B" UNIT

Langlie Mattix 7 Rivers Queen Grayburg Field
 Lea County, New Mexico

Penrose Producer
 Queen-Penrose Producer
 Queen-Penrose Injector

Figure 2
T. SCOTT HICKMAN & ASSOCIATES, INC.
 PETROLEUM CONSULTANTS



Langlie Mattix "B-4"
Penrose (Qn. Sd.) Unit


NET PAY ISOPACH
Penrose Formation
Preliminary Estimate

SIRGO - COLLIER, INC.
PENROSE "B" UNIT

Langlie Mattix 7 Rivers Queen Grayburg Field
Lea County, New Mexico

Figure 3

T. SCOTT HICKMAN & ASSOCIATES, INC.
PETROLEUM CONSULTANTS




Langlie Mattix "B-4"
Penrose (On. Sd.) Unit

OIL RECOVERY MAP
 Estimated Individual Well EUR's
 SIRCO - COLLIER, INC.
 PENROSE "B" UNIT
 Langlie Mattix 7 Rivers Queen Grayburg Field
 Lea County, New Mexico

0 Ultimate Primary, MDDL
 50 Ultimate Secondary, MDDL
 ▲ Injection Well
 N.A. = Data Not Available
 Figure 4

I. SCOTT HICKMAN & ASSOCIATES, INC.
 PETROLEUM CONSULTANTS



Skelly Penrose A Unit

Langlie Mattix "B-4"
Penrose (On. Sd.) Unit

PRODUCTION SUMMARY

SIRGO - COLLIER, INC.
PENROSE "B" UNIT


Langlie Mattix 7 Rivers Queen Grayburg Field
Lea County, New Mexico

15-1 March 1987 Producing Rate: 60PD - 60PD
114-164 Cum Oil & Water Production: MBBL - MBBL

N.A. = Data Not Available

Figure 8

T. SCOTT HICKMAN & ASSOCIATES INC.
PETROLEUM CONSULTANTS



Langlie Mattix "B-4"
Penrose (Qn. Sd.) Unit



INJECTION SUMMARY

SIRGO - COLLIER, INC.
PENROSE "B" UNIT

Langlie Mattix 7 Rivers Queen Grayburg Field
Lea County, New Mexico

170 April 1987 Injection Rate, BWPD
1300 Cum Water Inj. (as of 5/1/87), MBBL

Figure 6

T. SCOTT HICKMAN & ASSOCIATES, INC.
PETROLEUM CONSULTANTS





Figure 7



PROPOSED REDEVELOPMENT PLAN

SIRGO - COLLIER, INC.
PENROSE "B" UNIT

Langlie Mattix 7 Rivers Queen Grayburg Field
 Lea County, New Mexico

- Phase I - Drilling Locations (Producers)
- Phase II - Drilling Locations (Producers)
- △ Phase II - Injection Well Conversions
- Phase II - Workover Candidates
- ⊙ Phase III - Drilling Locations (Producers)

Figure B

T. SCOTT HICKMAN & ASSOCIATES, INC.

TABLE 1

GEOLOGIC STRUCTURE SUMMARY
 PEMOUSE SAND
 LANGHE MATIIX
 LEA COUNTY, NEW MEXICO

| LOCATION | UNIT WELL NO. | ELEV. (FEET) | WELL ID | OPERATOR-LEASE-WELL | COMP. DATE | SURFACE ELEVATION (FEET) | | | | | | | | | | COMPLETION | | REMARKS |
|--------------------|---------------|--------------|---------------------|---------------------|------------|--------------------------|------|------|------|------|------|------|------|------|------|--------------|------------------------------------|-------------------------------------|
| | | | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | DEPTH (FEET) | TO SUBSEA GROSS ELEV. COMP. (FEET) | |
| SEC 5 T2S-R37E | | | | | | | | | | | | | | | | | | |
| 660 FN & EL | 18 | 3062 | R.L.OWE-KING #3 | | 04-57 | -246 | -257 | -275 | -295 | -305 | -325 | -337 | -361 | -385 | -252 | -382 | -408 | 130 |
| | | 3608 | | | | 3619 | 3637 | 3657 | 3667 | 3687 | 3699 | 3723 | 3747 | | 3614 | 3744 | 3770 | |
| 660 FNL & 1980 FEL | 19 | 3366 | R.L.OWE-KING #5 | | 06-57 | -276 | -286 | -304 | -324 | -338 | -351 | | | | -279 | -367 | -384 | 88 |
| | | 3642 | | | | 3670 | 3690 | 3704 | 3717 | | | | | | 3645 | 3733 | 3750 | |
| 330 FNL & 2310 FNL | 20 | 3376 | R.L.OWE-KING "B" #2 | | 10-57 | -272 | -283 | -305 | -326 | -335 | -362 | -374 | -392 | | -280 | -399 | -404 | 119 |
| | | 3648 | | | | 3659 | 3681 | 3702 | 3711 | 3738 | 3750 | 3768 | | | 3656 | 3775 | 3780 | |
| 660 FNL & 990 FNL | 21 | 3368 | R.L.OWE-KING "B" #3 | | 01-58 | -269 | -278 | -299 | -310 | -330 | -345 | -364 | -386 | | -275 | -400 | -382 | 125 |
| | | 3637 | | | | 3646 | 3667 | 3678 | 3698 | 3713 | 3732 | 3754 | | | 3643 | 3768 | 3750 | |
| 1980 FNL & 990 FNL | 26 | 3369 | R.L.OWE-KING "B" #4 | | 02-58 | -277 | -297 | -307 | -327 | -337 | -355 | -377 | -388 | | -290 | -399 | -411 | 109 |
| | | 3646 | | | | 3666 | 3676 | 3696 | 3706 | 3724 | 3746 | 3757 | | | 3659 | 3768 | 3780 | |
| 1980 FNL & WL | 27 | 3357 | R.L.OWE-KING "B" #1 | | 09-57 | -293 | -303 | -321 | -339 | -352 | -372 | -383 | | | -303 | -404 | -413 | 101 |
| | | 3650 | | | | 3660 | 3678 | 3696 | 3709 | 3729 | 3740 | | | | 3660 | 3761 | 3770 | |
| 1980 FNL & EL | 28 | 3350 | R.L.OWE-KING "B" #6 | | 07-57 | -278 | -289 | -307 | -327 | -338 | -358 | -368 | -389 | | -278 | -374 | -400 | 96 |
| | | 3628 | | | | 3639 | 3657 | 3677 | 3688 | 3708 | 3718 | 3739 | | | 3628 | 3724 | 3750 | |
| 2112 FNL & 660 FEL | 29 | 3349 | R.L.OWE-KING #2 | | 05-57 | -237 | -249 | -269 | -289 | -302 | -325 | -337 | -359 | -384 | -241 | -374 | -451 | 133 |
| | | 3586 | | | | 3598 | 3618 | 3638 | 3651 | 3674 | 3686 | 3708 | 3733 | | 3590 | 3723 | 3800 | |
| 1980 FSL & 660 FEL | 31 * | 3349 | SKELLY-HARRISON B-3 | | 09-57 | -216 | -227 | -243 | -264 | -279 | -299 | -312 | -329 | | -231 | -349 | -361 | 118 |
| | | 3565 | | | | 3576 | 3592 | 3613 | 3628 | 3648 | 3661 | 3678 | | | 3580 | 3698 | 3710 | |
| 1980 FS & EL | 32 | 3345 | SKELLY-HARRISON B-4 | | 10-57 | -235 | -243 | -265 | -284 | -295 | -316 | -330 | -351 | | -239 | -344 | -365 | 105 |
| | | 3580 | | | | 3588 | 3610 | 3629 | 3640 | 3661 | 3675 | 3696 | | | 3584 | 3689 | 3710 | |
| 1980 FSL & WL | 33 | 3349 | SKELLY-HARRISON A-2 | | 12-57 | -246 | -257 | -275 | -294 | -303 | -324 | -334 | -356 | | -261 | -370 | -375 | 109 |
| | | 3595 | | | | 3606 | 3624 | 3643 | 3652 | 3673 | 3683 | 3705 | | | 3610 | 3719 | 3724 | |
| 1980 FS & WL | 34 * | 3353 | SKELLY-HARRISON #1 | | 01-56 | -259 | -285 | -281 | -302 | -314 | -330 | -347 | | | -137 | -409 | -441 | 272 (GREEN SAND OPEN) |
| | | 3612 | | | | 3618 | 3634 | 3655 | 3667 | 3683 | 3700 | | | 3490 | 3782 | 3794 | | |
| 660 FSL & WL | 37 | 3353 | SKELLY-HARRISON A-4 | | 03-58 | -252 | -261 | -283 | -295 | -309 | -327 | -344 | -363 | | -253 | -377 | -372 | 124 3/58 1P01 P-105 BOPD 975 CF/88L |
| | | 3605 | | | | 3614 | 3636 | 3648 | 3662 | 3680 | 3697 | 3716 | | | 3606 | 3730 | 3725 | |

TABLE 1

GEOLOGIC STRUCTURE SUMMARY
 PENROSE SAND
 LANCELE MITTIX
 LEA COUNTY, NEW MEXICO

| LOCATION | UNIT WELL NO. | ELEV. (FT) | DATE | COMP. DATE | SUBSEA ELEVATION (FEET) | | | | | | | | | | COMPLETION | | TD | SUBSEA GROSS ELEV. (FEET) | GROSS COMP. (FEET) | REMARKS |
|-----------------------|---------------|------------|-----------------------|------------|-------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------------------|--------------------|---|
| | | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | TOP (FEET) | DEPTH (FEET) | | | | |
| SEC 5 TZS-R37E | | | | | | | | | | | | | | | | | | | | |
| 660 FSL & 1980 FSL | 38 | 3343 | SKELLY-HARRISON A-3 | 01-58 | -233 3576 | -248 3591 | -265 3408 | -285 3628 | -291 3634 | -317 3660 | -331 3674 | -351 3694 | -377 3720 | -341 3684 | -236 3579 | -341 3684 | -377 3720 | 105 | | |
| 1980 FN & 660 FEL | 39 | 3339 | SKELLY-HARRISON B-7 | 12-57 | -197 3536 | -205 3544 | -226 3565 | -245 3584 | -254 3593 | -277 3616 | -288 3627 | -313 3652 | -337 3676 | -346 3685 | -215 3554 | -346 3685 | -366 3705 | 131 | 12/57 | IPOT F-150 BOPD 1300 CF/88L |
| 660 FSL & EL | 40 | 3334 | SKELLY-HARRISON B-6 | 11-57 | -176 3510 | -190 3524 | -206 3540 | -227 3561 | -236 3570 | -259 3593 | -273 3607 | -292 3626 | -317 3651 | -327 3661 | -192 3526 | -327 3661 | -346 3680 | 135 | | |
| SEC 6 TZS-R37E | | | | | | | | | | | | | | | | | | | | |
| 330 FSL & EL | 22 | 3384 | R. LOWE-KING "B" #5 | 04-58 | -284 3668 | -292 3676 | -320 3704 | -328 3712 | -343 3727 | -356 3740 | -375 3759 | -385 3769 | -414 3798 | -402 3786 | -294 3678 | -402 3786 | -414 3798 | 108 | | |
| 330 FSL & 1650 FEL | 23 | 3399 | R. LOWE-KING "B" #7 | 10-58 | -297 3687 | -306 3696 | -332 3722 | -347 3737 | -362 3752 | -382 3772 | -390 3780 | -410 3800 | -410 3800 | -403 3793 | -293 3683 | -403 3793 | -410 3800 | 110 | | |
| 2113 FSL & 1980 FEL | 24 | 3392 | R. LOWE-KING "B" #8 | 07-51 | -306 3698 | -317 3709 | -340 3732 | -356 3748 | -370 3762 | -384 3776 | -423 3815 | -423 3815 | -412 3804 | -409 3793 | -308 3700 | -412 3804 | -423 3815 | 104 | | |
| 1788 FSL & 330 FEL | 25 | 3384 | R. LOWE-KING "B" #6 | 08-58 | -288 3672 | -301 3685 | -342 3705 | -354 3726 | -379 3738 | -393 3763 | -393 3777 | -416 3800 | -416 3800 | -409 3793 | -293 3677 | -409 3793 | -416 3800 | 116 | | |
| 1980 FSL & 660 FSL | 35 | 3371 | SUN-RICHARDS #1 | 06-56 | -239 3610 | -239 3610 | -239 3610 | -239 3610 | -239 3610 | -239 3610 | -239 3610 | -239 3610 | -239 3610 | -239 3610 | -185 3556 | -427 3798 | -427 3798 | 242 | 1/59 | 7 BOPD 720CFD(10048 CF/8) |
| 660 FSL & EL | 36 | 3345 | SUN-RICHARDS #3 | 12-58 | -283 3648 | -297 3662 | -315 3680 | -338 3703 | -350 3715 | -370 3735 | -381 3746 | -403 3768 | -415 3780 | -403 3768 | -164 3529 | -403 3768 | -415 3780 | 239 | 9/72 | BP 3664 AS MIN 3529-3616 (QUEEN & PENROSE COMP/ONSD OPEN) |
| 660 FSL & 1880 FSL | | | DOYLE HARTMAN-KING #3 | | | | | | | | | | | | | | | 3430 | | |
| SEC 7 TZS-R37E | | | | | | | | | | | | | | | | | | | | |
| 660 FSL & EL | 46 | 3362 | SUN-RICHARDS #2 | 12-56 | -226 3588 | -233 3595 | -257 3619 | -265 3627 | -286 3648 | -307 3669 | -320 3682 | -342 3704 | -374 3736 | -374 3736 | -244 3606 | -374 3736 | -408 3770 | 130 | | |

TABLE 1

GEOLOGIC STRUCTURE SUMMARY
 PENROSE SAND
 LANGSIE MATTHEI
 LEA COUNTY, NEW MEXICO

| LOCATION | UNIT WELL NO. | ELEV. (FEET) | OPERATOR-LEASE-WELL | COMP. DATE | SUBSEA ELEVATION (FEET) | | | | | | | | | | COMPLETION TO | | REMARKS | | |
|-----------------------|---------------|--------------|----------------------|------------|-------------------------|------|------|------|------|------|------|------|------|------|---------------|--------------|---------|--|--------------------------|
| | | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | TOP (FEET) | DEPTH (FEET) | | SURSEA ELEV. (FEET) | GROSS ELEV. COMP. (FEET) |
| SEC 7 TZS-R37E | | | | | | | | | | | | | | | | | | | |
| 660 FNL & 1980 FEL | 47 | 3379 | SUN-RICHARDS #4 | 01-59 | -248 | -291 | -318 | -328 | -346 | -345 | -357 | -367 | -376 | -385 | -388 | -353 | -411 | 70 | |
| | | | | | 3647 | 3670 | 3697 | 3707 | 3725 | 3724 | 3736 | | | | | 3662 | 3732 | 3790 | |
| SEC 8 TZS-R37E | | | | | | | | | | | | | | | | | | | |
| 660 FNL & EL | 43 | 3324 | GULF-DAVIS #1 | NA | | | | | | | | | | | -78 | -388 | -401 | 310 LOGS NOT AVAILABLE (QUEEN SAND OPEN) | |
| | | | | | | | | | | | | | | | 3402 | 3712 | 3712 | | |
| 660 FNL & 1980 FNL | 44 | 3346 | GOLDEN-FLORA #1 | 03-40 | | | | | | | | | | | -94 | -334 | -334 | 240 (ON SD OPEN) IPOT F-10080FPD | |
| | | | | | | | | | | | | | | | 3440 | 3680 | 3680 | 155HCFPD HIGH H2O PROD DURING WF | |
| 660 FNL & ML | 45 | 3349 | BLACK-REDFERN #1 | 08-57 | -222 | -234 | -263 | -274 | -287 | -298 | -310 | -327 | -359 | -385 | -249 | -376 | -401 | 127 | |
| | | | | | 3571 | 3583 | 3612 | 3623 | 3636 | 3647 | 3659 | 3676 | 3708 | 3734 | 3598 | 3725 | 3750 | | |
| 660 FNL & 1980 FNL | 48 | 3348 | BLACK-REDFERN #2 | 09-57 | -210 | -236 | -250 | -258 | -270 | -290 | -299 | -314 | -350 | -365 | -212 | -336 | -372 | 124 | |
| | | | | | 3558 | 3584 | 3598 | 3606 | 3618 | 3638 | 3647 | 3662 | 3698 | 3713 | 3560 | 3684 | 3740 | | |
| 1780 FNL & EL | 49 | 3331 | BYRON-FLORR DAVIS #2 | 11-56 | -151 | -162 | -181 | -201 | -212 | -227 | -238 | -259 | -283 | -301 | -221 | -330 | -359 | 109 HIGH COR-MOVES 12 BUOPD 250 HCFPD 20 BUOPD | |
| | | | | | 3482 | 3493 | 3512 | 3532 | 3543 | 3558 | 3569 | 3590 | 3614 | 3632 | 3552 | 3661 | 3690 | | |
| 990 FSL & 1650 FEL | 50 | 3327 | BYRON-DAVIS #1 | 08-56 | | | | | | | | | | | -215 | -263 | -373 | 48 LOGS NOT AVAILABLE | |
| | | | | | | | | | | | | | | | 3542 | 3590 | 3700 | | |
| 1980 FSL 660 FEL | 55 | 3324 | OLSON-CLIFT #2 | 02-48 | -161 | -173 | -187 | -202 | -215 | -230 | -248 | -270 | -293 | -314 | -96 | -365 | -365 | 269 (ON SD OPEN)ND REPORT OF INITIAL GAS RATES | |
| | | | | | 3485 | 3497 | 3511 | 3526 | 3539 | 3554 | 3572 | 3594 | 3617 | 3638 | 3420 | 3489 | 3489 | | |
| 1980 FSL & 660 FNL | 56 | 3341 | TP-CLIFT #5 | 08-61 | | | | | | | | | | | -195 | -239 | -353 | 44 1/62 RATE=11 BUOPD 260 HCFPD 152 MC LOGS NA | |
| | | | | | | | | | | | | | | | 3536 | 3580 | 3694 | | |
| 660 FSL & 1980 FNL | 57 | 3334 | OLSON-CLIFT #3 | 02-56 | -152 | -157 | -175 | -196 | -209 | -224 | -232 | -256 | -299 | | -267 | -284 | -334 | 17 8/61 RATE=2 BUOPD 356 HCFPD | |
| | | | | | 3486 | 3491 | 3509 | 3530 | 3543 | 3558 | 3566 | 3590 | 3633 | | 3601 | 3618 | 3668 | | |
| 660 FSL & 1980 FEL | 58 | 3337 | USCON-CLIFT #1 | 07-46 | | | | | | | | | | | -75 | -316 | -316 | 241 (ON SD OPEN)7/46 IPOT 20 BUOPD 50 HCFPD NO NAT | |
| | | | | | | | | | | | | | | | 3412 | 3653 | 3653 | | |
| 330 FSL & EL | 59 | 3339 | OLSON-CLIFT #4 | 09-60 | -135 | -148 | -168 | -186 | -196 | -215 | -228 | -252 | | | -141 | -273 | -296 | 132 | |
| | | | | | 3474 | 3487 | 3507 | 3525 | 3535 | 3554 | 3567 | 3591 | | | 3480 | 3612 | 3635 | | |

TABLE 1

GEOLOGIC STRUCTURE SUMMARY
 PENROSE SAND
 LANGLIE MATIIX
 LEA COUNTY, NEW MEXICO

| LOCATION | UNIT WELL NO. | ELEV. (VBL) | OPERATOR-LEASE-WELL | DATE | SUBSEA ELEVATION (FEET) | | | | | | | | | | COMPLETION | | TD | REMARKS |
|------------------------|---------------|-------------|----------------------------|-------|-------------------------|------|------|------|------|------|------|------|------|------|------------|--------------|---|-----------------------------------|
| | | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | TOP (FEET) | DEPTH (FEET) | | |
| SEC 8 T238-R37E | | | | | | | | | | | | | | | | | | |
| 1980 FNL & ML | 62 | 3337 | BLACK-DAVIS #1 | 11-57 | -168 | -176 | -207 | -219 | -236 | -250 | -258 | -280 | -310 | -334 | -359 | -343 | -388 | 84 '57 ON 3596-3680 IPOT 1680WCFD |
| | | | | | 3505 | 3513 | 3544 | 3556 | 3573 | 3587 | 3595 | 3617 | 3647 | 3671 | 3596 | 3680 | 3725 | MIN 7/67 SAME INTERVAL |
| 660 FNL & 1980 FEL | 63 | 3343 | BLACK-DAVIS #2 | 11-57 | -199 | -214 | -232 | -247 | -257 | -279 | -297 | -310 | -342 | -365 | -357 | -387 | 155 QUEEN SAND OPEN | |
| | | | | | 3542 | 3557 | 3575 | 3590 | 3600 | 3622 | 3640 | 3653 | 3685 | | 3507 | 3662 | 3730 | |
| 660 FS & ML | | | 3342 TP-CLIFT #6 | | -196 | -206 | -232 | -259 | -285 | -306 | -328 | -353 | | | | -408 | | |
| | | | | | 3538 | 3548 | 3574 | 3601 | 3617 | 3627 | 3648 | 3670 | 3695 | | | 3750 | | |
| SEC 9 T238-R37E | | | | | | | | | | | | | | | | | | |
| 660 FNL & 1980 FNL | 41 * | 3316 | SKELLY-HARRISON B-1 | 07-37 | | | | | | | | | | | | | 300 ON (ON 3390-3690) (ON SD OPEN) | |
| | | | | | | | | | | | | | | | | | | |
| 660 FN & ML | 42 * | 3320 | SKELLY-HARRISON B-2 | 08-37 | | | | | | | | | | | | | 232 RE-SPUD AUG 68 AS MIN 3586-3618 (ON SD MAY BE OPEN) | |
| | | | | | | | | | | | | | | | | | | |
| 1980 FNL & 760 FNL | 51 | 3319 | SKELLY-HARRISON B-8 | 12-57 | -147 | -159 | -179 | -197 | -209 | -231 | -251 | -268 | -295 | | | | 143 | |
| | | | | | 3466 | 3478 | 3498 | 3516 | 3528 | 3550 | 3570 | 3587 | 3614 | | | | | |
| 1980 FNL & ML | 52 | 3316 | SKELLY-HARRISON B-5 | 10-57 | -165 | -176 | -194 | -213 | -223 | -234 | -256 | -274 | -302 | -322 | -317 | -338 | 121 | |
| | | | | | 3481 | 3492 | 3510 | 3529 | 3539 | 3550 | 3572 | 3590 | 3618 | 3638 | 3512 | 3633 | 3654 | |
| 1980 FSL & ML | 53 | 3317 | SKELLY-HARRISON B-10 | 05-58 | -165 | -180 | -194 | -213 | -222 | -243 | -255 | -274 | -292 | -322 | -319 | -343 | 120 | |
| | | | | | 3482 | 3497 | 3511 | 3530 | 3539 | 3560 | 3572 | 3591 | 3609 | 3639 | 3516 | 3636 | 3660 | |
| 1980 FSL & 660 FNL | 54 | 3325 | SKELLY-HARRISON B-9 | 12-57 | -151 | -163 | -181 | -201 | -213 | -236 | -247 | -266 | -295 | | | | 113 | |
| | | | | | 3476 | 3488 | 3506 | 3526 | 3538 | 3561 | 3572 | 3591 | 3620 | | | | | |
| 660 FS & ML | 60 | 3332 | SKELLY-HARRISON B-12 | 03-60 | -146 | -157 | -184 | -203 | -215 | -232 | -246 | -268 | -297 | | | | 10 | |
| | | | | | 3478 | 3489 | 3516 | 3535 | 3547 | 3564 | 3578 | 3600 | 3629 | | | | | |
| 660 FSL & 1980 FNL | 61 | 3328 | SKELLY-HARRISON B-11 | 02-60 | -146 | -157 | -179 | -200 | -210 | -228 | -242 | -259 | -285 | -306 | -301 | -372 | 118 | |
| | | | | | 3474 | 3485 | 3507 | 3528 | 3538 | 3556 | 3570 | 3587 | 3613 | 3634 | 3511 | 3629 | 3700 | |
| 1980 FS & EL | | | 3301 SAMPSON-HUGHES A-2 #7 | | -167 | -176 | -202 | -221 | -233 | -255 | -266 | -292 | | | | | -342 | |
| | | | | | 3468 | 3477 | 3503 | 3522 | 3534 | 3556 | 3567 | 3593 | | | | | 3643 | |

TABLE 1

GEOLOGIC STRUCTURE SUMMARY
 PENROSE SAND
 LANGHE MATIIX
 LEA COUNTY, NEW MEXICO

| LOCATION | UNIT WELL NO. | ELEV. (FT.) | OPERATOR-LEASE-WELL | DATE | SUBSEA ELEVATION (FEET) | | | | | | | | | | COMPLETION | | TD SUBSEA GROSS ELEV. COMP. (FEET) | REMARKS | |
|-------------------------|---------------|-------------|------------------------------|-------|-------------------------|------|------|------|------|------|------|------|------|----|------------|-----|------------------------------------|---------|------|
| | | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | DEPTH | TOP | | | |
| SEC 9 TZ25-R37E | | | | | | | | | | | | | | | | | | | |
| NW/4 N1/4 | * | 3316 | SKELLY-PENROSE A-46 | | -159 | | | | | | | | | | | | | -313 | 3629 |
| 660 FSL & 1980 FEL | | 3272 | SHMEDAH-HUGHES B-2 #9 | | -153 | -163 | -186 | -207 | -219 | -232 | -247 | -268 | -295 | | | | | -342 | 3634 |
| | | 3445 | | | 3445 | 3455 | 3478 | 3499 | 3511 | 3524 | 3539 | 3560 | 3587 | | | | | | |
| SEC 31 TZ25-R37E | | | | | | | | | | | | | | | | | | | |
| 1980 FSL & 330 FEL | 11 | 3400 | DALPORT-KING A-2 | 01-59 | -254 | -264 | -287 | -310 | -322 | -343 | -357 | -377 | -398 | | | | | -424 | 3624 |
| | | 3654 | | | 3654 | 3664 | 3687 | 3710 | 3722 | 3743 | 3757 | 3777 | 3798 | | | | | -258 | 3658 |
| 330 FS & M | 12 | 3551 | DALPORT-KING A-1 | 09-58 | -237 | -251 | -269 | -289 | -303 | -317 | -333 | -356 | -383 | | | | | -440 | 3684 |
| | | 3588 | | | 3588 | 3602 | 3620 | 3640 | 3654 | 3668 | 3684 | 3707 | 3734 | | | | | -333 | 3684 |
| 1980 FSL & 660 FEL | | 3400 | HUMBLE-NM STATE M-14 | | -236 | -254 | -279 | -292 | -305 | -328 | -350 | -366 | -402 | | | | | -420 | 3620 |
| | | 3636 | | | 3636 | 3654 | 3679 | 3692 | 3705 | 3728 | 3750 | 3766 | 3802 | | | | | -288 | 3684 |
| 660 FSL & EL | | 3396 | HUMBLE-NM STATE M-19 | | -214 | -225 | -252 | -285 | -284 | -306 | -314 | -328 | -357 | | | | | -288 | 3684 |
| | | 3610 | | | 3610 | 3621 | 3648 | 3661 | 3680 | 3702 | 3710 | 3724 | 3753 | | | | | -258 | 3658 |
| SEC 32 TZ25-R37E | | | | | | | | | | | | | | | | | | | |
| 990 FSL & 1250 FEL | 1 | 3368 | OPERATORS SERV-COLE STATE #1 | 04-59 | -188 | -198 | -218 | -232 | -243 | -264 | -275 | -296 | -322 | | | | | -310 | 3659 |
| | | 3556 | | | 3556 | 3566 | 3586 | 3600 | 3611 | 3632 | 3643 | 3664 | 3690 | | | | | -192 | 3560 |
| 660 FSL & 2310 FSL | 2 | 3364 | COMPASS-STATE 2-32 | 08-59 | -210 | -220 | -240 | -262 | -270 | -290 | -306 | -326 | -355 | | | | | -442 | 3606 |
| | | 3574 | | | 3574 | 3584 | 3604 | 3626 | 3634 | 3654 | 3670 | 3690 | 3719 | | | | | -206 | 3570 |
| 660 FSL & 990 FSL | 3 | 3375 | COMPASS-STATE 4-32 | 12-59 | -211 | -223 | -245 | -267 | -280 | -293 | -308 | -327 | -357 | | | | | -425 | 3600 |
| | | 3586 | | | 3586 | 3598 | 3620 | 3642 | 3655 | 3668 | 3683 | 3702 | 3732 | | | | | -219 | 3594 |
| 1900 FSL & 990 FSL | 4 | 3374 | COMPASS-3-32 | 11-59 | -231 | -244 | -268 | -280 | -291 | -318 | -329 | -346 | -376 | | | | | -446 | 3620 |
| | | 3605 | | | 3605 | 3618 | 3642 | 3654 | 3665 | 3692 | 3703 | 3720 | 3750 | | | | | -234 | 3608 |
| 1980 FSL & 2310 FSL | 5 * | 3372 | COMPASS-STATE 1 | 12-48 | -198 | -218 | -278 | -338 | -343 | -420 | -460 | -494 | -540 | | | | | -354 | 3626 |
| | | 3570 | | | 3570 | 3590 | 3650 | 3710 | 3735 | 3792 | 3832 | 3866 | 3912 | | | | | -216 | 3588 |

12A RE-ENTRY 11/77A P-24RD0FD NM
3658-3810

115 QUEEN SAND OPEN

138 11/72 CONW N1W-3572-3453

TABLE 1

GEOLOGIC STRUCTURE SUMMARY
 PENROSE SAND
 LANCELE MATTLIX
 LEA COUNTY, NEW MEXICO

| LOCATION | UNIT WELL NO. | ELEV. (FT) | OPERATOR-LEASE-Well | DATE | SUBSEA ELEVATION (FEET) | | | | | | | | | | COMPLETION | | TD SUBSEA GROSS ELEV. (FEET) | REMARKS | |
|---------------------|---------------|------------|---------------------|------------------------------|-------------------------|------|------|------|------|------|------|------|------|------|------------|--------------|-------------------------------------|---------|-----|
| | | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | TOP (FEET) | DEPTH (FEET) | | | |
| SEC 32 TZ2S-R37E | | | | | | | | | | | | | | | | | | | |
| 1980 FNL & EL | 6 | 3370 | O. BOURG-STATE A-5 | 10-58 | -194 | -202 | -217 | -236 | -245 | -266 | -278 | -297 | -323 | -343 | -343 | -196 | -336 | -505 | 140 |
| | | 3564 | | | 3572 | 3587 | 3606 | 3615 | 3636 | 3648 | 3667 | 3693 | 3713 | 3566 | 3706 | 3675 | | | |
| 1980 FSL & 660 FEL | 7 | 3370 | O. BOURG-KING #1 | 09-56 | -195 | -202 | -222 | -242 | -244 | -268 | -290 | -310 | | | -208 | -306 | -326 | 98 | |
| | | 3565 | | | 3572 | 3592 | 3612 | 3614 | 3638 | 3660 | 3680 | | | 3578 | 3676 | 3696 | | | |
| 1980 FS & EL | 8 | 3378 | O. BOURG-KING #3 | 11-58 | -222 | -234 | -260 | -278 | -292 | -300 | -320 | -348 | -382 | | -272 | -300 | -507 | 78 | |
| | | 3600 | | | 3612 | 3638 | 3656 | 3670 | 3678 | 3698 | 3726 | 3760 | | 3600 | 3678 | 3685 | | | |
| 1980 FSL & 2310 FNL | 9 | 3388 | O. BOURG-STATE #2 | 01-58 | -252 | -262 | -282 | -302 | -313 | -330 | -345 | -366 | -394 | | -256 | -390 | -412 | 134 | |
| | | 3640 | | | 3650 | 3670 | 3690 | 3701 | 3718 | 3733 | 3754 | 3782 | | 3644 | 3778 | 3800 | | | |
| 1980 FSL & 990 FNL | 10 | 3394 | O. BOURG-STATE #3 | 09-58 | -260 | -270 | -287 | -306 | -316 | -338 | -346 | -366 | -396 | | -272 | -404 | -577 | 132 | |
| | | 3654 | | | 3664 | 3681 | 3700 | 3710 | 3732 | 3740 | 3760 | 3790 | | 3666 | 3798 | 3771 | | | |
| 990 FSL & NL | 13 * | 3391 | O. BOURG-STATE B-2 | 10-58 | -258 | -269 | -288 | -310 | -321 | -344 | -361 | -381 | -410 | | -269 | -401 | -612 | 132 | |
| | | 3649 | | | 3660 | 3679 | 3701 | 3712 | 3735 | 3752 | 3772 | 3801 | 3822 | 3660 | 3792 | 4003 | | | |
| 990 FSL & 2310 FNL | 14 | 3385 | R. FURR-STATE #1 | 09-57 | -270 | -277 | -297 | -316 | -327 | -349 | -360 | -381 | | -277 | -399 | -406 | 172 | | |
| | | 3655 | | | 3662 | 3682 | 3701 | 3712 | 3734 | 3745 | 3766 | | 3662 | 3784 | 3791 | | | | |
| 1980 FSL & 660 FNL | 15 * | 3370 | SKELLY-KING 1 | 05-36 | | | | | | | | | | | -82 | -380 | 298 (ON SD OPEN) LOGS NOT AVAILABLE | | |
| | | | | | | | | | | | | | | 3452 | 3750 | 3750 | | | |
| 990 FSL & 660 FEL | 16 | 3375 | O. BOURG-KING #2 | 01-57 | -223 | -236 | -255 | -274 | -286 | -305 | -317 | -336 | | -235 | -283 | -350 | 48 | | |
| | | 3598 | | | 3611 | 3630 | 3649 | 3661 | 3680 | 3692 | 3711 | | 3610 | 3658 | 3725 | | | | |
| SEC 4 TZ2S-R37E | | | | | | | | | | | | | | | | | | | |
| 660 FN & NL | 17 | 3354 | R. LOME-KING #4 | 05-57 | -204 | -216 | -236 | -256 | -318 | -286 | -296 | -322 | -342 | | -212 | -338 | -374 | 126 | |
| | | 3538 | | | 3570 | 3590 | 3610 | 3672 | 3640 | 3650 | 3676 | 3696 | | 3566 | 3692 | 3728 | | | |
| 1980 FNL & 660 FNL | 30 | 3337 | R. LOME-KING #1 | 01-49 | | | | | | | | | | | -168 | -350 | 182 PROBABLE QUEEN SAND OPEN | | |
| | | | | | | | | | | | | | | 3505 | 3687 | 3687 | | | |
| 1980 FSL & 660 FNL | | | 3324 | SAMELON-HUGHES A-1 #6 (A-32) | -188 | -196 | -219 | -241 | -256 | -274 | -288 | -314 | -336 | | -352 | | | | |
| | | | | | 3512 | 3520 | 3543 | 3565 | 3580 | 3598 | 3612 | 3638 | 3660 | | 3676 | | | | |

TABLE 2

PERFORMANCE DATA
 PENROSE "B" UNIT
 LEA COUNTY, NEW MEXICO

| | |
|---|----------|
| Total Completions: Producers | 35 |
| Injectors | 28 |
| Total | 63 |
| Active Completions: Producers | 29 |
| Injectors | 5 |
| Total | 34 |
| Unitized Area (Acres) | 2,612.16 |
| Average Spacing (Acres/Well) | 41.46 |
| Cumulative Oil Production at April 1, 1987 (MBBL) | 3310 |
| Average Oil Cumulative Per Well (MBBL/Well) | 52.5 |
| Current Oil Rate Per Producer - 29 Wells (BOPD/Well) | 3.3 |
| Ultimate Primary Oil Recovery (MBBL) | 1,775 |
| Average Oil Recovery Per Well (MBBL/Well) | 28.2 |
| Ultimate Secondary Oil Recovery Under Current Operations (MBBL) | 1,742 |
| Average Oil Recovery Per Well (MBBL/Well) | 49.8 |
| Range in Well Recoveries (MBBL/Well) | 5-192 |
| Cumulative Gas Production at April 1, 1987 (MMCF) | 3,875 |
| Cumulative GOR (MCF/BBL) | 1.171 |
| Current Gas Rate (MCFD/Well) | 1.1 |
| Current GOR (MCF/BBL) | 0.320 |
| Cumulative Water Production at April 1, 1987 (MBBL) | 18,989 |
| Cumulative WOR (Volume/Volume) | 5.7 |
| Current WOR (Volume/BBL) | 11.5 |
| Cumulative Water Injection at April 1, 1987 (MBBL) | 38,821 |
| Cumulative Injection : Secondary Oil Recovery Ratio | 22.3 |

TABLE 3

PRODUCTION AND ULTIMATE RECOVERY
SIRGO-COLLIER INC.
PENROSE "B" UNIT
LEA COUNTY, NEW MEXICO

| UNIT WELL NO. | MARCH '87 PRODUCTION | | | CUM PRODUCTION @ 4-1-87 | | | EUR | | |
|---------------------|----------------------|---------------|-----------------|-------------------------|---------------|-----------------|-------------------|---------------------|-----------------|
| | OIL (BOPD) | GAS (MMCD) | WATER (BMPD) | OIL (MBBL) | GAS (MMCF) | WATER (MBBL) | PRIMARY (MBBL) | SECONDARY (MBBL) | TOTAL (MBBL) |
| 1 | WIW CONV. DATE 08/66 | | | 26.822 | 173.551 | 0.000 | 26.822 | 0.000 | 26.822 |
| 2 | 15.8 | 0.8 | 9.5 | 113.571 | 117.889 | 163.834 | 25.075 | 136.996 | 162.071 |
| 3 | WIW CONV. DATE 08/66 | | | 17.094 | 57.907 | 2.922 | 17.094 | 0.000 | 17.094 |
| 4 | 2.4 | 0.0 | 15.1 | 57.413 | 88.560 | 433.227 | 20.409 | 39.364 | 59.773 |
| 5 | WIW CONV. DATE 08/66 | | | 20.642 | 57.287 | 2.624 | 20.642 | 0.000 | 20.642 |
| 6 | 3.2 | 0.8 | 39.5 | 69.155 | 82.309 | 1166.784 | 20.403 | 55.241 | 75.644 |
| 7 | 7.1 | 1.7 | 98.2 | 213.361 | 56.792 | 1266.503 | 42.482 | 192.329 | 234.811 |
| 8 | WIW CONV. DATE 10/70 | | | 36.360 | 51.689 | 8.075 | 24.760 | 11.600 | 36.360 |
| 9 | 1.5 | 0.0 | 39.5 | 54.453 | 71.439 | 938.864 | 29.365 | 25.088 | 54.453 |
| 10 | WIW CONV. DATE 09/70 | | | 38.151 | 60.883 | 21.069 | 30.108 | 8.043 | 38.151 |
| 11 | 2.4 | 3.4 | 4.8 | 42.446 | 61.359 | 69.055 | 18.084 | 26.722 | 44.806 |
| 12 | WIW CONV. DATE 08/66 | | | 28.207 | 42.508 | 0.318 | 28.207 | 0.000 | 28.207 |
| 13 | 0.0 | 0.0 | 0.0 | 35.955 | 76.797 | 541.347 | 21.567 | 14.388 | 35.955 |
| 14 | WIW CONV. DATE 08/66 | | | 35.449 | 43.263 | 2.585 | 35.449 | 0.000 | 35.449 |
| 15 | 2.4 | 0.0 | 4.8 | 58.340 | 10.344 | 490.364 | 27.807 | 32.284 | 60.091 |
| 16 | WIW CONV. DATE 08/67 | | | 28.680 | 35.009 | 4.789 | 28.680 | 0.000 | 28.680 |
| 17 | WIW CONV. DATE 07/67 | | | 35.380 | 47.990 | 7.156 | 35.380 | 0.000 | 35.380 |
| 18 | 1.3 | 0.0 | 19.9 | 66.843 | 81.684 | 354.218 | 36.120 | 30.723 | 66.843 |
| 19 | WIW CONV. DATE 09/70 | | | 40.402 | 36.941 | 27.891 | 33.517 | 6.885 | 40.402 |
| 20 | 1.0 | 0.5 | 18.6 | 68.781 | 36.812 | 521.622 | 39.216 | 29.565 | 68.781 |

TABLE 3

PRODUCTION AND ULTIMATE RECOVERY
 SIRGO-COLLIER INC.
 PENROSE "B" UNIT
 LEA COUNTY, NEW MEXICO

| UNIT WELL NO. | MARCH '87 PRODUCTION | | | CUM PRODUCTION @ 4-1-87 | | | EUR | | |
|---------------------|----------------------|---------------|-----------------|-------------------------|---------------|-----------------|-------------------|---------------------|-----------------|
| | OIL (BOED) | GAS (MCED) | WATER (BWED) | OIL (MBBL) | GAS (MMCE) | WATER (MBBL) | PRIMARY (MBBL) | SECONDARY (MBBL) | TOTAL (MBBL) |
| 21 | WIW CONV. DATE 09/70 | | | 39.879 | 23.163 | 13.364 | 31.482 | 8.397 | 39.879 |
| 22 | 1.3 | 0.0 | 13.4 | 107.515 | 41.097 | 493.363 | 30.029 | 77.486 | 107.515 |
| 23 | 1.3 | 0.0 | 11.4 | 55.924 | 50.198 | 190.509 | 29.527 | 26.397 | 55.924 |
| 24 | 0.0 | 0.0 | 0.0 | 23.539 | 21.575 | 137.771 | 23.539 | 0.000 | 23.539 |
| 25 | WIW CONV. DATE 08/66 | | | 31.300 | 37.121 | 15.390 | 31.300 | 0.000 | 31.300 |
| 26 | 0.0 | 0.0 | 0.0 | 41.956 | 38.685 | 773.909 | 31.087 | 10.869 | 41.956 |
| 27 | WIW CONV. DATE 08/66 | | | 13.881 | 9.070 | 41.267 | 13.881 | 0.000 | 13.881 |
| 28 | 0.5 | 0.0 | 13.4 | 54.502 | 74.407 | 790.270 | 32.237 | 22.265 | 54.502 |
| 29 | WIW CONV. DATE 08/67 | | | 28.179 | 27.599 | 10.511 | 28.179 | 0.000 | 28.179 |
| 30 | 6.3 | 0.8 | 11.0 | 169.037 | 80.637 | 431.490 | 77.629 | 121.295 | 198.924 |
| 31 | 9.4 | 0.6 | 43.9 | 132.947 | 76.208 | 710.782 | 31.963 | 131.626 | 163.589 |
| 32 | WIW CONV. DATE 10/70 | | | 63.613 | 89.932 | 20.809 | 39.509 | 24.104 | 63.613 |
| 33 | 3.2 | 3.4 | 166.7 | 178.894 | 74.507 | 782.003 | 28.240 | 153.558 | 181.798 |
| 34 | WIW CONV. DATE 09/70 | | | 148.575 | 31.305 | 4.819 | 146.869 | 1.706 | 148.575 |
| 35 | 0.5 | 0.6 | 10.6 | 59.902 | 46.054 | 684.827 | 40.969 | 18.933 | 59.902 |
| 36 | WIW CONV. DATE 08/66 | | | 11.923 | 37.677 | 12.424 | 11.923 | 0.000 | 11.923 |
| 37 | 0.3 | 0.8 | 88.5 | 43.520 | 52.932 | 1193.605 | 25.543 | 17.977 | 43.520 |
| 38 | WIW CONV. DATE 08/66 | | | 30.080 | 58.876 | 0.072 | 30.080 | 0.000 | 30.080 |
| 39 | 0.8 | 0.0 | 33.1 | 66.212 | 73.008 | 918.493 | 32.430 | 33.782 | 66.212 |
| 40 | WIW CONV. DATE 08/67 | | | 27.056 | 58.896 | 0.085 | 27.056 | 0.000 | 27.056 |

TABLE 3

PRODUCTION AND ULTIMATE RECOVERY
 SIRGO-COLLIER INC.
 PENROSE "B" UNIT
 LEA COUNTY, NEW MEXICO

| UNIT WELL NO. | MARCH '87 PRODUCTION | | | CUM. PRODUCTION @ 4-1-87 | | | EUR | | |
|---------------------|----------------------|---------------|-----------------|--------------------------|---------------|-----------------|-------------------|---------------------|-----------------|
| | OIL (BOED) | GAS (MCEB) | WATER (BMED) | OIL (MBBL) | GAS (MMCE) | WATER (MBBL) | PRIMARY (MBBL) | SECONDARY (MBBL) | TOTAL (MBBL) |
| 41 | 2.4 | 0.0 | 113.8 | 49.332 | 44.284 | 1060.326 | 12.462 | 38.621 | 51.083 |
| 42 | WIW CONV. DATE 09/67 | | | 0.099 | 111.866 | 0.093 | 0.099 | 0.000 | 0.099 |
| 43 | 7.1 | 1.2 | 77.3 | 107.796 | 17.845 | 497.882 | 56.137 | 62.126 | 118.263 |
| 44 | 3.9 | 0.0 | 24.4 | 117.295 | 12.646 | 393.297 | 57.246 | 69.679 | 126.925 |
| 45 | WIW CONV. DATE 08/70 | | | 45.910 | 44.038 | 4.628 | 45.910 | 0.000 | 45.910 |
| 46 | 3.2 | 2.5 | 11.8 | 58.147 | 98.746 | 320.716 | 27.030 | 36.370 | 63.400 |
| 47 | 1.5 | 0.0 | 21.7 | 62.992 | 69.439 | 163.636 | 31.840 | 31.152 | 62.992 |
| 48 | 0.0 | 0.0 | 0.0 | 46.113 | 38.132 | 357.280 | 37.615 | 8.498 | 46.113 |
| 49 | 0.5 | 0.0 | 7.2 | 10.849 | 40.016 | 100.568 | 1.249 | 9.600 | 10.849 |
| 50 | WIW CONV. DATE 08/66 | | | 3.083 | 0.000 | 0.000 | 3.083 | 0.000 | 3.083 |
| 51 | 1.0 | 0.8 | 23.2 | 51.013 | 62.453 | 1050.408 | 13.698 | 37.315 | 51.013 |
| 52 | WIW CONV. DATE 07/67 | | | 23.897 | 69.631 | 0.470 | 23.897 | 0.000 | 23.897 |
| 53 | 5.5 | 0.0 | 20.5 | 124.839 | 152.328 | 531.553 | 27.792 | 115.923 | 143.715 |
| 54 | WIW CONV. DATE 09/68 | | | 20.014 | 89.520 | 0.853 | 20.014 | 0.000 | 20.014 |
| 55 | 0.0 | 0.0 | 0.0 | 15.287 | 38.615 | 103.345 | 9.586 | 5.701 | 15.287 |
| 56 | 1.5 | 0.2 | 0.8 | 33.136 | 266.433 | 25.485 | 26.596 | 6.570 | 33.166 |
| 57 | 4.7 | 10.8 | 3.2 | 46.770 | 196.954 | 56.937 | 39.282 | 19.307 | 58.589 |
| 58 | 0.0 | 0.0 | 0.0 | 4.832 | 7.060 | 110.473 | 0.000 | 4.836 | 4.836 |
| 59 | WIW CONV. DATE 04/73 | | | 4.345 | 24.335 | 5.902 | 2.016 | 2.329 | 4.345 |
| 60 | 3.2 | 1.6 | 153.3 | 34.087 | 89.514 | 911.193 | 8.823 | 28.690 | 37.513 |

TABLE 3

PRODUCTION AND ULTIMATE RECOVERY
SIRGO-COLLIER INC.
PENROSE "B" UNIT
LEA COUNTY, NEW MEXICO

| UNIT WELL NO. | MARCH '87 PRODUCTION | | | CUM. PRODUCTION @ 4-1-87 | | | EUR | | |
|---------------------|----------------------|---------------|-----------------|--------------------------|---------------|-----------------|-------------------|---------------------|-----------------|
| | OIL (BOED) | GAS (MCFD) | WATER (BWPD) | OIL (MBBL) | GAS (MMCF) | WATER (MBBL) | PRIMARY (MBBL) | SECONDARY (MBBL) | TOTAL (MBBL) |
| 61 | WIM CONV. DATE 01/74 | | | 19.137 | 82.545 | 10.737 | 15.238 | 3.899 | 19.137 |
| 62 | WIM CONV. DATE 09/66 | | | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 63 | WIM CONV. DATE 09/70 | | | 15.244 | 24.692 | 29.117 | 11.016 | 4.228 | 15.244 |
| *** Total *** | | | | | | | | | |
| | 95.2 | 30.5 | 1099.1 | 3310.156 | 3875.052 | 18988.909 | 1775.288 | 1742.467 | 3517.755 |

| | | PRODUCERS | INJECTORS | TOTAL |
|--------------------|---------|-----------|-----------|-------|
| MARCH 1987 STATUS: | ACTIVE | 29 | 5 | 34 |
| | SHUT-IN | 6 | 23 | 29 |
| | TOTAL | 35 | 28 | 63 |

NOTE: ULTIMATE RECOVERIES ARE BASED ON ESTIMATED ABANDONMENT OIL RATES. ACTUAL ULTIMATE OIL RECOVERIES ARE SUBJECT TO MINIMUM COMMERCIAL RATES IMPOSED BY ACTUAL PREVAILING ECONOMIC CONDITIONS.

TABLE 4

INJECTION SUMMARY
 SIRGO-COLLIER, INC.
 PENROSE "B" UNIT
 LEA COUNTY, NEW MEXICO

| UNIT WELL # | MARCH 1987 | | CUM WATER INJECTION @ 4-1-87 (MBBLS) |
|-------------------|---------------------------|--------------|--|
| | WATER INJECTION (BMFD) | WHP (Psi) | |
| 01 | 52.4 | 1650 | 902743 |
| 03 | 149.8 | 1650 | 1843352 |
| 05 | INACTIVE | | 1895528 |
| 08 | 320.2 | 1775 | 1568067 |
| 10 | INACTIVE | | 728087 |
| 12 | INACTIVE | | 1464354 |
| 14 | INACTIVE | | 1499626 |
| 16 | INACTIVE | | 1444523 |
| 17 | INACTIVE | | 1074299 |
| 19 | INACTIVE | | 683615 |
| 21 | INACTIVE | | 991015 |
| 25 | INACTIVE | | 1886149 |
| 27 | INACTIVE | | 1971140 |
| 29 | INACTIVE | | 815050 |
| 32 | INACTIVE | | 585681 |
| 34 | INACTIVE | | 1517385 |
| 36 | 395.5 | 1725 | 2293149 |
| 38 | INACTIVE | | 2194819 |
| 40 | INACTIVE | | 1505760 |
| 42 | 415.0 | 1675 | 1786178 |
| 45 | INACTIVE | | 1654722 |
| 50 | INACTIVE | | 1127768 |
| 52 | INACTIVE | | 1454485 |
| 54 | INACTIVE | | 1349675 |
| 59 | INACTIVE | | 1161547 |
| 61 | INACTIVE | | 1001935 |
| 63 | INACTIVE | | 1551924 |
| TOTAL | 1332.9 | | 37952576 |

MARCH 1987 WELL STATUS: ACTIVE 5
 SHUT-IN 23
 TOTAL 28

TABLE 5

SIMULATION MODEL PARAMETERS
PENROSE "B" UNIT
LEA COUNTY, NEW MEXICO

Model Configuration

| | |
|--------------------------------------|------------------|
| Number of Layers | Single-Layer |
| Layer Thickness (Feet) | 20 |
| Number of Blocks and Dimension/Block | 72 @ 933' x 933' |
| Area/Block (Acres) | 20 |
| Size: X times Y (Feet) | 8,397 x 7,464 |
| Model Area (Acres) | 1,438.8 |
| Mid-Point Elevation (Feet) | 3,600 |

Rock Properties

| | |
|-------------------------|------------|
| Permeability Range (md) | 0.5 - 50.0 |
| Porosity Range (%) | 9 - 23 |

Fluid Properties

| | |
|--|-------|
| Residual Oil Saturation, % | 32.0 |
| Immobile Water Saturation, % | 34.0 |
| Critical Gas Saturation, % | 1.0 |
| Oil Gravity, Degree API | 37 |
| Estimated Gas Gravity | 0.8 |
| Initial Bottom-Hole Pressure (Psia) | 1,730 |
| Initial Formation - Volume Factor | 1.16 |
| Oil Viscosity At Initial Bottom-Hole Pressure (cp) | 1.97 |
| Solution Gas-Oil Ratio (SCF/BBL) | 300 |
| Initial Oil Saturation, S_o (Decimal) | 0.66 |
| Initial Water Saturation, S_w (Decimal) | 0.34 |

Initial Fluid Volume

| | |
|------------------------------|--------|
| Oil-In-Place (MMSTB) | 17.749 |
| Water-In-Place (MMSTB) | 11.255 |
| Solution Gas-In-Place (BSCF) | 5.246 |
| Free Gas-In-Place (BSCF) | 0.304 |

TABLE 6

SIMULATION MODEL DEPLETION RESULTS
PENROSE "B" UNIT
LEA COUNTY, NEW MEXICO

| | Model Results | Actual Results |
|---|------------------|----------------|
| <u>Primary Depletion</u> | | |
| Pressure (Psia) | 637 | Not Available |
| Average S _o (Decimal) | 0.558 | Not Available |
| Average S _w (Decimal) | 0.350 | Not Available |
| Average S _g (Decimal) | 0.092 | Not Available |
| Cumulative Oil (MBBL) | 1.198 | 1.083 |
| Primary Recovery (Percent of OOIP) | 7.3 | Not Available |
| Cumulative GOR (MCF/BBL) | 1.964 | 1.066 |
| Cumulative Water (MBBL) | 62 | 216 |
| Final Oil Rate (BPD) | 73 | 63 |
| Final GOR (MCF/BBL) | 5.630 | 2.476 |
| Final Water Rate (BWPD) | 9 | 45 |
| Producing Time (Years) | 10.0 | 9.0 |
| Number of Wells | 34 | 34 |
| <u>End of Waterflood (Current Operations)</u> | | |
| Pressure (Psia) | 3,763 | Not Available |
| Average S _o (Decimal) | 0.514 | Not Available |
| Average S _w (Decimal) | 0.486 | Not Available |
| Average S _g (Decimal) | 0 | Not Available |
| Cumulative Oil (MBBL) | 1,952 | 2,070 |
| Total Recovery (Percent of OOIP) | 11.0 | Not Available |
| Cumulative Secondary Oil (MBBL) | 754 | 987 |
| Secondary Oil (Percent of OOIP) | 4.6 | Not Available |
| Secondary/Primary (Ratio) | 0.63 | 0.91 |
| Cumulative GOR (MCF/BBL) | 1.644 | 0.757 |
| Cumulative Water (MBBL) | 1,241 | 10,368 |
| Cumulative WOR (Volume/Volume) | 0.59* | 5.01 |
| Cumulative Injection (MBBL) | 5,602* | 27,355 |
| Estimated Economic Floodout (Years) | 26 | 29.5 @ 4/1/87 |
| Number of Producers | 16 | 16 |
| Number of Injectors | 18 | 18 |

* Reflects effective injection, i. e., all injection restricted to confines of single layer.

TABLE 6

SIMULATION MODEL DEPLETION RESULTS
PENROSE "B" UNIT
LEA COUNTY, NEW MEXICO

| <u>Infill Drillings and 40-Acre, 5-Spot Injection Support</u> | <u>Model Results</u> |
|---|--------------------------|
| Pressure (Psia) | 2,977 |
| Average S _o (Decimal) | 0.469 |
| Average S _w (Decimal) | 0.531 |
| Average S _g (Decimal) | 0 |
| Cumulative Oil (MBBL) | 3,229 |
| Total Recovery (Percent of OOIP) | 18.2 |
| Cumulative Secondary Oil (MBBL) | 1,925 |
| Secondary Oil (Percent of OOIP) | 10.8 |
| Secondary/Primary (Ratio) | 1.48 |
| Incremental Oil Recovery (MBBL) | 1,277 |
| Cumulative GOR (MCF/BBL) | 1,155 |
| Cumulative Water (MBBL) | 13,420 |
| Cumulative WOR (Volume/Volume) | 4.02 |
| Cumulative Injection (MBBL) | 19,290 |
| Cumulative Economic Floodout (Years) | 40 |
| Number of Producers | 29 |
| Number of Injectors | 20 |

TABLE 7

PROPOSED INVESTMENT SCHEDULE
PENROSE "B" UNIT
LEA COUNTY, NEW MEXICO

| Phase | Date | Description | Gross Investment | |
|--------------------------------------|--------------------------------------|--------------------------------------|------------------|---------|
| | | | (M\$) | (M\$) |
| I | October 1987 | Drill 3 Producing Wells (1 Cored) | 465.0 | |
| | November 1987 | Drill 3 Producing Wells | 450.0 | |
| | | Install Satellite Producing Facility | 10.0 | |
| | | Install Injection Facility | 120.0 | |
| | December 1987 | Drill 3 Producing Wells | 450.0 | |
| Install Satellite Producing Facility | | 10.0 | | |
| January 1988 | Drill 1 Producing Well | 150.0 | | |
| | Install Satellite Producing Facility | 5.0 | | |
| | | Total Phase | | 1,660.0 |
| II | January 1988 | Drill 2 Producing Wells | 300.0 | |
| | February 1988 | Drill 3 Producing Wells | 450.0 | |
| | | Workover 5 Producing Wells | 250.0 | |
| | | Convert 9 Wells to Injection | 337.5 | |
| | | Install Injection Facility Expansion | 150.0 | |
| March 1988 | Drill 3 Producing Wells | 450.0 | | |
| | | Total Phase | | 1,937.5 |
| III | April 1988 | Drill 3 Producing Wells | 450.0 | |
| | May 1988 | Drill 3 Producing Wells | 450.0 | |
| | June 1988 | Drill 2 Producing Wells | 300.0 | |
| | | Total Phase | | 1,200.0 |
| | | Total Project | | 4,797.5 |

TABLE 8

WELL COUNT SUMMARY
PENROSE "B" UNIT
LEA COUNTY, NEW MEXICO

| <u>Date</u> | Phase | <u>Producers</u> | | | <u>Injectors</u> | | | <u>Project Total</u> | | |
|-----------------|-------|------------------|------------------|--------------|------------------|------------------|--------------|----------------------|------------------|--------------|
| | | <u>Active</u> | <u>In-Active</u> | <u>Total</u> | <u>Active</u> | <u>In-Active</u> | <u>Total</u> | <u>Active</u> | <u>In-Active</u> | <u>Total</u> |
| <u>Existing</u> | | | | | | | | | | |
| September 1987 | | 29 | 6 | 35 | 5 | 23 | 28 | 34 | 29 | 63 |
| <u>Planned</u> | | | | | | | | | | |
| October 1987 | I | 32 | 6 | 38 | 9 | 19 | 28 | 41 | 25 | 66 |
| November 1987 | I | 35 | 6 | 41 | 13 | 15 | 28 | 48 | 21 | 69 |
| December 1987 | I | 38 | 6 | 44 | 17 | 11 | 28 | 55 | 17 | 72 |
| January 1988 | I | 39 | 6 | 45 | 17 | 11 | 28 | 56 | 17 | 73 |
| January 1988 | II | 41 | 6 | 47 | 17 | 11 | 28 | 58 | 17 | 75 |
| February 1988 | II | 37 | 4 | 41 | 26 | 11 | 37 | 63 | 15 | 78 |
| March 1988 | II | 40 | 4 | 44 | 26 | 11 | 37 | 66 | 15 | 81 |
| April 1988 | III | 43 | 4 | 47 | 26 | 11 | 37 | 69 | 15 | 84 |
| May 1988 | III | 46 | 4 | 50 | 26 | 11 | 37 | 72 | 15 | 87 |
| June 1988 | III | 48 | 4 | 52 | 26 | 11 | 37 | 74 | 15 | 89 |

Note: The projected active well count will be dependent upon success of each phase and as dictated by mechanical conditions and/or activation or de-activation of wells in the interest of more efficient operations.

TABLE 9

SUMMARY OF ECONOMICS
PROJECT WATERFLOOD REDEVELOPMENT
PENROSE "B" UNIT
LEA COUNTY, NEW MEXICO

| | Proved Developed Producing | Proved Undeveloped | | | Total Proved | |
|-------------------------------|----------------------------------|--------------------|----------|-----------|-----------------|--------|
| | | Phase I | Phase II | Phase III | | |
| Effective Date: | ----- September 15, 1987 ----- | | | | | |
| Gross Reserves: | | | | | | |
| Oil (MMBL) | 191 | 752 | 608 | 345 | 1,705 | 1,896 |
| Gas (MMCF) | 57 | 225 | 183 | 103 | 511 | 568 |
| Net Reserves: | | | | | | |
| Oil (MMBL) | 143 | 564 | 456 | 259 | 1,279 | 1,422 |
| Gas (MMCF) | 43 | 169 | 137 | 78 | 384 | 427 |
| Net Operating Revenues: | | | | | | |
| Oil (M\$) | 3,301 | 14,297 | 11,506 | 6,485 | 32,288 | 35,589 |
| Gas (M\$) | 71 | 322 | 259 | 141 | 722 | 793 |
| Total (M\$) | 3,372 | 14,619 | 11,765 | 6,626 | 33,010 | 36,382 |
| Expenses: | | | | | | |
| Wellhead Taxes (M\$) | 252 | 1,091 | 878 | 494 | 2,463 | 2,715 |
| Operating Costs (M\$) | 1,659 | 2,739 | 2,891 | 1,517 | 7,147 | 8,806 |
| Total (M\$) | 1,911 | 3,830 | 3,769 | 2,011 | 9,610 | 11,521 |
| Investments (M\$) | 0 | 1,660 | 1,937 | 1,200 | 4,797 | 4,797 |
| Future Net Revenue: | | | | | | |
| Undiscounted (M\$) | 1,461 | 9,129 | 6,058 | 3,415 | 18,602 | 20,063 |
| Discounted @ 10% (M\$) | 1,030 | 4,524 | 2,758 | 1,553 | 8,835 | 9,865 |
| Payout* (Years) | - | 1.3 | 2.3 | 3.0 | 2.0 | - |
| Annualized Rate of Return (%) | - | 100 | 56.3 | 47.7 | 71.7 | - |
| Profit/Investment Ratio: | | | | | | |
| Undiscounted | - | 6.5 | 4.1 | 3.9 | 4.9 | - |
| Discounted @ 10% | - | 3.8 | 2.5 | 2.4 | 2.9 | - |

* Payout based on project effective date.

RESERVES AND ECONOMICS

PENROSE "B"
 ESCALATED CASE

AS OF SEPTEMBER 15, 1987

T. SCOTT HICKMAN & ASSOC
 PETROLEUM CONSULTANTS

| -END- MO-YR | ---GROSS PRODUCTION--- | | ---NET PRODUCTION--- | | ---PRICES--- | | -----OPERATIONS, M\$----- | | | CAPITAL COSTS, M\$ | CASH FLOW BTAX, M\$ | 10.00 PCT CUM. DISC BTAX, M\$ | |
|-------------------------------|------------------------|--------------|----------------------|--------------|--------------|-------------|---------------------------|----------------------|----------------------|---------------------------------|------------------------|-------------------------------------|-----------|
| | OIL, MMBL | GAS, MMCF | OIL, MMBL | GAS, MMCF | OIL \$/B | GAS \$/M | NET OPER REVENUES | SEV+ADV+ WF TAXES | NET OPER EXPENSES | | | | |
| 12-87 | 22.421 | 6.728 | 16.816 | 5.047 | 18.40 | 1.40 | 316.481 | 23.827 | 80.474 | 1505.000 | -1292.820 | -1275.257 | |
| 12-88 | 252.215 | 75.664 | 189.166 | 56.752 | 19.40 | 1.40 | 3749.277 | 281.959 | 443.489 | 3292.500 | -268.671 | -1621.410 | |
| 12-89 | 229.281 | 68.783 | 171.966 | 51.590 | 19.94 | 1.44 | 3502.760 | 263.198 | 473.130 | .000 | 2766.432 | 710.898 | |
| 12-90 | 188.171 | 56.454 | 141.133 | 42.346 | 20.96 | 1.51 | 3022.706 | 226.792 | 496.800 | .000 | 2299.114 | 2473.007 | |
| 12-91 | 160.101 | 48.026 | 120.079 | 36.021 | 22.04 | 1.59 | 2703.963 | 202.587 | 482.736 | .000 | 2018.640 | 3879.504 | |
| 12-92 | 139.472 | 41.843 | 104.607 | 31.387 | 23.17 | 1.66 | 2476.488 | 185.296 | 506.862 | .000 | 1784.330 | 5009.721 | |
| 12-93 | 123.559 | 37.067 | 92.672 | 27.804 | 24.36 | 1.75 | 2306.410 | 172.341 | 532.207 | .000 | 1601.862 | 5932.121 | |
| 12-94 | 110.855 | 33.258 | 83.145 | 24.947 | 25.61 | 1.83 | 2175.267 | 162.350 | 558.821 | .000 | 1454.096 | 6693.313 | |
| 12-95 | 100.454 | 30.132 | 75.342 | 22.601 | 26.92 | 1.93 | 2071.930 | 154.453 | 586.750 | .000 | 1330.727 | 7326.595 | |
| 12-96 | 91.778 | 27.535 | 68.838 | 20.654 | 28.30 | 2.02 | 1989.795 | 148.167 | 616.098 | .000 | 1225.530 | 7856.795 | |
| 12-97 | 84.389 | 25.317 | 63.295 | 18.991 | 29.74 | 2.12 | 1922.950 | 143.043 | 646.600 | .000 | 1133.307 | 8302.537 | |
| 12-98 | 73.304 | 21.992 | 54.980 | 16.498 | 31.26 | 2.23 | 1755.502 | 130.456 | 634.302 | .000 | 990.744 | 8657.078 | |
| 12-99 | 56.464 | 16.938 | 42.351 | 12.708 | 32.85 | 2.34 | 1421.143 | 105.503 | 448.183 | .000 | 867.457 | 8939.275 | |
| 12- 0 | 48.351 | 14.505 | 36.265 | 10.883 | 34.24 | 2.46 | 1268.642 | 94.107 | 421.313 | .000 | 753.222 | 9161.847 | |
| 12- 1 | 42.113 | 12.634 | 31.587 | 9.478 | 34.40 | 2.58 | 1111.060 | 82.374 | 385.167 | .000 | 643.519 | 9334.914 | |
| S TOT | 1722.928 | 516.876 | 1292.242 | 387.707 | 24.08 | 1.73 | 31794.374 | 2376.453 | 7312.932 | 4797.500 | 17307.489 | 9334.914 | |
| REM. | 173.105 | 51.935 | 129.839 | 38.962 | 34.40 | 3.12 | 4588.113 | 339.374 | 1493.545 | .000 | 2755.194 | 9865.042 | |
| TOTAL | 1896.033 | 568.811 | 1422.081 | 426.669 | 25.03 | 1.86 | 36382.487 | 2715.827 | 8806.477 | 4797.500 | 20062.683 | 9865.042 | |
| CUM. | 3339.303 | 1003.691 | | | | | NET OIL REVENUES (M\$) | 35589.096 | | -----PRESENT WORTH PROFILE----- | | | |
| | | | | | | | NET GAS REVENUES (M\$) | 793.391 | | DISC | PW OF NET | DISC | PW OF NET |
| ULT. | 5235.336 | 1572.502 | | | | | TOTAL REVENUES (M\$) | 36382.487 | | RATE | BTAX, M\$ | RATE | BTAX, M\$ |
| | | | | | | | | | | | | | |
| BTAX RATE OF RETURN (PCT) | | | 83.54 | | | | PROJECT LIFE (YEARS) | 24.232 | .0 | 20062.683 | 30.0 | 3549.760 | |
| BTAX PAYOUT YEARS | | | 1.86 | | | | DISCOUNT RATE (PCT) | 10.000 | 2.0 | 17077.937 | 35.0 | 2836.053 | |
| BTAX PAYOUT YEARS (DISC) | | | 1.99 | | | | GROSS OIL WELLS | 48 | 5.0 | 13682.306 | 40.0 | 2269.103 | |
| BTAX NET INCOME/INVEST | | | 5.18 | | | | GROSS GAS WELLS | .000 | 8.0 | 11182.382 | 45.0 | 1809.371 | |
| BTAX NET INCOME/INVEST (DISC) | | | 3.14 | | | | GROSS WELLS | 48 | 10.0 | 9865.042 | 50.0 | 1430.120 | |
| | | | | | | | | | 12.0 | 8757.057 | 60.0 | 843.856 | |
| | | | | | | | | | 15.0 | 7396.381 | 70.0 | 414.734 | |
| | | | | | | | | | 18.0 | 6308.070 | 80.0 | 89.541 | |
| | | | | | | | | | 20.0 | 5698.037 | 90.0 | -163.603 | |
| | | | | | | | | | 25.0 | 4471.126 | 100.0 | -364.921 | |

