**UNITED STATES** DEPARTMENT OF THE INTERIOR FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

## BUREAU OF LAND MANAGEMENT 5. Lease Serial No. NMLC037777A

**SUNDRY NOTICES AND REPORTS ON WELLS** 

Do not use thi abandoned wel	6. I	6. If Indian, Allottee or Tribe Name					
SUBMIT IN T	TRIPLICATE - Other instructions or	n page 2	7. I	f Unit or CA/Agree	ment, Name and/or No.		
1. Type of Well				Vell Name and No.			
☑ Oil Well ☐ Gas Well ☐ Oth		LEVERS 5					
<ol><li>Name of Operator MCI OPERATING OF NM LLC</li></ol>		9. API Well No. 30-015-22443-00-S1					
3a. Address 107 MAIN STREET SEALY, TX 77474	3b. Phone N Ph: 432-5	o. (include area code) 63-3355		10. Field and Pool or Exploratory Area GRAYBURG JACKSON-SR-Q-GRBG-S			
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description)		11.	County or Parish, S	tate	_	
Sec 33 T16S R29E SWSW 66	E	EDDY COUNTY, NM					
12. CHECK THE AF	PPROPRIATE BOX(ES) TO INDICA	ATE NATURE O	F NOTICE, REP	ORT, OR OTH	ER DATA		
TYPE OF SUBMISSION							
	☐ Acidize ☐ De	epen	☐ Production (S	Start/Resume)	☐ Water Shut-Off		
☐ Notice of Intent	☐ Alter Casing ☐ Hy	draulic Fracturing	☐ Reclamation		■ Well Integrity		
Subsequent Report	☐ Casing Repair ☐ Ne	w Construction	□ Recomplete		☐ Other		
☐ Final Abandonment Notice	☐ Change Plans			Abandon			
	☐ Convert to Injection ☐ Plu	ıg Back	☐ Water Disposal				
7/29/20 - Circ hole w/ MLF. Te	95 rods. Tubing stuck BLM. Cut Tbg @ 2100' & POOH. Set ( est csg to 500#, held good. Cap BP w RIH Tbg to 379' - pump 54sx cmt to s	/ 25sx cmt. Spot 2	5sx cmt @ 730'	-			
14. I hereby certify that the foregoing is	Electronic Submission #524025 verifi			tem			
Com	For MCI OPERATING OF N mitted to AFMSS for processing by PRI			M0403SE)			
Name (Printed/Typed) SUSAN M	AUNDER	Title SR. CO	ORDINATOR - F	REGULATORY			
Signature (Electronic S	Submission)	Date 08/03/20	)20	gc 9/2	2/2020		
	THIS SPACE FOR FEDER	AL OR STATE (	OFFICE USE	Accepted fo	or record – NMOCI	D	
Approved By ACCEPT	ED		MCKINNEY STRUMENTS EX	KAMINER	Date 08/07/20:	20	
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to conductive the conductive transfer of the conductive t	d. Approval of this notice does not warrant or iitable title to those rights in the subject lease act operations thereon.	Office Carlsbac	I				
	U.S.C. Section 1212, make it a crime for any patternents or representations as to any matter		willfully to make to	any department or a	agency of the United		

## Revisions to Operator-Submitted EC Data for Sundry Notice #524025

**Operator Submitted BLM Revised (AFMSS)** 

ABD SR ABD SR Sundry Type:

NMLC037777A NMLC037777A Lease:

Agreement:

Operator: **CONOCOPHILLIPS COMPANY** MCI OPERATING OF NM LLC

925 ELDRIDGE PKWY HOUSTON, TX 77079 107 MAIN STREET SEALY, TX 77474 Ph: 432-688-6938 Ph: 979 885 3355

**GREG BRYANT GREG BRYANT** Admin Contact:

AGENT AGENT

E-Mail: greg.bryant@basicenergyservices.com E-Mail: greg.bryant@basicenergyservices.com

Ph: 432-563-3355 Ph: 432-563-3355

Tech Contact: SUSAN MAUNDER

SUSAN MAUNDER SR. COORDINATOR - REGULATORY E-Mail: susan.b.maunder@conocophillips.com SR. COORDINATOR - REGULATORY E-Mail: susan.b.maunder@conocophillips.com

Ph: 432-688-6938 Ph: 432-269-4378

Location:

NM EDDY NM EDDY State: County:

Field/Pool: GRAYBURG JACKSON-SR-Q-GRB GRAYBURG JACKSON-SR-Q-GRBG-SA

Well/Facility:

LEVERS 5 Sec 33 T16S R29E 660FSL 660FWL LEVERS 5 Sec 33 T16S R29E SWSW 660FSL 660FWL

## WELLBORE SKETCH ConocoPhillips Company -- Permian Basin Business Unit

						Date: 8/12/2020
RKB@						·
DF @	00001	0				
GL @	3602	Subarea : Lease & Well N	<u> </u>	Levers #5		
		Legal Description			-16S, R-29-E	
		County:		Eddy	State :	New Mexico
		Field :		Grbg Jacks		
	Circ 54sx cmt @ 379'-3' (7/29/20)	Date Spudded :		2/12/1978		
	Surface	API Number :	30-015-2	2443		
	8-5/8", 24#/ft, to 302'					
	Cmt'd w/ 115 SX_ TOC - Circ				Operator Number	er:
					Lease ID: Field Number:	
					riela Nullibel.	
	Spot 25sx cmt @ 730'-530' - Tag @ 506' (7/29/20)					
	Production					
	5-1/2", 15.5# /ft, to 2530'					
	Cmt'd w/ 750 SX, TOC Circ					
	Spot 25sx cmt @ 2100'-1853' (7/29/20)					
	Set CIBP @ 2100' (7/28/20)					
	Doublet 22501 24001					
1881	Perf'd 2258' - 2488'					
la.						
li ilg	TD @ 2560'					