Form 3160-5 (June 2015)

OCD – REC'D 9/17/2020

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

5. Lease Serial No.

NMNM0331649

Do not use this abandoned wel	s form for proposals to I. Use form 3160-3 (API	drill or to re-enter an D) for such proposals	:	6. If Indian, Allottee or Trib	e Name
SUBMIT IN 1	RIPLICATE - Other inst	tructions on page 2		7. If Unit or CA/Agreement	t, Name and/or No.
1. Type of Well ☐ Oil Well ☐ Gas Well ☐ Oth	er			8. Well Name and No. BOEING FED 2 1	
Name of Operator     WPX ENERGY PERMIAN LLC	Contact:	CAITLIN O'HAIR r@wpxenergy.com		9. API Well No. 30-015-26682-00-S <sup>2</sup>	1
3a. Address 3500 ONE WILLIAMS CENTE TULSA, OK 74172	R MD 35	3b. Phone No. (include ar Ph: 539-573-3527	ea code)	10. Field and Pool or Explo CARLSBAD	oratory Area
4. Location of Well (Footage, Sec., T	, R., M., or Survey Description	)		11. County or Parish, State	i i
Sec 2 T23S R26E SWNW 198	30FNL 814FWL			EDDY COUNTY, N	М
12. CHECK THE AI	PPROPRIATE BOX(ES)	TO INDICATE NATU	JRE OF NOTIO	CE, REPORT, OR OTHER	DATA
TYPE OF SUBMISSION		5000	YPE OF ACTION		
Notice of Intent	☐ Acidize	□ Deepen	PROPPOO	duction (Start/Resonne)	Water Shut-Off
_	☐ Alter Casing	☐ Hydraulic Frac	turing Rec	amation EMENTS AR	Well Integrity
☐ Subsequent Report	□ Casing Repair	☐ New Construc	ion CIA Rec	empletel/LIVILIVIO A	ther
☐ Final Abandonment Notice	☐ Change Plans	Plug and Abar	rdon AD Jehr	porarily Abandon	
	☐ Convert to Injection	☐ Plug Back 🋕	TACHED at	er Disposal	
15. Describe roposed of Completed Op If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f WPX ENERGY PERMIAN, LL 1. MIRU plugging equipment. 2. POH w/ tbg & Packer. RIH 10725-10500. 3. Spot 26°sx class H @ 83204. Perf & Sqz 45°sx Class C @ 37006. Perf & Sqz 45°sx class C @ 37006. Perf & Sqz 45°sx class C @ 7. Perf & Sqz 45°sx class C @ 7. Perf & Sqz 45°sx class C @ 9. Cut off wellhead and install	rk will be performed or provide a operations. If the operation repardions in the operation repardion in the operation repardion in the operation in the operation.  Crespectfully requests to the operation in the	e the Bond No. on file with Besults in a multiple completic led only after all requirements of P&A the above mention 1725'. Circulate hole w/ (-4553') g. (54	SIM/BIA. Requires on or recompletion its, including reclams oned well.  MLF.Spot 25 sx	d subsequent reports must be filed in a new interval, a Form 3160-4 n lation, have been completed and the Class H lenk fest	must be filed once the operator has
14. I hereby certify that the foregoing is	Electronic Submission	\$529578 verified by the E ERGY PERMIAN LLC, se cessing by PRISCILLA P	nt to the Carlsba	ad	
Name (Printed/Typed) CAITLIN	O'HAIR	Title	REGULATORY	TECH II	
Signature (Electronic	Submission)	Date	09/10/2020		
	THIS SPACE F	OR FEDERAL OR S	TATE OFFICE	E USE Accepted for record	- NMOCD gc 9/23/2020
Approved By Long Vo	ed. Approval of this notice doe	es not warrant or	Petroleum	Englineer	Date 9/15/242
certify that the applicant holds legal or ec which would entitle the applicant to cond	uct operations thereon.	Office			CA TI ' I
Title 18 U.S.C. Section 1001 and Title 43	3 U.S.C. Section 1212, make it	a crime for any person know	ingly and willfully	to make to any department or age	ncy of the United

States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2) \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\*

## Additional data for EC transaction #529578 that would not fit on the form

## 32. Additional remarks, continued

Please see the attached for the current and proposed WBDs.

WPXENERGY.

	-	FOLIA						19	11940	MD (KB)	
THE RESERVE TO SERVE THE PARTY OF THE PARTY	API: LOCATION:							TVD: PSTD: KB ELEVATION:	11902	TVO (KB) MD (KB) 18	
2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	FORMATION:	RUSTLER BREAKS BONE SPRING GROUP PLUNCER	1	10 S 55	face	verify@surface (su/lost)		M A	3280 32.3355784 N/A	-104.2683047	
			CASS	CASING RECORD							
	SURFACE CASING O.D.	SING WIFE.	GRADE	OHT.	706		CMT (SX)	· Olivina province			
25.00	12(8)	1	1709 (In land) was \$145	+> 40c	414 F	920	680				
á a	0.D.	WI.FT.	GRADE	THD	TOP	8TM 5400	CMT (SX)				
	Table of the same	(54501-58961) was \$1AG	(,)	40C \$7A	12						
a coord	5.500°		GRADE	ТНО	TOP 0,000*	81M	CMT (SX)	700	CAlc	706 CAIC +1- 2685	
\$ 4.75	ZONE - Stage	TOP	PERFORATION RECORD	CORD Gross Perts	Net Peris	Shots (807)		Tubbre and Packer dates	1948	TUBING DETAIL.	
	Section of the contract of the		10,794					K8			18:00
wat,		10,946	10,854				0.0	2-3/8" & S# J-55 EUF LUDING	ubing		10,586,00"
·		11,028	11,036		0000			DEPTH OF SNPLUNGER UNIONOWN	SER UNKNOW	7	
2		11,700	11.774								
ा		11,733	11,742								
N	-	11,807	11,809								
Dr.		11,836	11,648								
iš s	-						200				
		THE RESIDENCE AND ASSESSMENT OF THE PROPERTY O			-				-		1
4 5 5 5 5 6 4 6 6 6 6 6 6 6 6 6 6 6 6 6	9750-9578	01-9573) W. Camp @ 9700	am 5	9700			•		B0000000000000000000000000000000000000		
and the second											
CHES	44 9	さんかん とります		, , , , , ,	9		i	,			
		֡֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜		-	-	000			1		

8.50 5400' Delaware @ 1777' Wolf Camp @ 9700'

COUNTY: E	API: LOCATION: LOCATION: 13.375 @ 520 (MD) FELLD AREA: FORMATION: LIFT TYPE:		SUBPACE CASING O.D. 13,375*		0.0. 8.5.8	9.625 @ 5,400' (MD) PRODUCTION LINE	5.500°		ZONE - Stage										
EDDY NM	30-015-26832 02-239-26E RUSTLER BREAKS BONE SPRING GROUP PLUNGER		WLÆT.	SING	WLFT.	1	WITH		4OT	10,778	10,845	11,038	11,700	11,733	11,807	11,838	***************************************	1	
M		CASIN	GRADE		GRADE	201	GHADE		BOTTOM Gras	10,794	10,854	11,094	11,774	11,742	11,809	11,848			
		CASING RECORD	1110		OH I		OHI		Grass Peris										
	and the state of t		10P 0.000°		0 0	Company of the Control of the Contro	0,000"		Net Perfs									***************************************	
			8TW 620		8TM 5400		11940		Shots (60°)										
SPUD DATE: TD: TVD;	PBTD: KB ELEVATION: GL ELEVATION: SURFACE LATLONG: KOP:		CMT (SX)	***************************************	CANT (S.K) 2.080°		1215		Tubino an	WB	2-38" 6.58	DEPTHO						L	
	11902 ATION: 3298 ATION: 3280 FLONG: 32.3355764 KOP: NA								Tubino and Packer detail		2-3/8" 6.5# J-55 EUE tubling	DEPTH OF SMPLUNGER UNKNOWN	-			-			
992 40 MD (KB) TVD (KB)								×	11		W. C.	WWWW				**************************************			
	93047								TUBING DETAIL.										
									A south (ft)	-	10,886,00		-						
					i e				Ton Dacils (8)	r	18,000	-							

## BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

## Permanent Abandonment of Federal Wells Conditions of Approval

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90<sup>th</sup> day provide this office, prior to the 90<sup>th</sup> day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

- 2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-393-3612.
- 3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.
- 4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of **brine** water. Minimum nine (9) pounds per gallon.
- 5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

6. <u>Dry Hole Marker</u>: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10<sup>th</sup> day, the BLM is to be contacted with justification to receive an extension for completing the cut off.

The well bore shall then be capped with a 4-inch pipe, 10-feet in length, 4 feet above ground and embedded in cement, unless otherwise noted in COA (requirements will be attached). The following information shall be permanently inscribed on the dry hole marker: well name and number, name of the operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds).

- 7. <u>Subsequent Plugging Reporting:</u> Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. **Show date well was plugged.**
- 8. <u>Trash:</u> All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.



## United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

#### Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of
  Operations must include adequate measures for stabilization and reclamation of disturbed lands.
  Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD
  process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Melissa Horn Environmental Protection Specialist 575-234-5951

Kelsey Wade Environmental Protection Specialist 575-234-2220

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612 Form 3160-5 (June 2015)

#### **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018 5. Lease Serial No. NMNM0331649

**SUNDRY NOTICES AND REPORTS ON WELLS** Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

6. If Indian, Allottee or Tribe Name

SUBMIT IN 1	TRIPLICATE - Other instructi	ons on page 2	7. If Unit or C.	A/Agreement, Name and/or No.
Type of Well     Oil Well	er		8. Well Name a BOEING F	
Name of Operator     WPX ENERGY PERMIAN LLC	Contact: CAIT E-Mail: caitlin.ohair@wp		9. API Well N 30-015-26	o. 6682-00-S1
3a. Address 3500 ONE WILLIAMS CENTE TULSA, OK 74172		Phone No. (include area code) 539-573-3527	10. Field and I CARLSBA	Pool or Exploratory Area AD
4. Location of Well (Footage, Sec., T.	, R., M., or Survey Description)		11. County or	Parish, State
Sec 2 T23S R26E SWNW 198	80FNL 814FWL		EDDY CO	DUNTY, NM
12. CHECK THE AP	PPROPRIATE BOX(ES) TO I	NDICATE NATURE OF	F NOTICE, REPORT, OI	R OTHER DATA
TYPE OF SUBMISSION		TYPE OF	ACTION	
Notice of Intent     ■	☐ Acidize	☐ Deepen	☐ Production (Start/Resu	me)
_	☐ Alter Casing	☐ Hydraulic Fracturing	□ Reclamation	■ Well Integrity
☐ Subsequent Report	□ Casing Repair	■ New Construction	□ Recomplete	☐ Other
☐ Final Abandonment Notice	☐ Change Plans	☑ Plug and Abandon	□ Temporarily Abandon	
	☐ Convert to Injection	☐ Plug Back	■ Water Disposal	
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi WPX ENERGY PERMIAN, LL.  1. MIRU plugging equipment. 12. POH w/ tbg & Packer. RIH a 10725-10500. 3. Spot 20 sx class H @ 8320-4. Perf & Sqz 45 sx Class C @ 5. Spot 25 sx class C @ 3700-6. Perf & Sqz 45 sx class C @ 7. Perf & Sqz 45 sx class C @ 8. Spot 10 sx surface plug. 9. Cut off wellhead and install	operations. If the operation results in andonment Notices must be filed only nal inspection.  C respectfully requests to P&A  ND WH. NU BOP. and set 5 1/2 CIBP @ 10725'.  8070. 25450-5350. WOC & Tag. 3550. 2650-2550. WOC & Tag. 570-470. WOC & Tag.	a a multiple completion or record after all requirements, including the above mentioned we	mpletion in a new interval, a Fong reclamation, have been com	orm 3160-4 must be filed once
14. I hereby certify that the foregoing is	Electronic Submission #52957	PERMIAN LĹC, sent to the	Carlsbad	
Name(Printed/Typed) CAITLIN C	D'HAIR	Title REGUL/	ATORY TECH II	
Signature (Electronic S		Date 09/10/20		
	I III SPACE FUR F	EDERAL OR STATE (	OLLICE RSE	
_Approved By LONG VO		TitlePETROLE	UM ENGINEER	Date 09/15/2020
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to conduction	hitable title to those rights in the subject operations thereon.	Office Carlsbac		
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s			willfully to make to any departs	ment or agency of the United

## Additional data for EC transaction #529578 that would not fit on the form

## 32. Additional remarks, continued

Please see the attached for the current and proposed WBDs.

#### Revisions to Operator-Submitted EC Data for Sundry Notice #529578

**Operator Submitted BLM Revised (AFMSS)** 

ABD NOI Sundry Type: NOI

NMNM0331649 NMNM0331649 Lease:

Agreement:

Operator: WPX ENERGY PERMIAN LLC

WPX ENERGY PERMIAN, LLC 3500 ONE WILLIAMS CENTER MD 35 TULSA, OK 74103 3500 ONE WILLIAMS CENTER MD 35 TULSA, OK 74172

Ph: 539-573-3527 Ph: 855 979 2012

CAITLIN O'HAIR REGULATORY SPECIALIST CAITLIN O'HAIR REGULATORY TECH II Admin Contact:

E-Mail: caitlin.ohair@wpxenergy.com E-Mail: caitlin.ohair@wpxenergy.com Cell: 918-891-5617

Ph: 539-573-3527 Ph: 539-573-3527

CAITLIN O'HAIR REGULATORY SPECIALIST Tech Contact:

CAITLIN O'HAIR REGULATORY TECH II E-Mail: caitlin.ohair@wpxenergy.com E-Mail: caitlin.ohair@wpxenergy.com

Cell: 918-891-5617 Ph: 539-573-3527 Ph: 539-573-3527

Location:

NM EDDY NM EDDY State: County:

Field/Pool: CARLSBAD; ATOKA, SOUTH **CARLSBAD** 

BOEING 2 FEDERAL COM 001 Sec 2 T23S R26E 1980FNL 814FWL 32.335720 N Lat, 104.269523 W Lon Well/Facility: **BOEING FED 21** 

Sec 2 T23S R26E SWNW 1980FNL 814FWL