Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

Do not use thi	NOTICES AND REPO is form for proposals to II. Use form 3160-3 (API	drill or to re-enter	nn nls.		N	ease Serial No. NMNM0331649 f Indian, Allottee of		e Name
SUBMIT IN	TRIPLICATE - Other inst	tructions on page 2			7. If	f Unit or CA/Agre	ement,	Name and/or No.
Type of Well	ner					ell Name and No.		i
Name of Operator WPX ENERGY PERMIAN LLC	Contact:	CAITLIN O'HAIR r@wpxenergy.com				API Well No. 80-015-27737-0	00-S1	
3a. Address 3500 ONE WILLIAMS CENTE TULSA, OK 74172	R MD 35	3b. Phone No. (include Ph: 539-573-3527	area code)			Field and Pool or IAPPY VALLE		atory Area
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description)			11.	County or Parish,	State	
Sec 33 T22S R26E SWSE EDDY COUNTY, NM								
12. CHECK THE AF	PPROPRIATE BOX(ES)	TO INDICATE NA	TURE O	F NOTICI	E, REP	ORT, OR OTI	HER I	DATA
TYPE OF SUBMISSION TYPE OF ACTION								
 Notice of Intent ☐ Subsequent Report ☐ Final Abandonment Notice 13. Describe Proposed or Completed Opposed on Complete Opposed Oppose	□ Subsequent Report □ Alter Casing □ Hydraulic Fracturing □ Reclamation □ Well Integrated the properties of the proper							
testing has been completed. Final Abdetermined that the site is ready for fit WPX ENERGY PERMIAN, LL 1. Set 5 1/2 CIBP @ 2450. Cir Tag. 2. Perf & Sqz 35 sx @ 4705-4: 3. Spot 50 sx @ 400-surface. 4. Cut off wellhead and weld of Please see the attached for the	nal inspection. C requests to P&A the above thole w/ MLF. Pressure 605. WOC & Tag. (1838) In Dry Hole Marker. E current and proposed V	test casing. Spot 30	SX @ 245 APP GEN SPE	60-2150. W 1788') ROVAL ERAL F	oc & SUE REQU	BJECT TO JIREMENT LATIONS		
14. I hereby certify that the foregoing is Com Name (Printed/Typed) CAITLIN C	#! Electronic Submission For WPX ENER mitted to AFMSS for proce	529782 verified by the RGY PERMIAN LLC, s essing by PRISCILLA Title	PEREZ or	I Information Carlsbad 09/14/202	0 (20PP	em P4137SE)		
Signature (Electronic S	ubmission)	Date	09/14/20)20				
	THIS SPACE FO	R FEDERAL OR	STATE (OFFICE (JSE	Accepted for rec	ord – N	MOCD gc 9/23/2020
_Approved By Long Vo	sur-	Title	Petrole	eum l	Engin	eer		Date 9/15/20>0
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to conductive the conductive to the conductive that the conductive the conductive that the conductive that the conductiv	itable title to those rights in the	not warrant or subject lease Office	CFG	3	<u> </u>			
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s	U.S.C. Section 1212, make it a tatements or representations as	crime for any person kno to any matter within its j	wingly and risdiction.	willfully to r	nake to a	any department or	agency	of the United
(Instructions on page 2) ** BLM REVI	SED ** BLM REVISED	** BLM REVISE) ** BLM	REVISE	D ** B	BLM REVISE	D **	

WPXENERGY

TUDING DETAIL TUDING	金里が収		WELL:	RAM EWE FEDERAL 3			or the other property and property or the property of	The second second second	Aliga	-	-	a necessary of the contract of	An executable desire of the control	
The control of the	V		COUNTY	EDDY					TD:					
Particular Par			ADI:	NM Ser cares					TVD:				on A dollar	
THE DATE OF THE PROPERTY OF), ()		LOCATION-	29.000.000					PRID		(BX) OW			
CLASS CARROWNER WITH GROUP COASTA RECORD			FIELD / AREA:	RUSTI ER RREAKS					KBEL					
1983 1982 1982 1982 1982 1982 1983			FORMATION:	DELAWARE MTN GRO	d)				SURFACE				•	
STATE STAT					Weremanical contract, to special descendant despen		Continues of the Contin							
NITEMACE CASHO NITE	. <u> </u>					CAS	MG RECORD				-		go consequence de con	
13.05 W.F.T. Galder Tho Top STM Galfer	2000 1000 1000 1000 1000 1000 1000 1000		SURFACE CASI	NO							1			
SECONDATION CANADA CANAD			C.D.		GRADE	THD	TOP	BTM	CMT (3X)					
STERNEDMIE CLANG STERNEDMIE CLANGE THO TOP STIM CHITCON			13.38	54.5	155	570	Ø.	350,	Surface					
CINE State Wife			INTERMEDIATE											
CARS 0 ASST 0 A	3		0.D.	WTAFT.	GRADE	THD	TOP	ВТМ	CMT (SX)					
A	H			**	920	***************************************	0	1655	Surface					
1836 160	XC 8828 9.1	(014),999	PRODUCTION	NER			Account, typesmiller printing speciments.							
		-	0.0.	Н	GRADE	CHI	TOP	STM	CMT /8%					
	STATE OF THE PARTY.		6 1/2	15,50	358	LTC	0.000*	3058	Surface					
1838-1605 2018-38-38 70P 80710M Groves Parts Wr.Perts Stores (80°) 100	0	× × ×												
1838 - 1605 TOP BOTTOM Gross Paris Nut Paris Sivos (607) TUBING DETAIL TUBING	-	9	9	5.0	, ecc.,	203	3							
CONE. Single TOP BOTTOM Grove Paris New Paris Shoke BUT New Paris Shoke BUT New Paris Shoke BUT New Paris Shoke BUT Shoke Shoke BUT Shoke Sh	C	109178	1		PERFORATION RE	CORD					TUBIN	3 DETAIL		
			ZONE - Stags	, TOP	П	Gross Peris	Nat Perfe	Shots (60°)	Tubing	atul Dacker detail			П	
De a ware 1788 2 100 278 264 - 358 156 156 278	25.20			2,479	2,492				S N	10000		No. Jis	ŀ	No. of Co.
Je la ware 1788 270° 55 4-55 EVE White 2 2.00°	0.201								2-7/8" 8	.5# J-55 EUE tubing	-	73	14.00	
Delaware 1788 Strategies Control of the con	3 C S								2 7/8			-	2.00°	
CLOIC 24450. C.	4-3	,	11		100				TAC	De d'ob ave labard		61		
Spart So St. C. 2450	15		10 a 20	الم	×				2-7/8" 8	57 J-55 EUF tubing		1	2397	
Sport 30 St. C. 2450 - 2150 - 4150 -	e s				1				Z 20		-	å	9558	
CLOIC 24450. CI.C. MLF. Paratur Lest Cs. Sport 30 St. C. 2450. Lest Cs. ROD STRING DETAIL ROD STRING DETAIL DETAI	s C Sev								Pert Sur				N. J. D. C.	
Sport 30 St. C. 2450. Lines on that Cs. Robstrike Detail Sport 30 St. C. 2450. 4150. Lines on the Type OD Lingth Rode Type Peny 18 3 707 X8 67 100 Page WFST Co. St. C. 2450. 4150. Lines on the St. C. 2450. St. C	, No. 10								Mud Jos	12				
Sport 30 St. C. 2450 - 2150 . Wet Cs. Sport 30 St. C. 2450 - 2150 . Wet The Open Lingle Rose Play 1260 15 150 150 150 150 150 150 150 150 150	0.40										***************************************		2,594,06	
1 1 1 1 1 1 1 1 1 1	at	, Š	240	3:10:0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9	t the	est Cs	1					
Type OD Length Rode	<u> </u>	200			1012	2772	3	100			ROE	STRING DETA		
Fig. Cop Langth Rode Fig. Cop Langth Rode Fig. Cop	e da	E				State of the state						o land vice	A	
Poly 1/290" 14 3 1/290" 14	N _a sii								90	-	Length	Rods	Туре	
7.08" 6197 75 1767 7.08 65 1767 2.255 65	trace.								Prov	1.250	16.			
797 (85)	444.4.8.3.4.3 p. 3.4.4.		A PARTY COMPANY COMPANY CO.						.8/2		NE KERO!	0 8	7/8" X S' 4" KD Pony Rods	
. 6.	to a second seco	frank .							34.		1,625	65	KD Rods w/FST Crunting	***************************************
									7/16*		225	a	KD Rods w/ FRT Chambaos	-

Hat 32.3438644 Yong-104.3958145

2 1/2'x1 W-x16' RHAC, Brass NICarb Barrel, 001, 3' Sr Tambun/Carbide, Stainless Steel Trim, 1 5/8' Flef Andrews Pump

											2 1/2/x1 W/x16' RHAC, Brass NiCart Berrel (001, 2' St. Tennimm/Cartho, Stehlese Steal Term 1 5/8' Dist
e e e e e e e e e e e e e e e e e e e						Reposit (B) Test Mepth (B)	74,00° 2,00° 2,397′	2.558 2.554.00°		Type 7/8 K E 4 4 KiD Pony Rods RD Rods W FST Couplings KD Rods W FST Couplings KD Rods W FST Couplings	RHAC
MD (KB) TVD (KB) MD (KB)					TUBING DETAIL	No.	2 - 2 - 23		ROD STRING DETAIL	16 7 16 8 16 16 16 16 16 16 16 16 16 16 16 16 16	.91
3055 WATION: 3842 WATION: 3828 ATLONG: NA						ubing and Packer detail	2.778* 6.58 J.55 E.LK Libing 2.778* 6.58 J.55 E.LE Libing 2.778* 6.58 J.55 E.LE Libing 2.778* 6.54 J.58 E.LE Libing	Int		1yee 0.0	dmp dicale
TD: TVD: PBTD: KRELLE GLELE SUBFACEL		CMT (SX) Surface	CMT (SX) Surface	CMT (SX)			2.778° C 2.78°	Per Sub Mud John Buf Pug		PR POTY 778" 778" 778" 778" 778"	Insert Pump strainer risole
	CASING RECORD	TOP 87%	70P BTM	TOP BTM 5.200° 3055		Nat Perfe Shots (60°)					
	CASING	E THD STC	THD	THD	N RECORD	Gross Perfs					
EODY NM 30-015-27737 33-225-26 RUSTLER BREAKS DELAWARE MTN GROUP		WT.FT. GRADE 54.5 J.55	WT.FT. GRADE 24 J 56	WT.#T. GRADE 15.50 J.55	PERFORATION RECORD	2479 SOTTOM 2479 2,492					
STATE: NM API: 30-016-27787 LOCATION: 33-225-26E FIELD / AREA: PUSTLER BR FORMATION: DELAWARE N		SURFACE CASING O.D. 13 3/8	NTERMEDIATE CASING O.D. 8 S/4	PRODUCTION LINER O.D. 5 1/2		ZONE - Stage					
				8.525 th 1,865 (MD)				0	**************************************	6.5 & 2,065 (MD)	

Hat 32.3438644 Harg-104.3958145

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Permanent Abandonment of Federal Wells Conditions of Approval

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90th day provide this office, prior to the 90th day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

- 2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-393-3612.
- 3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.
- 4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of **brine** water. Minimum nine (9) pounds per gallon.
- 5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

6. <u>Dry Hole Marker</u>: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10th day, the BLM is to be contacted with justification to receive an extension for completing the cut off.

The well bore shall then be capped with a 4-inch pipe, 10-feet in length, 4 feet above ground and embedded in cement, unless otherwise noted in COA (requirements will be attached). The following information shall be permanently inscribed on the dry hole marker: well name and number, name of the operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds).

- 7. <u>Subsequent Plugging Reporting:</u> Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. **Show date well was plugged.**
- 8. <u>Trash:</u> All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Melissa Horn Environmental Protection Specialist 575-234-5951

Kelsey Wade Environmental Protection Specialist 575-234-2220

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612 Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018 5. Lease Serial No. NMNM0331649A

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

6. If Indian, Allottee or Tribe Name

SUBMIT IN	TRIPLICATE - Other inst	ructions on	page 2		7. If Unit or CA/Agree	ment, Name and/or No.
Type of Well Gas Well	ner				8. Well Name and No. RAM EWE FEDER	RAL 3
2. Name of Operator WPX ENERGY PERMIAN LLC	Contact: C	CAITLIN O'H ·@wpxenergy.o			9. API Well No. 30-015-27737-00	0-S1
3a. Address 3500 ONE WILLIAMS CENTE TULSA, OK 74172	ER MD 35	3b. Phone No Ph: 539-57	(include area code) 3-3527		10. Field and Pool or E HAPPY VALLEY	xploratory Area
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description))			11. County or Parish, S	tate
Sec 33 T22S R26E SWSE					EDDY COUNTY	, NM
12. CHECK THE AI	PPROPRIATE BOX(ES)	TO INDICA	ΓE NATURE O	F NOTICE, I	REPORT, OR OTH	ER DATA
TYPE OF SUBMISSION			ТҮРЕ О	F ACTION		
Notice of Intent	☐ Acidize	□ Dee	oen	☐ Production	on (Start/Resume)	☐ Water Shut-Off
➤ Notice of Intent	☐ Alter Casing	☐ Hyd	raulic Fracturing	□ Reclamat	tion	■ Well Integrity
☐ Subsequent Report	☐ Casing Repair	☐ New	Construction	□ Recompl	ete	☐ Other
☐ Final Abandonment Notice						
	☐ Convert to Injection	Back	■ Water Di	sposal		
testing has been completed. Final At determined that the site is ready for fr WPX ENERGY PERMIAN, LL 1. Set 5 1/2 CIBP @ 2450. Cit Tag. 2. Perf & Sqz 35 sx @ 1705-1 3. Spot 50 sx @ 400-surface. 4. Cut off wellhead and weld of the Please see the attached for the Tag.	inal inspection. C requests to P&A the above the chole w/ MLF. Pressure to 605. WOC & Tag. In Dry Hole Marker. The current and proposed Wester and correct.	ove reference test casing. S /BDs.	e well. pot 30 sx @ 245	50-2150. WO	C &	nd the operator has
	Electronic Submission #5	RGY PERMIA	I LLC, sent to the	e Carlsbad	-	
Name(Printed/Typed) CAITLIN (D'HAIR		Title REGUL	ATORY TEC	H II	
Signature (Electronic S	Submission)		Date 09/14/2	020		
	THIS SPACE FO	R FEDERA	L OR STATE	OFFICE US	E	
Approved By LONG VO			TitlePETROLE	UM ENGINE	ER	Date 09/15/2020
Conditions of approval, if any, are attache certify that the applicant holds legal or equ which would entitle the applicant to condu	uitable title to those rights in the		Office Carlsbac			
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent					ke to any department or a	agency of the United

Revisions to Operator-Submitted EC Data for Sundry Notice #529782

Operator Submitted BLM Revised (AFMSS)

ABD NOI Sundry Type: ABD NOI

NMNM0331649 NMNM0331649A Lease:

Agreement:

Operator: WPX ENERGY PERMIAN LLC

WPX ENERGY PERMIAN, LLC 3500 ONE WILLIAMS CENTER MD 35 TULSA, OK 74103 3500 ONE WILLIAMS CENTER MD 35 TULSA, OK 74172

Ph: 539-573-3527 Ph: 855 979 2012

CAITLIN O'HAIR REGULATORY SPECIALIST Admin Contact:

CAITLIN O'HAIR REGULATORY TECH II

E-Mail: caitlin.ohair@wpxenergy.com E-Mail: caitlin.ohair@wpxenergy.com Cell: 918-891-5617

Ph: 539-573-3527 Ph: 539-573-3527

CAITLIN O'HAIR REGULATORY SPECIALIST Tech Contact:

CAITLIN O'HAIR REGULATORY TECH II E-Mail: caitlin.ohair@wpxenergy.com E-Mail: caitlin.ohair@wpxenergy.com

Cell: 918-891-5617 Ph: 539-573-3527 Ph: 539-573-3527

Location:

NM EDDY NM EDDY State: County:

Field/Pool: HAPPY VALLEY; DELAWARE HAPPY VALLEY

Well/Facility: RAM EWE FEDERAL 3

RAM EWE FEDERAL 003 Sec 33 T22S R26E 990FSL 1980FEL Sec 33 T22S R26E SWSE 32.343864 N Lat, 104.295814 W Lon