

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO.  
30-059-20322

5. Indicate Type of Lease  
STATE  FEE

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

BDCDGU-2234

8. Well No.

061

9. Pool name or Wildcat  
Tubb

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:  
OIL WELL  GAS WELL  OTHER CO2

2. Name of Operator  
Amoco Production Company

3. Address of Operator  
PO Box 606, Clayton, NM 88415

4. Well Location  
Unit Letter K : 2075 Feet From The South Line and 2031 Feet From The West Line

Section 6 Township 22N Range 34E NMPM Union County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)  
4818' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data  
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK   
TEMPORARILY ABANDON   
PULL OR ALTER CASING   
OTHER:

PLUG AND ABANDON   
CHANGE PLANS

SUBSEQUENT REPORT OF:

REMEDIAL WORK   
COMMENCE DRILLING OPNS.   
CASING TEST AND CEMENT JOB   
OTHER:

ALTERING CASING   
PLUG AND ABANDONMENT

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

2234-061K

- 1. MIRURT 9/21/95
- 2. Drill 12.25" hole to 730'
- 3. Run 8.625 K55 24# ST&C casing. CSA 730'
- 4. Cement with 350 sacks of Class C cement and additives.
- 5. Circulate 100 sacks to pit.
- 6. WOC.
- 7. Test casing and BOP to 500 psi. OK

- 8. Drill 7.875" hole from 730'-2339'. Run Logs.
- 9. Run 7 joints of 5.5" K55 15.50# ST&C casing and 72 joints of 5.5" 2000 psi Star fiberglass casing.
- 10. CSA 2339'. Cement with 350 sacks of Class C and additives. Circulate 59 sacks to pit.
- 11. RD MORT 9/24/95
- 12. Wait on completion unit

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Billy E. Prichard TITLE Field Foreman DATE 9/26/95

TYPE OR PRINT NAME Billy E Prichard TELEPHONE NO. 374-3053

(This space for State Use)

APPROVED BY Ry E Johnson TITLE DISTRICT SUPERVISOR DATE 9-28-95

CONDITIONS OF APPROVAL, IF ANY: