

1R – 254

**2008 AGWMR
Vol 1 of 2**

10/12/2009

2008 ANNUAL GROUNDWATER MONITORING REPORT

**G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
CASE NO. 1R254
OGRID NO. 4323
SW/4, SE/4, SECTION 35, T-24-S, R-37-E
LATITUDE: N 32° 10' 11.9" LONGITUDE: W 103° 07' 46.9"
LEA COUNTY, NEW MEXICO**

2008 ANNUAL GROUNDWATER MONITORING REPORT

**G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
CASE NO. 1R254
OGRID NO. 4323
SW/4, SE/4, SECTION 35, T-24-S, R-37-E
LATITUDE: N 32° 10' 11.9" LONGITUDE: W 103° 07' 46.9"
LEA COUNTY, NEW MEXICO**

Prepared For:

**Mr. Matt Hudson
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
Upstream Business Unit
15 Smith Road, Room 5317
Midland, Texas 79705**

**JULY 23, 2009
REF. NO. 039124 (6)**

**Prepared by:
Conestoga-Rovers
& Associates**

2135 South Loop 250 West
Midland, Texas 79703

Office: (432) 686-0086
Fax: (432) 686-0186

web: www.CRAworld.com

TABLE OF CONTENTS

	<u>PAGE</u>
1.0 INTRODUCTION	1
2.0 REGULATORY FRAMEWORK.....	3
3.0 2008 GROUNDWATER MONITORING.....	4
3.1 POTENTIOMETRIC SURFACE AND GRADIENT	4
3.2 ANALYTICAL RESULTS	4
4.0 CORRECTIVE ACTION.....	6
5.0 SUMMARY	7
6.0 PLANNED ACTIVITIES	8

LIST OF FIGURES

FIGURE 1	SITE LOCATION MAP
FIGURE 2	SITE DETAILS MAP
FIGURE 3	GROUNDWATER GRADIENT MAP – FEBRUARY 2008
FIGURE 4	GROUNDWATER GRADIENT MAP – AUGUST 2008
FIGURE 5	CHLORIDE CONCENTRATION MAP- FEBRUARY AND AUGUST 2008
FIGURE 6	CHLORIDE ISOCONCENTRATION MAP – FEBRUARY 2008
FIGURE 7	CHLORIDE ISOCONCENTRATION MAP – AUGUST 2008

LIST OF TABLES

TABLE I	GROUNDWATER GAUGING SUMMARY
TABLE II	GROUNDWATER ANALYTICAL SUMMARY

LIST OF APPENDICIES

APPENDIX A	CERTIFIED LABORATORY REPORTS AND CHAIN-OF-CUSTODY DOCUMENTATION
------------	--

1.0 INTRODUCTION

This Annual Groundwater Monitoring Report presents groundwater data collected during the 2008 reporting period at the G.L. Erwin "A & B" Federal NCT-2 Tank Battery (hereafter referred to as the "Site"). On February 18-21 and August 11-13, 2008, Conestoga-Rovers & Associates (CRA) conducted the semi-annual groundwater monitoring events on behalf of Chevron Environmental Management Company (CEMC), as successor to Texaco Exploration and Production, Inc. (Texaco).

The Site is located on Lea County Road J4, approximately 3 miles northeast of Jal, New Mexico in the southwest quarter (SW/4) of the southeast quarter (SE/4), Section 35, Township 24 South, Range 37 East, Lea County, New Mexico. The Site's coordinates are latitude N 32° 10' 11.9" and longitude W 103° 07' 46.9". The Site is relatively flat and improved with bermed above ground storage tanks (ASTs), caliche roadways, and oil and gas production equipment. The production equipment includes pipelines, ASTs of various capacities and active production wells. Land use in the vicinity of the Site includes rangeland with indigenous grass, livestock ranching, and oil and gas production. The topography slopes gently southeast toward Monument Draw located approximately 1.5 miles east of the Site.

Site assessment activities were initiated in 1993. In September 1993, Environmental Spill Control, Inc. (ESCI) of Hobbs, New Mexico performed a subsurface investigation in and around an unlined earthen emergency produced water overflow pit that was located adjacent to the west edge of the Site. During the investigation, 16 boreholes ranging from 30 to 100 feet below ground surface (bgs) were installed to evaluate soil and groundwater at the Site. Analytical results indicated hydrocarbon impacts to the soil and chloride impacts to the groundwater. In September 1994, ESCI excavated the former pit to approximately 62-feet bgs and removed approximately 40,000-cubic yards of hydrocarbon-affected soil. The excavation was lined from 62.5-feet up to 55-feet with a mixture of clean sand and clay and was backfilled with clean soil to the surface. ESCI submitted the closure report to Texaco in October 1994.

In February 1995, Texaco submitted a work plan to the New Mexico Oil Conservation Division (NMOCD) to assess affected groundwater at the Site. On March 28, 1995, the work plan was conditionally approved by the NMOCD. Two monitoring wells (WMW and SWMW) were installed and sampled in 1997. Analytical results demonstrated groundwater chloride concentrations were at or above the New Mexico Water Quality Control Commission (NMWQCC) Human Health Standard. In January 1998, Highlander Environmental Corp. (Highlander) performed an electromagnetic (EM-34) terrain conductivity survey. Additionally, Highlander installed eight monitoring wells (MW-1 thru MW-8) from February 1998 to January 1999 in order to further evaluate the extent of affected groundwater.

Texaco submitted a corrective action proposal to the New Mexico Office of the State Engineer (NMOSE) to recover groundwater from recovery well (RW-1). From September 2001 to October 2003, nine additional monitor wells were installed under the direction of Larson and Associates, Inc. (LA). On September 9, 2004, the New Mexico State Engineer Office issued Permit CP 00886 to Divert Underground Waters from recovery well RW-1. Monitor wells (MW-18 thru MW-20) were installed under the direction of LA in November 2004. A groundwater recovery system was installed at RW-1 under CRA's direct supervision in September 2006. At the request of the NMOCD, two additional groundwater monitoring wells were installed at the Site on November 19, 2007 to evaluate the extent of affected groundwater. Currently, the Site is monitored semi-annually by CRA.

2.0 REGULATORY FRAMEWORK

The NMOCD guidelines require groundwater to be analyzed for constituents of concern (COC) as defined by the NMWQCC regulations. The NMWQCC regulations provide Human Health Standards for Groundwater. The COC in affected groundwater at the Site is chloride. In this report, groundwater analytical results for chloride and four additional analytes are compared to the NMWQCC standards shown in the following table:

Analyte	NMWQCC Standard for Groundwater (mg/L)
Chloride	250
Fluoride	1.6
Nitrate (NO ₃ as N)	10
Sulfate (SO ₄)	600
Total Dissolved Solids (TDS)	1,000

3.0 2008 GROUNDWATER MONITORING

Currently, groundwater at the Site is monitored semi-annually with a network of 26 monitor wells.

Prior to purging the monitor wells, static fluid levels were measured with an electric interface probe to the nearest hundredth of a foot. After recording fluid levels, the wells were handbailed and purged of three casing volumes of groundwater. Water quality parameters pH, temperature and conductivity were recorded during purging. All non-disposable groundwater sampling equipment was decontaminated with a soap (Liquinox®) and potable water wash, a potable water rinse and a final de-ionized water rinse. Subsequent to the purging, groundwater samples were collected with new disposable PVC bailers. Laboratory-supplied sample containers were filled directly from the bailers.

The groundwater samples were placed on ice in insulated coolers and chilled to a temperature of approximately 4°C (40°F). The coolers were sealed for shipment and proper chain-of-custody documentation accompanied the samples to TestAmerica Laboratories, Inc. (TestAmerica) for analysis of major cations, anions and TDS by Environmental Protection Agency (EPA) Methods 300.0 and 6010B, SM 2320B, and 2540C. The fluids recovered during the sampling events were containerized and subsequently disposed at an OCD-permitted salt water disposal (SWD) facility by Nabors.

3.1 POTENTIOMETRIC SURFACE AND GRADIENT

Groundwater elevation data are presented in TABLE I and generally fall within historical ranges. Groundwater gradient maps for February and August 2008 are presented in FIGURES 3 and 4, respectively. Depth to groundwater ranged from 58.83-feet to 81.90-feet below top of casing on February 18, 2008 and from 58.84-feet to 81.99-feet below top of casing on August 11, 2008. Groundwater flow at the Site is to the southeast at an average gradient of 0.013-ft/ft.

3.2 ANALYTICAL RESULTS

The 2008 analytical results generally fall within historical ranges, and are summarized in TABLE II. All wells sampled in 2008 had at least one COC (Chloride, Fluoride, Nitrate-N, Sulfate or Total Dissolved Solids) that exceeded NMWQCC standards and are shown on FIGURE 5. Isopleth maps approximating chloride concentrations for both February and August 2008 events are shown on FIGURES 6 and 7, respectively.

Groundwater COCs detected above the NMWQCC standards are highlighted in TABLE II and are listed below:

- Chloride was detected at concentrations above the NMWQCC standard (250 mg/L) in all 24 wells sampled in February 2008, 22 wells in August 2008;
- Fluoride was detected at concentrations above the NMWQCC standard (1.60 mg/L) in 12 wells during February and in 15 wells during August;
- Sulfate was detected at concentrations above the NMWQCC standard (600 mg/L) in three wells during February and in four wells during August; and
- Total Dissolved Solids were detected at concentrations above the NMWQCC standard (1,000mg/L) in 21 wells during both February & August events.

Two duplicate samples were collected from RW-1 during the February 2008 and the August 2008 events. Duplicate constituents were detected without any significant deviations. Copies of the certified analytical reports and chain-of-custody documentation are attached in APPENDIX A.

4.0 CORRECTIVE ACTION

Excluding brief periods for routine maintenance, the groundwater recovery system in RW-1 operated continuously from January to December 2008.

Operation and maintenance (O&M) activities were performed on a weekly basis. In 2008, approximately 3799 bbls have been recovered from RW-1 and 4374 bbls since the system was installed.

5.0 SUMMARY

Based on historical data review and groundwater monitoring activities performed at the Site, CRA presents the following summary:


- Groundwater at the Site is monitored semi-annually with a network of 26 monitor wells;
- Depth to groundwater ranged 58.83-feet to 81.90-feet below top of casing on February 18, 2008 and from 58.84-feet to 81.99-feet below top of casing on August 11, 2008. Groundwater flow at the Site is to the southeast at a gradient of 0.013-ft/ft;
- The analytical results generally fall within historical ranges. All wells sampled in 2008 had at least one COC (Chloride, Fluoride, Nitrate-N, Sulfate or Total Dissolved Solids) that exceeded NMOCD standards; and
- Excluding brief periods for routine maintenance, the groundwater recovery system in RW-1 operated continuously from January to December 2008. Operation and maintenance (O&M) activities were performed on a weekly basis. In 2008, approximately 3799 bbls have been recovered from RW-1 and 4374 bbls since the system was installed.

6.0 PLANNED ACTIVITIES


Planned activities at the G.L. Erwin "A & B" Federal NCT-2 Tank Battery include:

- Continue to perform semi-annual groundwater monitoring and sampling events; and
- Continue to recover groundwater from RW-1 in accordance to permit requirements.

All of Which is Respectfully Submitted,
CONESTOGA-ROVERS & ASSOCIATES




Todd Wells
Project Manager




Thomas C. Larson
Operations Manager

MONUMENT NORTH QUADRANGLE
NEW MEXICO

LAT= 32° 38' 34.59" N
LONG= 103° 18' 4.74" W
PHOTOREVISED 1985



USGS MAP SERIES 1:24,000



CONTOUR INTERVAL 10 FEET



figure 1

SITE LOCATION MAP
NEW MEXICO "F" STATE
GROUNDWATER REMEDIATION PROJECT
LEA COUNTY, NEW MEXICO
Chevron Environmental Management Company





figure 2

- LEGEND**
- MONITOR WELL
 - RECOVERY WELL
 - WATER WELL
 - FENCE LINE



SITE DETAILS MAP
NEW MEXICO "F" STATE
GROUNDWATER REMEDIATION PROJECT
LEA COUNTY, NEW MEXICO
Chevron Environmental Management Company










figure 5



NOTES:

1. WELLS GAUGED ON NOVEMBER 13, 2008.
2. CORRECTED GROUNDWATER ELEVATIONS WERE CALCULATED USING LNAPL SPECIFIC GRAVITY OF 0.896.



LEGEND	
	MONITOR WELL
	RECOVERY WELL
	WATER WELL
	FENCE LINE
	NOT MEASURED
	GROUNDWATER ELEVATION (FT MSL)
	DIRECTION OF GROUNDWATER FLOW
	GROUNDWATER ELEVATION CONTOUR (INTERVAL = 1.00 FT)



figure 6
GROUNDWATER GRADIENT MAP - NOVEMBER 2008
NEW MEXICO "F" STATE
GROUNDWATER REMEDIATION PROJECT
LEA COUNTY, NEW MEXICO
Chevron Environmental Management Company



TABLE I
GROUNDWATER GAUGING SUMMARY
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
SW/4, SE/4, SECTION 35, TOWNSHIP 24 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO

WELL TOC elev ¹	DATE	Well Diameter (inches)	Total Depth (ft below TOC)	Depth to Water (ft below TOC)	Depth to LNAPL (ft below TOC)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft above MSL ²)	Screen interval (bgs ³)
MW-01 3,161.69	2/4/1998	2	87.70	64.15	---	---	3,097.54	55'-85'
	2/7/2001			61.40	---	---	3,100.29	
	4/30/2002			61.43	---	---	3,100.26	
	10/11/2002			61.43	---	---	3,100.26	
	12/26/2002			61.43	---	---	3,100.26	
	2/17/2003			61.42	---	---	3,100.27	
	5/29/2003			61.58	---	---	3,100.11	
	8/22/2003			61.37	---	---	3,100.32	
	11/5/2003			61.35	---	---	3,100.34	
	2/3/2004			61.34	---	---	3,100.35	
	5/5/2004			61.13	---	---	3,100.56	
	8/2/2004			61.08	---	---	3,100.61	
	11/23/2004			60.61	---	---	3,101.08	
	2/9/2005			60.46	---	---	3,101.23	
	8/4/2005			60.62	---	---	3,101.07	
	2/22/2006		84.60	60.30	---	---	3,101.39	
	8/24/2006		84.6	60.46	---	---	3,101.23	
	2/27/2007			60.12	---	---	3,101.57	
8/23/2007		59.88	---	---	3,101.81			
2/18/2008	84.59	59.95	---	---	3,101.74			
8/11/2008	84.59	59.99	---	---	3,101.70			
MW-02 3,159.89	2/4/1998	2	72.94	61.33	---	---	3,098.56	50'-70'
	2/7/2001			61.45	---	---	3,098.44	
	4/30/2002			61.47	---	---	3,098.42	
	10/11/2002			61.46	---	---	3,098.43	
	12/26/2002			61.52	---	---	3,098.37	
	2/17/2003			61.53	---	---	3,098.36	
	5/29/2003			61.48	---	---	3,098.41	
	8/22/2003			61.41	---	---	3,098.48	
	11/5/2003			61.38	---	---	3,098.51	
	2/3/2004			61.35	---	---	3,098.54	
	5/5/2004			61.20	---	---	3,098.69	
	8/2/2004			61.11	---	---	3,098.78	
	11/23/2004			60.52	---	---	3,099.37	
	2/9/2005			60.45	---	---	3,099.44	
	8/4/2005				66.60	---	---	
	2/22/2006		72.81	60.26	---	---	3,099.63	
	8/24/2006		72.81	60.42	---	---	3,099.47	
	2/27/2007			60.04	---	---	3,099.85	
8/23/2007		59.80	---	---	3,100.09			
2/18/2008	72.82	59.83	---	---	3,100.06			
8/11/2008	72.81	59.89	---	---	3,100.00			
MW-03 3,164.08	2/4/1998	2	73.26	65.18	---	---	3,098.90	50'-70'
	2/7/2001			65.22	---	---	3,098.86	
	4/30/2002			65.11	---	---	3,098.97	
	10/11/2002			65.14	---	---	3,098.94	
	12/26/2002			65.15	---	---	3,098.93	
	2/17/2003			65.15	---	---	3,098.93	
	5/29/2003			65.19	---	---	3,098.89	
	8/22/2003			65.09	---	---	3,098.99	
	11/5/2003			65.09	---	---	3,098.99	
	2/3/2004			65.06	---	---	3,099.02	
	5/5/2004			64.97	---	---	3,099.11	
	8/2/2004			64.54	---	---	3,099.54	
	11/23/2004			64.47	---	---	3,099.61	
	2/9/2005			64.18	---	---	3,099.90	
	8/4/2005			64.30	---	---	3,099.78	
	2/22/2006		73.14	63.93	---	---	3,100.15	
	8/24/2006		73.14	64.09	---	---	3,099.99	
	2/27/2007			63.74	---	---	3,100.34	
8/23/2007		63.54	---	---	3,100.54			
2/18/2008	73.13	63.55	---	---	3,100.53			
8/11/2008	73.13	63.61	---	---	3,100.47			

TABLE I
GROUNDWATER GAUGING SUMMARY
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
SW/4, SE/4, SECTION 35, TOWNSHIP 24 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO

WELL TOC elev ¹	DATE	Well Diameter (inches)	Total Depth (ft below TOC)	Depth to Water (ft below TOC)	Depth to LNAPL (ft below TOC)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft above MSL ²)	Screen interval (bgs ³)
MW-04 3,165.65	2/4/1998	2	73.31	63.94	---	---	3,101.71	50'-70'
	10/19/2000			63.80	---	---	3,101.85	
	2/7/2001			63.78	---	---	3,101.87	
	4/30/2002			63.72	---	---	3,101.93	
	10/11/2002			63.74	---	---	3,101.91	
	12/26/2002			63.74	---	---	3,101.91	
	2/17/2003			63.74	---	---	3,101.91	
	5/29/2003			63.83	---	---	3,101.82	
	8/22/2003			63.71	---	---	3,101.94	
	11/5/2003			63.68	---	---	3,101.97	
	2/3/2004			63.64	---	---	3,102.01	
	5/5/2004			63.55	---	---	3,102.10	
	8/2/2004			63.45	---	---	3,102.20	
	11/23/2004			62.91	---	---	3,102.74	
	2/9/2005			62.83	---	---	3,102.82	
	8/4/2005			63.12	---	---	3,102.53	
	2/23/2006		73.11	62.80	---	---	3,102.85	
	8/25/2006		73.11	62.97	---	---	3,102.68	
2/27/2007		62.60	---	---	3,103.05			
8/23/2007		62.33	---	---	3,103.32			
2/18/2008		62.35	---	---	3,103.30			
8/11/2008		62.38	---	---	3,103.27			
MW-05 3,160.75	2/4/1998	2	73.10	60.33	---	---	3,100.42	50'-70'
	10/19/2000			60.25	---	---	3,100.50	
	2/7/2001			60.58	---	---	3,100.17	
	4/30/2002			62.27	---	---	3,098.48	
	10/11/2002			60.29	---	---	3,100.46	
	12/26/2002			60.29	---	---	3,100.46	
	2/17/2003			60.30	---	---	3,100.45	
	5/29/2003			60.33	---	---	3,100.42	
	8/22/2003			60.24	---	---	3,100.51	
	11/5/2003			60.24	---	---	3,100.51	
	2/3/2004			60.20	---	---	3,100.55	
	5/5/2004			60.04	---	---	3,100.71	
	8/2/2004			59.97	---	---	3,100.78	
	11/23/2004			59.51	---	---	3,101.24	
	2/9/2005			59.32	---	---	3,101.43	
	8/4/2005			59.55	---	---	3,101.20	
	2/22/2006		72.95	59.22	---	---	3,101.53	
	8/24/2006		72.95	59.39	---	---	3,101.36	
2/27/2007		59.03	---	---	3,101.72			
8/23/2007		58.84	---	---	3,101.91			
2/18/2008		58.83	---	---	3,101.92			
8/11/2008		58.84	---	---	3,101.91			
MW-06 3,164.18	2/7/2001	2	77.24	68.00	---	---	3,096.18	59'-74'
	4/30/2002			68.10	---	---	3,096.08	
	10/11/2002			68.04	---	---	3,096.14	
	12/26/2002			68.03	---	---	3,096.15	
	2/17/2003			68.03	---	---	3,096.15	
	5/29/2003			68.38	---	---	3,095.80	
	8/22/2003			67.99	---	---	3,096.19	
	11/5/2003			67.99	---	---	3,096.19	
	2/3/2004			67.92	---	---	3,096.26	
	5/5/2004			67.88	---	---	3,096.30	
	8/2/2004			67.78	---	---	3,096.40	
	11/23/2004			67.31	---	---	3,096.87	
	2/9/2005			67.17	---	---	3,097.01	
	8/4/2005			63.13	---	---	3,101.05	
	2/22/2006		77.00	66.72	---	---	3,097.46	
	8/24/2006		77.00	66.93	---	---	3,097.25	
	2/27/2007			66.58	---	---	3,097.60	
	8/27/2007			66.35	---	---	3,097.83	
2/18/2008		66.35	---	---	3,097.83			
8/11/2008		66.39	---	---	3,097.79			

TABLE I
GROUNDWATER GAUGING SUMMARY
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
SW/4, SE/4, SECTION 35, TOWNSHIP 24 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO

WELL TOC elev ¹	DATE	Well Diameter (inches)	Total Depth (ft below TOC)	Depth to Water (ft below TOC)	Depth to LNAPL (ft below TOC)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft above MSL ²)	Screen interval (bgs ³)
MW-07 3,162.06	2/7/2001	2	73.45	67.25	---	---	3,094.81	55'-70"
	4/30/2002			67.50	---	---	3,094.56	
	10/11/2002			67.53	---	---	3,094.53	
	12/26/2002			67.53	---	---	3,094.53	
	2/17/2003			67.53	---	---	3,094.53	
	5/29/2003			67.61	---	---	3,094.45	
	8/22/2003			67.49	---	---	3,094.57	
	11/5/2003			67.47	---	---	3,094.59	
	2/3/2004			67.46	---	---	3,094.60	
	5/5/2004			67.44	---	---	3,094.62	
	8/2/2004			67.34	---	---	3,094.72	
	11/23/2004			67.02	---	---	3,095.04	
	2/9/2005			67.74	---	---	3,094.32	
	8/4/2005			66.62	---	---	3,095.44	
	2/22/2006		72.56	66.31	---	---	3,095.75	
	8/24/2006		72.56	66.37	---	---	3,095.69	
	2/27/2007			66.05	---	---	3,096.01	
	8/23/2007			65.87	---	---	3,096.19	
	2/18/2008		72.55	65.88	---	---	3,096.18	
	8/11/2008		72.55	65.91	---	---	3,096.15	
MW-08 3,159.66	2/3/1999	2	70.66	68.21	---	---	3,091.45	50'-70"
	2/7/2001			68.30	---	---	3,091.36	
	4/30/2002			68.42	---	---	3,091.24	
	10/11/2002			68.30	---	---	3,091.36	
	12/26/2002			68.30	---	---	3,091.36	
	2/17/2003			68.30	---	---	3,091.36	
	5/29/2003			68.36	---	---	3,091.30	
	8/22/2003			68.26	---	---	3,091.40	
	11/5/2003			68.26	---	---	3,091.40	
	2/3/2004			68.24	---	---	3,091.42	
	5/5/2004			68.24	---	---	3,091.42	
	8/2/2004			68.17	---	---	3,091.49	
	11/23/2004			67.72	---	---	3,091.94	
	2/9/2005			67.41	---	---	3,092.25	
	8/4/2005			67.39	---	---	3,092.27	
	2/22/2006		73.40	67.04	---	---	3,092.62	
	8/24/2006		73.40	67.29	---	---	3,092.37	
	2/27/2007			66.87	---	---	3,092.79	
	8/23/2007			66.77	---	---	3,092.89	
	2/18/2008		73.40	66.79	---	---	3,092.87	
	8/11/2008		73.40	66.81	---	---	3,092.85	
MW-09 3,167.07	4/30/2002	2	70.39	63.65	---	---	3,103.42	55'-70"
	10/11/2002			63.59	---	---	3,103.48	
	12/26/2002			63.59	---	---	3,103.48	
	2/17/2003			63.60	---	---	3,103.47	
	5/29/2003			63.73	---	---	3,103.34	
	8/22/2003			63.56	---	---	3,103.51	
	11/5/2003			63.55	---	---	3,103.52	
	2/3/2004			63.47	---	---	3,103.60	
	5/5/2004			63.27	---	---	3,103.80	
	8/2/2004			63.24	---	---	3,103.83	
	11/23/2004			62.40	---	---	3,104.67	
	2/9/2005			62.50	---	---	3,104.57	
	8/4/2005			62.89	---	---	3,104.18	
	2/23/2006		69.60	62.48	---	---	3,104.59	
	8/25/2006		69.6	62.68	---	---	3,104.39	
	2/27/2007			62.23	---	---	3,104.84	
	8/23/2007			61.88	---	---	3,105.19	
	2/18/2008		69.59	61.9	---	---	3,105.17	
	8/11/2008		69.59	61.91	---	---	3,105.16	

TABLE I
GROUNDWATER GAUGING SUMMARY
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
SW/4, SE/4, SECTION 35, TOWNSHIP 24 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO

WELL TOC elev ¹	DATE	Well Diameter (inches)	Total Depth (ft below TOC)	Depth to Water (ft below TOC)	Depth to LNAPL (ft below TOC)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft above MSL ²)	Screen interval (bgs ³)
MW-10 3,170.99	4/30/2002	2	69.16	70.35	---	---	3,100.64	54'-69'
	10/11/2002			70.49	---	---	3,100.50	
	12/26/2002			70.50	---	---	3,100.49	
	2/17/2003			70.50	---	---	3,100.49	
	5/29/2003			70.37	---	---	3,100.62	
	8/22/2003			70.47	---	---	3,100.52	
	11/5/2003			70.49	---	---	3,100.50	
	2/3/2004			70.43	---	---	3,100.56	
	5/5/2004			70.38	---	---	3,100.61	
	8/2/2004			70.26	---	---	3,100.73	
	11/23/2004			69.78	---	---	3,101.21	
	2/9/2005			NG	---	---	---	
	8/4/2005			69.89	---	---	3,101.10	
	2/22/2006		71.95	69.59	---	---	3,101.40	
	8/25/2006		71.95	69.65	---	---	3,101.34	
	2/27/2007		71.94	69.29	---	---	3,101.70	
	8/23/2007			69.06	---	---	3,101.93	
	2/18/2008			69.06	---	---	3,101.93	
	8/11/2008			69.05	---	---	3,101.94	
MW-11 3,168.24	4/30/2002	2	72.78	DRY	---	---	DRY	58'-73'
	10/11/2002			DRY	---	---	DRY	
	12/26/2002			DRY	---	---	DRY	
	2/17/2003			DRY	---	---	DRY	
	5/29/2003			DRY	---	---	DRY	
	8/22/2003			DRY	---	---	DRY	
	11/5/2003			DRY	---	---	DRY	
	2/3/2004			DRY	---	---	DRY	
	5/5/2004			DRY	---	---	DRY	
	8/2/2004			DRY	---	---	DRY	
	11/23/2004			DRY	---	---	DRY	
	2/9/2005			DRY	---	---	DRY	
	8/4/2005			61.91	---	---	3,106.33	
	2/22/2006		75.45	74.71	---	---	3,093.53	
	8/24/2006		75.45	74.71	---	---	3,093.53	
	2/27/2007		75.45	74.51	---	---	3,093.73	
	8/23/2007			74.38	---	---	3,093.86	
	2/18/2008			74.21	---	---	3,094.03	
	8/11/2008			74.38	---	---	3,093.86	
MW-12 3,152.48	4/30/2002	2	74.37	72.80	---	---	3,079.68	59'-74'
	10/11/2002			72.81	---	---	3,079.67	
	12/26/2002			72.82	---	---	3,079.66	
	2/17/2003			72.82	---	---	3,079.66	
	5/29/2003			72.77	---	---	3,079.71	
	8/22/2003			72.81	---	---	3,079.67	
	11/5/2003			72.81	---	---	3,079.67	
	2/3/2004			72.83	---	---	3,079.65	
	5/5/2004			72.78	---	---	3,079.70	
	8/2/2004			72.81	---	---	3,079.67	
	11/23/2004			72.69	---	---	3,079.79	
	2/9/2005			72.83	---	---	3,079.65	
	8/4/2005			72.48	---	---	3,080.00	
	2/22/2006		77.60	72.15	---	---	3,080.33	
	8/24/2006		77.60	71.91	---	---	3,080.57	
	2/27/2007		77.60	71.75	---	---	3,080.73	
	8/23/2007			71.51	---	---	3,080.97	
	2/18/2008			71.42	---	---	3,081.06	
	8/11/2008			71.46	---	---	3,081.02	

TABLE I
GROUNDWATER GAUGING SUMMARY
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
SW/4, SE/4, SECTION 35, TOWNSHIP 24 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO

WELL TOC elev ¹	DATE	Well Diameter (inches)	Total Depth (ft below TOC)	Depth to Water (ft below TOC)	Depth to LNAPL (ft below TOC)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft above MSL ²)	Screen interval (bgs ³)
MW-13 3,154.92	4/30/2002	2	67.90	66.97	---	---	3,087.95	53'-68'
	10/11/2002			66.38	---	---	3,088.54	
	12/26/2002			66.37	---	---	3,088.55	
	2/17/2003			66.37	---	---	3,088.55	
	5/29/2003			66.68	---	---	3,088.24	
	8/22/2003			67.06	---	---	3,087.86	
	11/5/2003			67.36	---	---	3,087.56	
	2/3/2004			67.11	---	---	3,087.81	
	5/5/2004			67.05	---	---	3,087.87	
	8/2/2004			67.21	---	---	3,087.71	
	11/23/2004			66.82	---	---	3,088.10	
	2/9/2005			66.50	---	---	3,088.42	
	8/4/2005			66.11	---	---	3,088.81	
	2/22/2006		70.54	65.73	---	---	3,089.19	
	8/24/2006		70.54	65.45	---	---	3,089.47	
	2/27/2007			65.22	---	---	3,089.70	
	8/23/2007			65.06	---	---	3,089.86	
MW-14 3,151.91	2/18/2008	2	70.54	65.10	---	---	3,089.82	79.5'-89.5'
	8/11/2008		70.54	65.12	---	---	3,089.80	
	11/5/2003		92.43	71.60	---	---	3,080.31	
	2/3/2004			71.62	---	---	3,080.29	
	5/5/2004			71.67	---	---	3,080.24	
	8/2/2004			71.69	---	---	3,080.22	
	11/23/2004			71.60	---	---	3,080.31	
	2/9/2005			71.30	---	---	3,080.61	
	8/4/2005			70.90	---	---	3,081.01	
	2/22/2006		92.30	70.49	---	---	3,081.42	
	8/24/2006		92.3	70.24	---	---	3,081.67	
	2/27/2007			70.05	---	---	3,081.86	
MW-15 3,152.48	8/23/2007			69.78	---	---	3,082.13	
	2/18/2008		92.29	69.68	---	---	3,082.23	64.5'-84.5'
	8/11/2008		92.30	69.72	---	---	3,082.19	
	11/5/2003	2	87.45	DRY	---	---	DRY	
	2/3/2004			DRY	---	---	DRY	
	5/5/2004			DRY	---	---	DRY	
	8/2/2004			DRY	---	---	DRY	
	11/23/2004			DRY	---	---	DRY	
	2/9/2005			DRY	---	---	DRY	
	8/4/2005			86.91	---	---	3,065.57	
	2/22/2006		87.40	86.54	---	---	3,065.94	
	8/24/2006		87.40	86.34	---	---	3,065.66	
	2/27/2007			85.73	---	---	3,066.75	
MW-16 3,157.25	8/23/2007			85.26	---	---	3,067.22	
	2/18/2008	2	87.40	81.90	---	---	3,070.58	59.5'-74.5'
	8/11/2008		87.42	81.99	---	---	3,070.49	
	11/5/2003		77.22	65.68	---	---	3,091.57	
	2/3/2004			68.67	---	---	3,088.58	
	5/5/2004			68.69	---	---	3,088.56	
	8/2/2004			68.65	---	---	3,088.60	
	11/23/2004			68.10	---	---	3,089.15	
	2/9/2005			67.53	---	---	3,089.72	
	8/4/2005			67.77	---	---	3,089.48	
	2/22/2006		74.42	67.24	---	---	3,090.01	
	8/24/2006		74.42	67.66	---	---	3,089.59	
	2/27/2007			67.09	---	---	3,090.16	
	8/23/2007			67.10	---	---	3,090.15	
	2/18/2008		74.42	67.03	---	---	3,090.22	
	8/11/2008		74.42	67.09	---	---	3,090.16	

TABLE I
GROUNDWATER GAUGING SUMMARY
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
SW/4, SE/4, SECTION 35, TOWNSHIP 24 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO

WELL TOC elev ¹	DATE	Well Diameter (inches)	Total Depth (ft below TOC)	Depth to Water (ft below TOC)	Depth to LNAPL (ft below TOC)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft above MSL ²)	Screen interval (bgs ³)
MW-17 3,158.37	11/5/2003	2	79.37	69.51	---	---	3,088.86	57'-77'
	2/3/2004			69.53	---	---	3,088.84	
	5/5/2004			69.52	---	---	3,088.85	
	8/2/2004			70.12	---	---	3,088.25	
	11/23/2004			69.31	---	---	3,089.06	
	2/9/2005		80.10	69.04	---	---	3,089.33	
	8/4/2005			68.90	---	---	3,089.47	
	2/22/2006			68.72	---	---	3,089.65	
	8/24/2006			68.78	---	---	3,089.59	
	2/27/2007			68.55	---	---	3,089.82	
	8/23/2007			68.50	---	---	3,089.87	
	2/18/2008		80.10	68.41	---	---	3,089.96	
	8/11/2008		80.10	68.43	---	---	3,089.94	
MW-18 3,151.08	11/23/2004	2	76.98	DRY	---	---	DRY	54.5'-74.5'
	2/9/2005			DRY	---	---	DRY	
	8/4/2005			DRY	---	---	DRY	
	2/22/2006		78.43	DRY	---	---	DRY	
	8/24/2006		78.43	DRY	---	---	DRY	
	2/27/2007			DRY	---	---	DRY	
	8/23/2007			DRY	---	---	DRY	
	2/18/2008		78.44	DRY	---	---	DRY	
	8/11/2008		78.44	DRY	---	---	DRY	
MW-19 3,147.79	11/23/2004	2	104.41	72.63	---	---	3,075.16	82.5'-102.5'
	2/9/2005			72.36	---	---	3,075.43	
	8/4/2005			72.18	---	---	3,075.61	
	2/22/2006		105.55	71.83	---	---	3,075.96	
	8/24/2006		105.55	71.57	---	---	3,076.22	
	2/27/2007			71.28	---	---	3,076.51	
	8/23/2007			70.75	---	---	3,077.04	
	2/18/2008		105.53	70.29	---	---	3,077.50	
	8/11/2008		105.50	70.33	---	---	3,077.46	
MW-20 3,151.56	11/23/2004	2	94.94	81.81	---	---	3,069.75	72.5'-92.5'
	2/9/2005			81.85	---	---	3,069.71	
	8/4/2005			81.81	---	---	3,069.75	
	2/22/2006		92.23	81.71	---	---	3,069.85	
	8/24/2006		92.23	81.66	---	---	3,069.90	
	2/27/2007			81.39	---	---	3,070.17	
	8/23/2007			81.20	---	---	3,070.36	
	2/18/2008		92.21	80.93	---	---	3,070.63	
	8/11/2008		92.20	80.96	---	---	3,070.60	
MW-21 3,145.87	11/20/2007	2	99.00	71.05	---	---	3,074.82	67'-97'
	2/18/2008		98.60	70.96	---	---	3,074.91	
	8/11/2008		98.60	71.01	---	---	3,074.86	
MW-22 3,170.64	11/20/2007	2	68.95	62.35	---	---	3,108.29	46.5'-66.5'
	2/18/2008		68.60	62.59	---	---	3,108.05	
	8/11/2008		68.60	62.62	---	---	3,108.02	

TABLE I
GROUNDWATER GAUGING SUMMARY
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
SW/4, SE/4, SECTION 35, TOWNSHIP 24 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO

WELL TOC elev ¹	DATE	Well Diameter (inches)	Total Depth (ft below TOC)	Depth to Water (ft below TOC)	Depth to LNAPL (ft below TOC)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft above MSL ²)	Screen interval (bgs ³)	
WW-1 3,170.21	4/30/2002		192.00	70.21	---	---	3,100.00	--	
	10/11/2002			69.71	---	---	3,100.50		
	12/26/2002			69.70	---	---	3,100.51		
	2/17/2003			69.70	---	---	3,100.51		
	5/29/2003			67.37	---	---	3,102.84		
	8/22/2003			70.27	---	---	3,099.94		
	11/5/2003			70.23	---	---	3,099.98		
	2/3/2004			70.31	---	---	3,099.90		
	5/5/2004			70.23	---	---	3,099.98		
	8/2/2004			69.47	---	---	3,100.74		
	11/23/2004			69.92	---	---	3,100.29		
	2/9/2005			69.75	---	---	3,100.46		
	8/4/2005			69.89	---	---	3,100.32		
	2/22/2006			69.51	---	---	3,100.70		
	8/25/2006			69.50	---	---	3,100.71		
	2/27/2007			69.20	---	---	3,101.01		
	8/23/2007			68.99	---	---	3,101.22		
2/18/2008	192.00	69.00	---	---	3,101.21				
8/11/2008	191.98	68.95	---	---	3,101.26				
West MW 3,164.44	8/22/1997	2	70.43	62.58	---	---	3,101.86	--	
	2/4/1998			62.50	---	---	3,101.94		
	10/19/2000			62.37	---	---	3,102.07		
	2/7/2001			62.43	---	---	3,102.01		
	4/30/2002			62.37	---	---	3,102.07		
	10/11/2002			62.35	---	---	3,102.09		
	12/26/2002			62.34	---	---	3,102.10		
	2/17/2003			62.34	---	---	3,102.10		
	5/29/2003			62.22	---	---	3,102.22		
	8/22/2003			62.35	---	---	3,102.09		
	11/5/2003			62.31	---	---	3,102.13		
	2/3/2004			62.27	---	---	3,102.17		
	5/5/2004			62.11	---	---	3,102.33		
	8/2/2004			62.01	---	---	3,102.43		
	11/23/2004			61.40	---	---	3,103.04		
	2/9/2005			61.30	---	---	3,103.14		
	8/4/2005			61.61	---	---	3,102.83		
	2/23/2006			67.28	61.24	---	---		3,103.20
	8/25/2006			67.28	61.43	---	---		3,103.01
	2/27/2007			61.03	---	---	3,103.41		
	8/23/2007			60.74	---	---	3,103.70		
	2/18/2008			67.28	60.97	---	---		3,103.47
	8/11/2008			67.28	61.06	---	---		3,103.38
Southwest MW 3,164.54	8/22/1997	2	70.45	63.25	---	---	3,101.29	--	
	2/4/1998			63.21	---	---	3,101.33		
	10/19/2000			63.06	---	---	3,101.48		
	2/7/2001			63.10	---	---	3,101.44		
	4/30/2002			63.06	---	---	3,101.48		
	10/11/2002			62.72	---	---	3,101.82		
	12/26/2002			62.70	---	---	3,101.84		
	2/17/2003			62.70	---	---	3,101.84		
	5/29/2003			62.92	---	---	3,101.62		
	8/22/2003			63.04	---	---	3,101.50		
	11/5/2003			63.03	---	---	3,101.51		
	2/3/2004			62.99	---	---	3,101.55		
	5/5/2004			62.90	---	---	3,101.64		
	8/2/2004			62.71	---	---	3,101.83		
	11/23/2004			62.17	---	---	3,102.37		
	2/9/2005			62.05	---	---	3,102.49		
	8/4/2005			62.33	---	---	3,102.21		
	2/23/2006			70.16	61.98	---	---		3,102.56
	8/25/2006			70.16	62.17	---	---		3,102.37
	2/27/2007			61.78	---	---	3,102.76		
	8/23/2007			61.52	---	---	3,103.02		
	2/18/2008			70.16	61.9	---	---		3,102.64
	8/11/2008			70.16	61.93	---	---		3,102.61

TABLE I
GROUNDWATER GAUGING SUMMARY
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
SW/4, SE/4, SECTION 35, TOWNSHIP 24 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO

WELL TOC elev ¹	DATE	Well Diameter (inches)	Total Depth (ft below TOC)	Depth to Water (ft below TOC)	Depth to LNAPL (ft below TOC)	LNAPL Thickness (ft)	Corrected Groundwater Elevation (ft above MSL ²)	Screen interval (bgs ³)
RW-1 3,163.52	1/14/1999	4	76.30	50.85	---	---	3,112.67	53'-73'
	10/19/2000			62.33	---	---	3,101.19	
	4/30/2002			62.28	---	---	3,101.24	
	10/11/2002			62.27	---	---	3,101.25	
	12/26/2002			62.26	---	---	3,101.26	
	2/17/2003			62.26	---	---	3,101.26	
	5/29/2003			62.34	---	---	3,101.18	
	8/22/2003			62.25	---	---	3,101.27	
	11/5/2003			62.25	---	---	3,101.27	
	2/3/2004			62.20	---	---	3,101.32	
	5/5/2004			62.12	---	---	3,101.40	
	8/2/2004			61.96	---	---	3,101.56	
	11/23/2004			61.46	---	---	3,102.06	
	2/9/2005			61.30	---	---	3,102.22	
	8/4/2005			61.51	---	---	3,102.01	
	2/23/2006		75.45	61.20	---	---	3,102.32	
	8/25/2006		75.45	61.36	---	---	3,102.16	
	2/27/2007			62.44	---	---	3,101.08	
	8/23/2007			NG	---	---	---	
	2/18/2008			NG	---	---	---	

Notes:

¹TOC - Top of Casing

²MSL - Mean Sea Level

³BGS - Below ground surface

⁴NG - Not Gauged

⁵Professional Survey conducted by Piper Surveying Company in February & July 1998, October 2001, October 2003, & December 2004.

TABLE II

GROUNDWATER ANALYTICAL SUMMARY
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
SW/4, SE/4, SECTION 35, TOWNSHIP 24 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Carbonate (mg/L)	Bicarbonate (mg/L)	Chloride (mg/L)	Fluoride (mg/L)	Nitrate - N (mg/L)	Sulfate (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Potassium (mg/L)	Sodium (mg/L)	TDS (mg/L)	Hardness (mg/L)	Hydroxide (mg/L)
MW-1	8/22/97	—	—	250	1.60	10.00	600.0	—	—	—	—	—	—	—
	2/17/98	<2.0	220	233	—	—	92	—	—	—	—	812	276	—
	2/7/01	<1.0	136	440	2.1	2.8	70	15.7	55.8	11.4	115	1,200	—	—
	05/03/02	<1.0	144	428	1.6	3.06	72.5	38.7	8.68	105	105	—	—	<1.00
	10/11/02	<0.1	155	230	—	—	109	69.3	24.8	7.45	125	737	—	<0.10
	12/27/02	<0.1	149	248	—	—	109	76.6	27.4	5.16	129	728	—	<0.10
	2/18/03	<0.1	147	213	—	—	114	21.4	59.1	5.06	116	713	—	<0.10
	6/2/03	<1.0	132	434	1.77	2.99	73.3	135	47.8	8.62	118	1,320	—	<1.00
	8/25/03	<1.0	144	279	1.76	3.39	73.3	92.7	31.3	7.17	118	856	—	<1.00
	11/5/03	<1.0	162	330	1.94	3.42	78.9	110	37.7	9.03	114	994	—	<1.00
	2/4/04	<1.0	142	390	1.92	3.25	71.1	117	43.2	10.2	113	940	—	<1.00
	5/6/04	<1.00	260	403	1.9	4.8	135	60.2	18.3	8.93	302	1,316	—	<1.00
	8/3/04	<0.1	155	222	—	—	83.2	64.1	30.8	6.41	127	431	—	<0.10
	8/3/04	<0.1	158	301	—	—	104	101	45.5	672	436	605	—	<0.10
	2/11/05	<1.00	146	289	2.68	4.3	79.2	97.9	33.5	8.18	108	840	—	<1.00
	8/5/05	<1.00	156	245	2.08	4.34	89.6	75.5	26.7	6.99	125	856	—	<1.00
	2/22/06	<10.0	160	180	1.6	3.5	85	55.9	18.7	5.19	104	707	—	<10.0
	2/22/06	<10.0	170	160	1.6	3.5	85	57.9	20	5.23	102	840	—	<10.0
	8/24/06	<10.0	300	180	<2.5	3.11	81	57.4	19.3	4.36	107	660	—	<10.0
	2/28/07	<10	170	170	1.8	3.6	81	54.6	18.2	<5	103	650	—	<10
	8/23/2007	<10	138	420	1.4	2.8	76	102	34.8	5.37	101	1,810	—	138
MW-2	2/20/08	<5	166	300	1.9	2.92	82.1	111	39.7	7.34	104	860	—	<5
	8/12/08	<1.53	212	217	1.48	3.06	79.6	57.8	19.5	5.20	114	692	—	<1.53
	8/22/97	—	—	—	—	—	—	—	—	—	—	—	—	—
	2/17/98	<2.0	360	423	—	—	141	—	—	—	—	1,257	124	—
	2/7/01	<1.0	234	570	2.7	5	130	124	40.7	10.9	359	1,500	—	—
	05/03/02	<1.0	262	349	2.28	5.36	148	21	6.18	8.52	315	—	—	<1.00
	10/11/02	10	250	337	—	—	176	18.1	4.92	7.49	329	1,120	—	<0.10
	12/27/02	12	238	319	—	—	142	17.8	5.16	6.1	339	1,110	—	<0.10
	2/18/03	<0.1	228	310	—	—	178	19.4	6.02	6.3	331	1,070	—	<0.10
	6/2/03	<1.0	206	769	2.05	4.43	115	176	52.6	9.94	383	1,955	—	<1.00
	8/25/03	<1.0	242	374	2.07	5.14	142	36.1	10.8	8.49	333	1,240	—	<1.00
	11/5/03	<1.0	232	498	2.21	5.13	145	68.7	21.1	10.1	327	1,354	—	<1.00
	2/4/04	<1.0	230	450	2.06	4.97	131	76.1	25.2	10.7	324	1,424	—	<1.00
	5/6/04	<1.00	150	341	1.79	3.23	75.3	108	38.5	8.38	102	984	—	<1.00
	8/3/04	<0.1	236	496	—	—	144	50.8	34.7	11	472	811	—	<0.10
	2/11/05	<1.00	220	604	2.79	5.48	130	103	34.5	11.3	324	1,462	—	<1.00
	8/5/05	<1.00	228	404	2.24	5.7	154	34.5	10.3	10.7	341	1,120	—	<1.00
	2/22/06	<10.0	250	320	1.7	5.1	150	19.5	5.84	6.15	259	1,150	—	<10.0
	8/24/06	<10.0	290	290	<2.5	3.78	140	26.3	7.7	4.23	298	1,610	—	<10.0
	2/28/07	<10	260	280	2.1	5.4	140	20.9	6.01	6.74	278	950	—	<10
	8/23/07	<10	226	290	1.7	5.3	140	19	5.6	<5	303	1,280	—	226
	2/20/08	<5	223	441	1.94	5.11	143	242	83.2	<5	329	1,190	—	<5
	8/12/08	<1.53	287	331	1.54	5.39	144	20.6	5.84	6.53	308	1,080	—	<1.53

TABLE II

GROUNDWATER ANALYTICAL SUMMARY
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
SW/4, SE/4, SECTION 35, TOWNSHIP 24 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Carbonate (mg/L)	Bicarbonate (mg/L)	Chloride (mg/L)	Fluoride (mg/L)	Nitrate - N (mg/L)	Sulfate (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Potassium (mg/L)	Sodium (mg/L)	TDS (mg/L)	Hardness (mg/L)	Hydroxide (mg/L)
MW-3	8/22/97	—	—	250	1.60	10.00	600.0	—	—	—	—	1000	—	—
	2/17/98	<2.0	410	983	—	—	173	—	—	—	—	2,261	232	—
	2/7/01	8.0	298	890	3.4	7.3	200	56.7	18.7	20.4	648	2,100	—	—
	05/02/02	<1.0	278	735	2.84	7.57	213	27.5	24.7	—	42.8	—	—	<1.00
	05/03/02	<1.0	146	767	2.9	7.39	207	37.9	11.5	25.5	28.2	—	—	<1.00
	10/11/02	<0.1	288	753	—	—	272	29	9.18	20.6	622	1,960	—	<0.10
	12/27/02	<0.1	288	727	—	—	231	27	7.34	19.9	698	1,950	—	<0.10
	2/18/03	<0.1	277	762	—	—	180	25.2	7.84	16.4	580	1,950	—	<0.10
	6/2/03	<1.0	270	802	3.07	8.06	203	64.9	20	18.5	728	2,720	—	<1.00
	8/26/03	<1.0	282	799	3	7.99	198	54.9	18	16.4	597	2,320	—	<1.00
	11/6/03	<1.0	286	746	2.92	7.26	214	37.4	11.1	24.9	577	2,092	—	<1.00
	11/6/03	<1.0	132	521	1.85	2.92	98.1	120	39.5	9.15	200	1,392	—	<1.00
	2/4/04	<1.0	296	755	2.74	7.36	205	42.7	13.1	27.1	546	2,275	—	<1.00
	5/7/04	<1.00	300	774	2.57	7.02	197	38.8	11.2	22.2	528	2,140	—	<1.00
	8/3/04	<0.1	291	798	—	—	155	21.5	16.7	25.8	794	1,640	—	<0.10
	2/11/05	<1.00	292	879	4.61	9.47	196	47	14.5	19.1	590	2,240	—	<1.00
	8/4/05	<1.00	282	922	2.86	8.17	217	48	14.7	21.1	630	1,950	—	<1.00
	2/22/06	<10.0	250	1100	1.6	8.5	190	46.8	15.3	15.1	446	3,860	—	<10.0
	8/24/06	<10	260	750	2.6	6.43	190	25.3	7.68	11.9	565	1,990	—	<10.0
	2/28/07	<10	270	850	2.2	8.5	190	30.7	9.02	18	516	1,800	—	<10
	8/23/2007	<10	204	1,000	1.5	9.5	190	228	80	<50	673	2,330	—	204
	2/20/08	<5	246	1,070	3.18	8.38	222	79.7	26.2	19.1	721	2,480	—	<5
	8/13/08	<5	222	1,180	2.59	8.27	210	46.8	14.3	17.5	896	2,700	—	<5
MW-4	8/22/97	—	—	—	—	—	—	—	—	—	—	—	—	—
	2/17/98	<2.0	510	372	—	—	136	—	—	—	—	1,268	—	—
	2/7/01	<1.0	286	1,200	1.7	4.7	100	248	84.7	24	506	2,600	—	—
	05/03/02	<1.0	250	868	1	4.72	163	137	48.4	40.7	441	—	—	<1.00
	10/14/02	<0.1	342	381	—	—	124	9.39	2.48	38.4	405	1,220	—	<0.10
	10/14/02	<0.1	358	372	—	—	116	8.82	2.38	37.4	409	1,260	—	<0.10
	12/27/02	<0.1	288	505	—	—	114	21.2	4.42	50.6	461	1,450	—	<0.10
	12/27/02	<0.1	158	115	—	—	139	55.5	23	4.94	94.4	594	—	<0.10
	2/18/03	<0.1	264	691	—	—	118	32.2	7.5	59	474	1,610	—	<0.10
	5/30/03	<1.0	236	1,020	<2.00	5.53	79.6	113	29.7	59.8	664	2,670	—	<1.00
	8/25/03	<1.0	192	1,170	<2.00	5.43	72.9	143	35	82.1	616	2,935	—	<1.00
	11/7/03	<1.0	194	1,620	<2.00	5.48	76.6	228	61.4	83.6	629	3,035	—	<1.00
	2/5/04	<1.0	170	1,730	<2.00	5.93	79	277	75.9	108	630	3,380	—	<1.00
	5/16/04	<1.00	158	2,150	<3.00	5.94	88.2	407	99.9	99.7	593	4,090	—	<1.00
	8/3/04	<0.1	150	2,730	—	—	125	632	191	124	832	6,810	—	<0.10
	2/11/05	<1.00	136	4,520	<1.00	5.19	127	1060	289	156	983	9,030	—	<1.00
	8/4/05	<1.00	132	6,580	<1.00	5.34	166	1650	375	142	1440	13,200	—	<1.00
	2/23/06	<10.0	130	9,100	<2.5	10	220	1510	326	141	1070	17,900	—	<10.0
	8/25/06	<10.0	140	12,000	<5	6.13	290	1550	364	136	1890	17,500	—	<10.0
	2/28/07	<10	170	10,000	<250	<2000	<2000	1550	310	160	1520	21,800	—	<10
	8/21/2007	<10	167	10,000	0.3	9	490	1630	443	112	3080	26,000	—	167
	2/20/08	<5	210	8,220	1.33 B	6.05	587	1200	372	143	3160	18,200	—	<5
	8/13/08	<5	263	6,270	<1.5	6.64	607	770	209	97.3	2510	15,100	—	<5

TABLE II

GROUNDWATER ANALYTICAL SUMMARY
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
SW/4, SE/4, SECTION 35, TOWNSHIP 24 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Carbonate (mg/L)	Bicarbonate (mg/L)	Chloride (mg/L)	Fluoride (mg/L)	Nitrate - N (mg/L)	Sulfate (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Potassium (mg/L)	Sodium (mg/L)	TDS (mg/L)	Hardness (mg/L)	Hydroxide (mg/L)
MW-5	8/22/97	—	—	250	1.60	10.00	600.0	—	—	—	—	1000	—	—
	2/17/98	<2.0	360	408	—	—	151	—	—	—	—	1,219	116	—
	2/7/01	<1.0	214	570	1.6	4.8	140	123	40.8	20.3	331	1,500	—	—
	05/03/02	<1.0	238	335	0.96	5.36	162	37.3	11.1	27.3	287	—	—	<1.00
	10/11/02	<0.1	232	337	—	—	173	31.8	10	20.7	305	1,100	—	<0.10
	12/27/02	<0.1	232	337	—	—	171	31.3	8.55	20.6	319	1,210	—	<0.10
	2/18/03	<0.1	210	319	—	—	176	27.2	8.48	16.5	231	1,110	—	<0.10
	6/2/03	<1.0	196	588	1.23	4.86	142	132	40.5	21.2	364	1,644	—	<0.10
	8/26/03	<1.0	210	447	1.32	4.85	141	95.1	29	23.4	291	1,480	—	<1.00
	11/6/03	<1.0	214	456	1.43	5.11	152	94	29.3	24.8	282	1,430	—	<1.00
	2/4/04	<1.0	206	504	1.38	5.31	147	95.1	31.4	27.3	289	1,410	—	<1.00
	5/7/04	<1.00	222	381	1.02	5.98	151	55.9	16.3	25.7	301	1,250	—	<1.00
	5/7/04	<1.00	242	330	1.04	5.75	152	50.7	14.6	27.4	292	1,168	—	<1.00
	8/3/04	<0.1	229	461	—	—	155	47.9	31.3	31.1	435	968	—	<0.10
	2/11/05	<1.0	288	408	2.58	8.36	243	46.2	13.3	30.6	433	1,598	—	<1.0
	8/4/05	<1.00	256	423	1.83	6.82	201	60.5	18.6	20.3	354	1,334	—	<1.00
	8/4/05	<1.00	242	394	1.82	6.74	200	49.2	14.8	21.5	341	1,220	—	<1.00
DUP1	2/22/06	<10.0	220	800	1.3	6.6	160	222	69.4	14	274	2,670	—	<10.0
	8/24/06	<10.0	190	930	<5	5.09	140	145	47.6	13.1	295	1,280	—	<10.0
	2/28/07	<10	300	730	3.5	5.2	340	36.9	10.6	18.4	301	1,310	—	<10
	8/23/2007	<10	115	360	1.8	5.2	170	50.1	18.4	16.4	291	2,500	—	115
	2/20/08	<5	255	505	2.9	5.61	168	127	42.1	19.6	353	1,500	—	<5
MW-6	8/13/08	<5	220	438	1.77	6.2	191	62.8	19.3	23.9	362	1,300	—	<5
	2/7/01	<1.0	200	1,800	3.3	5.4	140	323	108	18.8	657	3,800	—	—
	05/02/02	<1.0	264	503	3.68	7.04	183	24.9	7.29	17.4	475	—	—	<1.00
	10/14/02	<0.1	262	620	—	—	206	18.6	5.34	17.5	556	1,670	—	<0.10
	12/27/02	36	218	620	—	—	192	21.2	6.08	13.6	584	1,650	—	<0.10
	2/18/03	16	238	638	—	—	298	22.1	6.43	11.8	524	1,700	—	<0.10
	6/2/03	<1.0	244	772	3.24	6.62	181	68.7	23.3	14.4	614	2,040	—	<1.00
	8/26/03	<1.0	246	607	2.95	6.65	179	35.9	11.6	12.2	525	2,370	—	<1.00
	11/6/03	<1.0	250	649	3.28	6.89	191	46	13.9	18.1	503	1,972	—	<1.00
	2/4/04	<1.0	266	713	3.15	7.2	189	48.9	15.4	19.9	517	2,210	—	<1.00
	5/7/04	<1.00	266	696	2.92	6.74	182	54.8	16.1	16	503	2,095	—	<1.00
	8/3/04	<0.1	260	718	—	—	240	22.7	21.7	21.7	825	1,430	—	<0.10
	2/11/05	<1.00	270	660	3.76	7.84	192	30.1	9.13	19.5	531	1,774	—	<1.00
	8/4/05	<1.00	268	764	3.16	7.83	206	56.6	18.8	15.3	576	1,650	—	<1.00
	2/22/06	<10.0	270	610	2.4	7.9	180	23.9	7.41	10.9	380	1,570	—	<10.0
	8/24/06	<10.0	260	590	3	5.96	170	108	35	9.38	448	1,880	—	<10.0
	2/28/07	<10	280	530	3	7.8	170	21	6.14	12.8	397	1,550	—	<10
	8/23/2007	<10	265	1,100	2.3	7.6	150	29.8	8.35	15.7	440	3,970	—	265
	2/20/08	<5	227	799	3.05	7.43	163	181	62.4	15.7	492	1,930	—	<5
	8/13/08	<5	238	563	2.56	7.83	176	22.6	6.57	14.4	558	1,640	—	<5

TABLE II

GROUNDWATER ANALYTICAL SUMMARY
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
SW/4, SE/4, SECTION 35, TOWNSHIP 24 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Carbonate (mg/L)	Bicarbonate (mg/L)	Chloride (mg/L)	Fluoride (mg/L)	Nitrate - N (mg/L)	Sulfate (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Potassium (mg/L)	Sodium (mg/L)	TDS (mg/L)	Hardness (mg/L)	Hydroxide (mg/L)
MW-7	2/7/01	<1.0	238	250	1.60	10.00	600.0	—	—	—	—	1000	—	—
	05/02/02	<1.0	244	466	2.94	4.18	106	80.3	27.3	10.4	326	1,300	—	—
	10/11/02	<0.1	242	408	—	—	128	46.6	17	8.42	307	—	—	<1.00
	12/27/02	<0.1	232	452	—	—	109	56.2	13.5	6.7	316	1,120	—	<0.10
	2/17/03	<0.1	200	603	—	—	134	90.6	30.9	5.86	339	1,440	—	<0.10
	6/2/03	<1.0	242	388	3.23	4.33	115	39.5	12.5	6.16	370	1,216	—	<1.00
	8/25/03	<1.0	232	367	2.77	4.07	105	39.3	12.3	7.14	309	1,244	—	<1.00
	11/5/03	<1.0	240	343	3.08	4.16	117	36.6	11.4	7.67	304	1,186	—	<1.00
	11/5/03	<1.0	238	355	3.04	4.19	117	34.7	10.8	7.63	298	1,170	—	<1.00
	2/4/04	<1.0	262	320	3.1	4.25	112	30.7	9.87	7.95	1,138	1,138	—	<1.00
Dup	5/6/04	<1.00	260	339	2.9	4	112	35.2	10.3	6.81	282	1,172	—	<1.00
	8/3/04	<0.1	248	328	—	—	126	22.8	12.1	7.55	436	734	—	<0.10
	2/11/05	<1.00	238	332	3.76	4.65	123	31.5	9.99	7.75	296	1,128	—	<1.00
	8/5/05	<1.00	240	430	3.1	4.36	144	58.2	19.2	8.43	325	1,180	—	<1.00
	8/5/05	<1.00	236	387	3.14	4.3	144	38.7	12.5	6.51	315	1,100	—	<1.00
	2/22/06	<10.0	290	240	2.6	3.3	120	30.6	9.98	4.89	227	1,120	—	<10.0
	8/24/06	<10.0	260	230	3.1	2.97	110	23.3	7.82	2.96	245	952	—	<10.0
	2/28/07	<10	270	240	3.3	3.6	100	21.3	6.57	<5	230	885	—	<10
	8/25/2007	<10	261	250	2.7	3.2	110	18.8	8	<5	247	2,320	—	261
	2/20/08	<5	251	269	2.4	3.18	122	37.6	12.4	5.41	261	930	—	<5
MW-8	8/13/08	<5	274	251	2.41	3.21	121	25	7.64	4.86	273	887	—	<5
	2/7/01	20	240	900	3.2	6.6	160	79.4	24.5	12.7	604	2,100	—	—
	05/02/02	<1.0	236	818	2.65	6.68	168	94.5	29.2	13	527	—	—	<1.00
	10/14/02	<0.1	250	842	—	—	194	52.4	20.4	10.8	597	1,920	—	<0.10
	12/27/02	<0.1	233	833	—	—	173	59.8	20	8.64	627	2,000	—	<0.10
	2/18/03	<0.1	213	833	—	—	185	53	17.6	7.13	489	1,930	—	<0.10
	6/2/03	<1.0	244	777	3.29	6.82	173	60	18.9	9.47	650	1,968	—	<1.00
	8/25/03	<1.0	244	738	2.85	6.42	159	59.4	17.3	11.4	534	1,996	—	<1.00
	11/7/03	<1.0	248	722	3.27	6.65	171	58.1	17.9	12.2	525	1,972	—	<1.00
	2/4/04	<1.0	254	764	3.77	7.85	161	55.2	18.2	13.2	522	2,038	—	<1.00
	5/6/04	8	262	774	3.36	7.43	164	56.2	16.9	10.7	501	1,968	—	<1.00
	8/4/04	<0.1	246	771	—	—	222	28.6	21.5	11	707	1,530	—	<0.10
	2/11/05	<1.00	238	818	4.28	8.46	167	58.3	19	13.2	543	2,080	—	<1.00
	8/5/05	<1.00	236	888	3.29	7.66	184	71.5	23.3	11.7	574	2,230	—	<1.00
	2/22/06	<10.0	230	810	2.4	7.9	170	55.1	18	8.05	390	1,740	—	<10.0
	8/24/06	<10.0	280	710	3.2	5.51	170	51.2	16.5	6	470	926	—	<10.0
	2/28/07	<10	260	740	3.3	7.3	170	68.3	20.7	8.59	381	1,780	—	<10
	8/22/2007	<10	259	700	3	7.4	170	49.1	18.5	5.35	449	1,980	—	259
	2/20/08	<5	240	711	3.66	7.15	188	82.2	26.4	9.48	461	1,780	—	<5
	8/12/08	<1.53	357	668	2.99	6.74	171	64.1	19.7	8.49	541	1,750	—	<1.53

TABLE II

GROUNDWATER ANALYTICAL SUMMARY
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
SW/4, SE/4, SECTION 35, TOWNSHIP 24 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Carbonate (mg/L)	Bicarbonate (mg/L)	Chloride (mg/L)	Fluoride (mg/L)	Nitrate - N (mg/L)	Sulfate (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Potassium (mg/L)	Sodium (mg/L)	TDS (mg/L)	Hardness (mg/L)	Hydroxide (mg/L)
MW-9	NMWWCC Standard			250	1.60	10.00	600.0	—	—	—	—	1000	—	—
	05/01/02	<0.1	142	439	1.88	3.26	106	98.8	35.8	9.93	188	—	—	<1.00
	10/14/02	<0.1	137	443	—	—	119	88.4	33.1	10.4	216	1,240	—	<0.10
	12/27/02	<0.1	124	434	—	—	120	93.8	6.22	1,080	192	1,080	—	<0.10
	2/18/03	<0.1	105	461	—	—	126	99.3	34.1	5.62	200	1,190	—	<0.10
	5/30/03	<1.0	122	514	1.82	3.01	102	113	37.9	7.98	240	1,324	—	<1.00
	8/25/03	<1.0	114	562	1.58	2.98	95.2	120	39.2	9.45	219	1,428	—	<1.00
	11/7/03	<1.0	132	468	1.68	2.86	96.2	119	39	9.18	200	1,250	—	<1.00
	2/5/04	<1.0	124	610	2.32	4.18	97.7	125	41.1	10.3	221	1,345	—	<1.00
	2/5/04	<1.0	120	581	1.23	2.19	53.6	132	43.9	10.1	203	1,325	—	<1.00
	5/5/04	<1.00	122	616	1.39	2.68	91	142	50	9.65	212	1,428	—	<1.00
	5/5/04	<1.00	124	599	1.43	2.72	92.2	144	46.7	9.82	223	1,476	—	<1.00
	8/3/04	<0.1	110	691	—	—	115	184	62.9	10.5	279	1,530	—	<0.10
	2/11/05	<1.00	98	1,960	3.63	5.36	103	495	164	21.5	388	3,920	—	<1.00
	8/4/05	<1.00	218	10,000	1.54	5.15	224	2280	686	42.8	1390	27,000	—	<1.00
MW-10	2/23/06	<10.0	110	13,000	<2.5	19	430	2050	438	47.8	1450	24,300	—	<10.0
	8/25/06	<10.0	260	10,000	<2.5	3.75	360	1,330	360	38.3	1,920	24,100	—	<10.0
	2/28/07	<10	140	8,700	<0.5	4.6	430	1180	276	46.9	1510	17,700	—	<10
	8/23/2007	<10	157	6,900	<0.1	3.7	400	934	283	<50	2290	17,100	—	157
	2/20/08	<5	229	6,270	<0.3	<0.2	447	867	293	27.7	2190	12,500	—	<5
	8/12/08	<1.53	257	4,910	1.19	3.74	443	720	236	36.2	1,760	11,400	—	<1.53
	10/14/02	<0.1	204	71	—	—	145	42.3	22.8	7.77	87.3	593	—	<0.10
	12/27/02	<0.1	196	70	—	—	149	68.4	23.1	7.69	92.8	529	—	<0.10
	2/18/03	<0.1	184	65	—	—	159	67.1	22.8	3.04	90.7	552	—	<0.10
	6/2/03	<1.0	198	55.7	1.6	4.31	134	75.7	22.4	4.95	80.4	624	—	<1.00
	8/26/03	<1.0	188	56.1	1.58	4.1	125	70.6	23.4	6.29	72.3	688	—	<1.00
	11/7/03	<1.0	200	70.9	1.69	4.19	131	70.2	23.5	5.8	69.3	638	—	<1.00
	2/5/04	<1.0	196	101	1.68	4.22	121	75.8	25.7	6.29	73.8	674	—	<1.00
	5/7/04	<1.00	174	186	1.4	3.8	111	92.9	30.1	6.34	78.3	736	—	<1.00
	8/3/04	<0.1	144	328	—	—	118	106	49.5	7.7	106	796	—	<0.10
	2/11/05	<1.0	112	1,110	3.44	5.86	93.1	357	115	14	157	2,295	—	<1.00
Dup	8/4/05	<1.00	112	1,500	1.32	4.02	94.5	419	139	11.5	186	3,420	—	<1.00
	2/22/06	<10.0	89	2,000	<0.50	6.5	98	520	158	13.8	180	6,180	—	<10.0
	8/25/06	<10.0	110	2,200	<2.5	3.24	97	660	201	13.7	253	7,520	—	<10.0
	2/28/07	<10	360	2,200	0.8	4.2	100	601	168	16.9	224	6,140	—	<10
	8/22/2007	<10	74.9	2,200	0.5	6	110	585	189	<50	270	7,270	—	74.9
	2/20/08	<5	253	1,930	0.75	3.3	109	551	186	17.8	280	4,620	—	<5
	8/12/08	<1.53	800	1,700	1.75	3.16	108	430	154	15.4	271	4,540	—	<1.53

TABLE II

GROUNDWATER ANALYTICAL SUMMARY
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
SW/4, SE/4, SECTION 35, TOWNSHIP 24 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Carbonate (mg/L)	Bicarbonate (mg/L)	Chloride (mg/L)	Fluoride (mg/L)	Nitrate - N (mg/L)	Sulfate (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Potassium (mg/L)	Sodium (mg/L)	TDS (mg/L)	Hardness (mg/L)	Hydroxide (mg/L)
MW-11	NMWWCC Standard	(mg/L)		250	1.60	10.00	600.0	---	---	---	---	1000	---	---
	4/30/02	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10/11/02	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12/26/02	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/17/03	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5/29/03	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8/22/03	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11/5/03	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/3/04	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5/5/04	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8/2/04	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11/23/04	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/9/05	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8/4/05	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/22/06	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/28/07	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8/22/2007	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/20/08	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8/12/08	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-12	05/02/02	<1.0	88	1,120	1.37	4.09	45.3	431	153	17.7	123	---	---	<1.00
	10/11/02	<0.1	93	1,370	---	---	47.5	438	161	15.4	127	2,860	---	<0.10
	12/27/02	<0.1	78	1,520	---	---	49.3	493	181	14.1	151	3,460	---	<0.10
	2/17/03	<0.1	68	1,530	---	---	52.4	461	170	13.3	136	3,980	---	<0.10
	6/2/03	<1.0	72	1,380	<2.00	5.06	45.8	491	157	15.3	151	3,250	---	<1.00
	8/26/03	<1.0	66	1,550	4.94	5.06	45.9	525	178	14.8	156	3,855	---	<1.00
	11/6/03	<1.0	80	1,610	2.25	4.81	50.3	568	189	20.1	159	3,860	---	<1.00
	2/5/04	<1.0	74	1,680	2.19	5.13	46	525	181	21.6	160	2,910	---	<1.00
	5/7/04	<1.0	70	1,620	<3.00	5.13	53.6	541	178	18.5	152	3,085	---	<1.0
	8/3/04	<0.1	66	1,680	---	---	55.2	680	252	31.1	211	4,300	---	<0.10
	2/11/05	<1.00	82	1,770	2.04	6.08	47.7	503	176	17.8	138	3,080	---	<1.00
	8/5/05	<1.00	72	1,800	1.66	4.69	48.6	547	194	15.2	149	4,180	---	<1.00
	2/22/06	<10.0	73	1,700	0.7	6.7	48	415	135	14.9	129	4,890	---	<10.0
	8/24/06	<10.0	87	1,700	0.93	3.06	48	463	157	12.2	140	6,190	-	<10.0
	2/28/07	<10	95	1,900	1.3	6.9	65	521	154	16.1	155	5,840	---	<10
	8/22/2007	<10	108	1,800	0.7	6	52	476	151	11.9	143	6,470	---	108
	2/20/08	<5	83.8	2,020	0.93	3.99	70.8	589	211	18.1	179	4,580	---	<5
	8/12/08	<1.53	77	2,140	1.68	3.84	86.1	647	221	17.9	212	5,160	---	<1.53

TABLE II

GROUNDWATER ANALYTICAL SUMMARY
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
SW/4, SE/4, SECTION 35, TOWNSHIP 24 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Carbonate (mg/L)	Bicarbonate (mg/L)	Chloride (mg/L)	Fluoride (mg/L)	Nitrate - N (mg/L)	Sulfate (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Potassium (mg/L)	Sodium (mg/L)	TDS (mg/L)	Hardness (mg/L)	Hydroxide (mg/L)
MW-13	05/02/02	<1.0	122	250	1.60	4.38	600.0	---	---	---	65.6	---	---	<1.00
	10/11/02	<0.1	115	337	---	---	131	125	44.3	10.2	88.6	---	---	<0.10
	12/27/02	<0.1	104	408	---	---	124	135	46.5	9.47	88.6	1,210	---	<0.10
	2/17/03	<0.1	80	443	---	---	132	160	55.2	9.71	84.5	1,260	---	<0.10
	6/2/03	<1.0	102	421	2.27	4.43	144	152	54.9	8.88	108	1,370	---	<1.00
	8/26/03	<1.0	92	500	2.1	4.23	122	153	56	11	90.9	1,260	---	<1.00
	11/6/03	<1.0	98	492	2.25	4.42	115	179	66	12	95.6	1,360	---	<1.00
	2/5/04	<1.0	96	543	2.3	4.56	120	179	65.6	15.4	91.5	1,434	---	<1.00
	5/7/04	<1.00	98	496	2.04	4.14	116	184	62.2	12.8	98.3	1,220	---	<1.00
	8/3/04	<0.1	95	532	---	---	77.3	15	77.3	15	111	1,410	---	<0.10
	2/11/05	<1.00	100	491	2.19	5.36	117	171	61.7	13.3	92.3	1,260	---	<1.00
	8/5/05	<1.00	96	759	2.29	5.11	125	217	70.8	12.7	103	1,550	---	<1.00
	2/22/06	<10.0	89	590	1.7	4.8	120	177	61.2	11.5	91.8	2,090	---	<10.0
	8/24/06	<10.0	150	760	<2.5	3.58	120	228	78.7	10.9	107	2,590	---	<10.0
	2/28/07	<10	90	880	2	5.2	140	262	84.8	14.6	113	3,060	---	<10
	8/22/2007	<10	129	980	1.6	4	130	279	94.7	11.6	122	3,480	---	129
	2/20/08	<5	209	1,260	1.57	4.02	153	362	145	20.1	172	3,070	---	<5
	8/13/08	<5	141	1,410	2.33	1.53	154	389	155	20.1	176	4,940	---	<5
MW-14	11/5/03	<1.0	100	3,500	<1.00	6.58	525	951	324	45.3	732	7,315	---	<1.00
	2/4/04	<1.0	74	3,910	<3.00	6.01	559	966	320	46.1	840	7,720	---	<1.0
	5/6/04	<1.00	86	3,970	<1.00	5.54	594	997	350	42.5	836	9,560	---	<1.00
	8/4/04	<0.1	78	4,430	---	---	895	1350	455	60.3	1220	11,500	---	<0.10
	2/11/05	<1.00	80	6,120	3.5	5.99	752	1180	370	56.8	1250	8,860	---	<1.00
	8/5/05	<1.00	86	6,480	1.84	5.04	882	1230	400	46.3	1440	9,570	---	<1.00
	2/22/06	<10.0	81	5,300	<0.50	11	700	914	253	34.1	885	12,100	---	<10.0
	2/22/06	<10.0	82	5,000	<0.50	<40	690	916	253	34	884	11,600	---	<10.0
	8/24/06	<10.0	85	5,600	<5	3.74	690	942	266	27.8	1370	11,300	---	<10.0
	2/28/07	<10	95	5,200	<0.5	4.3	620	758	193	36.9	1060	12,400	---	<10
	8/22/2007	<10	92.2	4,700	0.3	3.9	610	823	249	<50	1420	11,700	---	92.2
	2/20/08	<5	108	4,910	3.14	3.7	674	847	272	25.7	1510	10,300	---	<5
	8/12/08	<1.53	101	4,400	1.32	3.50	668	781	237	38.2	1650	10,300	---	<1.53
	11/5/03	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/3/04	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5/5/04	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8/2/04	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11/23/04	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/9/05	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8/4/05	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/22/06	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/28/07	<10	170	90	2.2	2.2	71	57.3	19.8	6.03	52.9	575	---	<10
	8/22/2007	<10	146	150	1.8	2.1	65	66.4	24.1	5.98	60.2	652	---	146
	2/20/08	<5	117	487	1.68	2.19	61.1	161	62.2	10.5	88.1	1,500	---	<5
	8/12/08	<1.53	101	792	1.81	2.38	68.3	238	92	13.3	120	2,370	---	<1.53

TABLE II

GROUNDWATER ANALYTICAL SUMMARY
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
SW/4, SE/4, SECTION 35, TOWNSHIP 24 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Carbonate (mg/L)	Bicarbonate (mg/L)	Chloride (mg/L)	Fluoride (mg/L)	Nitrate - N (mg/L)	Sulfate (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Potassium (mg/L)	Sodium (mg/L)	TDS (mg/L)	Hardness (mg/L)	Hydroxide (mg/L)
	NMWWQC Standard			250	1.60	10.00	600.0	---	---	---	---	1000	---	---
MW-16	11/6/03	<1.0	188	863	1.79	5.65	150	183	55.6	14.2	372	2,100	---	<1.00
	2/4/04	<1.0	174	937	2.19	6.59	123	235	76.8	15.2	299	2,200	---	<1.00
	5/7/04	<1.00	172	953	<2.00	5.91	123	240	73.8	12.7	313	2,280	---	<1.00
	8/3/04	<0.1	158	1,010	---	---	159	250	87.5	13.5	382	2,560	---	<0.10
	2/11/05	<1.00	180	944	2.4	7.24	151	198	62.4	10.9	344	2,260	---	<1.00
	8/5/05	<1.00	230	568	1.99	5.14	146	134	46.9	8.7	249	1,420	---	<1.00
	2/22/06	<10.0	180	590	1.3	5.2	110	120	39.1	7.17	207	1,770	---	<10.0
	8/24/06	<10.0	490	500	<2.5	3.17	89	123	40.6	4.93	207	1,460	-	<10.0
	2/28/07	<10	220	410	1.6	4.6	110	71.8	22.2	6.46	228	1,200	---	<10
	8/22/2007	<10	296	360	1.4	3.6	87	83	29.9	<5	215	1,280	---	296
	2/20/08	<5	190	338	1.31	2.91	88.3	141	47.9	6.53	154	990	---	<5
	8/12/08	<1.53	220	536	1.36	3.34	86.2	112	37.4	6.75	221	1,660	---	<1.53
MW-17	11/5/03	<1.0	154	587	2.06	3.85	104	177	58.2	12.5	184	1,556	---	<1.00
	2/4/04	<1.0	158	650	2.01	3.93	93.1	158	52.5	12.2	205	1,416	---	<1.00
	2/4/04	<1.0	172	557	2.08	4.03	95.7	162	52.6	12.1	204	1,496	---	<1.00
	5/6/04	<1.00	162	604	1.77	3.57	91.2	182	57.7	10.9	176	1,416	---	<1.00
	8/4/04	<0.1	141	638	---	---	132	207	81	12.7	221	1,660	---	<0.10
	2/11/05	<1.00	174	572	2.94	4.61	101	134	45.9	11	229	1,470	---	<1.00
	8/5/05	<1.00	172	626	2.16	4.37	106	169	53.5	9.5	220	1,750	---	<1.00
	2/22/06	<10.0	150	580	1.5	4	97	123	40.1	8.04	187	1,810	---	<10.0
	8/24/2006	<10.0	200	560	<2.5	3.06	100	140	46.1	5.94	178	1,700	-	<10.0
	8/24/06	<10.0	320	530	<2.5	2.94	100	135	46.5	5.76	175	1,700	-	<10.0
	2/28/07	<10	180	530	2.2	4.1	130	94.9	30.3	7.06	213	1,240	---	<10
	8/22/2007	<10	177	550	1.8	4.3	130	113	41.4	5.97	200	1,310	---	177
	2/20/08	<5	147	622	2.1	3.45	130	169	59.9	8.35	155	1,550	---	<5
	8/12/08	<1.53	173	519	1.86	3.37	125	124	43	7.92	222	1,660	---	<1.53
MW-18	11/23/04	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/9/05	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8/4/05	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/22/06	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/28/07	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/20/08	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

TABLE II

GROUNDWATER ANALYTICAL SUMMARY
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
SW/4, SE/4, SECTION 35, TOWNSHIP 24 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Carbonate (mg/L)	Bicarbonate (mg/L)	Chloride (mg/L)	Fluoride (mg/L)	Nitrate - N (mg/L)	Sulfate (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Potassium (mg/L)	Sodium (mg/L)	TDS (mg/L)	Hardness (mg/L)	Hydroxide (mg/L)
	NMWQCC Standard	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
				250	1.60	10.00	600.0	---	---	---	---	1000	---	---
MW-19 DUP3	11/23/04	<1.00	86	7,000	<10.0	17.3	582	2020	678	52.4	1590	12,900	---	<1.00
	2/11/05	<1.00	92	5,200	1.3	5.12	502	1340	522	61.3	974	22,000	---	<1.00
	8/5/05	<1.00	82	4,850	1.76	4.7	450	1200	422	50.6	973	9,750	---	<1.00
	8/5/05	<1.00	80	5,170	1.87	4.83	462	1270	463	51	814	15,800	---	<1.00
	2/22/06	<10.0	75	3,900	<0.50	8.9	400	870	271	32.6	464	8,830	---	<10.0
	8/24/06	<10.0	250	3,900	<5	3.01	390	902	293	28.8	582	10,900	---	<10.0
	2/28/07	<10	92	5,500	<0.5	4.4	600	901	247	37	658	12,700	---	<10
	8/22/2007	<10	82.6	4,500	0.3	3.1	440	1040	367	<50	686	11,600	---	82.6
MW-20	2/20/08	<5	80.1	4,800	1.72	3.62	476	1130	437	31.2	684	10,300	---	<5
	8/12/08	<1.53	79.8	4,240	2.94	3.27	429	1080	399	26.7	739	9,600	---	<1.53
	11/23/04	<1.00	82	606	2.49	2.9	79.7	176	62.6	13.6	104	985	---	<1.00
	2/11/05	<1.00	88	745	1.86	4.34	73.8	227	77.5	15	117	1,480	---	<1.00
MW-21	8/5/05	<1.00	80	1,170	1.76	4.55	84.5	326	116	14.7	162	2,640	---	<1.00
	2/22/06	<10.0	110	1,100	0.98	5.5	83	295	103	13.5	145	3,000	---	<10.0
	8/24/06	<10.0	1,100	1,100	<2.5	3.39	84	288	101	11.2	160	3,590	---	<10.0
	2/28/07	<10	110	1,300	1.4	5.1	95	332	107	14.6	165	4,500	---	<10
	8/22/2007	<10	419	1,400	0.8	5.7	100	346	119	11.9	203	4,100	---	419
	2/20/08	<5	117	1,540	1.1	3.83	108	393	158	18.7	247	3,550	---	<5
	8/12/08	<1.53	135	1,570	2.02	3.73	113	392	154	18.5	249	4,290	---	<1.53
	11/28/2007	1.14	415	482	1.9	5.15	128	173	64.4	18.3	115	1,440	---	1.14
MW-22	2/20/08	<5	115	606	2.00	4.68	159	205	71.3	14.4	110	1,740	---	<5
	8/12/08	<1.53	126	544	2.00	4.68	147	193	64.7	12.5	116	2,060	---	<1.53
	11/28/2007	1.14	2950	1,020	0.93	2.7	169	286	96.7	12.1	229	2,330	---	1.14
	2/20/08	<5	374	1,060	1.70	2.73	171	291	129	11.1	244	2,560	---	<5
	8/12/08	<1.53	143	1,370	1.70	2.73	167	359	129	12.9	272	3,670	---	<1.53

TABLE II

GROUNDWATER ANALYTICAL SUMMARY
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
SW/4, SE/4, SECTION 35, TOWNSHIP 24 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Carbonate (mg/L)	Bicarbonate (mg/L)	Chloride (mg/L)	Fluoride (mg/L)	Nitrate - N (mg/L)	Sulfate (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Potassium (mg/L)	Sodium (mg/L)	TDS (mg/L)	Hardness (mg/L)	Hydroxide (mg/L)
West	8/22/97	—	—	250	1.60	10.00	600.0	—	—	—	—	1000	—	—
	2/17/98	<2.0	370	237	—	—	134	—	—	—	—	975	96	—
	2/7/01	<1.0	236	340	120	4.5	120	39.7	12.5	—	264	1,000	—	—
	05/03/02	<1.0	214	329	139	4.36	116	41.9	11.9	40.9	234	—	—	<1.00
	10/14/02	<0.1	210	337	—	—	127	39.3	9.37	35.6	290	986	—	<0.10
	12/27/02	<0.1	198	337	—	—	134	43.1	12.5	33.2	263	997	—	<0.10
	2/18/03	<0.1	190	354	—	—	141	33.6	9.78	23.9	152	1,010	—	<0.10
	5/30/03	<1.0	202	353	1.54	4.16	116	48.4	13.3	35.1	283	1,050	—	<1.00
	8/25/03	<1.0	194	351	1.5	4.08	112	49.4	13.2	38.4	265	1,066	—	<1.00
	11/7/03	<1.0	204	327	1.65	3.98	115	51.3	13.8	38.8	235	1,100	—	<1.00
	2/5/04	<1.0	196	345	1.66	4.09	112	51.6	14.6	41.4	235	1,074	—	<1.00
	5/6/04	<1.00	200	339	1.44	3.83	115	53.6	14	37.3	241	1,040	—	<1.00
	8/3/04	<0.1	186	337	—	—	147	41.7	20.1	49.1	297	717	—	<0.10
	2/11/05	<1.00	186	417	2.44	4.47	117	75.9	21.4	43.9	241	1,128	—	<1.00
	8/4/05	<1.00	150	526	1.54	4.16	129	87	23.6	42.2	280	1,104	—	<1.00
	2/23/06	<10.0	150	800	0.76	4	110	149	44.3	47.1	257	2,390	—	<10.0
	8/25/06	<10.0	150	1,500	<2.5	2.78	97	315	87.6	67.7	400	4,840	—	<10.0
	2/28/07	<10	120	2,500	0.86	6.6	120	515	130	98.7	410	7,600	—	<10
	8/21/2007	<10	99.8	3,700	0.2	4.31	180	844	251	72.7	665	12,700	—	99.8
	2/20/08	<5	119	2,780	0.54	3.43	202	662	189	81.8	564	5,850	—	<5
	8/13/08	<5	175	1,940	1.57	3.89	227	387	119	61.8	588	5,570	—	<5
Southwest	8/22/97	—	—	3,300	—	—	—	—	—	—	—	—	712	—
	2/17/98	<2.0	420	2,170	—	—	255	—	—	—	—	4,719	—	—
	2/7/01	<1.0	326	1,900	2.2	5	350	197	59.1	—	1078	4,100	—	—
	05/03/02	<1.0	272	1,490	1.38	4.51	301	200	65	46.4	744	—	—	<1.00
	10/14/02	<0.1	330	1,330	—	—	360	110	32.5	61.5	929	3,020	—	<0.10
	12/27/02	<0.1	308	1,280	—	—	319	107	31.9	66.8	980	3,040	—	<0.10
	2/18/03	<0.1	289	1,290	—	—	300	104	31.3	63	918	2,910	—	<0.10
	2/18/03	<0.1	298	1,310	—	—	299	108	32.2	58.3	812	3,040	—	<0.10
	6/2/03	<1.0	304	1,420	2.34	5.83	282	161	45.7	49.1	935	4,070	—	<1.00
	8/25/03	<1.0	290	1,370	2.12	5.65	287	169	54.5	45	899	3,420	—	<1.00
	6/2/03	<1.0	310	1,190	2.25	6.1	272	117	33.6	49.7	774	3,205	—	<1.00
	8/25/03	<1.0	200	1,260	<2.00	5.61	75.5	159	41.8	79	591	3,270	—	<1.00
	11/7/03	<1.0	300	1,240	2.29	5.77	255	129	35.4	48.5	727	3,275	—	<1.00
	2/5/04	<1.0	300	1,240	2.37	6.17	238	109	33.1	52.2	716	2,860	—	<1.00
	5/6/04	<1.00	294	1,310	<3.00	6.38	231	158	30.8	53.2	780	3,180	—	<1.00
	8/3/04	<0.1	276	1,400	—	—	264	75.1	45.2	82.4	1660	2,550	—	<0.10
	2/11/05	<1.00	260	2,920	1.33	9.61	230	323	94.5	84.4	1240	5,575	—	<1.00
	8/4/05	<1.00	226	5,290	1.55	11.7	325	691	201	101	1980	12,000	—	<1.00
	2/23/06	<10.0	300	3,000	<2.5	11	450	373	108	77.1	896	6,300	—	<10.0
	8/25/06	<10.0	300	3,100	<5.0	5.99	600	415	117	74.9	1240	7,600	—	<10.0
	2/28/07	<10	310	4,500	0.51	8.8	670	511	130	93.7	994	9,120	—	<10
	8/21/2007	<10	265	5,500	0.1	11.7	860	879	242	82.6	2040	14,900	—	265
	2/20/08	<5	278	5,940	0.63	9.3	896	1010	281	120	2300	13,100	—	<5
	8/13/08	<5	268	5,670	4.18	8.14	775	934	237	112	2110	13,700	—	<5

TABLE II

GROUNDWATER ANALYTICAL SUMMARY
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
G.L. ERWIN "A & B" FEDERAL NCT-2 TANK BATTERY
SW/4, SE/4, SECTION 35, TOWNSHIP 24 SOUTH, RANGE 37 EAST
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Carbonate (mg/L)	Bicarbonate (mg/L)	Chloride (mg/L)	Fluoride (mg/L)	Nitrate - N (mg/L)	Sulfate (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Potassium (mg/L)	Sodium (mg/L)	TDS (mg/L)	Hardness (mg/L)	Hydroxide (mg/L)
	NMWQCC Standard	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
				250	1.60	10.00	600.0	---	---	---	---	1000	---	---
RW-1	10/20/00	<1.0	330	1,500	1.7	5.2	330	107	29.6	50	843	3,200	---	---
	10/14/02	<0.1	327	1,150	---	---	340	60.3	25.5	64.3	820	2,720	---	<0.10
	11/27/02	<0.1	294	1,300	---	---	330	123	56.8	933	3,190	---	---	<0.10
	2/18/03	<0.1	300	1,150	---	---	316	79.7	25.7	53	721	2,690	---	<0.10
	6/2/03	<1.0	276	1,500	2.05	5.24	275	194	67.21	40.8	923	4,070	---	<1.00
	8/25/03	<1.0	298	1,190	2.01	6.15	278	117	32.7	46.1	705	2,940	---	<1.00
	11/7/03	<1.0	298	1,300	2.13	5.56	266	166	48.1	51.7	705	3,240	---	<1.00
	2/5/04	<1.0	292	1,270	2.22	5.92	246	148	44.7	53.8	704	2,780	---	<1.00
	5/6/04	<1.00	310	1,100	<3.00	6.62	235	104	28.3	53.8	635	2,840	---	<1.00
	8/4/04	<1.00	288	1,040	<3.00	6.64	243	90	24.1	44.5	642	2,705	---	<1.00
	8/4/04	<0.1	284	1,120	---	---	290	44.8	33	86.9	785	2,250	---	<0.10
	8/4/04	<0.1	288	1,120	---	---	274	45	31.6	84	961	2,550	---	<0.10
	2/11/05	<1.00	262	1,730	3.59	8.93	217	172	51.5	84	910	3,995	---	<1.00
	2/11/05	<1.00	268	1,690	2	8.59	224	159	46.4	81	813	3,170	---	<1.00
	8/4/05	<1.00	252	2,470	1.26	5.8	188	262	76.1	87.5	1090	5,120	---	<1.00
	2/23/06	<10.0	290	2,400	<2.5	8.9	350	234	67.6	70.4	762	4,680	---	<10.0
DUP	8/25/06	<10.0	300	2,300	<5	4.41	440	281	77.3	68.5	1040	5,610	---	<10.0
	8/25/06	<10.0	300	2,300	<5	4.6	450	272	77.3	67.1	1030	5,570	---	<10.0
DUP	2/28/07	<10	300	3,100	<0.5	3.5	590	353	97.7	82.2	848	7,400	---	<10
	2/28/07	<10	290	3,200	<0.5	3.5	600	416	115	83.4	878	7,280	---	<10
DUP	8/21/2007	<10	265	4,100	0.3	3.54	620	656	193	72.6	1640	11,300	---	265
	8/21/2007	<10	263	4,100	0.1	3.38	600	655	192	72.5	1630	11,400	---	263
DUP	2/20/08	<5	473	5,130	0.56	6.8	677	892	255	126	1810	11,000	---	<5
	2/20/08	<5	231	5,120	0.55	6.78	674	888	252	126	1800	10,800	---	<5
DUP	8/12/08	<1.53	255	4,650	1.06	6.43	628	816	232	107	1770	11,000	---	<1.53
	8/12/08	<1.53	229	4,600	1.05	6.37	612	778	222	105	1740	10,900	---	<1.53
WW-1	05/01/02	<1.0	172	97.2	1.64	4.05	137	51.4	23.4	8.23	84.9	---	---	<1.00
	10/10/02	<0.1	168	106	---	---	124	52.7	22.2	9.99	106	605	---	<0.10
	11/27/02	<0.1	157	111	---	---	134	55	22.5	5.3	96	572	---	<0.10
	2/18/03	<0.1	152	115	---	---	137	53.8	22.1	6.38	93.5	601	---	<0.10
	6/2/03	<1.0	154	127	1.69	3.77	119	59.5	24.1	7.14	118	621	---	<1.00
	8/25/03	<1.0	148	136	1.7	3.72	111	63	24	8.43	104	652	---	<1.00
	11/7/03	<1.0	156	149	1.8	3.62	111	62.3	24.4	8.3	95.5	669	---	<1.00
	2/4/04	<1.0	156	185	1.81	3.79	102	68.2	25.5	8.7	92.4	709	---	<1.00
	5/5/04	<1.00	148	204	1.54	3.48	99.7	71.9	26.5	8.25	120	695	---	<1.00
	8/4/04	<0.1	132	222	---	---	114	92.3	37.9	9.89	139	471	---	<0.10
	8/4/05	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/23/06	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	3/1/07	<10	130	300	1.5	3.2	77	101	30.7	5.94	103	1060	---	<10
	8/21/07	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/21/08	<5	106	461	1.22	2.9	84.4	112	41.4	6.82	118	1,310	---	<5
	8/12/08	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Notes:

1. mg/L: Milligrams per liter
2. <: Concentration below test method detection limit
3. ---: No data available
4. RW: Recovery well
5. All analyses prior to 10/14/02 conducted by TraceAnalysis, Inc., Lubbock, TX
6. Analyses from 10/14/02 conducted by Environmental Lab of Texas, Odessa, TX
7. Analyses from 5/30/03 and following conducted by Trace Analysis Inc., Lubbock, TX
8. Analyses from 8/24/06 and 8/25/06 conducted by Pace Analytical, St. Rose, LA and Greenbay, WI Laboratories
9. Highlight: Result exceeds NMWQCC standard
10. WW: Water well
11. NS: Note sampled

ANALYTICAL REPORT

JOB NUMBER: 358286
PROJECT ID: G. L. ERWIN

Prepared For:

Conestoga-Rovers and Associates
2135 S. Loop West
Midland, TX 79701

Attention: JAMES GIBBLES

Date: 03/04/2006

Signature



Date

03/04/06

Name: Sachin G. Kudchadkar

Title: Project Manager III

E-Mail: sachin.kudchadkar@testamericainc.com

TestAmerica Laboratories, Inc
6310 Rothway Drive
Houston, TX 77040

PHONE: 713-690-4444

TOTAL NO. OF PAGES 26



THE LEADER IN ENVIRONMENTAL TESTING

03/04/2008

James Ornelas
Conestoga-Rovers and Associates
2135 S. Loop 250 West
Midland, TX 79703

Reference:

Project : G. L. ERWIN
Project No. : 350286
Date Received : 02/22/2008
TestAmerica Job : 350286

Dear James Ornelas:

Enclosed are the analytical results for your project referenced above. The following samples are included in the report.

1. WW1 22108

All holding times were met for the tests performed on these samples.

Enclosed, please find the Quality Control Summary. All quality control results for the QC batch that are applicable to the sample(s) are acceptable except as noted in the QC batch reports.

The test results in this report meet all QC requirements for TestAmerica Houston's QC limits. Any exceptions to these QC requirements will be noted and included in a case narrative as a part of this report.

If the report is acceptable, please approve the enclosed invoice and forward it for payment.

Thank you for selecting TestAmerica to serve as your analytical laboratory on this project. If you have any questions concerning these results, please feel free to contact me at any time.

We look forward to working with you on future projects.

Sincerely,

Sachin G. Kudchadkar
Project Manager

S A M P L E I N F O R M A T I O N

Date: 03/04/2008

Job Number.: 350286

Customer...: Conestoga-Rovers and Associates

Attn.....: James Ornelas

Project Number.....: 99007700

Customer Project ID....: G. L. ERWIN

Project Description....: ANALYTICAL

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
350286-1	WW1 22108	Water	02/21/2008	11:40	02/22/2008	09:17

LABORATORY TEST RESULTS					Date:03/04/2008						
CUSTOMER: Conestoga-Rovers and Associates					PROJECT: G. L. ERWIN						
Customer Sample ID: WM1 22108 Date Sampled.....: 02/21/2008 Time Sampled.....: 11:40 Sample Matrix.....: Water					Laboratory Sample ID: 350286-1 Date Received.....: 02/22/2008 Time Received.....: 09:17						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
SW-846 3010A	Acid Digestion, Diss.	Complete				1		194934		03/03/08 0735	rim
SW-846 6010B	Metals Analysis (ICAP Trace) Calcium (Ca), Diss. Magnesium (Mg), Diss. Potassium (K), Diss. Sodium (Na), Diss.	112		0.02185	2.000	1	mg/L	195011		03/03/08 1329	srp
		41.4		0.01604	2.000	1	mg/L	195011		03/03/08 1329	srp
		6.82		0.08121	2.000	1	mg/L	195011		03/03/08 1329	srp
		118		0.2000	20.00	10	mg/L	195011		03/03/08 1418	srp
SM 2320 8	Alkalinity, Total as CaCO3, Water	106		1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM 2320 8	Bicarbonate (HCO3), Water	106		1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM 2320 B	Carbonate (CO3), Water	1.53	U	1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM 2320 B	Hydroxide (OH), Water	1.53	U	1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM2540 C	Solids, Total Dissolved (TDS), Water	1310			10	1	mg/L	194603		02/25/08 1045	daw
EPA 300.0	Ion Chromatography Analysis Chloride, Water Fluoride (F), Water Sulfate (SO4), Water	461		1.5	5.0	10.000	mg/L	194524		02/23/08 0213	sur
		1.22		0.10	0.30	1.0000	mg/L	194524		02/23/08 0153	sur
		84.4		3.4	5.0	10.000	mg/L	194524		02/23/08 0213	sur
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold Nitrogen, Nitrate as N (NO3-N), Water	2.90		0.19	0.20	1.0000	mg/L	194524		02/23/08 0153	sur

* In Description = Dry Wgt.

QUALITY CONTROL RESULTS

Job Number.: 350286

Report Date.: 03/04/2008

CUSTOMER: Conestoga-Rovers and Associates

PROJECT: G. L. ERWIN

ATTN: James Ornelas

Test Method.....: SM 2320 B

Method Description.: Alkalinity

Parameter.....: Alkalinity, Total as CaCO3

Units.....: mg/L CaCO3

Batch(s)....: 194438

Analyst....: sng

Test Code.: ALK

QC	Lab ID	Reagent	QC Result	QC Result	True Value	Orig. Value	Calc. Result *	Limits	F	Date	Time
MS	350207-21	WC4081A	353.86		250.000000	119.19	93.9	75-125		02/22/2008	1030
OU	350207-11		81.95			83.81	2.2	20		02/22/2008	1030
OU	350207-21		122.92			119.19	3.1	20		02/22/2008	1030
LCS	194438--21	WC4050	931.21		1000.0		93.1	90.0-110.		02/22/2008	1030
MB	194438--21		1.86							02/22/2008	1030
DU	350207-1		165.75			165.75	0.0	20		02/22/2008	1030
LCS	194438--21	WC4050	931.21		1000.0		93.1	90.0-110.		02/22/2008	1030
MB	194438--21		1.86							02/22/2008	1030
MS	350207-11	WC4081A	311.02		250.000000	83.81	90.9	75-125		02/22/2008	1030
MS	350207-1	WC4081A	381.79		250.000000	165.75	86.4	75-125		02/22/2008	1030

Test Method.....: SM 2320 B

Method Description.: Alkalinity

Parameter.....: Bicarbonate (HCO3)

Units.....: mg/L CaCO3

Batch(s)....: 194438

Analyst....: sng

Test Code.: HCO3

QC	Lab ID	Reagent	QC Result	QC Result	True Value	Orig. Value	Calc. Result *	Limits	F	Date	Time
MB	194438--21		1.86							02/22/2008	1030
MB	194438--21		1.86							02/22/2008	1030
LCS	194438--21	WC4050	931.21		1000		93.1	90.0-110.		02/22/2008	1030
OU	350207-1		165.75			165.75	0.0	20		02/22/2008	1030
MS	350207-21	WC4081A	353.86		250.000000	119.19	93.9	75-125		02/22/2008	1030
MS	350207-11	WC4081A	311.02		250.000000	83.81	90.9	75-125		02/22/2008	1030
MS	350207-1	WC4081A	381.79		250.000000	165.75	86.4	75-125		02/22/2008	1030
DU	350207-11		81.95			83.81	2.2	20		02/22/2008	1030
LCS	194438--21	WC4050	931.21		1000		93.1	90.0-110.		02/22/2008	1030
OU	350207-21		122.92			119.19	3.1	20		02/22/2008	1030

Test Method.....: SM 2320 B

Method Description.: Alkalinity

Parameter.....: Carbonate (CO3)

Units.....: mg/L CaCO3

Batch(s)....: 194438

Analyst....: sng

Test Code.: CO3

QC	Lab ID	Reagent	QC Result	QC Result	True Value	Orig. Value	Calc. Result *	Limits	F	Date	Time
MB	194438--21		0							02/22/2008	1030
DU	350207-1		0			0	0	5		02/22/2008	1030
DU	350207-21		0			0	0	5		02/22/2008	1030
DU	350207-11		0			0	0	5		02/22/2008	1030
MB	194438--21		0							02/22/2008	1030

Test Method.....: SM 2320 B

Method Description.: Alkalinity

Parameter.....: Hydroxide (OH)

Units.....: mg/L CaCO3

Batch(s)....: 194438

Analyst....: sng

Test Code.: OH

QC	Lab ID	Reagent	QC Result	QC Result	True Value	Orig. Value	Calc. Result *	Limits	F	Date	Time
DU	350207-1		0			0	0	5		02/22/2008	1030
DU	350207-11		0			0	0	5		02/22/2008	1030
MB	194438--21		0							02/22/2008	1030
MB	194438--21		0							02/22/2008	1030

QUALITY CONTROL RESULTS

Job Number.: 350286

Report Date.: 03/04/2008

CUSTOMER: Conestoga-Rovers and Associates

PROJECT: G. L. ERWIN

ATTN: James Ornelas

Test Method.....: SM 2320 B
Method Description.: Alkalinity
Parameter.....: Hydroxide (OH)

Units.....: mg/L CaCO3
Batch(s)....: 194438

Analyst...: sng
Test Code.: OH

QC	Lab ID	Reagent	QC Result	QC Result	True Value	Orig. Value	Calc. Result *	Limits	F	Date	Time
DU	350207-21		0			0	0	5		02/22/2008	1030

Test Method.....: SM2540 C
Method Description.: Solids, Total Dissolved (TDS)
Parameter.....: Solids, Total Dissolved (TDS)

Units.....: mg/L
Batch(s)....: 194603

Analyst...: daw
Test Code.: TDS

QC	Lab ID	Reagent	QC Result	QC Result	True Value	Orig. Value	Calc. Result *	Limits	F	Date	Time
MB	194603--21		0.00							02/25/2008	1045
LCS	194603--21	WCS48139	1797.00		1800		99.8	90.0-110.		02/25/2008	1045
DU	350207-18		3610.00			3552.00	1.6	10.0		02/25/2008	1045

QUALITY CONTROL RESULTS

Job Number.: 350286

Report Date.: 03/04/2008

CUSTOMER: Conestoga-Rovers and Associates

PROJECT: G. L. ERWIN

ATTN: James Ornelas

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: EPA300.0 Rev2.1

Units.....: mg/L

Analyst...: sur

Method Description.: Ion Chromatography Analysis - Short Hold Batch(s)...: 194524

CCB	Continuing Calibration Blank				02/22/2008	1812
-----	------------------------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Chloride	0						
Sulfate (SO4)	0						
Fluoride (F)	0						
Nitrogen, Nitrate as N (NO3-N)	0						
Nitrogen, Nitrite as N (NO2-N)	0						
Nitrate + Nitrite as N	0.000						

CCB	Continuing Calibration Blank				02/22/2008	2133
-----	------------------------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Fluoride (F)	0						
Chloride	0						
Sulfate (SO4)	0						
Nitrogen, Nitrate as N (NO3-N)	0.0295						
Nitrogen, Nitrite as N (NO2-N)	0						
Nitrate + Nitrite as N	0.029						

CCB	Continuing Calibration Blank				02/23/2008	0133
-----	------------------------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Sulfate (SO4)	0						
Fluoride (F)	0						
Chloride	0.0174						
Nitrogen, Nitrate as N (NO3-N)	0						
Nitrogen, Nitrite as N (NO2-N)	0						
Nitrate + Nitrite as N	0.000						

CCB	Continuing Calibration Blank				02/23/2008	0533
-----	------------------------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Fluoride (F)	0						
Sulfate (SO4)	0						
Chloride	0.0098						
Nitrogen, Nitrate as N (NO3-N)	0						
Nitrogen, Nitrite as N (NO2-N)	0.0229						
Nitrate + Nitrite as N	0.023						

Job Number.: 350286		QUALITY CONTROL RESULTS			Report Date.: 03/04/2008	
CUSTOMER: Conestoga-Rovers and Associates		PROJECT: G. L. ERWIN			ATTN: James Ornelas	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

CCB	Continuing Calibration Blank				02/23/2008	1013
-----	------------------------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Fluoride (F)	0						
Chloride	0						
Sulfate (SO4)	0						
Nitrogen, Nitrate as N (NO3-N)	0.0321						
Nitrogen, Nitrite as N (NO2-N)	0						
Nitrate + Nitrite as N	0.032						

CCV	Continuing Calibration Verification	WCS48411				02/22/2008	1752
-----	-------------------------------------	----------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Sulfate (SO4)	19.4011		20.00		97.0	90.0-110.0	
Chloride	19.8654		20.00		99.3	90.0-110.0	
Fluoride (F)	10.5405		10.00		105.4	90.0-110.0	
Nitrogen, Nitrate as N (NO3-N)	10.0543		10.00		100.5	90.0-110.0	
Nitrogen, Nitrite as N (NO2-N)	10.0099		10.00		100.1	90.0-110.0	

CCV	Continuing Calibration Verification	WCS48411				02/22/2008	2113
-----	-------------------------------------	----------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Sulfate (SO4)	19.4197		20.00		97.1	90.0-110.0	
Fluoride (F)	10.6394		10.00		106.4	90.0-110.0	
Chloride	19.8853		20.00		99.4	90.0-110.0	
Nitrogen, Nitrate as N (NO3-N)	10.0631		10.00		100.6	90.0-110.0	
Nitrogen, Nitrite as N (NO2-N)	9.9600		10.00		99.6	90.0-110.0	

CCV	Continuing Calibration Verification	WCS48411				02/23/2008	0113
-----	-------------------------------------	----------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Chloride	19.9413		20.00		99.7	90.0-110.0	
Sulfate (SO4)	19.4735		20.00		97.4	90.0-110.0	
Fluoride (F)	10.6477		10.00		106.5	90.0-110.0	
Nitrogen, Nitrate as N (NO3-N)	10.0708		10.00		100.7	90.0-110.0	
Nitrogen, Nitrite as N (NO2-N)	9.9808		10.00		99.8	90.0-110.0	

CCV	Continuing Calibration Verification	WCS48411				02/23/2008	0513
-----	-------------------------------------	----------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Fluoride (F)	10.6559		10.00		106.6	90.0-110.0	
Chloride	19.9166		20.00		99.6	90.0-110.0	
Sulfate (SO4)	19.3968		20.00		97.0	90.0-110.0	
Nitrogen, Nitrate as N (NO3-N)	10.0339		10.00		100.3	90.0-110.0	
Nitrogen, Nitrite as N (NO2-N)	9.9589		10.00		99.6	90.0-110.0	

QUALITY CONTROL RESULTS					
Job Number.: 350286			Report Date.: 03/04/2008		
CUSTOMER: Conestoga-Rovers and Associates		PROJECT: G. L. ERWIN		ATTN: James Ornelas	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date Time

CCV	Continuing Calibration Verification	WCS48411			02/23/2008 0953
-----	-------------------------------------	----------	--	--	-----------------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Chloride	19.8699		20.00		99.3	90.0-110.0	
Fluoride (F)	10.6790		10.00		106.8	90.0-110.0	
Sulfate (SO4)	19.3577		20.00		96.8	90.0-110.0	
Nitrogen, Nitrate as N (NO3-N)	10.0197		10.00		100.2	90.0-110.0	
Nitrogen, Nitrite as N (NO2-N)	9.9819		10.00		99.8	90.0-110.0	

DU	Method Duplicate		350197-2	10.0		02/22/2008 2353	
----	------------------	--	----------	------	--	-----------------	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Fluoride (F), Water	1.9919			1.9744	0.9	20	
Chloride, Water	4.3422			4.3871	1.0	20	
Sulfate (SO4), Water	5.9374			5.9555	0.3	20	
Nitrogen, Nitrate as N (NO3-N), Water	0.0477			0.0491	0.0014	0.2500	
Nitrogen, Nitrite as N (NO2-N), Water	0			0	0	0	
Nitrate + Nitrite as N, Water	0.048			0.049	0.001	0.400	

DU	Method Duplicate		350286-1	100.0		02/23/2008 0253	
----	------------------	--	----------	-------	--	-----------------	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Sulfate (SO4), Water	0.7427			0.7365	0.0062	0.5000	
Fluoride (F), Water	0.0898			0.0819	0.0079	0.3000	
Chloride, Water	4.4958			4.4813	0.3	20	
Nitrogen, Nitrate as N (NO3-N), Water	0.0231			0.0243	0.0012	0.2500	
Nitrogen, Nitrite as N (NO2-N), Water	0			0	0	0	
Nitrate + Nitrite as N, Water	0.023			0.024	0.001	0.400	

DU	Method Duplicate		350247-2	10.0		02/23/2008 0713	
----	------------------	--	----------	------	--	-----------------	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Chloride, Water	3.2564			3.2390	0.5	20	
Sulfate (SO4), Water	1.0704			1.0687	0.0017	0.5000	
Fluoride (F), Water	0.0422			0.0346	0.0076	0.3000	
Nitrogen, Nitrate as N (NO3-N), Water	0.0278			0.0281	0.0003	0.2500	
Nitrogen, Nitrite as N (NO2-N), Water	0			0	0	0	
Nitrate + Nitrite as N, Water	0.028			0.028	0.000	0.400	

ICB	Initial Calibration Blank					02/22/2008 1412	
-----	---------------------------	--	--	--	--	-----------------	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Sulfate (SO4)	0						
Fluoride (F)	0						
Chloride	0						
Nitrogen, Nitrate as N (NO3-N)	0						
Nitrogen, Nitrite as N (NO2-N)	0						
Nitrate + Nitrite as N	0.000						

QUALITY CONTROL RESULTS

Job Number.: 350286

Report Date.: 03/04/2008

CUSTOMER: Conestoga-Rovers and Associates

PROJECT: G. L. ERWIN

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

ICV	Initial Calibration Verification	WCS48411			02/22/2008	1352
-----	----------------------------------	----------	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Sulfate (SO4)	19.3762		20.00		96.9	90.0-110.0	
Fluoride (F)	10.4972		10.00		105.0	90.0-110.0	
Chloride	19.8362		20.00		99.2	90.0-110.0	
Nitrogen, Nitrate as N (NO3-N)	10.0435		10.00		100.4	90.0-110.0	
Nitrogen, Nitrite as N (NO2-N)	9.9559		10.00		99.6	90.0-110.0	

LCS	Laboratory Control Sample	WCS48411			02/22/2008	1453
-----	---------------------------	----------	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Sulfate (SO4)	19.3720		20.00		96.9	90.0-110.0	
Chloride	19.8402		20.00		99.2	90.0-110.0	
Fluoride (F)	10.4960		10.00		105.0	90.0-110.0	
Nitrogen, Nitrate as N (NO3-N)	10.0368		10.00		100.4	90.0-110.0	
Nitrogen, Nitrite as N (NO2-N)	9.9758		10.00		99.8	90.0-110.0	

LCS	Laboratory Control Sample	WCS48411			02/23/2008	0613
-----	---------------------------	----------	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Fluoride (F)	10.6827		10.00		106.8	90.0-110.0	
Sulfate (SO4)	19.3576		20.00		96.8	90.0-110.0	
Chloride	19.8850		20.00		99.4	90.0-110.0	
Nitrogen, Nitrate as N (NO3-N)	10.0164		10.00		100.2	90.0-110.0	
Nitrogen, Nitrite as N (NO2-N)	9.9806		10.00		99.8	90.0-110.0	

MB	Method Blank				02/22/2008	1432
----	--------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Sulfate (SO4)	0						
Chloride	0						
Fluoride (F)	0						
Nitrogen, Nitrate as N (NO3-N)	0						
Nitrogen, Nitrite as N (NO2-N)	0						
Nitrate + Nitrite as N	0.000						

MB	Method Blank				02/23/2008	0553
----	--------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Fluoride (F)	0						
Chloride	0						
Sulfate (SO4)	0						
Nitrogen, Nitrate as N (NO3-N)	0						
Nitrogen, Nitrite as N (NO2-N)	0						
Nitrate + Nitrite as N	0.000						

QUALITY CONTROL RESULTS					
Job Number.: 350286			Report Date.: 03/04/2008		
CUSTOMER: Conestoga-Rovers and Associates		PROJECT: G. L. ERWIN		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date Time

MS	Matrix Spike	WCS48338	350197-2	10.0	02/23/2008 0013
----	--------------	----------	----------	------	-----------------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Chloride, Water	13.7366		10.000000	4.3871	93.5		90-110	
Fluoride (F), Water	3.8630		2.000000	1.9744	94.4		90-110	
Sulfate (SO4), Water	15.1641		10.000000	5.9555	92.1		90-110	
Nitrogen, Nitrate as N (NO3-N), Water	1.8605		2.000000	0.0491	90.6		90-110	
Nitrogen, Nitrite as N (NO2-N), Water	1.8786		2.000000	0	93.9		90-110	

MS	Matrix Spike	WCS48338	350286-1	100.0	02/23/2008 0313
----	--------------	----------	----------	-------	-----------------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Fluoride (F), Water	2.1206		2.000000	0.0819	101.9		90-110	
Chloride, Water	13.8810		10.000000	4.4813	94.0		90-110	
Sulfate (SO4), Water	9.9825		10.000000	0.7365	92.5		90-110	
Nitrogen, Nitrate as N (NO3-N), Water	1.8187		2.000000	0.0243	89.7		90-110	A
Nitrogen, Nitrite as N (NO2-N), Water	1.8661		2.000000	0	93.3		90-110	
Nitrate + Nitrite as N, Water	3.685		0.000000	0.024				

MS	Matrix Spike	WCS48338	350247-2	10.0	02/23/2008 0733
----	--------------	----------	----------	------	-----------------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Fluoride (F), Water	2.1149		2.000000	0.0346	104.0		90-110	
Chloride, Water	12.6800		10.000000	3.2390	94.4		90-110	
Sulfate (SO4), Water	10.3022		10.000000	1.0687	92.3		90-110	
Nitrogen, Nitrate as N (NO3-N), Water	1.7993		2.000000	0.0281	88.6		90-110	A
Nitrogen, Nitrite as N (NO2-N), Water	1.8604		2.000000	0	93.0		90-110	
Nitrate + Nitrite as N, Water	3.660		0.000000	0.028				

Test Method.....: SW-846 6010B		Units.....: mg/L		Analyst....: srp	
Method Description.: Metals Analysis (ICAP Trace)		Batch(s)....: 194976 195011			

CCB	Continuing Calibration Blank				03/03/2008 1307
-----	------------------------------	--	--	--	-----------------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Calcium (Ca)	0.00522							
Magnesium (Mg)	-0.01451							
Potassium (K)	0.01893							
Sodium (Na)	0.00300							

CCB	Continuing Calibration Blank				03/03/2008 1402
-----	------------------------------	--	--	--	-----------------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Calcium (Ca)	0.00997							
Magnesium (Mg)	-0.00663							
Potassium (K)	0.13648							
Sodium (Na)	0.00658							

QUALITY CONTROL RESULTS

Job Number.: 350286

Report Date.: 03/04/2008

CUSTOMER: Conestoga-Rovers and Associates

PROJECT: G. L. ERWIN

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

CCB	Continuing Calibration Blank				03/03/2008	1437
-----	------------------------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	0.01028						
Magnesium (Mg)	-0.00340						
Potassium (K)	0.06604						
Sodium (Na)	0.00507						

CCV	Continuing Calibration Verification	MS022908CC				03/03/2008	1303
-----	-------------------------------------	------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	12.33392		12.50		98.7	90.0-110.0	
Magnesium (Mg)	4.82115		5.000		96.4	90.0-110.0	
Potassium (K)	11.64846		12.50		93.2	90.0-110.0	
Sodium (Na)	12.19531		12.50		97.6	90.0-110.0	

CCV	Continuing Calibration Verification	MS022908CC				03/03/2008	1358
-----	-------------------------------------	------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	12.27481		12.50		98.2	90.0-110.0	
Magnesium (Mg)	4.79250		5.000		95.8	90.0-110.0	
Potassium (K)	11.60875		12.50		92.9	90.0-110.0	
Sodium (Na)	12.17182		12.50		97.4	90.0-110.0	

CCV	Continuing Calibration Verification	MS022908CC				03/03/2008	1433
-----	-------------------------------------	------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	12.36270		12.50		98.9	90.0-110.0	
Magnesium (Mg)	4.86455		5.000		97.3	90.0-110.0	
Potassium (K)	11.51039		12.50		92.1	90.0-110.0	
Sodium (Na)	12.05982		12.50		96.5	90.0-110.0	

CH1	Calibration check standard 1	MS022008T1				03/03/2008	1252
-----	------------------------------	------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	0.13322		0.1000		133.2	50.0-150.0	
Magnesium (Mg)	0.09873		0.1000		98.7	50.0-150.0	
Potassium (K)	0.63424		0.60000		105.7	50.0-150.0	
Sodium (Na)	0.63379		0.60000		105.6	50.0-150.0	

CH3	Standard check for ICAP	MS022008T3				03/03/2008	1240
-----	-------------------------	------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	20.15275		20.00		100.8	95.0-105.0	
Magnesium (Mg)	20.15790		20.00		100.8	95.0-105.0	
Potassium (K)	20.28446		20.00		101.4	95.0-105.0	
Sodium (Na)	20.27460		20.00		101.4	95.0-105.0	

QUALITY CONTROL RESULTS					
Job Number.: 350286			Report Date.: 03/04/2008		
CUSTOMER: Conestoga-Rovers and Associates		PROJECT: G. L. ERWIN		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date Time

EB	Extraction Blank		194934		03/03/2008 1325
----	------------------	--	--------	--	-----------------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Diss.	0.03594						
Magnesium (Mg), Diss.	-0.00646						
Potassium (K), Diss.	0.02522						
Sodium (Na), Diss.	0.03403						

EB	Extraction Blank		194934		03/03/2008 1346
----	------------------	--	--------	--	-----------------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Liquid	0.01378						
Magnesium (Mg), Liquid	-0.00663						
Potassium (K), Liquid	0.06554						
Sodium (Na), Liquid	0.01423						

ICB	Initial Calibration Blank				03/03/2008 1248
-----	---------------------------	--	--	--	-----------------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	0.00709						
Magnesium (Mg)	-0.01635						
Potassium (K)	-0.03193						
Sodium (Na)	0.00408						

ICV	Initial Calibration Verification	MS022908CC			03/03/2008 1244
-----	----------------------------------	------------	--	--	-----------------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	12.29603		12.50		98.4	90.0-110.0	
Magnesium (Mg)	4.79084		5.000		95.8	90.0-110.0	
Potassium (K)	11.73282		12.50		93.9	90.0-110.0	
Sodium (Na)	12.30713		12.50		98.5	90.0-110.0	

ISA	Interference Check Sample A	MS021981A			03/03/2008 1256
-----	-----------------------------	-----------	--	--	-----------------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	493.30291		500.0		98.7	80-120	
Magnesium (Mg)	568.59997		500.0		113.7	80-120	
Potassium (K)	0.30078		0.0				
Sodium (Na)	0.03083		0.0				

ISB	Interference Check Sample B	MS0219081B			03/03/2008 1300
-----	-----------------------------	------------	--	--	-----------------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	504.65991		510.0		99.0	80.0-120.0	
Magnesium (Mg)	580.46313		510.0		113.8	80.0-120.0	

QUALITY CONTROL RESULTS					
Job Number.: 350286			Report Date.: 03/04/2008		
CUSTOMER: Conestoga-Rovers and Associates		PROJECT: G. L. ERWIN		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date Time

LCS	Laboratory Control Sample	MSPIKEW	194934		03/03/2008 1321
-----	---------------------------	---------	--------	--	-----------------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Water	10.01492		10.00		100.1	80.0-120.0	
Magnesium (Mg), Water	9.90855		10.00		99.1	80.0-120.0	
Potassium (K), Water	9.83504		10.00		98.4	80.0-120.0	
Sodium (Na), Water	10.35040		10.00		103.5	80.0-120.0	

MD	Method Duplicate		350286-1			03/03/2008 1333
----	------------------	--	----------	--	--	-----------------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Diss.	116.32982	111.73442		111.73442	4.0	20	
Magnesium (Mg), Diss.	43.05409	41.36271		41.36271	4.0	20	
Potassium (K), Diss.	7.38046	6.81723		6.81723	0.56323	2.00000	

MD	Method Duplicate		350286-1	10		03/03/2008 1422
----	------------------	--	----------	----	--	-----------------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Sodium (Na), Diss.	12.14299	11.75680		11.75680	3.2	20	

MS	Matrix Spike	MSPIKEW	350286-1			03/03/2008 1337
----	--------------	---------	----------	--	--	-----------------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Diss.	142.33984		10.00	111.73442	306.1	75-125	
Magnesium (Mg), Diss.	58.86088		10.00	41.36271	175.0	75-125	
Potassium (K), Diss.	20.35262		10.00	6.81723	135.4	75-125	a

MS	Matrix Spike	MSPIKEW	350286-1	10		03/03/2008 1426
----	--------------	---------	----------	----	--	-----------------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Sodium (Na), Diss.	14.29636		1.000000	11.75680	25.4	75-125	a

MSD	Matrix Spike Duplicate	MSPIKEW	350286-1			03/03/2008 1340
-----	------------------------	---------	----------	--	--	-----------------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Diss.	151.41271	142.33984	10.00	111.73442	396.8	75-125	
					25.8	20	
Magnesium (Mg), Diss.	62.13167	58.86088	10.00	41.36271	207.7	75-125	
					17.1	20	
Potassium (K), Diss.	22.16030	20.35262	10.00	6.81723	153.4	75-125	a
					12.5	20	

QUALITY CONTROL RESULTS							
Job Number.: 350286				Report Date.: 03/04/2008			
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G. L. ERWIN		ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time	
MSD	Matrix Spike Duplicate	MSPIKEW	350286-1	10	03/03/2008	1430	
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Sodium (Na), Diss.	15.15079	14.29636	1.000000	11.75680	33.9 28.7	75-125 20	a c
PB	Prep. Blank		194934			03/03/2008	1317
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Water	0.00390						
Magnesium (Mg), Water	-0.00957						
Potassium (K), Water	0.03756						
Sodium (Na), Water	0.00119						
PSD	Post Digestion Spike Duplicate	MSPIKE3	350286-1			03/03/2008	1410
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Diss.	121.04384		10.00	111.73442			
Magnesium (Mg), Diss.	51.99418		10.00	41.36271			
Potassium (K), Diss.	18.42668		10.00	6.81723			
SO	Calibration Blank					03/03/2008	1232
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	0.00363						
Magnesium (Mg)	0.01446						
Potassium (K)	0.35374						
Sodium (Na)	0.02127						
SD	Serial Dilution		350286-1	5		03/03/2008	1414
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Diss.	22.80166			111.73442	2.0	10.0	
Magnesium (Mg), Diss.	8.13697			41.36271	1.6	10.0	
Potassium (K), Diss.	1.22207			6.81723	10.4	10.0	e
Sodium (Na), Diss.	22.45513			85.99293	30.6	10.0	e
STD	Spiked Blank Duplicate					03/03/2008	1236
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	0.31148						
Magnesium (Mg)	0.49440						
Potassium (K)	2.00908						
Sodium (Na)	6.33215						

Job Number.: 350286		QUALITY CONTROL RESULTS			Report Date.: 03/04/2008	
CUSTOMER: Conestoga-Rovers and Associates		PROJECT: G. L. ERWIN			ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

CCB	Continuing Calibration Blank				03/03/2008	1307
-----	------------------------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	0.00522						
Magnesium (Mg)	-0.01451						
Potassium (K)	0.01893						
Sodium (Na)	0.00300						

CCB	Continuing Calibration Blank				03/03/2008	1402
-----	------------------------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	0.00997						
Magnesium (Mg)	-0.00663						
Potassium (K)	0.13648						
Sodium (Na)	0.00658						

CCB	Continuing Calibration Blank				03/03/2008	1437
-----	------------------------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	0.01028						
Magnesium (Mg)	-0.00340						
Potassium (K)	0.06604						
Sodium (Na)	0.00507						

CCB	Continuing Calibration Blank				03/03/2008	1559
-----	------------------------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	0.02632						
Magnesium (Mg)	-0.00027						
Potassium (K)	-0.01155						
Sodium (Na)	0.09039						

CCV	Continuing Calibration Verification	MS022908CC			03/03/2008	1303
-----	-------------------------------------	------------	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	12.33392		12.50		98.7	90.0-110.0	
Magnesium (Mg)	4.82115		5.000		96.4	90.0-110.0	
Potassium (K)	11.64846		12.50		93.2	90.0-110.0	
Sodium (Na)	12.19531		12.50		97.6	90.0-110.0	

CCV	Continuing Calibration Verification	MS022908CC			03/03/2008	1358
-----	-------------------------------------	------------	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	12.27481		12.50		98.2	90.0-110.0	
Magnesium (Mg)	4.79250		5.000		95.8	90.0-110.0	
Potassium (K)	11.60875		12.50		92.9	90.0-110.0	
Sodium (Na)	12.17182		12.50		97.4	90.0-110.0	

QUALITY CONTROL RESULTS

Job Number.: 350286

Report Date.: 03/04/2008

CUSTOMER: Conestoga-Rovers and Associates

PROJECT: G. L. ERWIN

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

CCV	Continuing Calibration Verification	MS022908CC			03/03/2008	1433
-----	-------------------------------------	------------	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	12.36270		12.50		98.9	90.0-110.0	
Magnesium (Mg)	4.86455		5.000		97.3	90.0-110.0	
Potassium (K)	11.51039		12.50		92.1	90.0-110.0	
Sodium (Na)	12.05982		12.50		96.5	90.0-110.0	

CCV	Continuing Calibration Verification	MS022908CC			03/03/2008	1555
-----	-------------------------------------	------------	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	12.60295		12.50		100.8	90.0-110.0	
Magnesium (Mg)	5.19721		5.000		103.9	90.0-110.0	
Potassium (K)	11.32420		12.50		90.6	90.0-110.0	
Sodium (Na)	11.64582		12.50		93.2	90.0-110.0	

CH1	Calibration check standard 1	MS022008T1			03/03/2008	1252
-----	------------------------------	------------	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	0.13322		0.1000		133.2	50.0-150.0	
Magnesium (Mg)	0.09873		0.1000		98.7	50.0-150.0	
Potassium (K)	0.63424		0.60000		105.7	50.0-150.0	
Sodium (Na)	0.63379		0.60000		105.6	50.0-150.0	

CH3	Standard check for ICAP	MS022008T3			03/03/2008	1240
-----	-------------------------	------------	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	20.15275		20.00		100.8	95.0-105.0	
Magnesium (Mg)	20.15790		20.00		100.8	95.0-105.0	
Potassium (K)	20.28446		20.00		101.4	95.0-105.0	
Sodium (Na)	20.27460		20.00		101.4	95.0-105.0	

EB	Extraction Blank		194934		03/03/2008	1325
----	------------------	--	--------	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Diss.	0.03594						
Magnesium (Mg), Diss.	-0.00646						
Potassium (K), Diss.	0.02522						
Sodium (Na), Diss.	0.03403						

EB	Extraction Blank		194934		03/03/2008	1346
----	------------------	--	--------	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Liquid	0.01378						
Magnesium (Mg), Liquid	-0.00663						
Potassium (K), Liquid	0.06554						
Sodium (Na), Liquid	0.01423						

QUALITY CONTROL RESULTS

Job Number.: 350286

Report Date.: 03/04/2008

CUSTOMER: Conestoga-Rovers and Associates

PROJECT: G. L. ERWIN

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

ICB	Initial Calibration Blank				03/03/2008	1248
-----	---------------------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	0.00709						
Magnesium (Mg)	-0.01635						
Potassium (K)	-0.03193						
Sodium (Na)	0.00408						

ICV	Initial Calibration Verification	MS022908CC			03/03/2008	1244
-----	----------------------------------	------------	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	12.29603		12.50		98.4	90.0-110.0	
Magnesium (Mg)	4.79084		5.000		95.8	90.0-110.0	
Potassium (K)	11.73282		12.50		93.9	90.0-110.0	
Sodium (Na)	12.30713		12.50		98.5	90.0-110.0	

ISA	Interference Check Sample A	MS021981A			03/03/2008	1256
-----	-----------------------------	-----------	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	493.30291		500.0		98.7	80-120	
Magnesium (Mg)	568.59997		500.0		113.7	80-120	
Potassium (K)	0.30078		0.0				
Sodium (Na)	0.03083		0.0				

ISB	Interference Check Sample B	MS0219081B			03/03/2008	1300
-----	-----------------------------	------------	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)	504.65991		510.0		99.0	80.0-120.0	
Magnesium (Mg)	580.46313		510.0		113.8	80.0-120.0	

LCS	Laboratory Control Sample	MSPIKEW	194934		03/03/2008	1321
-----	---------------------------	---------	--------	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Water	10.01492		10.00		100.1	80.0-120.0	
Magnesium (Mg), Water	9.90855		10.00		99.1	80.0-120.0	
Potassium (K), Water	9.83504		10.00		98.4	80.0-120.0	
Sodium (Na), Water	10.35040		10.00		103.5	80.0-120.0	

MD	Method Duplicate		350286-1		03/03/2008	1333
----	------------------	--	----------	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Diss.	116.32982	111.73442		111.73442	4.0	20	
Magnesium (Mg), Diss.	43.05409	41.36271		41.36271	4.0	20	
Potassium (K), Diss.	7.38046	6.81723		6.81723	0.56323	2.00000	

QUALITY CONTROL RESULTS									
Job Number.: 350286					Report Date.: 03/04/2008				
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G. L. ERWIN			ATTN:			
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time			
MD	Method Duplicate		350286-1	10	03/03/2008	1422			
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F	
Sodium (Na), Diss.	12.14299	11.75680		11.75680	3.2		20		
MS	Matrix Spike	MSPIKEW	350286-1				03/03/2008	1337	
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F	
Calcium (Ca), Diss.	142.33984		10.00	111.73442	306.1		75-125		
Magnesium (Mg), Diss.	58.86088		10.00	41.36271	175.0		75-125		
Potassium (K), Diss.	20.35262		10.00	6.81723	135.4		75-125		a
MS	Matrix Spike	MSPIKEW	350286-1	10			03/03/2008	1426	
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F	
Sodium (Na), Diss.	14.29636		1.000000	11.75680	254.0		75-125		
MSD	Matrix Spike Duplicate	MSPIKEW	350286-1				03/03/2008	1340	
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F	
Calcium (Ca), Diss.	151.41271	142.33984	10.00	111.73442	396.8		75-125		
					25.8		20		C
Magnesium (Mg), Diss.	62.13167	58.86088	10.00	41.36271	207.7		75-125		
					17.1		20		
Potassium (K), Diss.	22.16030	20.35262	10.00	6.81723	153.4		75-125		a
					12.5		20		
MSD	Matrix Spike Duplicate	MSPIKEW	350286-1	10			03/03/2008	1430	
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F	
Sodium (Na), Diss.	15.15079	14.29636	1.000000	11.75680	339.4		75-125		
					28.8		20		C
PB	Prep. Blank		194934				03/03/2008	1317	
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F	
Calcium (Ca), Water	0.00390								
Magnesium (Mg), Water	-0.00957								
Potassium (K), Water	0.03756								
Sodium (Na), Water	0.00119								

Job Number.: 350286			QUALITY CONTROL RESULTS			Report Date.: 03/04/2008		
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G. L. ERWIN			ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time		

PSD	Post Digestion Spike Duplicate	MSPIKE3	350286-1		03/03/2008	1410		
-----	--------------------------------	---------	----------	--	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Calcium (Ca), Diss.	121.04384		10.00	111.73442				
Magnesium (Mg), Diss.	51.99418		10.00	41.36271				
Potassium (K), Diss.	18.42668		10.00	6.81723				

SD	Calibration Blank				03/03/2008	1232		
----	-------------------	--	--	--	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Calcium (Ca)	0.00363							
Magnesium (Mg)	0.01446							
Potassium (K)	0.35374							
Sodium (Na)	0.02127							

SD	Serial Dilution		350286-1	5	03/03/2008	1414		
----	-----------------	--	----------	---	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Calcium (Ca), Diss.	22.80166			111.73442	2.0		10.0	
Magnesium (Mg), Diss.	8.13697			41.36271	1.6		10.0	
Potassium (K), Diss.	1.22207			6.81723	10.4		10.0	e
Sodium (Na), Diss.	22.45513			85.99293	30.6		10.0	e

STD	Spiked Blank Duplicate				03/03/2008	1236		
-----	------------------------	--	--	--	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Calcium (Ca)	0.31148							
Magnesium (Mg)	0.49440							
Potassium (K)	2.00908							
Sodium (Na)	6.33215							

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 03/04/2008

REPORT COMMENTS

- 1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
- 2) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
- 3) According to 40CFR Part 136.3, pH, Chlorine Residual, and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field, (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.
- 4) For all USACE projects, the QC limits are based on "mean +/- 2 sigma", which are the warning limits.

General Information:

- Cresylic Acid is the combination of o,m and p-Cresol. The combination is reported as the final result.
- m-Cresol (3-Methylphenol) and p-Cresol (4-methylphenol) co-elute. The result of the two is reported as either m&p-cresol or as 4-methylphenol (p-cresol).
- m-Xylene and p-Xylene co-elute. The result of the two is reported as m,p-Xylene.
- N-Nitrosodiphenylamine decomposes in the gas chromatograph inlet forming diphenylamine and, consequently, may be detected as diphenylamine.
- Methylene Chloride and Acetone are recognized potential laboratory contaminants. Its presence in the sample up to five times the amount reported in the blank may be attributed to laboratory contamination.
- Trimethylsilyl(Diazomethane) is used to esterify acid herbicides in Method SW-846 8151A.
- For Inorganic analyses, duplicate QC limits are determined as follows: If the sample result is less than or equal to 5 times the reporting limit, the RPD limit is equal to the reporting limit. If the sample result is greater than 5 times the reporting limit, the RPD limit is the method defined RPD.
- For TRRP reports, the header on the column RL is equivalent to a MQL/PQL.
- Results for LCS and MS/MSD recoveries listed in the report are reported as ug/L on-column values which are not corrected for variables such as sample volumes or weights extracted, final volume of extracts and dilutions. To correct QC on-column recoveries to reflect actual spiking volumes for soils, multiply the values reported for Diesel Range Organics and Semivolatiles by 33.3 and Gasoline Range Organics by 20. The 8260 and 1006 results will not require correction. The only correction required for water analysis is for method 1006 where the reported concentration must be multiplied by 0.1.
- Due to limitation of the reporting software, results for the Method blank in the Semivolatile fraction are reported as "0". Which indicates there was no compound detected at the reporting limit for the compound reviewed.
- The dilution factor listed on the report represents only the analytical dilutions necessary for the target compounds to be within the calibration range of the instrument. It does not include any preparation factors, dry weight or any other adjustment.

Explanation of Qualifiers:

- U - This qualifier indicates that the analyte was analyzed but not detected.
- J - (Organics only) This qualifier indicates that the analyte is an estimated value between the RL and the MDL.
- B - (Inorganics only) This Qualifier indicates that the analyte is an estimated value between the RL and the MDL.
- N - (Organics only) This flag indicates presumptive evidence of a compound. This flag is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It is applied to all TIC results. For generic characterization of a TIC, such as "chlorinated hydrocarbon", the "N" flag is not used.

Explanation of General QC Outliers:

- A - Matrix interference present in sample.
- a - MS/MSD analyses yielded comparable poor recoveries, indicating a possible matrix interference. Method performance is demonstrated by acceptable LCS recoveries.
- b - Target analyte was found in the method blank.
- M - QC sample analysis yielded recoveries outside QC acceptance criteria. This sample was reanalyzed.
- L - LCS analysis yielded high recoveries, indicating a potential high bias. No target analytes were

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 03/04/2008

observed above the RL in the associated samples.

- G - Marginal outlier within 1% of acceptance criteria.
- r - RPD value is outside method acceptance criteria.
- C - Poor RPD values observed due to the non-homogenous nature of the sample.
- D - Sample required dilution due to matrix interference.
- D - Sample reported from a dilution.
- d - Spike and/or surrogate diluted.
- E - The reported concentration exceeds the instrument calibration.
- F - The analyte is outside QC limits and was not detected in any associated samples in the analytical batch.
- H - Continuing Calibration Verification (CCV) standard is not associated with the samples reported.
- q - See the subcontract final report for qualifier explanation.
- W - The MS/MSD recoveries are outside QC acceptance criteria because the amount spiked is much less than the amount found in the sample.
- K - High recovery will not affect the quality of reported results.
- Z - See case narrative.

Explanation of Organic QC Outliers:

- e - Method blank analysis yielded phthalate concentrations above the RL. Phthalates are recognized potential laboratory contaminants. Its presence in the sample up to five times the amount reported in the blank may be attributed to laboratory contamination.
- S - Sample reanalyzed/reextracted due to poor surrogate recovery. Reanalysis confirmed original analysis indicating a possible matrix interference.
- T - Sample analysis yielded poor surrogate recovery.
- R - The RPD between the two GC columns is greater than 40% and no anomalies are present. The higher result is reported as per EPA Method 8000B.
- I - The RPD between the two GC columns is greater than 40% and anomalies are present. The lower of the two results has been reported.
- X - Gaseous compound. In-house QC limits are advisory.
- Y - Ketone compounds have poor purge efficiency. In-house QC limits are advisory.
- f - Surrogate not associated with reported analytes.

Explanation of Inorganic QC Outliers:

- Q - Method blank analysis yielded target analytes above the RL. Associated sample results are greater than 10 times the concentrations observed in the method blank.
- V - The RPD control limit for sample results less than 5 times the RL is +/- the RL value. Sample and duplicate results are within method acceptance criteria.
- e - Serial dilution failed due to matrix interference.
- g - Sample result quantitated by Method of Standard Additions (MSA) due to the analytical spike recovery being below 85 percent. The correlation coefficient for the MSA is greater than or equal to 0.995.
- s - BOD/cBOD seed value is not within method acceptance criteria. Due to the nature of the test method, the sample cannot be reanalyzed.
- l - BOD/cBOD LCS value is not within method acceptance criteria. Due to the nature of the test method, sample cannot be reanalyzed.
- N - Spiked sample recovery is not within control limits.
- n - Sample result quantitated by Method of Standard Additions (MSA) due to the analytical spike recovery being below 85 percent. The correlation coefficient for the MSA is less than 0.995.
- * - Duplicate analysis is not within control limits.

Abbreviations:

- Batch - Designation given to identify a specific extraction, digestion, preparation, or analysis set.
- CCV - Continuing Calibration Verification
- CRA - Low level standard check - GFAA, Mercury
- CRI - Low level standard check - ICP
- Dil Fac - Dilution Factor - Secondary dilution analysis

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 03/04/2008

DLFac	- Detection Limit Factor
DU	- Duplicate
EB	- Extraction Blank (TCLP, SPLP, etc.)
ICAL	- Initial Calibration
ICB	- Initial Calibration Blank
ICV	- Initial Calibration Verification
ISA	- Interference Check Sample A - ICP
ISB	- Interference Check Sample B - ICP
LCD	- Laboratory Control Duplicate
LCS	- Laboratory Control Sample
MB	- Method Blank
MD	- Method Duplicate
MDL	- Method Detection Limit
SQL	- Method Quantitation Limit (TRRP)
MS	- Matrix Spike
MSD	- Matrix Spike Duplicate
ND	- Not Detected
PB	- Preparation Blank
PREPF	- Preparation Factor
RL	- Reporting Limit
RPD	- Relative Percent Difference
RRF	- Relative Response Factor
RT	- Retention Time
SQL	- Sample Quantitation Limit (TRRP)
TIC	- Tentatively Identified Compound

Method References:

- (1) EPA 600/4-79-020 Methods for the Analysis of Water and Wastes, March 1983.
- (2) EPA 600/R-94-111 Methods for the Determination of Metals in Environmental Samples, Supplement I, May 1994.
- (3) EPA SW846 Test Methods for Evaluating Solid Waste, Third Edition, September 1986; Update I July 1992; Update II, September 1994, Update IIA August 1993; Update IIB, January 1995; Update III, December 1996, Update IVA January 1998, Update IVB November 2000.
- (4) Standard Methods for the Examination of Water and Wastewater, 16th Edition (1985), 17th Edition (1989), 18th Edition (1992), 19th Edition (1995), 20th Edition (1998).
- (5) HACH Water Analysis Handbook 3rd Edition (1997).
- (6) Federal Register, July 1, 1990 (40 CFR Part 136 Appendix A).
- (7) Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, 2nd Edition, January 1997.
- (9) Diagnosis and Improvement of Saline and Alkali Soils, Agriculture Handbook No. 60, United States Department of Agriculture, 1954.

LABORATORY CHRONICLE

Job Number: 350286

Date: 03/04/2008

CUSTOMER: Conestoga Rovers and Associates

PROJECT: G. L. ERWIN

ATTN: James Ornelas

Lab ID: 350286-1 Client ID: WW1 22108		Date Recvd: 02/22/2008		Sample Date: 02/21/2008			
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT	#(S)	DATE/TIME ANALYZED	DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	194934			03/03/2008 0735	
SM 2320 B	Alkalinity	1	194438			02/22/2008 1030	
EPA 300.0	Ion Chromatography Analysis	1	194524			02/23/2008 0153	1.0000
EPA 300.0	Ion Chromatography Analysis	1	194524			02/23/2008 0213	10.000
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194524			02/23/2008 0153	1.0000
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195011	194934		03/03/2008 1329	
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195011	194934		03/03/2008 1418	10
N/A	Sample Filtration	1	194924			03/03/2008 1400	
SM2540 C	Solids, Total Dissolved (TDS)	1	194603			02/25/2008 1045	

rpjsckl		Job Sample Receipt Checklist Report		V2
Job Number.: 350286	Location.: 57216	Check List Number.: 1	Description.:	
Customer Job ID.....		Job Check List Date.: 02/22/2008	Date of the Report...: 02/22/2008	
Project Number.: 99007700	Project Description.: ANALYTICAL		Project Manager.....: sgk	
Customer.....: Conestoga-Rovers and Associates	Contact.: James Ornelas			
Questions ?	(Y/N)	Comments		
Chain of Custody Received?.....	Y			
...If "yes", completed properly?.....	Y			
Custody seal on shipping container?.....	N			
...If "yes", custody seal intact?.....				
Custody seals on sample containers?.....	N			
...If "yes", custody seal intact?.....				
Samples chilled?.....	Y			
Temperature of cooler acceptable? (4 deg C +/- 2). Y	0.3			
...If "no", is sample an air matrix?(no temp req.)				
Thermometer ID.....	Y	491		
Samples received intact (good condition)?.....	Y			
Volatile samples acceptable? (no headspace).....	Y			
Correct containers used?.....	Y			
Adequate sample volume provided?.....	Y			
Samples preserved correctly?.....	Y			
Samples received within holding-time?.....	Y			
Agreement between COC and sample labels?.....	Y			
Radioactivity at or below background levels?.....				
Additional.....				
Comments.....				
Sample Custodian Signature/Date.....	Y	MT		

ANALYTICAL REPORT

JOB NUMBER: 350207
Project ID: G.L. ERWIN

Prepared For:

Conestoga-Rovers and Associates
2135 S. Loop 250 West
Midland, TX 79703

Attention: James Ornelas

Date: 03/05/2008



Signature

03/05/08

Date

Name: Sachin G. Kudchadkar

Title: Project Manager III

E-Mail: sachin.kudchadkar@testamericainc.com

TestAmerica Laboratories, Inc
6310 Rothway Drive
Houston, TX 77040

PHONE: 713-690-4444

TOTAL NO. OF PAGES

80

S A M P L E I N F O R M A T I O N

Date: 03/05/2008

Job Number.: 350207

Customer....: Conestoga-Rovers and Associates

Attn.....: James Ornelas

Project Number.....: 99007700

Customer Project ID....: G.L ERWIN

Project Description.....: ANALYTICAL

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
350207-1	MW1 22008	Water	02/20/2008	13:45	02/21/2008	09:38
350207-2	MW2 22008	Water	02/20/2008	14:00	02/21/2008	09:38
350207-3	MW3 22008	Water	02/20/2008	14:40	02/21/2008	09:38
350207-4	MW4 22008	Water	02/20/2008	15:10	02/21/2008	09:38
350207-5	MW5 22008	Water	02/20/2008	14:55	02/21/2008	09:38
350207-6	MW6 22008	Water	02/20/2008	14:25	02/21/2008	09:38
350207-7	MW7 22008	Water	02/20/2008	14:10	02/21/2008	09:38
350207-8	MW8 22008	Water	02/20/2008	13:00	02/21/2008	09:38
350207-9	MW9 22008	Water	02/20/2008	13:30	02/21/2008	09:38
350207-10	MW10 22008	Water	02/20/2008	13:10	02/21/2008	09:38
350207-11	MW12 22008	Water	02/20/2008	11:10	02/21/2008	09:38
350207-12	MW13 22008	Water	02/20/2008	12:20	02/21/2008	09:38
350207-13	MW14 22008	Water	02/20/2008	11:25	02/21/2008	09:38
350207-14	MW15 22008	Water	02/20/2008	10:55	02/21/2008	09:38
350207-15	MW16 22008	Water	02/20/2008	12:45	02/21/2008	09:38
350207-16	MW17 22008	Water	02/20/2008	12:30	02/21/2008	09:38
350207-17	MW19 22008	Water	02/20/2008	11:40	02/21/2008	09:38
350207-18	MW20 22008	Water	02/20/2008	10:40	02/21/2008	09:38
350207-19	MW21 22008	Water	02/20/2008	11:55	02/21/2008	09:38
350207-20	MW22 22008	Water	02/20/2008	13:20	02/21/2008	09:38
350207-21	MW1EST 22008	Water	02/20/2008	15:25	02/21/2008	09:38
350207-22	MW1SW 22008	Water	02/20/2008	15:40	02/21/2008	09:38
350207-23	RW1 22008	Water	02/20/2008	15:55	02/21/2008	09:38
350207-24	DUP 22008	Water	02/20/2008	00:00	02/21/2008	09:38

LABORATORY TEST RESULTS									
Job Number: 350207					Date:03/05/2008				
CUSTOMER: Conestoga-Rovers and Associates					PROJECT: G.L ERWIN				
ATTN: James Ornelas									
Customer Sample ID: MWL 22008									
Laboratory Sample ID: 350207-1									
Date Sampled.....: 02/20/2008									
Date Received.....: 02/21/2008									
Time Sampled.....: 13:45									
Time Received.....: 09:38									
Sample Matrix.....: Water									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DATE/TIME TECH
SW-846 3010A	Acid Digestion, Diss.	Complete				1		195014	03/03/08 1600 rim
SW-846 6010B	Metals Analysis (ICAP Trace)								
	Calcium (Ca), Diss.	111		0.02185	2.000	1	mg/L	195055	03/04/08 0946 srp
	Magnesium (Mg), Diss.	39.7		0.01604	2.000	1	mg/L	195055	03/04/08 0946 srp
	Potassium (K), Diss.	7.34		0.08121	2.000	1	mg/L	195055	03/04/08 0946 srp
SM 2320 B	Sodium (Na), Diss.	104		0.2000	20.00	10	mg/L	195128	03/05/08 0754 srp
	Alkalinity, Total as CaCO3, Water	166		1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM 2320 B	Bicarbonate (HCO3), Water	166		1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM 2320 B	Carbonate (CO3), Water	1.53	U	1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM 2320 B	Hydroxide (OH), Water	1.53	U	1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM2540 C	Solids, Total Dissolved (TDS), Water	860			10	1	mg/L	194443	02/21/08 1545 daw
EPA 300.0	Ion Chromatography Analysis								
	Chloride, Water	300		1.5	5.0	10	mg/L	194493	02/21/08 1604 sur
	Fluoride (F), Water	1.90		0.10	0.30	1	mg/L	194493	02/21/08 1548 sur
	Sulfate (SO4), Water	82.1		3.4	5.0	10	mg/L	194493	02/21/08 1604 sur
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold								
	Nitrogen, Nitrate as N (NO3-N), Water	2.92		0.19	0.20	1	mg/L	194493	02/21/08 1548 sur

* In Description = Dry Wgt.

LABORATORY TEST RESULTS									
Job Number: 350207					Date:03/05/2008				
CUSTOMER: Conestoga-Rovers and Associates					PROJECT: G.L ERWIN				
ATTN: James Ornelas									
Customer Sample ID: MW2 22008									
Date Sampled.....: 02/20/2008									
Time Sampled.....: 14:00									
Sample Matrix.....: Water									
Laboratory Sample ID: 350207-2									
Date Received.....: 02/21/2008									
Time Received.....: 09:38									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DATE/TIME TECH
SW-846 3010A	Acid Digestion, Diss.	Complete				1		195014	03/03/08 1600 rim
SW-846 6010B	Metals Analysis (ICAP Trace)								
	Calcium (Ca), Diss.	242		0.02185	2.000	1	mg/L	195055	03/04/08 1001 srp
	Magnesium (Mg), Diss.	83.2		0.01604	2.000	1	mg/L	195055	03/04/08 1001 srp
	Potassium (K), Diss.	11.8		0.08121	2.000	1	mg/L	195055	03/04/08 1001 srp
SM 2320 B	Sodium (Na), Diss.	329		0.2000	20.00	10	mg/L	195128	03/05/08 0809 srp
	Alkalinity, Total as CaCO3, Water	223		1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM 2320 B	Bicarbonate (HCO3), Water	223		1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM 2320 B	Carbonate (CO3), Water	1.53	U	1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM 2320 B	Hydroxide (OH), Water	1.53	U	1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM2540 C	Solids, Total Dissolved (TDS), Water	1190			10	1	mg/L	194443	02/21/08 1545 daw
EPA 300.0	Ion Chromatography Analysis								
	Chloride, Water	441		1.5	5.0	10	mg/L	194493	02/21/08 1706 sur
	Fluoride (F), Water	1.94		0.10	0.30	1	mg/L	194493	02/21/08 1651 sur
	Sulfate (SO4), Water	143		3.4	5.0	10	mg/L	194493	02/21/08 1706 sur
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold								
	Nitrogen, Nitrate as N (NO3-N), Water	5.11		0.19	0.20	1	mg/L	194493	02/21/08 1651 sur

* In Description = Dry Wgt.

LABORATORY TEST RESULTS									
Job Number: 350207					Date:03/05/2008				
CUSTOMER: Conestoga-Rovers and Associates					PROJECT: G.L ERWIN				
ATTN: James Ornelas									
Customer Sample ID: MW6 22008					Laboratory Sample ID: 350207-6				
Date Sampled.....: 02/20/2008					Date Received.....: 02/21/2008				
Time Sampled.....: 14:25					Time Received.....: 09:38				
Sample Matrix.....: Water									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DATE/TIME TECH
SW-846 3010A	Acid Digestion, Diss.	Complete				1		195014	03/03/08 1600 rim
SW-846 6010B	Metals Analysis (ICAP Trace)								
	Calcium (Ca), Diss.	181		0.02185	2.000	1	mg/L	195055	03/04/08 1034 srp
	Magnesium (Mg), Diss.	62.4		0.01604	2.000	1	mg/L	195055	03/04/08 1034 srp
	Potassium (K), Diss.	15.7		0.08121	2.000	1	mg/L	195055	03/04/08 1034 srp
SM 2320 B	Sodium (Na), Diss.	492		2.000	200.0	100	mg/L	195128	03/05/08 0842 srp
	Alkalinity, Total as CaCO3, Water	227		1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM 2320 B	Bicarbonate (HCO3), Water	227		1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM 2320 B	Carbonate (CO3), Water	1.53	U	1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM 2320 B	Hydroxide (OH), Water	1.53	U	1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM2540 C	Solids, Total Dissolved (TDS), Water	1930			10	1	mg/L	194443	02/21/08 1545 daw
EPA 300.0	Ion Chromatography Analysis								
	Chloride, Water	799		15	50	100	mg/L	194493	02/22/08 1036 sur
	Fluoride (F), Water	3.05		0.10	0.30	1	mg/L	194493	02/22/08 1004 sur
	Sulfate (SO4), Water	163		3.4	5.0	10	mg/L	194493	02/22/08 1020 sur
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold								
	Nitrogen, Nitrate as N (NO3-N), Water	7.43		0.19	0.20	1	mg/L	194493	02/22/08 1004 sur

* In Description = Dry Wgt.

LABORATORY TEST RESULTS									
Job Number: 350207					Date:03/05/2008				
CUSTOMER: Conestoga-Rovers and Associates									
PROJECT: G.L ERWIN									
ATTN: James Ornelas									
Customer Sample ID: MW7 22008									
Date Sampled.....: 02/20/2008									
Time Sampled.....: 14:10									
Sample Matrix.....: Water									
Laboratory Sample ID: 350207-7									
Date Received.....: 02/21/2008									
Time Received.....: 09:38									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DATE/TIME TECH
SW-846 3010A	Acid Digestion, Diss.	Complete				1		195014	03/03/08 1600 rim
SW-846 6010B	Metals Analysis (ICAP Trace)								
	Calcium (Ca), Diss.	37.6		0.02185	2.000	1	mg/L	195055	03/04/08 1038 srp
	Magnesium (Mg), Diss.	12.4		0.01604	2.000	1	mg/L	195055	03/04/08 1038 srp
	Potassium (K), Diss.	5.41		0.08121	2.000	1	mg/L	195055	03/04/08 1038 srp
SM 2320 B	Sodium (Na), Diss.	261		0.2000	20.00	10	mg/L	195128	03/05/08 0846 srp
	Alkalinity, Total as CaCO3, Water	251		1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM 2320 B	Bicarbonate (HCO3), Water	251		1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM 2320 B	Carbonate (CO3), Water	1.53	U	1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM 2320 B	Hydroxide (OH), Water	1.53	U	1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM2540 C	Solids, Total Dissolved (TDS), Water	930			10	1	mg/L	194443	02/21/08 1545 daw
EPA 300.0	Ion Chromatography Analysis								
	Chloride, Water	269		1.5	5.0	10	mg/L	194493	02/22/08 1508 sur
	Fluoride (F), Water	2.40		0.10	0.30	1	mg/L	194493	02/22/08 1114 sur
	Sulfate (SO4), Water	122		3.4	5.0	10	mg/L	194493	02/22/08 1508 sur
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold								
	Nitrogen, Nitrate as N (NO3-N), Water	3.18		0.19	0.20	1	mg/L	194493	02/22/08 1114 sur

* In Description = Dry Wgt.

LABORATORY TEST RESULTS					Date:03/05/2008						
CUSTOMER: Conestoga-Rovers and Associates					PROJECT: G.L ERWIN						
ATTN: James Ornelas											
Customer Sample ID: MW12 22008					Laboratory Sample ID: 350207-11						
Date Sampled.....: 02/20/2008					Date Received.....: 02/21/2008						
Time Sampled.....: 11:10					Time Received.....: 09:38						
Sample Matrix.....: Water											
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
SW-846 3010A	Acid Digestion, Diss.	Complete				1		195014		03/03/08 1600	rim
SW-846 6010B	Metals Analysis (ICAP Trace)										
	Calcium (Ca), Diss.	589		0.2185	20.00	10	mg/L	195128		03/05/08 0902	srp
	Magnesium (Mg), Diss.	211		0.01604	2.000	1	mg/L	195055		03/04/08 1103	srp
	Potassium (K), Diss.	18.1		0.08121	2.000	1	mg/L	195055		03/04/08 1103	srp
SM 2320 B	Sodium (Na), Diss.	179		0.2000	20.00	10	mg/L	195128		03/05/08 0902	srp
	Alkalinity, Total as CaCO3, Water	83.8		1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM 2320 B	Bicarbonate (HCO3), Water	83.8		1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM 2320 B	Carbonate (CO3), Water	1.53	U	1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM 2320 B	Hydroxide (OH), Water	1.53	U	1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM2540 C	Solids, Total Dissolved (TDS), Water	4580			20	1	mg/L	194536		02/22/08 1535	daw
EPA 300.0	Ion Chromatography Analysis										
	Chloride, Water	2020		15	50	100	mg/L	194493		02/22/08 1452	sur
	Fluoride (F), Water	0.93		0.10	0.30	1	mg/L	194493		02/22/08 1216	sur
	Sulfate (SO4), Water	70.8		3.4	5.0	10	mg/L	194493		02/22/08 1436	sur
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold										
	Nitrogen, Nitrate as N (NO3-N), Water	3.99		0.19	0.20	1	mg/L	194493		02/22/08 1216	sur

* In Description = Dry Wgt.

LABORATORY TEST RESULTS									
Job Number: 350207					Date:03/05/2008				
CUSTOMER: Conestoga-Rovers and Associates					PROJECT: G.L ERWIN				
ATTN: James Ornelas									
Customer Sample ID: MW20 22008									
Date Sampled.....: 02/20/2008									
Time Sampled.....: 10:40									
Sample Matrix.....: Water									
Laboratory Sample ID: 350207-18									
Date Received.....: 02/21/2008									
Time Received.....: 09:38									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DATE/TIME TECH
SW-846 3010A	Acid Digestion, Diss.	Complete				1		195014	03/03/08 1600 rim
SW-846 6010B	Metals Analysis (ICAP Trace)								
	Calcium (Ca), Diss.	393		0.02185	2.000	1	mg/L	195055	03/04/08 1129 srp
	Magnesium (Mg), Diss.	158		0.01604	2.000	1	mg/L	195055	03/04/08 1129 srp
	Potassium (K), Diss.	18.7		0.08121	2.000	1	mg/L	195055	03/04/08 1129 srp
	Sodium (Na), Diss.	247		0.2000	20.00	10	mg/L	195128	03/05/08 0935 srp
SM 2320 B	Alkalinity, Total as CaCO3, Water	117		1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM 2320 B	Bicarbonate (HCO3), Water	117		1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM 2320 B	Carbonate (CO3), Water	1.53	U	1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM 2320 B	Hydroxide (OH), Water	1.53	U	1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM2540 C	Solids, Total Dissolved (TDS), Water	3550			20	1	mg/L	194603	02/25/08 1045 daw
EPA 300.0	Ion Chromatography Analysis								
	Chloride, Water	1540		15	50	100.00	mg/L	194436	02/21/08 1851 sur
	Fluoride (F), Water	1.10		0.10	0.30	1.0000	mg/L	194436	02/21/08 1811 sur
	Sulfate (SO4), Water	108		3.4	5.0	10.000	mg/L	194436	02/21/08 1831 sur
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold								
	Nitrogen, Nitrate as N (NO3-N), Water	3.83		0.19	0.20	1.0000	mg/L	194436	02/21/08 1811 sur

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											
Job Number: 350207			Date:03/05/2008								
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN								
ATTN: James Ornelas											
Customer Sample ID: MWEST 22008			Laboratory Sample ID: 350207-21								
Date Sampled.....: 02/20/2008			Date Received.....: 02/21/2008								
Time Sampled.....: 15:25			Time Received.....: 09:38								
Sample Matrix.....: Water											
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
SW-846 3010A	Acid Digestion, Diss.	Complete				1		195016		03/03/08 1600	rim
SW-846 6010B	Metals Analysis (ICAP Trace)										
	Calcium (Ca), Diss.	662		0.2185	20.00	10	mg/L	195128		03/05/08 1209	srp
	Magnesium (Mg), Diss.	189		0.01604	2.000	1	mg/L	195128		03/05/08 1037	srp
	Potassium (K), Diss.	81.8		0.8121	20.00	10	mg/L	195128		03/05/08 1209	srp
SM 2320 B	Sodium (Na), Diss.	564		2.000	200.0	100	mg/L	195128		03/05/08 1121	srp
	Alkalinity, Total as CaCO3, Water	119		1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM 2320 B	Bicarbonate (HCO3), Water	119		1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM 2320 B	Carbonate (CO3), Water	1.53	U	1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM 2320 B	Hydroxide (OH), Water	1.53	U	1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM2540 C	Solids, Total Dissolved (TDS), Water	5850			20	1	mg/L	194603		02/25/08 1045	daw
EPA 300.0	Ion Chromatography Analysis										
	Chloride, Water	2780		15	50	100.00	mg/L	194436		02/21/08 2311	sur
	Fluoride (F), Water	0.54		0.10	0.30	1.0000	mg/L	194436		02/21/08 2231	sur
	Sulfate (SO4), Water	202		3.4	5.0	10.000	mg/L	194436		02/21/08 2251	sur
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold										
	Nitrogen, Nitrate as N (NO3-N), Water	3.43		0.19	0.20	1.0000	mg/L	194436		02/21/08 2231	sur

* In Description = Dry Wgt.

LABORATORY TEST RESULTS									
Job Number: 350207					Date:03/05/2008				
CUSTOMER: Conestoga-Rovers and Associates					PROJECT: G.L ERWIN				
ATTN: James Ornelas									
Customer Sample ID: MMSW 22008									
Laboratory Sample ID: 350207-22									
Date Sampled.....: 02/20/2008									
Date Received.....: 02/21/2008									
Time Sampled.....: 15:40									
Time Received.....: 09:38									
Sample Matrix.....: Water									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DATE/TIME TECH
SW-846 3010A	Acid Digestion, Diss.	Complete				1		195016	03/03/08 1600 rim
SW-846 6010B	Metals Analysis (ICAP Trace)								
	Calcium (Ca), Diss.	1010		0.2185	20.00	10	mg/L	195128	03/05/08 1136 srp
	Magnesium (Mg), Diss.	281		0.01604	2.000	1	mg/L	195128	03/05/08 1052 srp
	Potassium (K), Diss.	120		0.8121	20.00	10	mg/L	195128	03/05/08 1136 srp
SM 2320 B	Sodium (Na), Diss.	2300		2.000	200.0	100	mg/L	195128	03/05/08 1140 srp
	Alkalinity, Total as CaCO3, Water	278		1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM 2320 B	Bicarbonate (HCO3), Water	278		1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM 2320 B	Carbonate (CO3), Water	1.53	U	1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM 2320 B	Hydroxide (OH), Water	1.53	U	1.53	5.0	1	mg/L	194438	02/22/08 1030 sng
SM2540 C	Solids, Total Dissolved (TDS), Water	13100			40	1	mg/L	194603	02/25/08 1045 daw
EPA 300.0	Ion Chromatography Analysis								
	Chloride, Water	5940		30	100	200.00	mg/L	194524	02/23/08 0753 sur
	Fluoride (F), Water	0.63		0.10	0.30	1.0000	mg/L	194436	02/21/08 2331 sur
	Sulfate (SO4), Water	896		34	50	100.00	mg/L	194436	02/22/08 0011 sur
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold								
	Nitrogen, Nitrate as N (NO3-N), Water	9.30		0.19	0.20	1.0000	mg/L	194436	02/21/08 2331 sur

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											
Job Number: 350207			Date:03/05/2008								
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN								
ATTN: James Ornelas											
Customer Sample ID: RW1 22008			Laboratory Sample ID: 350207-23								
Date Sampled.....: 02/20/2008			Date Received.....: 02/21/2008								
Time Sampled.....: 15:55			Time Received.....: 09:38								
Sample Matrix.....: Water											
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
SW-846 3010A	Acid Digestion, Diss.	Complete				1		195016		03/03/08 1600	rim
SW-846 6010B	Metals Analysis (ICAP Trace)										
	Calcium (Ca), Diss.	892		0.2185	20.00	10	mg/L	195128		03/05/08 1143	srp
	Magnesium (Mg), Diss.	255		0.01604	2.000	1	mg/L	195128		03/05/08 1055	srp
	Potassium (K), Diss.	126		0.8121	20.00	10	mg/L	195128		03/05/08 1143	srp
	Sodium (Na), Diss.	1810		2.000	200.0	100	mg/L	195128		03/05/08 1147	srp
SM 2320 B	Alkalinity, Total as CaCO3, Water	473		1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM 2320 B	Bicarbonate (HCO3), Water	473		1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM 2320 B	Carbonate (CO3), Water	1.53	U	1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM 2320 B	Hydroxide (OH), Water	1.53	U	1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM2540 C	Solids, Total Dissolved (TDS), Water	11000			40	1	mg/L	194603		02/25/08 1045	daw
EPA 300.0	Ion Chromatography Analysis										
	Chloride, Water	5130		30	100	200.00	mg/L	194524		02/23/08 0813	sur
	Fluoride (F), Water	0.56		0.10	0.30	1.0000	mg/L	194436		02/22/08 0111	sur
	Sulfate (SO4), Water	677		34	50	100.00	mg/L	194436		02/22/08 0151	sur
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold										
	Nitrogen, Nitrate as N (NO3-N), Water	6.80		0.19	0.20	1.0000	mg/L	194436		02/22/08 0111	sur

* In Description = Dry Wgt.

LABORATORY TEST RESULTS					Date:03/05/2008						
CUSTOMER: Conestoga-Rovers and Associates					PROJECT: G.L ERWIN						
ATTN: James Ornelas											
Customer Sample ID: DUP 22008					Laboratory Sample ID: 350207-24						
Date Sampled.....: 02/20/2008					Date Received.....: 02/21/2008						
Time Sampled.....: 00:00					Time Received.....: 09:38						
Sample Matrix.....: Water											
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
SW-846 3010A	Acid Digestion, Diss.	Complete				1		195016		03/03/08 1600	rim
SW-846 6010B	Metals Analysis (ICAP Trace)										
	Calcium (Ca), Diss.	888		0.2185	20.00	10	mg/L	195128		03/05/08 1158	srp
	Magnesium (Mg), Diss.	252		0.01604	2.000	1	mg/L	195128		03/05/08 1059	srp
	Potassium (K), Diss.	126		0.8121	20.00	10	mg/L	195128		03/05/08 1158	srp
	Sodium (Na), Diss.	1800		2.000	200.0	100	mg/L	195128		03/05/08 1202	srp
SM 2320 B	Alkalinity, Total as CaCO3, Water	231		1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM 2320 B	Bicarbonate (HCO3), Water	231		1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM 2320 B	Carbonate (CO3), Water	1.53	U	1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM 2320 B	Hydroxide (OH), Water	1.53	U	1.53	5.0	1	mg/L	194438		02/22/08 1030	sng
SM2540 C	Solids, Total Dissolved (TDS), Water	10800			40	1	mg/L	194603		02/25/08 1045	daw
EPA 300.0	Ion Chromatography Analysis										
	Chloride, Water	5120		30	100	200.00	mg/L	194524		02/23/08 0833	sur
	Fluoride (F), Water	0.55		0.10	0.30	1.0000	mg/L	194436		02/22/08 0211	sur
	Sulfate (SO4), Water	674		34	50	100.00	mg/L	194436		02/22/08 0251	sur
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold										
	Nitrogen, Nitrate as N (NO3-N), Water	6.78		0.19	0.20	1.0000	mg/L	194436		02/22/08 0211	sur

* In Description = Dry Wgt.

Q U A L I T Y C O N T R O L R E S U L T S

Job Number.: 350207

Report Date.: 03/05/2008

CUSTOMER: Conestoga-Rovers and Associates

PROJECT: G.L ERWIN

ATTN: James Ornelas

Test Method.....: SM 2320 B

Method Description.: Alkalinity

Parameter.....: Alkalinity, Total as CaCO3

Units.....: mg/L CaCO3

Batch(s)....: 194438

Analyst....: sng

Test Code.: ALK

QC	Lab ID	Reagent	QC Result	QC Result	True Value	Orig. Value	Calc. Result *	Limits	F	Date	Time
MB	194438--21		1.86							02/22/2008	1030
MS	350207-21	WC4081A	353.86		250.000000	119.19	93.9	75-125		02/22/2008	1030
DU	350207-21		122.92			119.19	3.1	20		02/22/2008	1030
MB	194438--21		1.86							02/22/2008	1030
LCS	194438--21	WC4050	931.21		1000.0		93.1	90.0-110.		02/22/2008	1030
MS	350207-1	WC4081A	381.79		250.000000	165.75	86.4	75-125		02/22/2008	1030
MS	350207-11	WC4081A	311.02		250.000000	83.81	90.9	75-125		02/22/2008	1030
DU	350207-1		165.75			165.75	0.0	20		02/22/2008	1030
LCS	194438--21	WC4050	931.21		1000.0		93.1	90.0-110.		02/22/2008	1030
DU	350207-11		81.95			83.81	2.2	20		02/22/2008	1030

Test Method.....: SM 2320 B

Method Description.: Alkalinity

Parameter.....: Bicarbonate (HCO3)

Units.....: mg/L CaCO3

Batch(s)....: 194438

Analyst....: sng

Test Code.: HCO3

QC	Lab ID	Reagent	QC Result	QC Result	True Value	Orig. Value	Calc. Result *	Limits	F	Date	Time
MS	350207-1	WC4081A	381.79		250.000000	165.75	86.4	75-125		02/22/2008	1030
MS	350207-21	WC4081A	353.86		250.000000	119.19	93.9	75-125		02/22/2008	1030
DU	350207-11		81.95			83.81	2.2	20		02/22/2008	1030
DU	350207-21		122.92			119.19	3.1	20		02/22/2008	1030
LCS	194438--21	WC4050	931.21		1000		93.1	90.0-110.		02/22/2008	1030
DU	350207-1		165.75			165.75	0.0	20		02/22/2008	1030
MS	350207-11	WC4081A	311.02		250.000000	83.81	90.9	75-125		02/22/2008	1030
LCS	194438--21	WC4050	931.21		1000		93.1	90.0-110.		02/22/2008	1030
MB	194438--21		1.86							02/22/2008	1030
MB	194438--21		1.86							02/22/2008	1030

Test Method.....: SM 2320 B

Method Description.: Alkalinity

Parameter.....: Carbonate (CO3)

Units.....: mg/L CaCO3

Batch(s)....: 194438

Analyst....: sng

Test Code.: CO3

QC	Lab ID	Reagent	QC Result	QC Result	True Value	Orig. Value	Calc. Result *	Limits	F	Date	Time
DU	350207-11		0			0	0	5		02/22/2008	1030
MB	194438--21		0							02/22/2008	1030
DU	350207-1		0			0	0	5		02/22/2008	1030
DU	350207-21		0			0	0	5		02/22/2008	1030
MB	194438--21		0							02/22/2008	1030

Test Method.....: SM 2320 B

Method Description.: Alkalinity

Parameter.....: Hydroxide (OH)

Units.....: mg/L CaCO3

Batch(s)....: 194438

Analyst....: sng

Test Code.: OH

QC	Lab ID	Reagent	QC Result	QC Result	True Value	Orig. Value	Calc. Result *	Limits	F	Date	Time
MB	194438--21		0							02/22/2008	1030
DU	350207-21		0			0	0	5		02/22/2008	1030
MB	194438--21		0							02/22/2008	1030
DU	350207-1		0			0	0	5		02/22/2008	1030

Job Number.: 350207			Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008		
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.I. ERWIN			ATTN: James Ornelas		

Test Method.....: SM 2320 B		Analyst....: sng
Method Description.: Alkalinity	Units.....: mg/L CaCO3	Test Code.: OH
Parameter.....: Hydroxide (OH)	Batch(s)....: 194438	

QC	Lab ID	Reagent	QC Result	QC Result	True Value	Orig. Value	Calc. Result *	Limits	F	Date	Time
DU	350207-11		0			0	0	5		02/22/2008	1030

Test Method.....: SM2540 C			Units.....: mg/L			Analyst....: daw		
Method Description.: Solids, Total Dissolved (TDS)			Batch(s)....: 194443 194536 194603			Test Code.: TDS		
Parameter.....: Solids, Total Dissolved (TDS)								

QC	Lab ID	Reagent	QC Result	QC Result	True Value	Orig. Value	Calc. Result *	Limits	F	Date	Time
MB	194443--21		0.00							02/21/2008	1545
LCS	194443--21	WCS48139	1742.00		1800		96.8	90.0-110.		02/21/2008	1545
DU	350090-2		645.00			628.00	2.7	10.0		02/21/2008	1545
MB	194536--21		1.00							02/22/2008	1535
LCS	194536--21	WCS48139	1744.00		1800		96.9	90.0-110.		02/22/2008	1535
DU	350207-8		1779.00			1781.00	0.1	10.0		02/22/2008	1535
MB	194603--21		0.00							02/25/2008	1045
LCS	194603--21	WCS48139	1797.00		1800		99.8	90.0-110.		02/25/2008	1045
DU	350207-18		3610.00			3552.00	1.6	10.0		02/25/2008	1045

Job Number.: 350207										QUALITY CONTROL RESULTS										Report Date.: 03/05/2008																								
CUSTOMER: Conestoga-Rovers and Associates															PROJECT: G.L ERWIN															ATTN: James Ornelas														
QC Type					Description										Reag. Code					Lab ID					Dilution Factor					Date					Time									

Test Method.....: EPA 300.0						Units.....: mg/L						Analyst....: sur					
Method Description.: Ion Chromatography Analysis						Batch(s)....: 194524											

CCB	Continuing Calibration Blank									02/22/2008	1812						
-----	------------------------------	--	--	--	--	--	--	--	--	------------	------	--	--	--	--	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Chloride	0							
Fluoride (F)	0							
Nitrogen, Nitrate as N (NO3-N)	0							
Sulfate (SO4)	0							
Nitrogen, Nitrite as N (NO2-N)	0							
Nitrate + Nitrite as N	0.000							

CCB	Continuing Calibration Blank									02/22/2008	2133						
-----	------------------------------	--	--	--	--	--	--	--	--	------------	------	--	--	--	--	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Chloride	0							
Fluoride (F)	0							
Nitrogen, Nitrate as N (NO3-N)	0.0295							
Sulfate (SO4)	0							
Nitrogen, Nitrite as N (NO2-N)	0							
Nitrate + Nitrite as N	0.029							

CCB	Continuing Calibration Blank									02/23/2008	0133						
-----	------------------------------	--	--	--	--	--	--	--	--	------------	------	--	--	--	--	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Chloride	0.0174							
Fluoride (F)	0							
Nitrogen, Nitrate as N (NO3-N)	0							
Sulfate (SO4)	0							
Nitrogen, Nitrite as N (NO2-N)	0							
Nitrate + Nitrite as N	0.000							

CCB	Continuing Calibration Blank									02/23/2008	0533						
-----	------------------------------	--	--	--	--	--	--	--	--	------------	------	--	--	--	--	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Chloride	0.0098							
Fluoride (F)	0							
Nitrogen, Nitrate as N (NO3-N)	0							
Sulfate (SO4)	0							
Nitrogen, Nitrite as N (NO2-N)	0.0229							
Nitrate + Nitrite as N	0.023							

Job Number.: 350207						QUALITY CONTROL RESULTS						Report Date.: 03/05/2008					
CUSTOMER: Conestoga-Rovers and Associates						PROJECT: G.L ERWIN						ATTN: James Ornelas					
QC Type	Description			Reag. Code	Lab ID		Dilution Factor		Date		Time						
CCB	Continuing Calibration Blank								02/23/2008		1013						

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Chloride	0							
Fluoride (F)	0							
Nitrogen, Nitrate as N (NO3-N)	0.0321							
Sulfate (SO4)	0							
Nitrogen, Nitrite as N (NO2-N)	0							
Nitrate + Nitrite as N	0.032							

CCV	Continuing Calibration Verification		WCS48411			02/22/2008 1752		
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Chloride	19.8654		20.00		99.3		90.0-110.0	
Fluoride (F)	10.5405		10.00		105.4		90.0-110.0	
Nitrogen, Nitrate as N (NO3-N)	10.0543		10.00		100.5		90.0-110.0	
Sulfate (SO4)	19.4011		20.00		97.0		90.0-110.0	
Nitrogen, Nitrite as N (NO2-N)	10.0099		10.00		100.1		90.0-110.0	

CCV	Continuing Calibration Verification		WCS48411			02/22/2008 2113		
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Chloride	19.8853		20.00		99.4		90.0-110.0	
Fluoride (F)	10.6394		10.00		106.4		90.0-110.0	
Nitrogen, Nitrate as N (NO3-N)	10.0631		10.00		100.6		90.0-110.0	
Sulfate (SO4)	19.4197		20.00		97.1		90.0-110.0	
Nitrogen, Nitrite as N (NO2-N)	9.9600		10.00		99.6		90.0-110.0	

CCV	Continuing Calibration Verification		WCS48411			02/23/2008 0113		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Chloride		19.9413		20.00		99.7	90.0-110.0	
Fluoride (F)		10.6477		10.00		106.5	90.0-110.0	
Nitrogen, Nitrate as N (NO3-N)		10.0708		10.00		100.7	90.0-110.0	
Sulfate (SO4)		19.4735		20.00		97.4	90.0-110.0	
Nitrogen, Nitrite as N (NO2-N)		9.9808		10.00		99.8	90.0-110.0	

CCV	Continuing Calibration Verification		WCS48411			02/23/2008 0513		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Chloride		19.9166		20.00		99.6	90.0-110.0	
Fluoride (F)		10.6559		10.00		106.6	90.0-110.0	
Nitrogen, Nitrate as N (NO3-N)		10.0339		10.00		100.3	90.0-110.0	
Sulfate (SO4)		19.3968		20.00		97.0	90.0-110.0	
Nitrogen, Nitrite as N (NO2-N)		9.9589		10.00		99.6	90.0-110.0	

Job Number.: 350207		QUALITY CONTROL RESULTS				Report Date.: 03/05/2008			
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN			ATTN: James Ornelas			
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time			
CCV	Continuing Calibration Verification	WCS48411			02/23/2008	0953			
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits F	
Chloride		19.8699		20.00		99.3		90.0-110.0	
Fluoride (F)		10.6790		10.00		106.8		90.0-110.0	
Nitrogen, Nitrate as N (NO3-N)		10.0197		10.00		100.2		90.0-110.0	
Sulfate (SO4)		19.3577		20.00		96.8		90.0-110.0	
Nitrogen, Nitrite as N (NO2-N)		9.9819		10.00		99.8		90.0-110.0	
DU	Method Duplicate			350197-2	10.0		02/22/2008	2353	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits F	
Chloride, Water		4.3422			4.3871	1.0		20	
Fluoride (F), Water		1.9919			1.9744	0.9		20	
Nitrogen, Nitrate as N (NO3-N), Water		0.0477			0.0491	0.0014		0.2500	
Sulfate (SO4), Water		5.9374			5.9555	0.3		20	
Nitrogen, Nitrite as N (NO2-N), Water		0			0	0		0	
Nitrate + Nitrite as N, Water		0.048			0.049	0.001		0.400	
DU	Method Duplicate			350286-1	100.0		02/23/2008	0253	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits F	
Chloride, Water		4.4958			4.4813	0.3		20	
Fluoride (F), Water		0.0898			0.0819	0.0079		0.3000	
Nitrogen, Nitrate as N (NO3-N), Water		0.0231			0.0243	0.0012		0.2500	
Sulfate (SO4), Water		0.7427			0.7365	0.0062		0.5000	
Nitrogen, Nitrite as N (NO2-N), Water		0			0	0		0	
Nitrate + Nitrite as N, Water		0.023			0.024	0.001		0.400	
DU	Method Duplicate			350247-2	10.0		02/23/2008	0713	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits F	
Chloride, Water		3.2564			3.2390	0.5		20	
Fluoride (F), Water		0.0422			0.0346	0.0076		0.3000	
Nitrogen, Nitrate as N (NO3-N), Water		0.0278			0.0281	0.0003		0.2500	
Sulfate (SO4), Water		1.0704			1.0687	0.0017		0.5000	
Nitrogen, Nitrite as N (NO2-N), Water		0			0	0		0	
Nitrate + Nitrite as N, Water		0.028			0.028	0.000		0.400	
ICB	Initial Calibration Blank						02/22/2008	1412	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits F	
Chloride		0							
Fluoride (F)		0							
Nitrogen, Nitrate as N (NO3-N)		0							
Sulfate (SO4)		0							
Nitrogen, Nitrite as N (NO2-N)		0							
Nitrate + Nitrite as N		0.000							

Job Number.: 350207			Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008		
---------------------	--	--	---	--	--	--------------------------	--	--

CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN			ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time		

ICV	Initial Calibration Verification	WCS48411			02/22/2008	1352		
-----	----------------------------------	----------	--	--	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Chloride	19.8362		20.00		99.2		90.0-110.0	
Fluoride (F)	10.4972		10.00		105.0		90.0-110.0	
Nitrogen, Nitrate as N (NO3-N)	10.0435		10.00		100.4		90.0-110.0	
Sulfate (SO4)	19.3762		20.00		96.9		90.0-110.0	
Nitrogen, Nitrite as N (NO2-N)	9.9559		10.00		99.6		90.0-110.0	

LCS	Laboratory Control Sample	WCS48411			02/22/2008	1453		
-----	---------------------------	----------	--	--	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Chloride	19.8402		20.00		99.2		90.0-110.0	
Fluoride (F)	10.4960		10.00		105.0		90.0-110.0	
Nitrogen, Nitrate as N (NO3-N)	10.0368		10.00		100.4		90.0-110.0	
Sulfate (SO4)	19.3720		20.00		96.9		90.0-110.0	
Nitrogen, Nitrite as N (NO2-N)	9.9758		10.00		99.8		90.0-110.0	

LCS	Laboratory Control Sample	WCS48411			02/23/2008	0613		
-----	---------------------------	----------	--	--	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Chloride	19.8850		20.00		99.4		90.0-110.0	
Fluoride (F)	10.6827		10.00		106.8		90.0-110.0	
Nitrogen, Nitrate as N (NO3-N)	10.0164		10.00		100.2		90.0-110.0	
Sulfate (SO4)	19.3576		20.00		96.8		90.0-110.0	
Nitrogen, Nitrite as N (NO2-N)	9.9806		10.00		99.8		90.0-110.0	

MB	Method Blank				02/22/2008	1432		
----	--------------	--	--	--	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Chloride	0							
Fluoride (F)	0							
Nitrogen, Nitrate as N (NO3-N)	0							
Sulfate (SO4)	0							
Nitrogen, Nitrite as N (NO2-N)	0							
Nitrate + Nitrite as N	0.000							

MB	Method Blank				02/23/2008	0553		
----	--------------	--	--	--	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Chloride	0							
Fluoride (F)	0							
Nitrogen, Nitrate as N (NO3-N)	0							
Sulfate (SO4)	0							
Nitrogen, Nitrite as N (NO2-N)	0							
Nitrate + Nitrite as N	0.000							

Job Number.: 350207			Q U A L I T Y C O N T R O L R E S U L T S		Report Date.: 03/05/2008	
---------------------	--	--	---	--	--------------------------	--

CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

MS	Matrix Spike	WCS48338	350197-2	10.0	02/23/2008	0013
----	--------------	----------	----------	------	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Chloride, Water	13.7366		10.000000	4.3871	93.5		90-110	
Fluoride (F), Water	3.8630		2.000000	1.9744	94.4		90-110	
Nitrogen, Nitrate as N (NO3-N), Water	1.8605		2.000000	0.0491	90.6		90-110	
Sulfate (SO4), Water	15.1641		10.000000	5.9555	92.1		90-110	
Nitrogen, Nitrite as N (NO2-N), Water	1.8786		2.000000	0	93.9		90-110	

MS	Matrix Spike	WCS48338	350286-1	100.0	02/23/2008	0313
----	--------------	----------	----------	-------	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Chloride, Water	13.8810		10.000000	4.4813	94.0		90-110	
Fluoride (F), Water	2.1206		2.000000	0.0819	101.9		90-110	
Nitrogen, Nitrate as N (NO3-N), Water	1.8187		2.000000	0.0243	89.7		90-110	A
Sulfate (SO4), Water	9.9825		10.000000	0.7365	92.5		90-110	
Nitrogen, Nitrite as N (NO2-N), Water	1.8661		2.000000	0	93.3		90-110	
Nitrate + Nitrite as N, Water	3.685		0.000000	0.024				

MS	Matrix Spike	WCS48338	350247-2	10.0	02/23/2008	0733
----	--------------	----------	----------	------	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Chloride, Water	12.6800		10.000000	3.2390	94.4		90-110	
Fluoride (F), Water	2.1149		2.000000	0.0346	104.0		90-110	
Nitrogen, Nitrate as N (NO3-N), Water	1.7993		2.000000	0.0281	88.6		90-110	A
Sulfate (SO4), Water	10.3022		10.000000	1.0687	92.3		90-110	
Nitrogen, Nitrite as N (NO2-N), Water	1.8604		2.000000	0	93.0		90-110	
Nitrate + Nitrite as N, Water	3.660		0.000000	0.028				

Test Method.....: EPA300.0 Rev2.1	Units.....: mg/L	Analyst....: sur
Method Description.: Ion Chromatography Analysis - Short Hold Batch(s)....: 194436 194493		

CCB	Continuing Calibration Blank				02/21/2008	2111
-----	------------------------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Fluoride (F)	0							
Sulfate (SO4)	0							
Chloride	0							
Nitrogen, Nitrate as N (NO3-N)	0							

CCB	Continuing Calibration Blank				02/22/2008	0051
-----	------------------------------	--	--	--	------------	------

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Chloride	0.0618							
Sulfate (SO4)	0							
Fluoride (F)	0							
Nitrogen, Nitrate as N (NO3-N)	0.0116							

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008	
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.I. ERWIN		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank				02/22/2008	0331
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Chloride		0.0677				
Fluoride (F)		0				
Sulfate (SO4)		0				
Nitrogen, Nitrate as N (NO3-N)		0.0116				
CCV	Continuing Calibration Verification	WCS48411				02/21/2008 2051
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Fluoride (F)		10.5324		10.00		105.3 90.0-110.0
Sulfate (SO4)		19.4582		20.00		97.3 90.0-110.0
Chloride		19.9175		20.00		99.6 90.0-110.0
Nitrogen, Nitrate as N (NO3-N)		10.0853		10.00		100.9 90.0-110.0
CCV	Continuing Calibration Verification	WCS48411				02/22/2008 0031
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Chloride		19.9957		20.00		100.0 90.0-110.0
Fluoride (F)		10.6018		10.00		106.0 90.0-110.0
Sulfate (SO4)		19.5172		20.00		97.6 90.0-110.0
Nitrogen, Nitrate as N (NO3-N)		10.1046		10.00		101.0 90.0-110.0
CCV	Continuing Calibration Verification	WCS48411				02/22/2008 0311
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Fluoride (F)		10.5974		10.00		106.0 90.0-110.0
Chloride		19.9939		20.00		100.0 90.0-110.0
Sulfate (SO4)		19.4924		20.00		97.5 90.0-110.0
Nitrogen, Nitrate as N (NO3-N)		10.0918		10.00		100.9 90.0-110.0
DU	Method Duplicate			350207-18	100.0	02/21/2008 1911
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Fluoride (F), Water		0.0215			0.0234	0.0019 0.3000
Sulfate (SO4), Water		1.0164			0.9998	0.0166 0.5000
Chloride, Water		15.4457			15.4033	0.3 20
Nitrogen, Nitrate as N (NO3-N), Water		0.0333			0.0341	0.0008 0.2500
ICB	Initial Calibration Blank					02/21/2008 1711
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Sulfate (SO4)		0				
Chloride		0				
Fluoride (F)		0				
Nitrogen, Nitrate as N (NO3-N)		0				

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008	
CUSTOMER: Conestoga-Rovers and Associates		PROJECT: G.I. ERWIN			ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
ICV	Initial Calibration Verification	WCS48411			02/21/2008	1651
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Fluoride (F)	10.4760		10.00		104.8	90.0-110.0
Sulfate (SO4)	19.4646		20.00		97.3	90.0-110.0
Chloride	19.9093		20.00		99.5	90.0-110.0
Nitrogen, Nitrate as N (NO3-N)	10.0801		10.00		100.8	90.0-110.0
LCS	Laboratory Control Sample	WCS48411			02/21/2008	1751
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Sulfate (SO4)	19.4618		20.00		97.3	90.0-110.0
Chloride	19.9279		20.00		99.6	90.0-110.0
Fluoride (F)	10.4873		10.00		104.9	90.0-110.0
Nitrogen, Nitrate as N (NO3-N)	10.0937		10.00		100.9	90.0-110.0
MB	Method Blank				02/21/2008	1731
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Fluoride (F)	0					
Chloride	0					
Sulfate (SO4)	0.0484					
Nitrogen, Nitrate as N (NO3-N)	0					
MS	Matrix Spike	WCS48338	350207-18	100.0	02/21/2008	1931
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Sulfate (SO4), Water	10.3264		10.000000	0.9998	93.3	90-110
Chloride, Water	23.1390		10.000000	15.4033	77.4	90-110 A
Fluoride (F), Water	2.1493		2.000000	0.0234	106.3	90-110
Nitrogen, Nitrate as N (NO3-N), Water	1.8951		2.000000	0.0341	93.0	90-110
CCB	Continuing Calibration Blank				02/21/2008	1753
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Fluoride (F)	0.1996					
Sulfate (SO4)	0					
Chloride	0					
Nitrogen, Nitrate as N (NO3-N)	0					
CCB	Continuing Calibration Blank				02/21/2008	2116
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Sulfate (SO4)	0					
Chloride	0					
Fluoride (F)	0.2040					
Nitrogen, Nitrate as N (NO3-N)	0					

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008	
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank				02/22/2008	0346
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Chloride		0				
Sulfate (SO4)		0				
Nitrogen, Nitrate as N (NO3-N)		0				
CCB	Continuing Calibration Blank				02/22/2008	0638
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Fluoride (F)		0.1855				
Chloride		0				
Sulfate (SO4)		0				
Nitrogen, Nitrate as N (NO3-N)		0				
CCB	Continuing Calibration Blank				02/22/2008	0949
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Fluoride (F)		0				
Chloride		0				
Sulfate (SO4)		0				
Nitrogen, Nitrate as N (NO3-N)		0				
CCB	Continuing Calibration Blank				02/22/2008	1318
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Sulfate (SO4)		0				
Fluoride (F)		0				
Chloride		0.2457				
Nitrogen, Nitrate as N (NO3-N)		0				
CCB	Continuing Calibration Blank				02/22/2008	1610
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Fluoride (F)		0.1877				
Chloride		0				
Sulfate (SO4)		0				
Nitrogen, Nitrate as N (NO3-N)		0				
CCV	Continuing Calibration Verification	WCS48345			02/21/2008	1737
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Fluoride (F)		10.364		10.00		103.6 90.0-110.0
Chloride		19.305		20.00		96.5 90.0-110.0
Sulfate (SO4)		19.577		20.00		97.9 90.0-110.0
Nitrogen, Nitrate as N (NO3-N)		9.8878		10.0		98.9 90.0-110.0

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008	
CUSTOMER: Conestoga-Rovers and Associates		PROJECT: G.I ERWIN			ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	WCS48345			02/21/2008	2100
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Fluoride (F)		10.575		10.00		105.8 90.0-110.0
Chloride		19.368		20.00		96.8 90.0-110.0
Sulfate (SO4)		19.369		20.00		96.8 90.0-110.0
Nitrogen, Nitrate as N (NO3-N)		9.8605		10.0		98.6 90.0-110.0
CCV	Continuing Calibration Verification	WCS48345			02/22/2008	0330
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Sulfate (SO4)		19.425		20.00		97.1 90.0-110.0
Chloride		19.601		20.00		98.0 90.0-110.0
Nitrogen, Nitrate as N (NO3-N)		9.9548		10.0		99.5 90.0-110.0
CCV	Continuing Calibration Verification	WCS48345			02/22/2008	0622
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Fluoride (F)		11.054		10.00		110.5 90.0-110.0 G
Sulfate (SO4)		19.503		20.00		97.5 90.0-110.0
Chloride		19.697		20.00		98.5 90.0-110.0
Nitrogen, Nitrate as N (NO3-N)		9.9746		10.0		99.7 90.0-110.0
CCV	Continuing Calibration Verification	WCS48345			02/22/2008	0933
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Sulfate (SO4)		19.533		20.00		97.7 90.0-110.0
Chloride		19.621		20.00		98.1 90.0-110.0
Fluoride (F)		10.905		10.00		109.0 90.0-110.0
Nitrogen, Nitrate as N (NO3-N)		9.8848		10.0		98.8 90.0-110.0
CCV	Continuing Calibration Verification	WCS48345			02/22/2008	1303
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Fluoride (F)		10.832		10.00		108.3 90.0-110.0
Chloride		19.639		20.00		98.2 90.0-110.0
Sulfate (SO4)		19.529		20.00		97.6 90.0-110.0
Nitrogen, Nitrate as N (NO3-N)		9.9881		10.0		99.9 90.0-110.0
CCV	Continuing Calibration Verification	WCS48345			02/22/2008	1555
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Fluoride (F)		10.870		10.00		108.7 90.0-110.0
Sulfate (SO4)		19.416		20.00		97.1 90.0-110.0
Chloride		19.633		20.00		98.2 90.0-110.0
Nitrogen, Nitrate as N (NO3-N)		9.9792		10.0		99.8 90.0-110.0

Job Number.: 350207			Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008		
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.I. ERWIN			ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time		
DU	Method Duplicate		350207-1	10	02/21/2008	1619		
	Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
	Sulfate (SO4), Water	8.1762			8.2146	0.5	20	
	Fluoride (F), Water	0.2939			0.2849	0.0090	0.3000	
	Chloride, Water	30.026			30.037	0.0	20	
	Nitrogen, Nitrate as N (NO3-N), Water	0.3594			0.3458	0.0136	0.2500	
DU	Method Duplicate		350207-15	10	02/22/2008	0724		
	Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
	Sulfate (SO4), Water	9.1142			8.8316	3.1	20	
	Chloride, Water	33.719			33.786	0.2	20	
	Fluoride (F), Water	0.2661			0.2705	0.0044	0.3000	
	Nitrogen, Nitrate as N (NO3-N), Water	0			0	0	0	
DU	Method Duplicate		350207-7	10	02/22/2008	1523		
	Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
	Sulfate (SO4), Water	12.131			12.160	0.2	20	
	Fluoride (F), Water	0.3644			0.3706	0.0062	0.3000	
	Chloride, Water	26.703			26.931	0.9	20	
	Nitrogen, Nitrate as N (NO3-N), Water	0.3406			0	0.3406	0.2500	r
ICB	Initial Calibration Blank					02/21/2008	1446	
	Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
	Sulfate (SO4)	0						
	Fluoride (F)	0						
	Chloride	0						
	Nitrogen, Nitrate as N (NO3-N)	0						
ICV	Initial Calibration Verification	WCS48345				02/21/2008	1430	
	Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
	Fluoride (F)	10.362		10.00		103.6	90.0-110.0	
	Chloride	18.715		20.00		93.6	90.0-110.0	
	Sulfate (SO4)	18.558		20.00		92.8	90.0-110.0	
	Nitrogen, Nitrate as N (NO3-N)	9.5394		10.0		95.4	90.0-110.0	
LCS	Laboratory Control Sample	WCS48345				02/21/2008	1517	
	Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
	Chloride	19.344		20.00		96.7	90.0-110.0	
	Fluoride (F)	10.345		10.00		103.5	90.0-110.0	
	Sulfate (SO4)	19.230		20.00		96.2	90.0-110.0	
	Nitrogen, Nitrate as N (NO3-N)	9.8302		10.0		98.3	90.0-110.0	

Job Number.: 350207			Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008		
---------------------	--	--	---	--	--	--------------------------	--	--

CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN			ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time		

MB	Method Blank				02/21/2008	1501		
----	--------------	--	--	--	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Chloride	0							
Fluoride (F)	0							
Sulfate (SO4)	0							
Nitrogen, Nitrate as N (NO3-N)	0							

MS	Matrix Spike	WCS47724	350207-1	10	02/21/2008	1635		
----	--------------	----------	----------	----	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Sulfate (SO4), Water	17.615		10.000000	8.2146	94.0		90-110	
Chloride, Water	38.901		10.000000	30.037	88.6		90-110	A
Fluoride (F), Water	1.8596		2.000000	0.2849	78.7		90-110	A
Nitrogen, Nitrate as N (NO3-N), Water	2.1928		2.000000	0.3458	92.3		90-110	

MS	Matrix Spike	WCS47724	350207-15	10	02/22/2008	0740		
----	--------------	----------	-----------	----	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Sulfate (SO4), Water	18.494		10.000000	8.8316	96.6		90-110	
Fluoride (F), Water	2.1696		2.000000	0.2705	95.0		90-110	
Chloride, Water	42.330		10.000000	33.786	85.4		90-110	A
Nitrogen, Nitrate as N (NO3-N), Water	2.2099		2.000000	0	110.5		90-110	A

MS	Matrix Spike	WCS47724	350207-7	10	02/22/2008	1539		
----	--------------	----------	----------	----	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Sulfate (SO4), Water	21.742		10.000000	12.160	95.8		90-110	
Fluoride (F), Water	2.0186		2.000000	0.3706	82.4		90-110	A
Chloride, Water	35.888		10.000000	26.931	89.6		90-110	A
Nitrogen, Nitrate as N (NO3-N), Water	2.1698		2.000000	0	108.5		90-110	

Test Method.....: SW-846 6010B	Units.....: mg/L	Analyst....: srp
Method Description.: Metals Analysis (ICAP Trace)	Batch(s)....: 195055 195102 195121 195128	

CCB	Continuing Calibration Blank				03/04/2008	0833		
-----	------------------------------	--	--	--	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Calcium (Ca)	0.01081							
Magnesium (Mg)	0.02540							
Potassium (K)	0.17222							
Sodium (Na)	0.00918							

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008	
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank				03/04/2008	1016
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		0.00442				
Magnesium (Mg)		0.00297				
Potassium (K)		-0.08997				
Sodium (Na)		0.01299				
CCB	Continuing Calibration Blank				03/04/2008	1100
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		0.00598				
Magnesium (Mg)		-0.03187				
Potassium (K)		-0.43144				
CCB	Continuing Calibration Blank				03/04/2008	1144
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		-0.01127				
Magnesium (Mg)		-0.05573				
Potassium (K)		-0.67945				
CCB	Continuing Calibration Blank				03/04/2008	1158
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		-0.00998				
Magnesium (Mg)		-0.06438				
Potassium (K)		-0.75879				
CCB	Continuing Calibration Blank				100	03/04/2008 1250
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		-0.01611				
Magnesium (Mg)		-0.08535				
Potassium (K)		-0.97072				
CCB	Continuing Calibration Blank					03/04/2008 1319
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		-0.02415				
Magnesium (Mg)		-0.08328				
Potassium (K)		-0.97705				
Sodium (Na)		-0.03139				

Job Number.: 350207			Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008		
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN			ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time		
CCV	Continuing Calibration Verification	MS022908CC			03/04/2008	0829		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca)		12.53981		12.50		100.3	90.0-110.0	
Magnesium (Mg)		5.01073		5.000		100.2	90.0-110.0	
Potassium (K)		12.06480		12.50		96.5	90.0-110.0	
Sodium (Na)		11.73545		12.50		93.9	90.0-110.0	
CCV	Continuing Calibration Verification	MS022908CC			03/04/2008	1012		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca)		12.88193		12.50		103.1	90.0-110.0	
Magnesium (Mg)		5.17236		5.000		103.4	90.0-110.0	
Potassium (K)		12.66116		12.50		101.3	90.0-110.0	
Sodium (Na)		11.88551		12.50		95.1	90.0-110.0	
CCV	Continuing Calibration Verification	MS022908CC			03/04/2008	1056		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca)		12.42193		12.50		99.4	90.0-110.0	
Magnesium (Mg)		4.98641		5.000		99.7	90.0-110.0	
Potassium (K)		11.83025		12.50		94.6	90.0-110.0	
CCV	Continuing Calibration Verification	MS022908CC			03/04/2008	1140		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca)		12.06000		12.50		96.5	90.0-110.0	
Magnesium (Mg)		4.81809		5.000		96.4	90.0-110.0	
Potassium (K)		11.21809		12.50		89.7	90.0-110.0 G	
CCV	Continuing Calibration Verification	MS022908CC			03/04/2008	1155		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca)		11.93947		12.50		95.5	90.0-110.0	
Magnesium (Mg)		4.75327		5.000		95.1	90.0-110.0	
Potassium (K)		11.04511		12.50		88.4	90.0-110.0 H	
CCV	Continuing Calibration Verification	MS022908CC			10	03/04/2008	1246	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca)		11.60174		12.50		92.8	90.0-110.0	
Magnesium (Mg)		4.56052		5.000		91.2	90.0-110.0	
Potassium (K)		10.71734		12.50		85.7	90.0-110.0 H	

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008	
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	MS022908CC			03/04/2008	1315
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	11.42210		12.50		91.4	90.0-110.0
Magnesium (Mg)	4.49563		5.000		89.9	90.0-110.0 G
Potassium (K)	10.66763		12.50		85.3	90.0-110.0 H
CH1	Calibration check standard 1	MS022008T1			03/04/2008	0818
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	0.09823		0.1000		98.2	50.0-150.0
Magnesium (Mg)	0.11538		0.1000		115.4	50.0-150.0
Potassium (K)	0.68694		0.60000		114.5	50.0-150.0
Sodium (Na)	0.52468		0.60000		87.4	50.0-150.0
CH1	Calibration check standard 1	MS022008T1			03/04/2008	1304
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	0.06408		0.1000		64.1	50.0-150.0
CH3	Standard check for ICAP	MS022008T3			03/04/2008	0807
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	20.04857		20.00		100.2	95.0-105.0
Magnesium (Mg)	20.04486		20.00		100.2	95.0-105.0
Potassium (K)	20.19860		20.00		101.0	95.0-105.0
Sodium (Na)	20.14877		20.00		100.7	95.0-105.0
EB	Extraction Blank		195014		03/04/2008	0943
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca), Diss.	0.05074					
Magnesium (Mg), Diss.	0.00244					
Potassium (K), Diss.	-0.21592					
Sodium (Na), Diss.	0.04451					
EB	Extraction Blank		195014		03/04/2008	1052
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca), Diss.	0.03035					
Magnesium (Mg), Diss.	-0.02173					
Potassium (K), Diss.	-0.39664					
Sodium (Na), Diss.	0.11059					

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008	
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
ICB	Initial Calibration Blank				03/04/2008	0814
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		0.01362				
Magnesium (Mg)		0.01393				
Potassium (K)		0.13403				
Sodium (Na)		0.01057				
ICV	Initial Calibration Verification	MS022908CC			03/04/2008	0811
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		12.46045		12.50		99.7 90.0-110.0
Magnesium (Mg)		4.94161		5.000		98.8 90.0-110.0
Potassium (K)		11.93721		12.50		95.5 90.0-110.0
Sodium (Na)		11.64514		12.50		93.2 90.0-110.0
ISA	Interference Check Sample A	MS02198IA			03/04/2008	0822
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		456.57522		500.0		91.3 80-120
Magnesium (Mg)		517.18218		500.0		103.4 80-120
Potassium (K)		0.39405		0.0		
Sodium (Na)		0.19360		0.0		
ISA	Interference Check Sample A	MS02198IA			03/04/2008	1308
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		419.20831		500.0		83.8 80-120
Magnesium (Mg)		479.64160		500.0		95.9 80-120
Potassium (K)		-0.79902		0.0		
ISB	Interference Check Sample B	MS021908IB			03/04/2008	0825
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		462.95065		510.0		90.8 80.0-120.0
Magnesium (Mg)		526.90899		510.0		103.3 80.0-120.0
ISB	Interference Check Sample B	MS021908IB			03/04/2008	1312
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		420.85894		510.0		82.5 80.0-120.0
Magnesium (Mg)		483.58209		510.0		94.8 80.0-120.0
Potassium (K)		13.23727				

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S				Report Date.: 03/05/2008		
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN			ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time		
LCS	Laboratory Control Sample	MSPIKEW	195014		03/04/2008	0939		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Water		10.48674		10.00		104.9	80.0-120.0	
Magnesium (Mg), Water		10.43246		10.00		104.3	80.0-120.0	
Potassium (K), Water		10.05450		10.00		100.5	80.0-120.0	
Sodium (Na), Water		9.58228		10.00		95.8	80.0-120.0	
MD	Method Duplicate		350207-1		03/04/2008	0950		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Diss.		112.46644	111.46994		111.46994	0.9	20	
Magnesium (Mg), Diss.		40.04423	39.67894		39.67894	0.9	20	
Potassium (K), Diss.		7.52927	7.33849		7.33849	0.19078	2.00000	
MD	Method Duplicate		350207-2		03/04/2008	1005		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Diss.		241.33070	241.68978		241.68978	0.1	20	
Magnesium (Mg), Diss.		83.14186	83.15602		83.15602	0.0	20	
Potassium (K), Diss.		11.77017	11.77022		11.77022	0.0	20	
MS	Matrix Spike	MSPIKEW	350207-1		03/04/2008	0954		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Diss.		121.66001		10.00	111.46994	101.9	75-125	
Magnesium (Mg), Diss.		50.15348		10.00	39.67894	104.7	75-125	
Potassium (K), Diss.		20.46329		10.00	7.33849	131.2	75-125 a	
MS	Matrix Spike	MSPIKEW	350207-2		03/04/2008	1008		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Diss.		251.01226		10.00	241.68978	93.2	75-125	
Magnesium (Mg), Diss.		93.95075		10.00	83.15602	107.9	75-125	
Potassium (K), Diss.		27.16063		10.00	11.77022	153.9	75-125 a	
MSD	Matrix Spike Duplicate	MSPIKEW	350207-1		03/04/2008	0957		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Diss.		120.86222	121.66001	10.00	111.46994	93.9	75-125	
						8.2	20	
Magnesium (Mg), Diss.		49.96446	50.15348	10.00	39.67894	102.9	75-125	
						1.7	20	
Potassium (K), Diss.		20.45468	20.46329	10.00	7.33849	131.2	75-125 a	
						0.0	20	

Job Number.: 350207			Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008		
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.I. ERWIN			ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time		
MSD	Matrix Spike Duplicate	MSPIKEW	350207-2		03/04/2008	1019		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Diss.		248.87213	251.01226	10.00	241.68978	71.8	75-125	
Magnesium (Mg), Diss.		93.12158	93.95075	10.00	83.15602	25.9	20	C
Potassium (K), Diss.		27.00887	27.16063	10.00	11.77022	99.7	75-125	
						7.9	20	
						152.4	75-125	a
						1.0	20	
MSD	Matrix Spike Duplicate	MSPIKEW	350207-2	10		03/04/2008	1235	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Diss.		24.07053	24.09122	1.000000	23.05064	102.0	75-125	
						2.0	20	
PB	Prep. Blank			195014		03/04/2008	0935	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Water		0.01172						
Magnesium (Mg), Water		-0.01448						
Potassium (K), Water		-0.26601						
Sodium (Na), Water		-0.00844						
PDS	Post Digestion Spike	MSPIKE3	350207-1			03/04/2008	1147	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Diss.		111.30348		10.00	111.46994	-1.7	75-125	
Magnesium (Mg), Diss.		46.20615		10.00	39.67894	65.3	75-125	A
Potassium (K), Diss.		17.72871		10.00	7.33849	103.9	75-125	
S0	Calibration Blank					03/04/2008	0759	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)		0.00885						
Magnesium (Mg)		0.04486						
Potassium (K)		0.63792						
Sodium (Na)		0.27891						
SD	Serial Dilution			350207-1	5	03/04/2008	1151	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Diss.		21.06233			111.46994	5.5	10.0	
Magnesium (Mg), Diss.		7.38061			39.67894	7.0	10.0	
Potassium (K), Diss.		0.46484			7.33849	68.3	10.0	e

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008	
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.I. ERWIN		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
STD	Spiked Blank Duplicate				03/04/2008	0802
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		3.62644				
Magnesium (Mg)		1.56274				
Potassium (K)		3.01610				
Sodium (Na)		20.58140				
CCB	Continuing Calibration Blank				03/05/2008	0751
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		-0.00022				
Magnesium (Mg)		-0.01020				
Potassium (K)		-0.06280				
Sodium (Na)		-0.00537				
CCB	Continuing Calibration Blank				03/05/2008	0835
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		-0.00049				
Magnesium (Mg)		-0.03204				
Potassium (K)		-0.20230				
Sodium (Na)		-0.01293				
CCB	Continuing Calibration Blank				03/05/2008	0920
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		0.00110				
Magnesium (Mg)		-0.03268				
Potassium (K)		-0.21739				
Sodium (Na)		-0.01317				
CCB	Continuing Calibration Blank				03/05/2008	0957
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		-0.00077				
Magnesium (Mg)		-0.03845				
Potassium (K)		-0.26153				
Sodium (Na)		-0.01620				
CCB	Continuing Calibration Blank				03/05/2008	1019
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		-0.00347				
Magnesium (Mg)		-0.04247				
Potassium (K)		-0.30308				
Sodium (Na)		-0.01384				

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008	
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.I ERWIN		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	MS022908CC			03/05/2008	0747
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	12.31589		12.50		98.5	90.0-110.0
Magnesium (Mg)	4.87040		5.000		97.4	90.0-110.0
Potassium (K)	11.75973		12.50		94.1	90.0-110.0
Sodium (Na)	11.63471		12.50		93.1	90.0-110.0
CCV	Continuing Calibration Verification	MS022908CC			03/05/2008	0831
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	12.24465		12.50		98.0	90.0-110.0
Magnesium (Mg)	4.78653		5.000		95.7	90.0-110.0
Potassium (K)	11.62513		12.50		93.0	90.0-110.0
Sodium (Na)	11.62963		12.50		93.0	90.0-110.0
CCV	Continuing Calibration Verification	MS022908CC			03/05/2008	0917
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	12.38281		12.50		99.1	90.0-110.0
Magnesium (Mg)	4.83140		5.000		96.6	90.0-110.0
Potassium (K)	11.79940		12.50		94.4	90.0-110.0
Sodium (Na)	11.79037		12.50		94.3	90.0-110.0
CCV	Continuing Calibration Verification	MS022908CC			03/05/2008	0953
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	12.45902		12.50		99.7	90.0-110.0
Magnesium (Mg)	4.85963		5.000		97.2	90.0-110.0
Potassium (K)	11.80924		12.50		94.5	90.0-110.0
Sodium (Na)	11.79981		12.50		94.4	90.0-110.0
CCV	Continuing Calibration Verification	MS022908CC			03/05/2008	1015
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	12.21790		12.50		97.7	90.0-110.0
Magnesium (Mg)	4.74988		5.000		95.0	90.0-110.0
Potassium (K)	11.64532		12.50		93.2	90.0-110.0
Sodium (Na)	11.67624		12.50		93.4	90.0-110.0
CHI	Calibration check standard 1	MS022008T1			03/05/2008	0736
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	0.09518		0.1000		95.2	50.0-150.0
Magnesium (Mg)	0.08998		0.1000		90.0	50.0-150.0
Potassium (K)	0.49908		0.60000		83.2	50.0-150.0
Sodium (Na)	0.51448		0.60000		85.7	50.0-150.0

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008	
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.I. ERWIN		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CH3	Standard check for ICAP	MS022008T3			03/05/2008	0724
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	20.10182		20.00		100.5	95.0-105.0
Magnesium (Mg)	20.10380		20.00		100.5	95.0-105.0
Potassium (K)	20.09605		20.00		100.5	95.0-105.0
Sodium (Na)	20.11068		20.00		100.6	95.0-105.0
ICB	Initial Calibration Blank				03/05/2008	0732
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	0.00012					
Magnesium (Mg)	0.00809					
Potassium (K)	0.05142					
Sodium (Na)	0.00496					
ICV	Initial Calibration Verification	MS022908CC			03/05/2008	0728
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	12.45751		12.50		99.7	90.0-110.0
Magnesium (Mg)	4.94538		5.000		98.9	90.0-110.0
Potassium (K)	11.80612		12.50		94.4	90.0-110.0
Sodium (Na)	11.61230		12.50		92.9	90.0-110.0
ISA	Interference Check Sample A	MS02198IA			03/05/2008	0740
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	445.94754		500.0		89.2	80-120
Magnesium (Mg)	504.97854		500.0		101.0	80-120
Potassium (K)	0.09280		0.0			
Sodium (Na)	0.17868		0.0			
ISB	Interference Check Sample B	MS021908IB			03/05/2008	0743
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	451.79901		510.0		88.6	80.0-120.0
Magnesium (Mg)	513.67614		510.0		100.7	80.0-120.0
LCS	Laboratory Control Sample	MSPIKEW	195014		03/05/2008	0950
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca), Water	9.95630		10.00		99.6	80.0-120.0
Magnesium (Mg), Water	9.74157		10.00		97.4	80.0-120.0
Potassium (K), Water	9.58378		10.00		95.8	80.0-120.0
Sodium (Na), Water	9.50468		10.00		95.0	80.0-120.0

Job Number.: 350207		QUALITY CONTROL RESULTS				Report Date.: 03/05/2008		
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN			ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time		
MD	Method Duplicate		350207-1	10	03/05/2008	0758		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Diss.		10.83761	10.78788		10.78788	0.5	20	
Magnesium (Mg), Diss.		3.70729	3.69176		3.69176	0.01553	2.00000	
Potassium (K), Diss.		0.47032	0.47784		0.47784	0.00752	2.00000	
Sodium (Na), Diss.		10.42258	10.39644		10.39644	0.3	20	
MD	Method Duplicate		350207-2	10	03/05/2008	0813		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Diss.		23.90283	24.06742		24.06742	0.7	20	
Magnesium (Mg), Diss.		7.70545	7.76723		7.76723	0.06178	2.00000	
Potassium (K), Diss.		0.60443	0.65828		0.65828	0.05385	2.00000	
Sodium (Na), Diss.		32.58054	32.85701		32.85701	0.8	20	
MS	Matrix Spike	MSPIKEW	350207-1	10	03/05/2008	0802		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Diss.		11.81688		1.000000	10.78788	102.9	75-125	
Magnesium (Mg), Diss.		4.67712		1.000000	3.69176	98.5	75-125	
Potassium (K), Diss.		1.43159		1.000000	0.47784	95.4	75-125	
Sodium (Na), Diss.		11.40919		1.000000	10.39644	101.3	75-125	
MS	Matrix Spike	MSPIKEW	350207-2	10	03/05/2008	0816		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Diss.		25.08454		1.000000	24.06742	101.7	75-125	
Magnesium (Mg), Diss.		8.76247		1.000000	7.76723	99.5	75-125	
Potassium (K), Diss.		1.66281		1.000000	0.65828	100.5	75-125	
Sodium (Na), Diss.		33.91465		1.000000	32.85701	105.8	75-125	
MSD	Matrix Spike Duplicate	MSPIKEW	350207-1	10	03/05/2008	0805		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Diss.		11.73256	11.81688	1.000000	10.78788	94.5	75-125	
						8.5	20	
Magnesium (Mg), Diss.		4.64089	4.67712	1.000000	3.69176	94.9	75-125	
						3.7	20	
Potassium (K), Diss.		1.41231	1.43159	1.000000	0.47784	93.4	75-125	
						2.1	20	
Sodium (Na), Diss.		11.34819	11.40919	1.000000	10.39644	95.2	75-125	
						6.2	20	

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S				Report Date.: 03/05/2008		
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN			ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time		
MSD	Matrix Spike Duplicate	MSPIKEW	350207-2	10	03/05/2008	0820		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Diss.		25.06108	25.08454	1.000000	24.06742	99.4	75-125	
						2.3	20	
Magnesium (Mg), Diss.		8.76669	8.76247	1.000000	7.76723	99.9	75-125	
						0.4	20	
Potassium (K), Diss.		1.68306	1.66281	1.000000	0.65828	102.5	75-125	
						2.0	20	
Sodium (Na), Diss.		33.90298	33.91465	1.000000	32.85701	104.6	75-125	
						1.1	20	
PB	Prep. Blank		195014		03/05/2008	0946		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Water		0.00427						
Magnesium (Mg), Water		-0.04032						
Potassium (K), Water		-0.29016						
Sodium (Na), Water		-0.01635						
S0	Calibration Blank				03/05/2008	0716		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)		0.00532						
Magnesium (Mg)		0.03888						
Potassium (K)		0.51879						
Sodium (Na)		0.24901						
STD	Spiked Blank Duplicate				03/05/2008	0720		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)		3.32992						
Magnesium (Mg)		1.42976						
Potassium (K)		3.28309						
Sodium (Na)		18.19301						
CCB	Continuing Calibration Blank				03/05/2008	0751		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca)		-0.00022						
Magnesium (Mg)		-0.01020						
Potassium (K)		-0.06280						
Sodium (Na)		-0.00537						

Job Number.: 350207			Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008		
---------------------	--	--	---	--	--	--------------------------	--	--

CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.I ERWIN			ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time		

CCB	Continuing Calibration Blank				03/05/2008	0835		
-----	------------------------------	--	--	--	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Calcium (Ca)	-0.00049							
Magnesium (Mg)	-0.03204							
Potassium (K)	-0.20230							
Sodium (Na)	-0.01293							

CCB	Continuing Calibration Blank				03/05/2008	0920		
-----	------------------------------	--	--	--	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Calcium (Ca)	0.00110							
Magnesium (Mg)	-0.03268							
Potassium (K)	-0.21739							
Sodium (Na)	-0.01317							

CCB	Continuing Calibration Blank				03/05/2008	0957		
-----	------------------------------	--	--	--	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Calcium (Ca)	-0.00077							
Magnesium (Mg)	-0.03845							
Potassium (K)	-0.26153							
Sodium (Na)	-0.01620							

CCB	Continuing Calibration Blank				03/05/2008	1019		
-----	------------------------------	--	--	--	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Calcium (Ca)	-0.00347							
Magnesium (Mg)	-0.04247							
Potassium (K)	-0.30308							
Sodium (Na)	-0.01384							

CCB	Continuing Calibration Blank				03/05/2008	1106		
-----	------------------------------	--	--	--	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Calcium (Ca)	0.01674							
Magnesium (Mg)	-0.03760							
Potassium (K)	-0.28162							
Sodium (Na)	0.01648							

CCB	Continuing Calibration Blank				03/05/2008	1155		
-----	------------------------------	--	--	--	------------	------	--	--

Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Calcium (Ca)	0.01427							
Magnesium (Mg)	-0.03965							
Potassium (K)	-0.28429							
Sodium (Na)	-0.00275							

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S				Report Date.: 03/05/2008	
CUSTOMER: Conestoga-Rovers and Associates		PROJECT: G.L ERWIN			ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time	
CCB	Continuing Calibration Blank				03/05/2008	1228	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F	
Calcium (Ca)		0.01331					
Magnesium (Mg)		-0.02783					
Potassium (K)		-0.21204					
Sodium (Na)		0.00229					
CCV	Continuing Calibration Verification	MS022908CC			03/05/2008	0747	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F	
Calcium (Ca)		12.31589		12.50		98.5 90.0-110.0	
Magnesium (Mg)		4.87040		5.000		97.4 90.0-110.0	
Potassium (K)		11.75973		12.50		94.1 90.0-110.0	
Sodium (Na)		11.63471		12.50		93.1 90.0-110.0	
CCV	Continuing Calibration Verification	MS022908CC			03/05/2008	0831	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F	
Calcium (Ca)		12.24465		12.50		98.0 90.0-110.0	
Magnesium (Mg)		4.78653		5.000		95.7 90.0-110.0	
Potassium (K)		11.62513		12.50		93.0 90.0-110.0	
Sodium (Na)		11.62963		12.50		93.0 90.0-110.0	
CCV	Continuing Calibration Verification	MS022908CC			03/05/2008	0917	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F	
Calcium (Ca)		12.38281		12.50		99.1 90.0-110.0	
Magnesium (Mg)		4.83140		5.000		96.6 90.0-110.0	
Potassium (K)		11.79940		12.50		94.4 90.0-110.0	
Sodium (Na)		11.79037		12.50		94.3 90.0-110.0	
CCV	Continuing Calibration Verification	MS022908CC			03/05/2008	0953	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F	
Calcium (Ca)		12.45902		12.50		99.7 90.0-110.0	
Magnesium (Mg)		4.85963		5.000		97.2 90.0-110.0	
Potassium (K)		11.80924		12.50		94.5 90.0-110.0	
Sodium (Na)		11.79981		12.50		94.4 90.0-110.0	
CCV	Continuing Calibration Verification	MS022908CC			03/05/2008	1015	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F	
Calcium (Ca)		12.21790		12.50		97.7 90.0-110.0	
Magnesium (Mg)		4.74988		5.000		95.0 90.0-110.0	
Potassium (K)		11.64532		12.50		93.2 90.0-110.0	
Sodium (Na)		11.67624		12.50		93.4 90.0-110.0	

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008	
CUSTOMER: Conestoga-Rovers and Associates		PROJECT: G.I. ERWIN			ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	MS030308CC			03/05/2008	1103
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		12.15487		12.50		97.2 90.0-110.0
Magnesium (Mg)		4.75072		5.000		95.0 90.0-110.0
Potassium (K)		11.68164		12.50		93.5 90.0-110.0
Sodium (Na)		11.74679		12.50		94.0 90.0-110.0
CCV	Continuing Calibration Verification	MS030308CC			03/05/2008	1151
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		12.20537		12.50		97.6 90.0-110.0
Magnesium (Mg)		4.73136		5.000		94.6 90.0-110.0
Potassium (K)		11.82256		12.50		94.6 90.0-110.0
Sodium (Na)		11.81579		12.50		94.5 90.0-110.0
CCV	Continuing Calibration Verification	MS030308CC			03/05/2008	1224
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		12.14176		12.50		97.1 90.0-110.0
Magnesium (Mg)		4.69358		5.000		93.9 90.0-110.0
Potassium (K)		11.86410		12.50		94.9 90.0-110.0
Sodium (Na)		11.86025		12.50		94.9 90.0-110.0
CH1	Calibration check standard 1	MS022008T1			03/05/2008	0736
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		0.09518		0.1000		95.2 50.0-150.0
Magnesium (Mg)		0.08998		0.1000		90.0 50.0-150.0
Potassium (K)		0.49908		0.60000		83.2 50.0-150.0
Sodium (Na)		0.51448		0.60000		85.7 50.0-150.0
CH3	Standard check for ICAP	MS022008T3			03/05/2008	0724
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		20.10182		20.00		100.5 95.0-105.0
Magnesium (Mg)		20.10380		20.00		100.5 95.0-105.0
Potassium (K)		20.09605		20.00		100.5 95.0-105.0
Sodium (Na)		20.11068		20.00		100.6 95.0-105.0
EB	Extraction Blank			195014		03/05/2008 1033
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca), Diss.		0.03756				
Magnesium (Mg), Diss.		-0.03562				
Potassium (K), Diss.		-0.32062				
Sodium (Na), Diss.		0.03297				

Job Number.: 350207		QUALITY CONTROL RESULTS				Report Date.: 03/05/2008			
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN			ATTN:			
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time			
ICB	Initial Calibration Blank				03/05/2008	0732			
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits F	
Calcium (Ca)		0.00012							
Magnesium (Mg)		0.00809							
Potassium (K)		0.05142							
Sodium (Na)		0.00496							
ICV	Initial Calibration Verification	MS022908CC			03/05/2008	0728			
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits F	
Calcium (Ca)		12.45751		12.50		99.7		90.0-110.0	
Magnesium (Mg)		4.94538		5.000		98.9		90.0-110.0	
Potassium (K)		11.80612		12.50		94.4		90.0-110.0	
Sodium (Na)		11.61230		12.50		92.9		90.0-110.0	
ISA	Interference Check Sample A	MS02198IA			03/05/2008	0740			
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits F	
Calcium (Ca)		445.94754		500.0		89.2		80-120	
Magnesium (Mg)		504.97854		500.0		101.0		80-120	
Potassium (K)		0.09280		0.0					
Sodium (Na)		0.17868		0.0					
ISB	Interference Check Sample B	MS021908IB			03/05/2008	0743			
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits F	
Calcium (Ca)		451.79901		510.0		88.6		80.0-120.0	
Magnesium (Mg)		513.67614		510.0		100.7		80.0-120.0	
LCS	Laboratory Control Sample	MSPIKEW	195014		03/05/2008	0950			
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits F	
Calcium (Ca), Water		9.95630		10.00		99.6		80.0-120.0	
Magnesium (Mg), Water		9.74157		10.00		97.4		80.0-120.0	
Potassium (K), Water		9.58378		10.00		95.8		80.0-120.0	
Sodium (Na), Water		9.50468		10.00		95.0		80.0-120.0	
LCS	Laboratory Control Sample	MSPIKEW	195016		03/05/2008	1030			
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits F	
Calcium (Ca), Water		9.73401		10.00		97.3		80.0-120.0	
Magnesium (Mg), Water		9.49815		10.00		95.0		80.0-120.0	
Potassium (K), Water		9.37212		10.00		93.7		80.0-120.0	
Sodium (Na), Water		9.31067		10.00		93.1		80.0-120.0	

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S				Report Date.: 03/05/2008	
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN			ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time	
MD	Method Duplicate		350207-1	10	03/05/2008	0758	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca), Diss.		10.83761	10.78788		10.78788	0.5	20
Magnesium (Mg), Diss.		3.70729	3.69176		3.69176	0.01553	2.00000
Potassium (K), Diss.		0.47032	0.47784		0.47784	0.00752	2.00000
Sodium (Na), Diss.		10.42258	10.39644		10.39644	0.3	20
MD	Method Duplicate		350207-2	10	03/05/2008	0813	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca), Diss.		23.90283	24.06742		24.06742	0.7	20
Magnesium (Mg), Diss.		7.70545	7.76723		7.76723	0.06178	2.00000
Potassium (K), Diss.		0.60443	0.65828		0.65828	0.05385	2.00000
Sodium (Na), Diss.		32.58054	32.85701		32.85701	0.8	20
MD	Method Duplicate		350207-21			03/05/2008	1041
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Magnesium (Mg), Diss.		189.28170	189.48902		189.48902	0.1	20
MD	Method Duplicate		350207-21	100		03/05/2008	1125
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Sodium (Na), Diss.		5.59782	5.64020		5.64020	0.04238	2.00000
MD	Method Duplicate		350207-21	10		03/05/2008	1213
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca), Diss.		66.09181	66.16470		66.16470	0.1	20
Potassium (K), Diss.		8.19023	8.18283		8.18283	0.00740	2.00000
MS	Matrix Spike	MSPIKEW	350207-1	10		03/05/2008	0802
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca), Diss.		11.81688		1.000000	10.78788	102.9	75-125
Magnesium (Mg), Diss.		4.67712		1.000000	3.69176	98.5	75-125
Potassium (K), Diss.		1.43159		1.000000	0.47784	95.4	75-125
Sodium (Na), Diss.		11.40919		1.000000	10.39644	101.3	75-125

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S				Report Date.: 03/05/2008		
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN			ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time		
MS	Matrix Spike	MSPIKEW	350207-2	10	03/05/2008	0816		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Diss.		25.08454		1.000000	24.06742	101.7	75-125	
Magnesium (Mg), Diss.		8.76247		1.000000	7.76723	99.5	75-125	
Potassium (K), Diss.		1.66281		1.000000	0.65828	100.5	75-125	
Sodium (Na), Diss.		33.91465		1.000000	32.85701	105.8	75-125	
MS	Matrix Spike	MSPIKEW	350207-21		03/05/2008	1044		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Magnesium (Mg), Diss.		193.09454		10.00	189.48902	36.1	75-125	
MS	Matrix Spike	MSPIKEW	350207-21	100	03/05/2008	1129		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Sodium (Na), Diss.		5.54459		0.100000	5.64020	-95.6	75-125	
MS	Matrix Spike	MSPIKEW	350207-21	10	03/05/2008	1217		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Diss.		65.33699		1.000000	66.16470	-82.8	75-125	
Potassium (K), Diss.		9.02977		1.000000	8.18283	84.7	75-125	
MSD	Matrix Spike Duplicate	MSPIKEW	350207-1	10	03/05/2008	0805		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Diss.		11.73256	11.81688	1.000000	10.78788	94.5	75-125	
						8.5	20	
Magnesium (Mg), Diss.		4.64089	4.67712	1.000000	3.69176	94.9	75-125	
						3.7	20	
Potassium (K), Diss.		1.41231	1.43159	1.000000	0.47784	93.4	75-125	
						2.1	20	
Sodium (Na), Diss.		11.34819	11.40919	1.000000	10.39644	95.2	75-125	
						6.2	20	
MSD	Matrix Spike Duplicate	MSPIKEW	350207-2	10	03/05/2008	0820		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Diss.		25.06108	25.08454	1.000000	24.06742	99.4	75-125	
						2.3	20	
Magnesium (Mg), Diss.		8.76669	8.76247	1.000000	7.76723	99.9	75-125	
						0.4	20	
Potassium (K), Diss.		1.68306	1.66281	1.000000	0.65828	102.5	75-125	
						2.0	20	
Sodium (Na), Diss.		33.90298	33.91465	1.000000	32.85701	104.6	75-125	
						1.1	20	

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S				Report Date.: 03/05/2008		
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN			ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time		
MSD	Matrix Spike Duplicate	MSPIKEW	350207-21		03/05/2008	1048		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Magnesium (Mg), Diss.		196.70773	193.09454	10.00	189.48902	72.2 66.7	75-125 20	F C
MSD	Matrix Spike Duplicate	MSPIKEW	350207-21	100		03/05/2008	1133	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Sodium (Na), Diss.		5.68451	5.54459	0.100000	5.64020	44.3 545.4	75-125 20	F C
MSD	Matrix Spike Duplicate	MSPIKEW	350207-21	10		03/05/2008	1220	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Diss.		65.87405	65.33699	1.000000	66.16470	-29.1 96.0	75-125 20	F C
Potassium (K), Diss.		9.15377	9.02977	1.000000	8.18283	97.1 13.6	75-125 20	F C
PB	Prep. Blank		195014			03/05/2008	0946	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Water		0.00427						
Magnesium (Mg), Water		-0.04032						
Potassium (K), Water		-0.29016						
Sodium (Na), Water		-0.01635						
PB	Prep. Blank		195016			03/05/2008	1026	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Water		0.00361						
Magnesium (Mg), Water		-0.04005						
Potassium (K), Water		-0.31485						
Sodium (Na), Water		-0.01677						
PDS	Post Digestion Spike	MSPIKE3	350207-21			03/05/2008	1110	
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Magnesium (Mg), Diss.		196.58949		10.00	189.48902	71.0	75-125	

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S				Report Date.: 03/05/2008		
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN			ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time		
S0	Calibration Blank				03/05/2008	0716		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca)		0.00532						
Magnesium (Mg)		0.03888						
Potassium (K)		0.51879						
Sodium (Na)		0.24901						
SD	Serial Dilution		350207-21	5	03/05/2008	1114		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Diss.		130.44952			582.27478	12.0	10.0 e	
Magnesium (Mg), Diss.		37.53335			189.48902	1.0	10.0	
Potassium (K), Diss.		17.87343			105.87985	15.6	10.0 e	
STD	Spiked Blank Duplicate				03/05/2008	0720		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca)		3.32992						
Magnesium (Mg)		1.42976						
Potassium (K)		3.28309						
Sodium (Na)		18.19301						
CCB	Continuing Calibration Blank				03/05/2008	0751		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca)		-0.00022						
Magnesium (Mg)		-0.01020						
Potassium (K)		-0.06280						
Sodium (Na)		-0.00537						
CCB	Continuing Calibration Blank				03/05/2008	0835		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca)		-0.00049						
Magnesium (Mg)		-0.03204						
Potassium (K)		-0.20230						
Sodium (Na)		-0.01293						
CCB	Continuing Calibration Blank				03/05/2008	0920		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca)		0.00110						
Magnesium (Mg)		-0.03268						
Potassium (K)		-0.21739						
Sodium (Na)		-0.01317						

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008	
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.I ERWIN		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank				03/05/2008	0957
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		-0.00077				
Magnesium (Mg)		-0.03845				
Potassium (K)		-0.26153				
Sodium (Na)		-0.01620				
CCB	Continuing Calibration Blank				03/05/2008	1019
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		-0.00347				
Magnesium (Mg)		-0.04247				
Potassium (K)		-0.30308				
Sodium (Na)		-0.01384				
CCB	Continuing Calibration Blank				03/05/2008	1106
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		0.01674				
Magnesium (Mg)		-0.03760				
Potassium (K)		-0.28162				
Sodium (Na)		0.01648				
CCB	Continuing Calibration Blank				03/05/2008	1155
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		0.01427				
Magnesium (Mg)		-0.03965				
Potassium (K)		-0.28429				
Sodium (Na)		-0.00275				
CCB	Continuing Calibration Blank				03/05/2008	1228
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		0.01331				
Magnesium (Mg)		-0.02783				
Potassium (K)		-0.21204				
Sodium (Na)		0.00229				
CCB	Continuing Calibration Blank				03/05/2008	1328
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		0.01331				
Magnesium (Mg)		-0.01357				
Potassium (K)		-0.14348				
Sodium (Na)		-0.00038				

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008	
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	MS022908CC			03/05/2008	0747
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		12.31589		12.50		98.5 90.0-110.0
Magnesium (Mg)		4.87040		5.000		97.4 90.0-110.0
Potassium (K)		11.75973		12.50		94.1 90.0-110.0
Sodium (Na)		11.63471		12.50		93.1 90.0-110.0
CCV	Continuing Calibration Verification	MS022908CC			03/05/2008	0831
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		12.24465		12.50		98.0 90.0-110.0
Magnesium (Mg)		4.78653		5.000		95.7 90.0-110.0
Potassium (K)		11.62513		12.50		93.0 90.0-110.0
Sodium (Na)		11.62963		12.50		93.0 90.0-110.0
CCV	Continuing Calibration Verification	MS022908CC			03/05/2008	0917
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		12.38281		12.50		99.1 90.0-110.0
Magnesium (Mg)		4.83140		5.000		96.6 90.0-110.0
Potassium (K)		11.79940		12.50		94.4 90.0-110.0
Sodium (Na)		11.79037		12.50		94.3 90.0-110.0
CCV	Continuing Calibration Verification	MS022908CC			03/05/2008	0953
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		12.45902		12.50		99.7 90.0-110.0
Magnesium (Mg)		4.85963		5.000		97.2 90.0-110.0
Potassium (K)		11.80924		12.50		94.5 90.0-110.0
Sodium (Na)		11.79981		12.50		94.4 90.0-110.0
CCV	Continuing Calibration Verification	MS022908CC			03/05/2008	1015
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		12.21790		12.50		97.7 90.0-110.0
Magnesium (Mg)		4.74988		5.000		95.0 90.0-110.0
Potassium (K)		11.64532		12.50		93.2 90.0-110.0
Sodium (Na)		11.67624		12.50		93.4 90.0-110.0
CCV	Continuing Calibration Verification	MS030308CC			03/05/2008	1103
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result * Limits F
Calcium (Ca)		12.15487		12.50		97.2 90.0-110.0
Magnesium (Mg)		4.75072		5.000		95.0 90.0-110.0
Potassium (K)		11.68164		12.50		93.5 90.0-110.0
Sodium (Na)		11.74679		12.50		94.0 90.0-110.0

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008	
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.I. ERWIN		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	MS030308CC			03/05/2008	1151
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	12.20537		12.50		97.6	90.0-110.0
Magnesium (Mg)	4.73136		5.000		94.6	90.0-110.0
Potassium (K)	11.82256		12.50		94.6	90.0-110.0
Sodium (Na)	11.81579		12.50		94.5	90.0-110.0
CCV	Continuing Calibration Verification	MS030308CC			03/05/2008	1224
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	12.14176		12.50		97.1	90.0-110.0
Magnesium (Mg)	4.69358		5.000		93.9	90.0-110.0
Potassium (K)	11.86410		12.50		94.9	90.0-110.0
Sodium (Na)	11.86025		12.50		94.9	90.0-110.0
CCV	Continuing Calibration Verification	MS030308CC			03/05/2008	1324
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	12.24337		12.50		97.9	90.0-110.0
Magnesium (Mg)	4.77226		5.000		95.4	90.0-110.0
Potassium (K)	12.05498		12.50		96.4	90.0-110.0
Sodium (Na)	11.88931		12.50		95.1	90.0-110.0
CH1	Calibration check standard 1	MS022008T1			03/05/2008	0736
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	0.09518		0.1000		95.2	50.0-150.0
Magnesium (Mg)	0.08998		0.1000		90.0	50.0-150.0
Potassium (K)	0.49908		0.60000		83.2	50.0-150.0
Sodium (Na)	0.51448		0.60000		85.7	50.0-150.0
CH1	Calibration check standard 1	MS022008T1			03/05/2008	1313
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	0.08654		0.1000		86.5	50.0-150.0
Magnesium (Mg)	0.07265		0.1000		72.7	50.0-150.0
Potassium (K)	0.37348		0.60000		62.2	50.0-150.0
Sodium (Na)	0.52351		0.60000		87.3	50.0-150.0
CH3	Standard check for ICAP	MS022008T3			03/05/2008	0724
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	20.10182		20.00		100.5	95.0-105.0
Magnesium (Mg)	20.10380		20.00		100.5	95.0-105.0
Potassium (K)	20.09605		20.00		100.5	95.0-105.0
Sodium (Na)	20.11068		20.00		100.6	95.0-105.0

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008	
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.I. ERWIN		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
EB	Extraction Blank		195014		03/05/2008	1033
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca), Diss.	0.03756					
Magnesium (Mg), Diss.	-0.03562					
Potassium (K), Diss.	-0.32062					
Sodium (Na), Diss.	0.03297					
ICB	Initial Calibration Blank				03/05/2008	0732
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	0.00012					
Magnesium (Mg)	0.00809					
Potassium (K)	0.05142					
Sodium (Na)	0.00496					
ICV	Initial Calibration Verification	MS022908CC			03/05/2008	0728
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	12.45751		12.50		99.7	90.0-110.0
Magnesium (Mg)	4.94538		5.000		98.9	90.0-110.0
Potassium (K)	11.80612		12.50		94.4	90.0-110.0
Sodium (Na)	11.61230		12.50		92.9	90.0-110.0
ISA	Interference Check Sample A	MS02198IA			03/05/2008	0740
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	445.94754		500.0		89.2	80-120
Magnesium (Mg)	504.97854		500.0		101.0	80-120
Potassium (K)	0.09280		0.0			
Sodium (Na)	0.17868		0.0			
ISA	Interference Check Sample A	MS022708IA			03/05/2008	1317
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	442.67657		500.0		88.5	80-120
Magnesium (Mg)	495.34716		500.0		99.1	80-120
Potassium (K)	0.02888		0.0			
Sodium (Na)	0.19082		0.0			
ISB	Interference Check Sample B	MS021908IB			03/05/2008	0743
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	451.79901		510.0		88.6	80.0-120.0
Magnesium (Mg)	513.67614		510.0		100.7	80.0-120.0

Job Number.: 350207		QUALITY CONTROL RESULTS				Report Date.: 03/05/2008			
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN			ATTN:			
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time			
ISB	Interference Check Sample B	MS022708IB			03/05/2008	1320			
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Calcium (Ca)		452.57727		510.0		88.7		80.0-120.0	
Magnesium (Mg)		509.09619		510.0		99.8		80.0-120.0	
LCS	Laboratory Control Sample	MSPIKEW	195014			03/05/2008	0950		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Calcium (Ca), Water		9.95630		10.00		99.6		80.0-120.0	
Magnesium (Mg), Water		9.74157		10.00		97.4		80.0-120.0	
Potassium (K), Water		9.58378		10.00		95.8		80.0-120.0	
Sodium (Na), Water		9.50468		10.00		95.0		80.0-120.0	
LCS	Laboratory Control Sample	MSPIKEW	195016			03/05/2008	1030		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Calcium (Ca), Water		9.73401		10.00		97.3		80.0-120.0	
Magnesium (Mg), Water		9.49815		10.00		95.0		80.0-120.0	
Potassium (K), Water		9.37212		10.00		93.7		80.0-120.0	
Sodium (Na), Water		9.31067		10.00		93.1		80.0-120.0	
MD	Method Duplicate		350207-1	10	03/05/2008	0758			
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Calcium (Ca), Diss.		10.83761	10.78788		10.78788	0.5		20	
Magnesium (Mg), Diss.		3.70729	3.69176		3.69176	0.01553		2.00000	
Potassium (K), Diss.		0.47032	0.47784		0.47784	0.00752		2.00000	
Sodium (Na), Diss.		10.42258	10.39644		10.39644	0.3		20	
MD	Method Duplicate		350207-2	10	03/05/2008	0813			
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Calcium (Ca), Diss.		23.90283	24.06742		24.06742	0.7		20	
Magnesium (Mg), Diss.		7.70545	7.76723		7.76723	0.06178		2.00000	
Potassium (K), Diss.		0.60443	0.65828		0.65828	0.05385		2.00000	
Sodium (Na), Diss.		32.58054	32.85701		32.85701	0.8		20	
MD	Method Duplicate		350207-21			03/05/2008	1041		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	*	Limits	F
Magnesium (Mg), Diss.		189.28170	189.48902		189.48902	0.1		20	

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S				Report Date.: 03/05/2008		
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN			ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time		
MD	Method Duplicate		350207-21	100	03/05/2008	1125		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Sodium (Na), Diss.		5.59782	5.64020		5.64020	0.04238	2.00000	
MD	Method Duplicate		350207-21	10	03/05/2008	1213		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Diss.		66.09181	66.16470		66.16470	0.1	20	
Potassium (K), Diss.		8.19023	8.18283		8.18283	0.00740	2.00000	
MS	Matrix Spike	MSPIKEW	350207-1	10	03/05/2008	0802		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Diss.		11.81688		1.000000	10.78788	102.9	75-125	
Magnesium (Mg), Diss.		4.67712		1.000000	3.69176	98.5	75-125	
Potassium (K), Diss.		1.43159		1.000000	0.47784	95.4	75-125	
Sodium (Na), Diss.		11.40919		1.000000	10.39644	101.3	75-125	
MS	Matrix Spike	MSPIKEW	350207-2	10	03/05/2008	0816		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Diss.		25.08454		1.000000	24.06742	101.7	75-125	
Magnesium (Mg), Diss.		8.76247		1.000000	7.76723	99.5	75-125	
Potassium (K), Diss.		1.66281		1.000000	0.65828	100.5	75-125	
Sodium (Na), Diss.		33.91465		1.000000	32.85701	105.8	75-125	
MS	Matrix Spike	MSPIKEW	350207-21		03/05/2008	1044		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Magnesium (Mg), Diss.		193.09454		10.00	189.48902	36.1	75-125	
MS	Matrix Spike	MSPIKEW	350207-21	100	03/05/2008	1129		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Sodium (Na), Diss.		5.54459		0.100000	5.64020	-95.6	75-125	
MS	Matrix Spike	MSPIKEW	350207-21	10	03/05/2008	1217		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F	
Calcium (Ca), Diss.		65.33699		10.00	66.16470	-8.3	75-125	
Potassium (K), Diss.		9.02977		10.00	8.18283	8.5	75-125	

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S				Report Date.: 03/05/2008		
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN			ATTN:		
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time		
MSD	Matrix Spike Duplicate	MSPIKEW	350207-1	10	03/05/2008	0805		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Diss.		11.73256	11.81688	1.000000	10.78788	94.5	75-125	
						8.5	20	
Magnesium (Mg), Diss.		4.64089	4.67712	1.000000	3.69176	94.9	75-125	
						3.7	20	
Potassium (K), Diss.		1.41231	1.43159	1.000000	0.47784	93.4	75-125	
						2.1	20	
Sodium (Na), Diss.		11.34819	11.40919	1.000000	10.39644	95.2	75-125	
						6.2	20	
MSD	Matrix Spike Duplicate	MSPIKEW	350207-2	10	03/05/2008	0820		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Diss.		25.06108	25.08454	1.000000	24.06742	99.4	75-125	
						2.3	20	
Magnesium (Mg), Diss.		8.76669	8.76247	1.000000	7.76723	99.9	75-125	
						0.4	20	
Potassium (K), Diss.		1.68306	1.66281	1.000000	0.65828	102.5	75-125	
						2.0	20	
Sodium (Na), Diss.		33.90298	33.91465	1.000000	32.85701	104.6	75-125	
						1.1	20	
MSD	Matrix Spike Duplicate	MSPIKEW	350207-21		03/05/2008	1048		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Magnesium (Mg), Diss.		196.70773	193.09454	10.00	189.48902	72.2	75-125	
						66.7	20	C
MSD	Matrix Spike Duplicate	MSPIKEW	350207-21	100	03/05/2008	1133		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Sodium (Na), Diss.		5.68451	5.54459	0.100000	5.64020	44.3	75-125	
						545.4	20	C
MSD	Matrix Spike Duplicate	MSPIKEW	350207-21	10	03/05/2008	1220		
Parameter/Test Description		QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits	F
Calcium (Ca), Diss.		65.87405	65.33699	10.00	66.16470	-2.9	75-125	
						96.4	20	C
Potassium (K), Diss.		9.15377	9.02977	10.00	8.18283	9.7	75-125	a
						13.2	20	

Job Number.: 350207		Q U A L I T Y C O N T R O L R E S U L T S			Report Date.: 03/05/2008	
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN		ATTN:	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
PB	Prep. Blank		195014		03/05/2008	0946
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca), Water	0.00427					
Magnesium (Mg), Water	-0.04032					
Potassium (K), Water	-0.29016					
Sodium (Na), Water	-0.01635					
PB	Prep. Blank		195016		03/05/2008	1026
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca), Water	0.00361					
Magnesium (Mg), Water	-0.04005					
Potassium (K), Water	-0.31485					
Sodium (Na), Water	-0.01677					
PDS	Post Digestion Spike	MSPIKE3	350207-21		03/05/2008	1110
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Magnesium (Mg), Diss.	196.58949		10.00	189.48902	71.0	75-125
S0	Calibration Blank				03/05/2008	0716
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	0.00532					
Magnesium (Mg)	0.03888					
Potassium (K)	0.51879					
Sodium (Na)	0.24901					
SD	Serial Dilution		350207-21	5	03/05/2008	1114
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca), Diss.	130.44952			582.27478	12.0	10.0 e
Magnesium (Mg), Diss.	37.53335			189.48902	1.0	10.0
Potassium (K), Diss.	17.87343			105.87985	15.6	10.0 e
STD	Spiked Blank Duplicate				03/05/2008	0720
Parameter/Test Description	QC Result	QC Result	True Value	Orig. Value	Calc. Result	* Limits F
Calcium (Ca)	3.32992					
Magnesium (Mg)	1.42976					
Potassium (K)	3.28309					
Sodium (Na)	18.19301					

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 03/05/2008

REPORT COMMENTS

- 1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
- 2) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
- 3) According to 40CFR Part 136.3, pH, Chlorine Residual, and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field, (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.
- 4) For all USACE projects, the QC limits are based on "mean +/- 2 sigma", which are the warning limits.

General Information:

- Cresylic Acid is the combination of o,m and p-Cresol. The combination is reported as the final result.
- m-Cresol (3-Methylphenol) and p-Cresol (4-methylphenol) co-elute. The result of the two is reported as either m&p-cresol or as 4-methylphenol (p-cresol).
- m-Xylene and p-Xylene co-elute. The result of the two is reported as m,p-Xylene.
- N-Nitrosodiphenylamine decomposes in the gas chromatograph inlet forming dipheylamine and, consequently, may be detected as diphenylamine.
- Methylene Chloride and Acetone are recognized potential laboratory contaminants. Its presence in the sample up to five times the amount reported in the blank may be attributed to laboratory contamination.
- Trimethylsilyl(Diazomethane) is used to esterify acid herbicides in Method SW-846 8151A.
- For Inorganic analyses, duplicate QC limits are determined as follows: If the sample result is less than or equal to 5 times the reporting limit, the RPD limit is equal to the reporting limit. If the sample result is greater than 5 times the reporting limit, the RPD limit is the method defined RPD.
- For TRRP reports, the header on the column RL is equivalent to a MQL/PQL.
- Results for LCS and MS/MSD recoveries listed in the report are reported as ug/L on-column values which are not corrected for variables such as sample volumes or weights extracted, final volume of extracts and dilutions. To correct QC on-column recoveries to reflect actual spiking volumes for soils, multiply the values reported for Diesel Range Organics and Semivolatiles by 33.3 and Gasoline Range Organics by 20. The 8260 and 1006 results will not require correction. The only corection required for water analysis is for method 1006 where the reported concentraiton must be multiplied by 0.1.
- Due to limitation of the reporting software, results for the Method blank in the Semivolatile fraction are reported as "0". Which indicates there was no compound detected at the reporting limit for the compound reveiwed.
- The dilution factor listed on the report represents only the analytical dilutions necessary for the target compounds to be within the calibration range of the instrument. It does not include any preparation factors, dry weight or any other adjustment.

Explanation of Qualifiers:

- U - This qualifier indicates that the analyte was analyzed but not detected.
- J - (Organics only) This qualifier indicates that the analyte is an estimated value between the RL and the MDL.
- B - (Inorganics only) This Qualifier indicates that the analyte is an estimated value between the RL and the MDL.
- N - (Organics only) This flag indicates presumptive evidence of a compound. This flag is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It is applied to all TIC results. For generic charachterization of a TIC, such as "chlorinated hydrocarbon", the "N" flag is not used.

Explanation of General QC Outliers:

- A - Matrix interference present in sample.
- a - MS/MSD analyses yielded comparable poor recoveries, indicating a possible matrix interference. Method performance is demonstrated by acceptable LCS recoveries.
- b - Target analyte was found in the method blank.
- M - QC sample analysis yielded recoveries outside QC acceptance criteria. This sample was reanalyzed.
- L - LCS analysis yielded high recoveries, indicating a potential high bias. No target analytes were

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 03/05/2008

observed above the RL in the associated samples.

G - Marginal outlier within 1% of acceptance criteria.

r - RPD value is outside method acceptance criteria.

C - Poor RPD values observed due to the non-homogenous nature of the sample.

O - Sample required dilution due to matrix interference.

D - Sample reported from a dilution.

d - Spike and/or surrogate diluted.

E - The reported concentration exceeds the instrument calibration.

F - The analyte is outside QC limits and was not detected in any associated samples in the analytical batch.

H - Continuing Calibration Verification (CCV) standard is not associated with the samples reported.

q - See the subcontract final report for qualifier explanation.

W - The MS/MSD recoveries are outside QC acceptance criteria because the amount spiked is much less than the amount found in the sample.

K - High recovery will not affect the quality of reported results.

Z - See case narrative.

Explanation of Organic QC Outliers:

e - Method blank analysis yielded phthalate concentrations above the RL. Phthalates are recognized potential laboratory contaminants. Its presence in the sample up to five times the amount reported in the blank may be attributed to laboratory contamination.

S - Sample reanalyzed/reextracted due to poor surrogate recovery. Reanalysis confirmed original analysis indicating a possible matrix interference.

T - Sample analysis yielded poor surrogate recovery.

R - The RPD between the two GC columns is greater than 40% and no anomalies are present. The higher result is reported as per EPA Method 8000B.

I - The RPD between the two GC columns is greater than 40% and anomalies are present. The lower of the two results has been reported.

X - Gaseous compound. In-house QC limits are advisory.

Y - Ketone compounds have poor purge efficiency. In-house QC limits are advisory.

f - Surrogate not associated with reported analytes.

Explanation of Inorganic QC Outliers:

Q - Method blank analysis yielded target analytes above the RL. Associated sample results are greater than 10 times the concentrations observed in the method blank.

V - The RPD control limit for sample results less than 5 times the RL is +/- the RL value. Sample and duplicate results are within method acceptance criteria.

e - Serial dilution failed due to matrix interference.

g - Sample result quantitated by Method of Standard Additions (MSA) due to the analytical spike recovery being below 85 percent. The correlation coefficient for the MSA is greater than or equal to 0.995.

s - BOD/cBOD seed value is not within method acceptance criteria. Due to the nature of the test method, the sample cannot be reanalyzed.

l - BOD/cBOD LCS value is not within method acceptance criteria. Due to the nature of the test method, sample cannot be reanalyzed.

N - Spiked sample recovery is not within control limits.

n - Sample result quantitated by Method of Standard Additions (MSA) due to the analytical spike recovery being below 85 percent. The correlation coefficient for the MSA is less than 0.995.

* - Duplicate analysis is not within control limits.

Abbreviations:

Batch - Designation given to identify a specific extraction, digestion, preparation, or analysis set.

CCV - Continuing Calibration Verification

CRA - Low level standard check - GEAA, Mercury

CRI - Low level standard check - ICP

Dil Fac - Dilution Factor - Secondary dilution analysis

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 03/05/2008

DLFac - Detection Limit Factor
DU - Duplicate
EB - Extraction Blank (TCLP, SPLP, etc.)
ICAL - Initial Calibration
ICB - Initial Calibration Blank
ICV - Initial Calibration Verification
ISA - Interference Check Sample A - ICP
ISB - Interference Check Sample B - ICP
LCD - Laboratory Control Duplicate
LCS - Laboratory Control Sample
MB - Method Blank
MD - Method Duplicate
MDL - Method Detection Limit
MQL - Method Quantitation Limit (TRRP)
MS - Matrix Spike
MSD - Matrix Spike Duplicate
ND - Not Detected
PB - Preparation Blank
PREPF - Preparation Factor
RL - Reporting Limit
RPD - Relative Percent Difference
RRF - Relative Response Factor
RT - Retention Time
SQL - Sample Quantitation Limit (TRRP)
TIC - Tentatively Identified Compound

Method References:

- (1) EPA 600/4-79-020 Methods for the Analysis of Water and Wastes, March 1983.
- (2) EPA 600/R-94-111 Methods for the Determination of Metals in Environmental Samples, Supplement I, May 1994.
- (3) EPA SW846 Test Methods for Evaluating Solid Waste, Third Edition, September 1986; Update I July 1992; Update II, September 1994, Update IIA August 1993; Update IIB, January 1995; Update III, December 1996, Update IVA January 1998, Update IVB November 2000.
- (4) Standard Methods for the Examination of Water and Wastewater, 16th Edition (1985), 17th Edition (1989), 18th Edition (1992), 19th Edition (1995), 20th Edition (1998).
- (5) HACH Water Analysis Handbook 3rd Edition (1997).
- (6) Federal Register, July 1, 1990 (40 CFR Part 136 Appendix A).
- (7) Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, 2nd Edition, January 1997.
- (9) Diagnosis and Improvement of Saline and Alkali Soils, Agriculture Handbook No. 60, United States Department of Agriculture, 1954.

LABORATORY CHRONICLE

Job Number: 350207

Date: 03/05/2008

CUSTOMER: Conestoga-Rovers and Associates

PROJECT: G.L ERWIN

ATTN: James Ornelas

Lab ID: 350207-1	Client ID: MW1 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008			
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED	DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014		03/03/2008 1600	
SM 2320 B	Alkalinity	1	194438		02/22/2008 1030	
	Electronic Data Deliverables	1				
EPA 300.0	Ion Chromatography Analysis	1	194493		02/21/2008 1548	
EPA 300.0	Ion Chromatography Analysis	1	194493		02/21/2008 1604	10
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194493		02/21/2008 1548	
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055	195014	03/04/2008 0946	
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195014	03/05/2008 0754	10
N/A	Sample Filtration	1	194924		03/03/2008 1400	
SM2540 C	Solids, Total Dissolved (TDS)	1	194443		02/21/2008 1545	
Lab ID: 350207-2	Client ID: MW2 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008			
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED	DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014		03/03/2008 1600	
SM 2320 B	Alkalinity	1	194438		02/22/2008 1030	
EPA 300.0	Ion Chromatography Analysis	1	194493		02/21/2008 1651	
EPA 300.0	Ion Chromatography Analysis	1	194493		02/21/2008 1706	10
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194493		02/21/2008 1651	
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055	195014	03/04/2008 1001	
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195014	03/05/2008 0809	10
N/A	Sample Filtration	1	194924		03/03/2008 1400	
SM2540 C	Solids, Total Dissolved (TDS)	1	194443		02/21/2008 1545	
Lab ID: 350207-3	Client ID: MW3 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008			
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED	DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014		03/03/2008 1600	
SM 2320 B	Alkalinity	1	194438		02/22/2008 1030	
EPA 300.0	Ion Chromatography Analysis	1	194493		02/21/2008 1808	
EPA 300.0	Ion Chromatography Analysis	1	194493		02/21/2008 1824	10
EPA 300.0	Ion Chromatography Analysis	1	194493		02/21/2008 1840	100
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194493		02/21/2008 1808	
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055	195014	03/04/2008 1023	
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195014	03/05/2008 0824	100
N/A	Sample Filtration	1	194924		03/03/2008 1400	
SM2540 C	Solids, Total Dissolved (TDS)	1	194443		02/21/2008 1545	
Lab ID: 350207-4	Client ID: MW4 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008			
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED	DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014		03/03/2008 1600	
SM 2320 B	Alkalinity	1	194438		02/22/2008 1030	
EPA 300.0	Ion Chromatography Analysis	1	194493		02/21/2008 1855	5
EPA 300.0	Ion Chromatography Analysis	1	194493		02/21/2008 1927	100
EPA 300.0	Ion Chromatography Analysis	1	194493		02/21/2008 1942	1000
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194493		02/21/2008 1855	5
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055	195014	03/04/2008 1027	
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055	195014	03/04/2008 1243	100
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195014	03/05/2008 0827	100
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195014	03/05/2008 1001	10
N/A	Sample Filtration	1	194924		03/03/2008 1400	
SM2540 C	Solids, Total Dissolved (TDS)	1	194443		02/21/2008 1545	
Lab ID: 350207-5	Client ID: MW5 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008			
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED	DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014		03/03/2008 1600	
SM 2320 B	Alkalinity	1	194438		02/22/2008 1030	

LABORATORY CHRONICLE

Job Number: 350207

Date: 03/05/2008

CUSTOMER: Conestoga-Rovers and Associates

PROJECT: G.L ERWIN

ATTN: James Ornelas

Lab ID: 350207-5	Client ID: MW5 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED
EPA 300.0	Ion Chromatography Analysis	1	194493		1958
EPA 300.0	Ion Chromatography Analysis	1	194493		2013
EPA 300.0	Ion Chromatography Analysis	1	194493		2029
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194493		1958
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055	195014	1030
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195014	0838
N/A	Sample Filtration	1	194924		1400
SM2540 C	Solids, Total Dissolved (TDS)	1	194443		1545
Lab ID: 350207-6	Client ID: MW6 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014		1600
SM 2320 B	Alkalinity	1	194438		1030
EPA 300.0	Ion Chromatography Analysis	1	194493		1004
EPA 300.0	Ion Chromatography Analysis	1	194493		1020
EPA 300.0	Ion Chromatography Analysis	1	194493		1036
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194493		1004
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055	195014	1034
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195014	0842
N/A	Sample Filtration	1	194924		1400
SM2540 C	Solids, Total Dissolved (TDS)	1	194443		1545
Lab ID: 350207-7	Client ID: MW7 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014		1600
SM 2320 B	Alkalinity	1	194438		1030
EPA 300.0	Ion Chromatography Analysis	1	194493		1114
EPA 300.0	Ion Chromatography Analysis	1	194493		1508
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194493		1114
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055	195014	1038
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195014	0846
N/A	Sample Filtration	1	194924		1400
SM2540 C	Solids, Total Dissolved (TDS)	1	194443		1545
Lab ID: 350207-8	Client ID: MW8 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014		1600
SM 2320 B	Alkalinity	1	194438		1030
EPA 300.0	Ion Chromatography Analysis	1	194493		1129
EPA 300.0	Ion Chromatography Analysis	1	194493		1232
EPA 300.0	Ion Chromatography Analysis	1	194493		1247
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194493		1129
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055	195014	1041
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195014	0849
N/A	Sample Filtration	1	194924		1400
SM2540 C	Solids, Total Dissolved (TDS)	1	194536		1535
Lab ID: 350207-9	Client ID: MW9 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014		1600
SM 2320 B	Alkalinity	1	194438		1030
EPA 300.0	Ion Chromatography Analysis	1	194493		1145
EPA 300.0	Ion Chromatography Analysis	1	194493		1334
EPA 300.0	Ion Chromatography Analysis	1	194493		1349
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194493		1145

LABORATORY CHRONICLE

Job Number: 350207

Date: 03/05/2008

CUSTOMER: Conestoga-Rovers and Associates

PROJECT: G.L ERWIN

ATTN: James Ornelas

Lab ID: 350207-9	Client ID: MW9 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008
METHOD	DESCRIPTION	RUN#	BATCH# PREP BT #(S) DATE/TIME ANALYZED DILUTION
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055 195014 03/04/2008 1045
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128 195014 03/05/2008 0853 100
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128 195014 03/05/2008 1206 10
N/A	Sample Filtration	1	194924 03/03/2008 1400
SM2540 C	Solids, Total Dissolved (TDS)	1	194536 02/22/2008 1535

Lab ID: 350207-10	Client ID: MW10 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008
METHOD	DESCRIPTION	RUN#	BATCH# PREP BT #(S) DATE/TIME ANALYZED DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014 03/03/2008 1600
SM 2320 B	Alkalinity	1	194438 02/22/2008 1030
EPA 300.0	Ion Chromatography Analysis	1	194493 02/22/2008 1200
EPA 300.0	Ion Chromatography Analysis	1	194493 02/22/2008 1405 10
EPA 300.0	Ion Chromatography Analysis	1	194493 02/22/2008 1421 100
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194493 02/22/2008 1200
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055 195014 03/04/2008 1049
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128 195014 03/05/2008 0858 10
N/A	Sample Filtration	1	194924 03/03/2008 1400
SM2540 C	Solids, Total Dissolved (TDS)	1	194536 02/22/2008 1535

Lab ID: 350207-11	Client ID: MW12 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008
METHOD	DESCRIPTION	RUN#	BATCH# PREP BT #(S) DATE/TIME ANALYZED DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014 03/03/2008 1600
SM 2320 B	Alkalinity	1	194438 02/22/2008 1030
EPA 300.0	Ion Chromatography Analysis	1	194493 02/22/2008 1216
EPA 300.0	Ion Chromatography Analysis	1	194493 02/22/2008 1436 10
EPA 300.0	Ion Chromatography Analysis	1	194493 02/22/2008 1452 100
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194493 02/22/2008 1216
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055 195014 03/04/2008 1103
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128 195014 03/05/2008 0902 10
N/A	Sample Filtration	1	194924 03/03/2008 1400
SM2540 C	Solids, Total Dissolved (TDS)	1	194536 02/22/2008 1535

Lab ID: 350207-12	Client ID: MW13 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008
METHOD	DESCRIPTION	RUN#	BATCH# PREP BT #(S) DATE/TIME ANALYZED DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014 03/03/2008 1600
SM 2320 B	Alkalinity	1	194438 02/22/2008 1030
EPA 300.0	Ion Chromatography Analysis	1	194493 02/22/2008 0401
EPA 300.0	Ion Chromatography Analysis	1	194493 02/22/2008 0417 10
EPA 300.0	Ion Chromatography Analysis	1	194493 02/22/2008 0433 100
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194493 02/22/2008 0401
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055 195014 03/04/2008 1107
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128 195014 03/05/2008 0906 10
N/A	Sample Filtration	1	194924 03/03/2008 1400
SM2540 C	Solids, Total Dissolved (TDS)	1	194536 02/22/2008 1535

Lab ID: 350207-13	Client ID: MW14 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008
METHOD	DESCRIPTION	RUN#	BATCH# PREP BT #(S) DATE/TIME ANALYZED DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014 03/03/2008 1600
SM 2320 B	Alkalinity	1	194438 02/22/2008 1030
EPA 300.0	Ion Chromatography Analysis	1	194493 02/22/2008 0448
EPA 300.0	Ion Chromatography Analysis	1	194493 02/22/2008 0519 100
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194493 02/22/2008 0448
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055 195014 03/04/2008 1111
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128 195014 03/05/2008 0909 100
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128 195014 03/05/2008 1008 10

LABORATORY CHRONICLE

Job Number: 350207

Date: 03/05/2008

CUSTOMER: Conestoga-Rovers and Associates

PROJECT: G.L ERWIN

ATTN: James Ornelas

Lab ID: 350207-13 Client ID: MW14 22008		Date Recvd: 02/21/2008		Sample Date: 02/20/2008		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED	DILUTION
N/A	Sample Filtration	1	194924		03/03/2008 1400	
SM2540 C	Solids, Total Dissolved (TDS)	1	194536		02/22/2008 1535	
Lab ID: 350207-14 Client ID: MW15 22008		Date Recvd: 02/21/2008		Sample Date: 02/20/2008		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED	DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014		03/03/2008 1600	
SM 2320 B	Alkalinity	1	194438		02/22/2008 1030	
EPA 300.0	Ion Chromatography Analysis	1	194493		02/22/2008 0535	
EPA 300.0	Ion Chromatography Analysis	1	194493		02/22/2008 0551	10
EPA 300.0	Ion Chromatography Analysis	1	194493		02/22/2008 0606	100
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194493		02/22/2008 0535	
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055	195014	03/04/2008 1114	
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195014	03/05/2008 0913	10
N/A	Sample Filtration	1	194924		03/03/2008 1400	
SM2540 C	Solids, Total Dissolved (TDS)	1	194536		02/22/2008 1535	
Lab ID: 350207-15 Client ID: MW16 22008		Date Recvd: 02/21/2008		Sample Date: 02/20/2008		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED	DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014		03/03/2008 1600	
SM 2320 B	Alkalinity	1	194438		02/22/2008 1030	
EPA 300.0	Ion Chromatography Analysis	1	194493		02/22/2008 0653	
EPA 300.0	Ion Chromatography Analysis	1	194493		02/22/2008 0709	10
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194493		02/22/2008 0653	
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055	195014	03/04/2008 1118	
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195014	03/05/2008 0924	10
N/A	Sample Filtration	1	194924		03/03/2008 1400	
SM2540 C	Solids, Total Dissolved (TDS)	1	194536		02/22/2008 1535	
Lab ID: 350207-16 Client ID: MW17 22008		Date Recvd: 02/21/2008		Sample Date: 02/20/2008		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED	DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014		03/03/2008 1600	
SM 2320 B	Alkalinity	1	194438		02/22/2008 1030	
EPA 300.0	Ion Chromatography Analysis	1	194493		02/22/2008 0756	
EPA 300.0	Ion Chromatography Analysis	1	194493		02/22/2008 0811	10
EPA 300.0	Ion Chromatography Analysis	1	194493		02/22/2008 0831	100
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194493		02/22/2008 0756	
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055	195014	03/04/2008 1122	
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195014	03/05/2008 0928	10
N/A	Sample Filtration	1	194924		03/03/2008 1400	
SM2540 C	Solids, Total Dissolved (TDS)	1	194536		02/22/2008 1535	
Lab ID: 350207-17 Client ID: MW19 22008		Date Recvd: 02/21/2008		Sample Date: 02/20/2008		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED	DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014		03/03/2008 1600	
SM 2320 B	Alkalinity	1	194438		02/22/2008 1030	
EPA 300.0	Ion Chromatography Analysis	1	194493		02/22/2008 0846	
EPA 300.0	Ion Chromatography Analysis	1	194493		02/22/2008 0902	10
EPA 300.0	Ion Chromatography Analysis	1	194493		02/22/2008 0917	100
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194493		02/22/2008 0846	
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055	195014	03/04/2008 1125	
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195014	03/05/2008 0931	100
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195014	03/05/2008 1012	10
N/A	Sample Filtration	1	194924		03/03/2008 1400	
SM2540 C	Solids, Total Dissolved (TDS)	1	194536		02/22/2008 1535	
Lab ID: 350207-18 Client ID: MW20 22008		Date Recvd: 02/21/2008		Sample Date: 02/20/2008		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED	DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014		03/03/2008 1600	

LABORATORY CHRONICLE

Job Number: 350207

Date: 03/05/2008

CUSTOMER: Conestoga-Rovers and Associates

PROJECT: G.L ERWIN

ATTN: James Ornelas

Lab ID: 350207-18	Client ID: MW20 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008
METHOD	DESCRIPTION	RUN#	BATCH# PREP BT #(S) DATE/TIME ANALYZED DILUTION
SM 2320 B	Alkalinity	1	194438 02/22/2008 1030
EPA 300.0	Ion Chromatography Analysis	1	194436 02/21/2008 1811 1.0000
EPA 300.0	Ion Chromatography Analysis	1	194436 02/21/2008 1831 10.000
EPA 300.0	Ion Chromatography Analysis	1	194436 02/21/2008 1851 100.00
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194436 02/21/2008 1811 1.0000
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055 195014 03/04/2008 1129
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128 195014 03/05/2008 0935 10
N/A	Sample Filtration	1	194924 03/03/2008 1400
SM2540 C	Solids, Total Dissolved (TDS)	1	194603 02/25/2008 1045

Lab ID: 350207-19	Client ID: MW21 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008
METHOD	DESCRIPTION	RUN#	BATCH# PREP BT #(S) DATE/TIME ANALYZED DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014 03/03/2008 1600
SM 2320 B	Alkalinity	1	194438 02/22/2008 1030
EPA 300.0	Ion Chromatography Analysis	1	194436 02/21/2008 1951 1.0000
EPA 300.0	Ion Chromatography Analysis	1	194436 02/21/2008 2011 10.000
EPA 300.0	Ion Chromatography Analysis	1	194436 02/21/2008 2031 100.00
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194436 02/21/2008 1951 1.0000
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055 195014 03/04/2008 1133
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128 195014 03/05/2008 0939 10
N/A	Sample Filtration	1	194924 03/03/2008 1400
SM2540 C	Solids, Total Dissolved (TDS)	1	194603 02/25/2008 1045

Lab ID: 350207-20	Client ID: MW22 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008
METHOD	DESCRIPTION	RUN#	BATCH# PREP BT #(S) DATE/TIME ANALYZED DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195014 03/03/2008 1600
SM 2320 B	Alkalinity	1	194438 02/22/2008 1030
EPA 300.0	Ion Chromatography Analysis	1	194436 02/21/2008 2131 1.0000
EPA 300.0	Ion Chromatography Analysis	1	194436 02/21/2008 2151 10.000
EPA 300.0	Ion Chromatography Analysis	1	194436 02/21/2008 2211 100.00
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194436 02/21/2008 2131 1.0000
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195055 195014 03/04/2008 1136
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128 195014 03/05/2008 0942 10
N/A	Sample Filtration	1	194924 03/03/2008 1400
SM2540 C	Solids, Total Dissolved (TDS)	1	194603 02/25/2008 1045

Lab ID: 350207-21	Client ID: MWEST 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008
METHOD	DESCRIPTION	RUN#	BATCH# PREP BT #(S) DATE/TIME ANALYZED DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195016 03/03/2008 1600
SM 2320 B	Alkalinity	1	194438 02/22/2008 1030
EPA 300.0	Ion Chromatography Analysis	1	194436 02/21/2008 2231 1.0000
EPA 300.0	Ion Chromatography Analysis	1	194436 02/21/2008 2251 10.000
EPA 300.0	Ion Chromatography Analysis	1	194436 02/21/2008 2311 100.00
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194436 02/21/2008 2231 1.0000
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128 195016 03/05/2008 1037
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128 195016 03/05/2008 1121 100
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128 195016 03/05/2008 1209 10
N/A	Sample Filtration	1	194924 03/03/2008 1400
SM2540 C	Solids, Total Dissolved (TDS)	1	194603 02/25/2008 1045

Lab ID: 350207-22	Client ID: MWSW 22008	Date Recvd: 02/21/2008	Sample Date: 02/20/2008
METHOD	DESCRIPTION	RUN#	BATCH# PREP BT #(S) DATE/TIME ANALYZED DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195016 03/03/2008 1600
SM 2320 B	Alkalinity	1	194438 02/22/2008 1030
EPA 300.0	Ion Chromatography Analysis	1	194436 02/21/2008 2331 1.0000

LABORATORY CHRONICLE

Job Number: 350207

Date: 03/05/2008

CUSTOMER: Conestoga-Rovers and Associates

PROJECT: G.L ERWIN

ATTN: James Ornelas

Lab ID: 350207-22		Client ID: MWSW 22008		Date Recvd: 02/21/2008		Sample Date: 02/20/2008	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT	#(S)	DATE/TIME ANALYZED	DILUTION
EPA 300.0	Ion Chromatography Analysis	1	194436			02/22/2008 0011	100.00
EPA 300.0	Ion Chromatography Analysis	1	194524			02/23/2008 0753	200.00
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194436			02/21/2008 2331	1.0000
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195016		03/05/2008 1052	
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195016		03/05/2008 1136	10
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195016		03/05/2008 1140	100
N/A	Sample Filtration	1	194924			03/03/2008 1400	
SM2540 C	Solids, Total Dissolved (TDS)	1	194603			02/25/2008 1045	

Lab ID: 350207-23		Client ID: RWL 22008		Date Recvd: 02/21/2008		Sample Date: 02/20/2008	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT	#(S)	DATE/TIME ANALYZED	DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195016			03/03/2008 1600	
SM 2320 B	Alkalinity	1	194438			02/22/2008 1030	
EPA 300.0	Ion Chromatography Analysis	1	194436			02/22/2008 0111	1.0000
EPA 300.0	Ion Chromatography Analysis	1	194436			02/22/2008 0151	100.00
EPA 300.0	Ion Chromatography Analysis	1	194524			02/23/2008 0813	200.00
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194436			02/22/2008 0111	1.0000
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195016		03/05/2008 1055	
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195016		03/05/2008 1143	10
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195016		03/05/2008 1147	100
N/A	Sample Filtration	1	194924			03/03/2008 1400	
SM2540 C	Solids, Total Dissolved (TDS)	1	194603			02/25/2008 1045	

Lab ID: 350207-24		Client ID: DUP 22008		Date Recvd: 02/21/2008		Sample Date: 02/20/2008	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT	#(S)	DATE/TIME ANALYZED	DILUTION
SW-846 3010A	Acid Digestion Aqueous/Extracts FLAA/ICP	1	195016			03/03/2008 1600	
SM 2320 B	Alkalinity	1	194438			02/22/2008 1030	
EPA 300.0	Ion Chromatography Analysis	1	194436			02/22/2008 0211	1.0000
EPA 300.0	Ion Chromatography Analysis	1	194436			02/22/2008 0251	100.00
EPA 300.0	Ion Chromatography Analysis	1	194524			02/23/2008 0833	200.00
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold	1	194436			02/22/2008 0211	1.0000
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195016		03/05/2008 1059	
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195016		03/05/2008 1158	10
SW-846 6010B	Metals Analysis (ICAP Trace)	1	195128	195016		03/05/2008 1202	100
N/A	Sample Filtration	1	194924			03/03/2008 1400	
SM2540 C	Solids, Total Dissolved (TDS)	1	194603			02/25/2008 1045	

Temperature on Receipt _____
Drinking Water? Yes ☐ No ☐

Chain of
Custody Record

TAL-4124 (1007)

Client **CRA** Project Manager **James Ornelas** Date **2-20-08** Chain of Custody Number **077506**
Address **2135 S. Loop 250 W.** Telephone Number (Area Code)/Fax Number **432-686-0086** Lab Number **1** of **3**
City **Midland, TX** Zip Code **79703** Site Contact **James Ornelas** Analysis (Attach list if more space is needed)

Project Name and Location (State) **G.L. Edwin Tank Battery Jal, NM** Carter/Waybill Number
Contract/Purchase Order/Quote No. **039124**

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix					Containers & Preservatives					Special Instructions/ Conditions of Receipt
			Aqueous	Sed.	Soil	Unpres.	H2SO4	HNO3	HCl	NaOH	ZnAc	KCR	
MW1 22008	2-20-08	1345	X			X						X	X 6010B-Dissolved
MW2 22008	2-20-08	1400	X			X						X	X 300
MW3 22008	2-20-08	1440	X			X						X	
MW4 22008	2-20-08	1510	X			X						X	
MW5 22008	2-20-08	1455	X			X						X	
MW6 22008	2-20-08	1425	X			X						X	
MW7 22008	2-20-08	1410	X			X						X	
MW8 22008	2-20-08	1300	X			X						X	
MW9 22008	2-20-08	1330	X			X						X	
MW10 22008	2-20-08	1310	X			X						X	
MW12 22008	2-20-08	1110	X			X						X	
MW13 22008	2-20-08	1220	X			X						X	

Possible Hazard Identification ☒ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Sample Disposal ☐ Turn Around Time Required ☐ 24 Hours ☐ 48 Hours ☒ 7 Days ☐ 14 Days ☐ 21 Days ☐ Other _____
1. Relinquished By **James Ornelas** Date **2/20/08** Time **1800**
2. Relinquished By _____ Date _____ Time _____
3. Relinquished By _____ Date _____ Time _____
Comments _____

Temperature on Receipt _____
Drinking Water? Yes ☐ No ☐

THE LEADER IN ENVIRONMENTAL TESTING

Client		CRA		Project Manager		James Ornelas		Date		2-20-08		Chain of Custody Number		077524	
Address		2135 S. Loop 250 W.		Telephone Number (Area Code)/Fax Number		432-686-0080		Lab Number				Page		2 of 3	
City		Midland		State		TX		Zip Code		79703		Site Contact		James Ornelas	
Project Name and Location (State)		G. L. Erwin Tank Battery Jal, NM		Carrier/Waybill Number				Lab Contact				Analysis (Attach list if more space is needed)		Special Instructions/ Conditions of Receipt	
Contract/Purchase Order/Quote No.		039124		Matrix		Containers & Preservatives		Air		Aqueous		Sed.		Soil	
Sample I.D. No. and Description (Containers for each sample may be combined on one line)		Date		Time		Unpres.		H2SO4		HNO3		HCl		NaOH	
MW14 22008		2-20-08		1125		X		X		X		X		X	
MW15 22008		2-20-08		1055		X		X		X		X		X	
MW16 22008		2-20-08		1245		X		X		X		X		X	
MW17 22008		2-20-08		1230		X		X		X		X		X	
MW19 22008		2-20-08		1140		X		X		X		X		X	
MW20 22008		2-20-08		1040		X		X		X		X		X	
MW21 22008		2-20-08		1155		X		X		X		X		X	
MW22 22008		2-20-08		1320		X		X		X		X		X	
MW WEST 22008		2-20-08		1525		X		X		X		X		X	
MWSW 22008		2-20-08		1540		X		X		X		X		X	
RW-1 22008		2-20-08		1555		X		X		X		X		X	
Dup 22008		2-20-08		—		X		X		X		X		X	
Possible Hazard Identification		Non-Hazard		Flammable		Skin Irritant		Poison B		Unknown		Return To Client		Sample Disposal	
Turn Around Time Required		24 Hours		48 Hours		7 Days		14 Days		21 Days		Other		Disposal By Lab	
1. Relinquished By		Date		Time		Date		Time		Date		Time		1. Received By	
2. Relinquished By		Date		Time		Date		Time		Date		Time		2. Received By	
3. Relinquished By		Date		Time		Date		Time		Date		Time		3. Received By	
Comments															

(A fee may be assessed if samples are retained longer than 1 month)

QC Requirements (Specify)

TestAmerica

TESTING LABORATORIES

039124

CEMC G.L. ERWIN

ANALYTICAL REPORT

JOB NUMBER: 358781
Project ID: G.L. ERWIN

Prepared For:

Conestoga-Rovers and Associates
2135 S. Loop 250 West
Midland, TX 79707

Attention: Todd Wells

Date: 08/22/2008



Signature

08/22/08

Date

Name: Sachin G. Kudchadkar

Title: Project Manager III

E-Mail: sachin.kudchadkar@testamericainc.com

TestAmerica Laboratories, Inc
6310 Rothway Drive
Houston, TX 77040

PHONE: 713-690-4444

TOTAL NO. OF PAGES

13

SAMPLE INFORMATION
Date: 08/22/2008

Job Number.: 358781	Project Number.....: 99007835
Customer...: Conestoga-Rovers and Associates	Customer Project ID....: G.L ERWIN
Attn.....: Todd Wells	Project Description.....: Analytical

Job Number.: 358781	Project Number.....: 99007835
Customer...: Conestoga-Rovers and Associates	Customer Project ID....: G.L ERWIN
Attn.....: Todd Wells	Project Description.....: Analytical

[illegible]

LABORATORY TEST RESULTS											
Job Number: 358781						Date:08/22/2008					
CUSTOMER: Conestoga-Rovers and Associates						PROJECT: G.I ERWIN					
ATTN: Todd Wells											
Customer Sample ID: MW-3 81308											
Date Sampled.....: 08/13/2008											
Time Sampled.....: 11:10											
Sample Matrix.....: Water											
Laboratory Sample ID: 358781-1											
Date Received.....: 08/14/2008											
Time Received.....: 09:27											
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
SW-846 3005A	Acid Digestion, Diss.	Complete				1		403616		08/14/08 1715	dcl
SW-846 6010B	Metals Analysis (ICAP Trace)										
	Calcium (Ca), Diss.	46.8		0.02185	2.000	1	mg/L	403717		08/15/08 1136	srp
	Magnesium (Mg), Diss.	14.3		0.01604	2.000	1	mg/L	403717		08/15/08 1136	srp
	Potassium (K), Diss.	17.5		0.08121	2.000	1	mg/L	403717		08/15/08 1136	srp
	Sodium (Na), Diss.	896		2.000	200.0	100	mg/L	403795		08/18/08 1636	srp
SM 2320 B	Alkalinity, Total as CaCO3, Water	222		1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2320 B	Bicarbonate (HCO3), Water	222		1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2320 B	Carbonate (CO3), Water	1.53	U	1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2320 B	Hydroxide (OH), Water	1.53	U	1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2540C	Solids, Total Dissolved (TDS), Water	2700		1.533	20	1	mg/L	403921		08/19/08 1015	daw
EPA 300.0	Ion Chromatography Analysis										
	Chloride, Water	1180		23.1	50	100	mg/L	403662		08/14/08 2040	sur
	Fluoride (F), Water	2.59		0.141	0.30	1	mg/L	403662		08/14/08 2009	sur
	Sulfate (SO4), Water	210		3.50	5.0	10	mg/L	403662		08/14/08 2024	sur
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold										
	Nitrogen, Nitrate as N (NO3-N), Water	8.27	Z	0.84	2.0	10	mg/L	403662		08/14/08 2024	sur
	Nitrogen, Nitrite as N (NO2-N), Water	1.72	U	1.72	2.0	10	mg/L	403662		08/14/08 2024	sur

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											
Job Number: 358781			Date:08/22/2008								
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN ATTN: Todd Wells								
Customer Sample ID: MW-4 81308 Date Sampled.....: 08/13/2008 Time Sampled.....: 12:10 Sample Matrix.....: Water			Laboratory Sample ID: 358781-2 Date Received.....: 08/14/2008 Time Received.....: 09:27								
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
SW-846 3005A	Acid Digestion, Diss.	Complete				1		403616		08/14/08 1715	dcl
SW-846 6010B	Metals Analysis (ICAP Trace)										
	Calcium (Ca), Diss.	770		0.2185	20.00	10	mg/L	403795		08/18/08 1651	srp
	Magnesium (Mg), Diss.	209		0.01604	2.000	1	mg/L	403717		08/15/08 1152	srp
	Potassium (K), Diss.	97.3		0.8121	20.00	10	mg/L	403795		08/18/08 1651	srp
SM 2320 B	Sodium (Na), Diss.	2510		2.000	200.0	100	mg/L	403795		08/18/08 1655	srp
	Alkalinity, Total as CaCO3, Water	263		1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2320 B	Bicarbonate (HCO3), Water	263		1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2320 B	Carbonate (CO3), Water	1.53	U	1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2320 B	Hydroxide (OH), Water	1.53	U	1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2540C	Solids, Total Dissolved (TDS), Water	15100		1.533	100	1	mg/L	403921		08/19/08 1015	daw
EPA 300.0	Ion Chromatography Analysis										
	Chloride, Water	6270		46.2	100	200	mg/L	403816		08/18/08 1647	sur
	Fluoride (F), Water	0.705	U	0.705	1.5	5	mg/L	403662		08/14/08 2055	sur
	Sulfate (SO4), Water	607		35.0	50	100	mg/L	403662		08/14/08 2127	sur
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold										
	Nitrogen, Nitrate as N (NO3-N), Water	6.64		0.42	1.0	5	mg/L	403662		08/14/08 2055	sur
	Nitrogen, Nitrite as N (NO2-N), Water	1.72	U Z	1.72	2.0	10	mg/L	403662		08/14/08 2111	sur

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											
Job Number: 358781			Date:08/22/2008								
CUSTOMER: Conestoga-Rovers and Associates			PROJECT: G.L ERWIN								
ATTN: Todd Wells											
Customer Sample ID: MW-5 81308			Laboratory Sample ID: 358781-3								
Date Sampled.....: 08/13/2008			Date Received.....: 08/14/2008								
Time Sampled.....: 13:05			Time Received.....: 09:27								
Sample Matrix.....: Water											
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
SW-846 3005A	Acid Digestion, Diss.	Complete				1		403616		08/14/08 1715	dcl
SW-846 6010B	Metals Analysis (ICAP Trace)										
	Calcium (Ca), Diss.	62.8		0.02185	2.000	1	mg/L	403717		08/15/08 1155	srp
	Magnesium (Mg), Diss.	19.3		0.01604	2.000	1	mg/L	403717		08/15/08 1155	srp
	Potassium (K), Diss.	23.9		0.08121	2.000	1	mg/L	403717		08/15/08 1155	srp
SM 2320 B	Sodium (Na), Diss.	362		2.000	200.0	100	mg/L	403795		08/18/08 1659	srp
	Alkalinity, Total as CaCO3, Water	220		1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2320 B	Bicarbonate (HCO3), Water	220		1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2320 B	Carbonate (CO3), Water	1.53	U	1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2320 B	Hydroxide (OH), Water	1.53	U	1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2540C	Solids, Total Dissolved (TDS), Water	1300		1.533	10	1	mg/L	403921		08/19/08 1015	daw
EPA 300.0	Ion Chromatography Analysis										
	Chloride, Water	438		2.31	5.0	10	mg/L	403662		08/14/08 2229	sur
	Fluoride (F), Water	1.77		0.141	0.30	1	mg/L	403662		08/14/08 2142	sur
	Sulfate (SO4), Water	191		3.50	5.0	10	mg/L	403662		08/14/08 2229	sur
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold										
	Nitrogen, Nitrate as N (NO3-N), Water	6.20		0.084	0.20	1	mg/L	403662		08/14/08 2142	sur
	Nitrogen, Nitrite as N (NO2-N), Water	1.72	U Z	1.72	2.0	10	mg/L	403662		08/14/08 2229	sur

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											
Job Number: 358781						Date:08/22/2008					
CUSTOMER: Conestoga-Rovers and Associates						PROJECT: G.L ERWIN					
ATTN: Todd Wells											
Customer Sample ID: MW-6 81308											
Date Sampled.....: 08/13/2008											
Time Sampled.....: 10:50											
Sample Matrix.....: Water											
Laboratory Sample ID: 358781-4											
Date Received.....: 08/14/2008											
Time Received.....: 09:27											
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
SW-846 3005A	Acid Digestion, Diss.	Complete				1		403616		08/14/08 1715	dcl
SW-846 6010B	Metals Analysis (ICAP Trace)										
	Calcium (Ca), Diss.	22.6		0.02185	2.000	1	mg/L	403717		08/15/08 1159	srp
	Magnesium (Mg), Diss.	6.57		0.01604	2.000	1	mg/L	403717		08/15/08 1159	srp
	Potassium (K), Diss.	14.4		0.08121	2.000	1	mg/L	403717		08/15/08 1159	srp
SM 2320 B	Sodium (Na), Diss.	558		2.000	200.0	100	mg/L	403795		08/18/08 1711	srp
	Alkalinity, Total as CaCO3, Water	238		1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2320 B	Bicarbonate (HCO3), Water	238		1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2320 B	Carbonate (CO3), Water	1.53	U	1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2320 B	Hydroxide (OH), Water	1.53	U	1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2540C	Solids, Total Dissolved (TDS), Water	1640		1.533	10	1	mg/L	403921		08/19/08 1015	daw
EPA 300.0	Ion Chromatography Analysis										
	Chloride, Water	563		23.1	50	100	mg/L	403662		08/14/08 2332	sur
	Fluoride (F), Water	2.56		0.141	0.30	1	mg/L	403662		08/14/08 2300	sur
	Sulfate (SO4), Water	176		3.50	5.0	10	mg/L	403662		08/14/08 2316	sur
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold										
	Nitrogen, Nitrate as N (NO3-N), Water	7.83	Z	0.84	2.0	10	mg/L	403662		08/14/08 2316	sur
	Nitrogen, Nitrite as N (NO2-N), Water	1.72	U Z	1.72	2.0	10	mg/L	403662		08/14/08 2316	sur

* In Description = Dry Wgt.

LABORATORY TEST RESULTS											
Job Number: 358781						Date:08/22/2008					
CUSTOMER: Conestoga-Rovers and Associates						PROJECT: G.L ERWIN					
ATTN: Todd Wells											
Customer Sample ID: MW-7 81308											
Date Sampled.....: 08/13/2008											
Time Sampled.....: 11:35											
Sample Matrix.....: Water											
Laboratory Sample ID: 358781-5											
Date Received.....: 08/14/2008											
Time Received.....: 09:27											
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
SW-846 3005A	Acid Digestion, Diss.	Complete				1		403616		08/14/08 1715	dcl
SW-846 6010B	Metals Analysis (ICAP Trace)										
	Calcium (Ca), Diss.	25.0		0.02185	2.000	1	mg/L	403717		08/15/08 1210	srp
	Magnesium (Mg), Diss.	7.64		0.01604	2.000	1	mg/L	403717		08/15/08 1210	srp
	Potassium (K), Diss.	4.86		0.08121	2.000	1	mg/L	403717		08/15/08 1210	srp
SM 2320 B	Sodium (Na), Diss.	273		2.000	200.0	100	mg/L	403795		08/18/08 1715	srp
	Alkalinity, Total as CaCO3, Water	274		1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2320 B	Bicarbonate (HCO3), Water	274		1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2320 B	Carbonate (CO3), Water	1.53	U	1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2320 B	Hydroxide (OH), Water	1.53	U	1.53	5.0	1	mg/L	403565		08/14/08 1200	sng
SM 2540C	Solids, Total Dissolved (TDS), Water	887		1.533	10	1	mg/L	403921		08/19/08 1015	daw
EPA 300.0	Ion Chromatography Analysis										
	Chloride, Water	251		2.31	5.0	10	mg/L	403662		08/15/08 0003	sur
	Fluoride (F), Water	2.41		0.141	0.30	1	mg/L	403662		08/14/08 2347	sur
	Sulfate (SO4), Water	121		3.50	5.0	10	mg/L	403662		08/15/08 0003	sur
EPA300.0 Rev2.	Ion Chromatography Analysis - Short Hold										
	Nitrogen, Nitrate as N (NO3-N), Water	3.21		0.084	0.20	1	mg/L	403662		08/14/08 2347	sur
	Nitrogen, Nitrite as N (NO2-N), Water	1.72	U Z	1.72	2.0	10	mg/L	403662		08/15/08 0003	sur

* In Description = Dry Wgt.