

GW-317

**CLOSED GW
PERMIT**

**DATE:
08.16.2011**



New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

John H. Bemis
Cabinet Secretary-Designate

Brett F. Woods, Ph.D.
Deputy Cabinet Secretary

Jami Bailey
Division Director
Oil Conservation Division



AUGUST 16, 2011

Ms. Runnel Seale
Enterprise Products Operating, LLC.
614 Reilly Drive
Farmington, New Mexico 87401

Ms. Seale:


Based on your responses given in the "Oil & Gas Facilities Questionnaire for Determination of a WQCC Discharge Permit," the Oil Conservation Division (OCD) has determined that several of your facilities with an expired permit do not require a Water Quality Control Commission (WQCC) Discharge Permit. This means that the WQCC Discharge Permits for GW - 13 (Burton Flats Cryo Plant), GW - 20 (Maljamar Gas Plant), GW - 49-1 (Kutz Hydrocarbon Recovery Facility), GW - 153 (Angel Peak No. 1 CS), GW - 154 (Angel Peak No. 2 CS), GW - 188-1 (Hart Canyon No. 1 CS), GW - 188-2 (Hart Canyon No. 2 CS), GW - 188-3 (Hart Canyon No. 3 CS), GW - 186 (Kutz No. 2 CS), GW - 188 (3B-1 CS), GW - 189 (Angel Peak No. 3 CS), GW - 209 (Lindrith CS), GW - 211 (Largo CS), GW - 212 (Ballard CS), GW - 232 (Trunk A CS), GW - 241 (North Burton Flats CS), GW - 242 (Burton Flats CS), GW - 265 (Texaco Brillbrey CS), GW - 267 (Bass James CS), GW - 317 (Rattlesnake CS), and GW - 361 (Hobbs CP) are hereby rescinded and you are not required to proceed with the renewal of these expired WQCC Discharge Permits. OCD will close these permits in its database.

Because your WQCC Discharge Permits are no longer valid, you may be required to obtain a separate permit(s) for other processes at your facility, such as: pits, ponds, impoundments, below-grade tanks; waste treatment, storage, and disposal operations; and landfarms and landfills. OCD will make an inspection of your facility to determine if any of these existing processes may require a separate permit under OCD's Oil, Gas, and Geothermal regulations. If OCD determines that a separate permit(s) is required, then a letter will be sent to you indicating what type of permit is required.

Please keep in mind, if your facility has any discharges that would require a WQCC Discharge Permit now or in the future, then you will be required to renew or obtain a WQCC Discharge Permit.

If you have any questions regarding this matter, please contact Glenn von Gonten at 505-476-3488.

Thank you for your cooperation.

A handwritten signature in black ink, appearing to read "Jami Bailey". The signature is fluid and cursive, with the first name "Jami" and last name "Bailey" clearly distinguishable.

Jami Bailey
Director