

**3R - 113**

**2007 AGWMR**

**MAR 2008**

**XTO ENERGY INC.**

***ANNUAL GROUNDWATER REPORT***

***2007***

***HANEY GAS COM B #1E  
(M) SECTION 20 – T29N – R10W, NMPM  
SAN JUAN COUNTY, NEW MEXICO***

***PREPARED FOR:  
MR. GLENN VON GONTEN  
NEW MEXICO OIL CONSERVATION DIVISION***

***January 2008***

## **TABLE OF CONTENTS**

Site Details .....	3
Previous Activities .....	3
Site Map .....	3
Summary Tables .....	3
Potentiometric Surface Diagrams .....	3
Annual Groundwater Remediation Reports .....	3
2007 Activities .....	3
Geologic Logs and Well Completion Diagrams .....	3
Disposition of Generated Wastes .....	4
Conclusions .....	4
Recommendations .....	4

### **Appendices**

Table 1:	Summary Groundwater Laboratory Results
Table 2:	General Water Chemistry (12/18/97)
Table 3:	General Water Chemistry (05/25/99)
Figure 1:	Site Map
Figures 2 - 4:	Potentiometric Surface Diagrams
Figures 5 - 11:	Geologic Logs and Well Completion Diagrams
Attachment 1:	2006 & 2007 Laboratory Reports
Attachment 2:	Pit Assessment Report (06/92)
Attachment 3:	Pit Closure Report (02/96)

# 2007 XTO GROUNDWATER REPORT

## HANEY GAS COM B #1E

---

### SITE DETAILS

LEGALS - TWN: 29N  
LAND TYPE: FEE

RNG: 10W

SEC: 20

UNIT: M

---

### PREVIOUS ACTIVITIES

Excavation: Feb-96 (3000 cy)

Monitoring Wells: Dec-97

Air Sparge System Installed: Feb-96

Quarterly Sampling Initiated: Dec-97

### SITE MAP

A site map is presented as Figure 1.

### SUMMARY TABLES

A summary of laboratory results from historic and current groundwater monitoring is presented as Table 1. Summaries of general water chemistry from 1997 and 1999 are presented as Tables 2 and 3. Copies of the laboratory data sheets and associated quality assurance/quality control data for 2006 and 2007 are presented as Attachment 1.

### POTENTIOMETRIC SURFACE DIAGRAMS

Field data collected during site monitoring activities indicate a groundwater gradient that trends towards the north with a northwest component. Figures 2 - 4 illustrate the estimated groundwater gradients for 2006 and 2007.

### ANNUAL GROUNDWATER REMEDIATION REPORTS

The 2005 annual groundwater report was submitted to New Mexico Oil Conservation Division (NMOCD) in April 2006 proposing installation of a fourth monitoring well to confirm gradient and continued quarterly sampling of the groundwater monitoring wells.

The 2006 annual groundwater report was submitted to NMOCD in February 2007. The proposed activities for 2007 include repair/replace monitoring well MW-1R and continued quarterly sampling of the groundwater monitoring wells, in accordance with the NMOCD approved Groundwater Management Plan.

### 2007 ACTIVITIES

In May 2007 MW-1R was repaired. Quarterly groundwater samples were collected from monitoring wells MW-1R, MW-2 and MW-4 in 2006 and 2007 and submitted for laboratory analysis of benzene, toluene, ethyl benzene and total xylenes (BTEX). Laboratory results indicate BTEX constituents are below standards or not detectable for four quarters.

### GEOLOGIC LOGS AND WELL COMPLETION DIAGRAMS

Bore/Test Hole Reports are presented as Figures 5 - 11 representing drilling that occurred on site in December 1997 and September 2006.

### DISPOSITION OF GENERATED WASTES

Waste generated (groundwater) during monitoring well sampling and development was placed in the produced water tank located on the well site.

## **2007 XTO GROUNDWATER REPORT**

### **CONCLUSIONS**

January 1998 XTO Energy Inc. (XTO) acquired the Haney Gas Com B #1E from Amoco Production Company. XTO understands the initial evaluation of groundwater impact came from samples of groundwater collected in test holes during the assessment phase (Attachment 2). Additional groundwater samples were collected from the bottom of the pit following excavation of hydrocarbon impacted soil in 1996 (Attachment 3). Laboratory analysis of the initial samples indicated elevated levels of dissolved phase BTEX constituents in groundwater. In 1997 three groundwater monitoring wells were installed to delineate the extent of hydrocarbon impact to groundwater (Figure 1). Monitoring well numbered MW-2 was installed within the area excavated and backfilled during closure activities. Monitoring well numbered MW-1 was installed up to cross gradient of MW-2 and monitoring well numbered MW-3 was located down gradient of the source area. Samples collected from groundwater monitoring wells in 1997 exhibit trace levels or levels below the detection limits of laboratory equipment (0.2 ug/L). Sampling was terminated and site closure requests were submitted. NMOCD correspondence dated April 22, 1999 denied closure until four (4) consecutive quarters of groundwater samples demonstrated BTEX levels below New Mexico Water Quality Control Commission (NMWQCC) standards.

Groundwater analytical data from MW-1R, MW-2, and MW-4 for four (4) consecutive quarters have demonstrated no detectable levels of BTEX constituents and NMWQCC standards have been met. The quarterly sampling has confirmed no rebound of BTEX constituents has occurred, therefore, XTO requests closure of this site.

### **RECOMMENDATIONS**

- XTO requests closure of this site.
- Following OCD approval for closure, all monitoring well locations will be abandoned in accordance with the monitoring well abandonment plan.

TABLE 1

## XTO ENERGY INC. GROUNDWATER LAB RESULTS

<b>HANEY GC B #1E- SEPARATOR PIT</b>
<b>UNIT M, SEC. 20, T29N, R10W</b>

Sample Date	Monitor Well No.	DTW (ft)	TD (ft)	Product (ft)	BTEX EPA Method 801 (PPB)			
					Benzene (ug/L)	Toluene (ug/L)	Ethyl Benzene (ug/L)	Total Xylene (ug/L)
18-Dec-97	MW #1	6.75	9		ND	ND	ND	0.1
26-Sep-06	MW #1R	8.75	11.77		ND	ND	ND	ND
6-Dec-06					ND	ND	ND	ND
12-Jun-07		7.86	11.72		ND	ND	ND	ND
18-Dec-97	MW #2	9.07	15		ND	ND	1.5	0.4
26-Sep-06		9.67	12.07		ND	ND	ND	ND
6-Dec-06					ND	ND	ND	ND
8-Mar-07		8.45	12.02		ND	ND	ND	ND
12-Jun-07		8.48	12.02		ND	ND	ND	ND
18-Dec-97	MW #3	10.34	15		ND	0.7	2.4	10.6
26-Sep-06	MW #4	11.86	14.8		ND	ND	ND	ND
6-Dec-06					ND	ND	ND	ND
8-Mar-07		10.93	14.8		ND	ND	ND	ND
12-Jun-07		10.92	14.8		ND	ND	ND	ND
NMWQCC GROUNDWATER STANDARDS					10	750	750	620

TABLE 2

## XTO ENERGY INC. GROUNDWATER LAB RESULTS

<b>HANEY GC B #1E- SEPARATOR PIT</b> <b>UNIT M, SEC. 20, T29N, R10W</b>
--

Sample Date: December 18, 1997

PARAMETERS	MW #1	MW #2	MW #3	UNITS
LAB Ph	7.27	7.07	7.07	s.u.
LAB CONDUCTIVITY @ 25 C	5,584	3,280	3,092	umhos/cm
TOTAL DISSOLVED SOLIDS @ 180 C	2,792	1,636	1,544	mg/L
TOTAL DISSOLVED SOLIDS (Calc)	2,807	1,620	1,544	mg/L
SODIUM ABSORPTION RATIO	0.1	0.4	0.3	ratio
TOTAL ALKALINITY AS CaCO <sub>3</sub>	620	400	438	mg/L
TOTAL HARDNESS AS CaCO <sub>3</sub>	2,704	1,378	1,332	mg/L
BICARBONATE AS HCO <sub>3</sub>	620	400	438	mg/L
CARBONATE AS CO <sub>3</sub>	< 1	< 1	< 1	mg/L
HYDROXIDE AS OH	< 1	< 1	< 1	mg/L
NITRATE NITROGEN	0.4	0.3	0.2	mg/L
NITRITE NITROGEN	0.013	0.001	0.007	mg/L
CHLORIDE	1546	755	719	mg/L
FLUORIDE	1.75	4.4	1.14	mg/L
PHOSPHATE	0.8	0.2	0.1	mg/L
SULFATE	47	55	23	mg/L
IRON				mg/L
CALCIUM	402	476	448	mg/L
MAGNESIUM	415	46	51.8	mg/L
POTASSIUM	7.0	4.7	5.7	mg/L
SODIUM	11	36	29	mg/L
CATION/ANION DIFFERENCE	0	0	0	%

TABLE 3


## XTO ENERGY INC. GROUNDWATER LAB RESULTS

<b>HANEY GC B #1E- SEPARATOR PIT</b> <b>UNIT M, SEC. 20, T29N, R10W</b>
--

Sample Date: May 25, 1999

PARAMETERS	MW #1	MW #2	MW #3	UNITS
LAB Ph	7.57	7.06	7.24	s.u.
LAB CONDUCTIVITY @ 25 C	6,500	6,680	7,830	umhos/cm
TOTAL DISSOLVED SOLIDS @ 180 C	3,225	3,330	3,910	mg/L
TOTAL DISSOLVED SOLIDS (Calc)	3,202	3,296	3,851	mg/L
SODIUM ABSORPTION RATIO	8.3	7.6	8.9	ratio
TOTAL ALKALINITY AS CaCO <sub>3</sub>	652	622	480	mg/L
TOTAL HARDNESS AS CaCO <sub>3</sub>	1,052	1,130	1,250	mg/L
BICARBONATE AS HCO <sub>3</sub>	652	622	480	mg/L
CARBONATE AS CO <sub>3</sub>	< 1	< 1	< 1	mg/L
HYDROXIDE AS OH	< 1	< 1	< 1	mg/L
NITRATE NITROGEN	0.1	0.2	0.4	mg/L
NITRITE NITROGEN	0.001	0.004	0.003	mg/L
CHLORIDE	5.6	6	4.8	mg/L
FLUORIDE	1.07	1.06	1.18	mg/L
PHOSPHATE	23.6	< 0.1	18.2	mg/L
SULFATE	1,760	1,860	2,320	mg/L
IRON	0.1	1.65	1.63	mg/L
CALCIUM	331	373	413	mg/L
MAGNESIUM	54.7	47.9	52.7	mg/L
POTASSIUM	10.0	40.0	30.0	mg/L
SODIUM	62	590	720	mg/L
CATION/ANION DIFFERENCE	0.10	0.17	0.13	%






Lodestar Services, Inc  
PO Box 3861  
Farmington, NM 87499

HANEY GAS COM #1E  
SW/4 SW/4 SEC. 20, T29N, R10W  
SAN JUAN COUNTY, NEW MEXICO

PROJECT: XTO GROUND WATER  
DRAWN BY: ALA  
REVISED: 01/24/07

FIGURE 1  
SITE MAP




Lodestar Services, Inc  
PO Box 3861  
Farmington, NM 87499

HANEY GAS COM #1E  
SW/4 SW/4 SEC. 20, T29N, R10W  
SAN JUAN COUNTY, NEW MEXICO

PROJECT: XTO GROUND WATER  
DRAWN BY: ALA  
REVISED: 12/04/06

GROUNDWATER GRADIENT  
MAP  
**FIGURE 2**  
09/26/2006



**Lodestar Services, Inc**  
 PO Box 3861  
 Farmington, NM 87499

**HANEY GAS COM #1E**  
 SW/4 SW/4 SEC. 20, T29N, R10W  
 SAN JUAN COUNTY, NEW MEXICO

**PROJECT: XTO GROUND WATER**  
**DRAWN BY: ALA**  
**REVISED: 01/05/07**

**GROUNDWATER GRADIENT**  
**MAP**  
**FIGURE 3**  
 12/06/2006



TO SAN  
JUAN RIVER

MW-3  
TOC = 5475.08  
GWEL = SILTED IN

MW-4  
TOC = 5476.26  
GWEL = 5465.34

TREES AND  
SCRUBS

TREES AND  
SCRUBS

FLOW = 0.02

ORIGINAL  
SEP PIT  
EXCAVATION

FENCE

MW-2  
TOC = 5474.23  
GWEL = 5465.75

FENCE

TANK  
PIT

COMP

SEP

BERM

PROD  
TANK

PROD  
TANK

TREES AND  
SCRUBS

MW-1R  
TOC = 5474.03  
GWEL = 5466.17

1 INCH = 30 FEET

0 30 60 FT.

METER RUN

WELL  
HEAD

TOC = TOP OF CASING ELEVATION  
GWEL = GROUNDWATER ELEVATION  
--- = INFERRED GROUNDWATER CONTOUR LINE

NOTES:

1. Monitoring well locations are only as accurate as the instruments used in obtaining the footage and bearing from the well head (Brunton Compass and Laser Range Finder). All other structures displayed on the site map are solely for reference and may not be to scale.

Lodestar Services, Inc  
PO Box 3861  
Farmington, NM 87499

HANEY GAS COM #1E  
SW/4 SW/4 SEC. 20, T29N, R10W  
SAN JUAN COUNTY, NEW MEXICO

PROJECT: XTO GROUND WATER  
DRAWN BY: ALA  
REVISED: 06/21/07

GROUNDWATER GRADIENT  
MAP 06/13/2007  
FIGURE 4

FIGURE 5

<b>BLAGG ENGINEERING, Inc.</b> P.O. BOX 87 BLOOMFIELD, NM 87413 (505) 632-1199			
<b>BORE / TEST HOLE REPORT</b>			BORING #..... <u>BH - 1</u> MW #..... <u>1</u> PAGE #..... <u>1</u> DATE STARTED <u>12/17/97</u> DATE FINISHED <u>12/17/97</u> OPERATOR..... <u>GG</u> PREPARED BY <u>NJV</u>
LOCATION NAME: <u>HANEY GC B # 1E</u> CLIENT: <u>XTO ENERGY INC.</u> CONTRACTOR: <u>BLAGG ENGINEERING, INC. / PAUL &amp; SONS</u> EQUIPMENT USED: <u>MOBILE DRILL RIG/PAUL &amp; SONS</u> BORING LOCATION: <u>N31.5W, 66 FEET FROM WELL HEAD.</u>			
DEPTH FEET	INTERVAL	LITHOLOGY INTERVAL	FIELD CLASSIFICATION AND REMARKS
			<div style="text-align: center;">  GROUND SURFACE </div> <p>TOP OF CASING APPROX. 0.80 FT. ABOVE GROUND SURFACE.</p> <p>DARK YELLOWISH BROWN SAND AND GRAVEL, NON COHESIVE, SLIGHTLY MOIST,  LOOSE TO FIRM, NO APPARENT HYDROCARBON ODOR DETECTED (0.0 - 6.0 FT. INTERVAL).</p> <p>▼ GW DEPTH ON 12/18/97 = 5.95 FT. (APPROX.) FROM GROUND SURFACE.</p> <p>DARK GRAY SILTY SAND &amp; GRAVEL, NON COHESIVE, SLIGHTLY MOIST, LOOSE TO  FIRM, NO APPARENT HYDROCARBON ODOR DETECTED (6.0 - 9.2 FT. INTERVAL).</p> <p>NOTES:  - SAND &amp; GRAVEL.   - SILTY SAND TO GRAVEL.  TOS - TOP OF SCREEN FROM GROUND SURFACE.  TD - TOTAL DEPTH OF MONITOR WELL FROM GROUND SURFACE.  GW - GROUND WATER.</p>
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			

DRAWING: HANE-1

DATE: 12/22/97

DWN BY: NJV

FIGURE 6

<b>BLAGG ENGINEERING, Inc.</b> P.O. BOX 87 BLOOMFIELD, NM 87413 (505) 632-1199				
<b>BORE / TEST HOLE REPORT</b>			BORING #..... <b>BH - 2</b> MW #..... <b>2</b> PAGE #..... <b>2</b> DATE STARTED <b>12/17/97</b> DATE FINISHED <b>12/17/97</b> OPERATOR..... <b>GG</b> PREPARED BY <b>NJV</b>	
LOCATION NAME: <b>HANEY GC B # 1E</b> CLIENT: <b>XTO ENERGY INC.</b> CONTRACTOR: <b>BLAGG ENGINEERING, INC. / PAUL &amp; SONS</b> EQUIPMENT USED: <b>MOBILE DRILL RIG / PAUL &amp; SONS</b> BORING LOCATION: <b>N40.5W, 192 FEET FROM WELL HEAD.</b>				
DEPTH FEET	INTERVAL	LITHOLOGY INTERVAL	MW SCHEMATIC	FIELD CLASSIFICATION AND REMARKS
1		 TOS 2.75	 TD 12.75	<p style="text-align: center;">GROUND SURFACE</p> <p style="text-align: center;">TOP OF CASING APPROX. 2.25 FT. ABOVE GROUND SURFACE.</p>
2				
3				
4				
5				
6				
7				
8				
9		 TD 12.75	 TD 12.75	<p style="text-align: center;">DARK YELLOWISH BROWN SAND, NON COHESIVE, SLIGHTLY MOIST, LOOSE TO FIRM,  NO APPARENT HYDROCARBON ODOR DETECTED (0.0 - 8.0 FT. INTERVAL).</p> <p style="text-align: center;">▼ GW DEPTH ON 12/18/97 = 6.82 FT. (APPROX.) FROM GROUND SURFACE.</p> <p style="text-align: center;">LIGHT GRAY SILTY SAND &amp; GRAVEL, NON COHESIVE, SLIGHTLY MOIST, LOOSE TO  FIRM, NO APPARENT HYDROCARBON ODOR DETECTED (8.0 - 12.75 FT. INTERVAL).</p>
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
NOTES: <div style="display: flex; flex-direction: column; gap: 5px;"> <div>  - SAND. </div> <div>  - SILTY SAND TO GRAVEL. </div> <div> TOS - TOP OF SCREEN FROM GROUND SURFACE. </div> <div> TD - TOTAL DEPTH OF MONITOR WELL FROM GROUND SURFACE. </div> <div> GW - GROUND WATER. </div> </div>				
DRAWING: <b>HANE-2</b>				DATE: <b>12/22/97</b> DWN BY: <b>NJV</b>

FIGURE 7

# BLAGG ENGINEERING, Inc.

P.O. BOX 87  
BLOOMFIELD, NM 87413  
(505) 632-1199

## BORE / TEST HOLE REPORT

LOCATION NAME: HANEY GC B # 1E  
CLIENT: XTO ENERGY INC.  
CONTRACTOR: BLAGG ENGINEERING, INC. / PAUL & SONS  
EQUIPMENT USED: MOBILE DRILL RIG / PAUL & SONS  
BORING LOCATION: N35W, 258 FEET FROM WELL HEAD.

BORING #..... BH - 3  
MW #..... 3  
PAGE #..... 3  
DATE STARTED 12/17/97  
DATE FINISHED 12/17/97  
OPERATOR..... GG  
PREPARED BY NJV

DEPTH FEET	INTERVAL	LITHOLOGY INTERVAL	MW SCHEMATIC	FIELD CLASSIFICATION AND REMARKS
				GROUND SURFACE
1		SAND		TOP OF CASING APPROX. 2.00 FT. ABOVE GROUND SURFACE.
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14			TOS 3.0	
15				DARK YELLOWISH BROWN SAND THROUGHOUT ENTIRE BORING. NON COHESIVE, SLIGHTLY MOIST, LOOSE TO FIRM, NO APPARENT HYDROCARBON ODOR OR DISCOLORATION DETECTED (0.0 - 13.0 FT. INTERVAL).
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
			TD 13.0	
NOTES: <span style="background-color: #cccccc; border: 1px solid black; display: inline-block; width: 20px; height: 10px; vertical-align: middle;"></span> - SAND. TOS - TOP OF SCREEN FROM GROUND SURFACE. TD - TOTAL DEPTH OF MONITOR WELL FROM GROUND SURFACE. GW - GROUND WATER.				
				▼ GW DEPTH ON 12/18/97 = 8.34 FT. (APPROX.) FROM GROUND SURFACE.

DRAWING: HANE-3

DATE: 12/22/97

DWN BY: NJV

FIGURE 8

## RECORD OF SUBSURFACE EXPLORATION

LodeStar Services  
P.O. Box 4465  
Durango, CO 81302  
303-917-6288

Borehole #: 1  
Well #: MW-1R  
Page: 1 of 1

Project Number: \_\_\_\_\_  
Project Name: XTO Ground Water  
Project Location: Haney Gas Com B #1E

Borehole Location: 36° 42.404' N, 107° 54.814' W  
GWL Depth: 7.15  
Drilled By: Envirotech  
Well Logged By: Ashley Ager  
Date Started: 9/1/2006  
Date Completed: 9/1/2006

Drilling Method: Hollow Stem Auger  
Air Monitoring Method: PID

Depth (feet)	Sample Number	Sample Interval	Sample Type & Recovery (inches)	Sample Description	Air Monitoring	Drilling Conditions
0		0-3	cuttings	Tan, poorly sorted gravelly sand w/ <10% cobbles, dry, angular to sub- rounded (fill)	0	Slow
		3-7	cuttings	Dark brown, moderately sorted silty sand, medium grain size, damp, sub-rounded, roots	0	Fast
5		7-7.5	cuttings	cobbles	0	Slow
		7.5-10	cuttings	Gray, clayey sand, fine grain size, wet, sub-rounded, roots, no odor	0	Easy
10						
15						
20						

Comments: Started hole and hit big cobble at ~0.5'. Pulled rig and started new hole 1' to the southeast.  
Moved hole three times before above to get penetration through cobbles.

Geologist Signature: Ashley L. Ager



**FIGURE 9**  
**MONITORING WELL INSTALLATION RECORD**  
**Lodestar Services, Inc**  
 PO Box 3861  
 Farmington, New Mexico 87499  
 (505) 334-2791

Borehole # 1  
 Well # MW-1R  
 Page 1 of 1

Project Name XTO Ground Water  
 Project Number                      Cost Code                       
 Project Location Haney Gas Com #1E

Elevation 5482'  
 Well Location 36° 42.404' N, 107° 54.814' W  
 GWL Depth 7.15'  
 Installed By Envirotech

On-Site Geologist Ashley Ager  
 Personnel On-Site                                       
 Contractors On-Site Kelly Padilla and assistant  
 Client Personnel On-Site                                     

Date/Time Started 09/01/06, 07:15  
 Date/Time Completed 09/01/06, 08:22

Depths in Reference to Ground Surface				
Item	Material	Depth (feet)		
Top of Protective Casing	Steel	2		Top of Protective Casing <u>2</u>
Bottom of Protective Casing		-1		Top of Riser <u>1.9</u>
Top of Permanent Borehole Casing	Sch. 40 PVC	1.9		Ground Surface <u>0</u>
Bottom of Permanent Borehole Casing		-9.9		
Top of Concrete	Concrete	0.1		
Bottom of Concrete		-0.2		
Top of Grout		NA		
Bottom of Grout		NA		
Top of Well Riser	Sch. 40 PVC	1.9		
Bottom of Well Riser		-9.9		
Top of Well Screen	Sch. 40 PVC	-4.8		Top of Seal <u>-0.2</u>
Bottom of Well Screen		-9.8		
Top of Peltonite Seal	Bentonite	-0.2		Top of Gravel Pack <u>-3</u>
Bottom of Peltonite Seal		-3		Top of Screen <u>-4.8</u>
Top of Gravel Pack	Sand	-3		
Bottom of Gravel Pack		-9.9		
Top of Natural Cave-In	Sand and cobbles	-9.9		
Bottom of Natural Cave-In		-10		
Top of Groundwater		-7.15		Bottom of Screen <u>-9.8</u>
Total Depth of Borehole		-10		Bottom of Borehole <u>-10</u>

Comments: 50 lb bags of sand used: 4 ea. , 50 lb bags of bentontie used: 1 ea.

Cannot install bumper posts b/c of cobbles. Will flag protective casing.

Geologist Signature Ashley L. Ager

FIGURE 10

## RECORD OF SUBSURFACE EXPLORATION

LodeStar Services  
P.O. Box 4465  
Durango, CO 81302  
303-917-6288

Borehole #: 1  
Well #: MW-4  
Page: 1 of 1

Project Number: \_\_\_\_\_  
Project Name: XTO Ground Water  
Project Location: Haney Gas Com B #1E

Borehole Location: 36° 42.441' N, 107° 54.834' W  
GWL Depth: 12'  
Drilled By: Envirotech  
Well Logged By: Ashley Ager  
Date Started: 9/1/2006  
Date Completed: 9/1/2006

Drilling Method: Hollow Stem Auger  
Air Monitoring Method: PID

Depth (feet)	Sample Number	Sample Interval	Sample Type & Recovery (inches)	Sample Description	Air Monitoring	Drilling Conditions
0		0-8'	cuttings	tan, poorly sorted coarse sand, dry, various mineralogies, sub-rounded to subangular	0	Easy
5		8-14'	cuttings	brown, coarse, silty sand, damp, subangular to sub-rounded;  wet at 12'	0	Easy
10		14-15'	cuttings	Grayish brown, silty sand w/gravel and cobbles; wet, poorly sorted, roots	0	Easy
15						
20						

Comments: Unable to put well in preferred location b/c of terrain and tree branches on existing trees.  
Put as far to the northeast as possible. No steel casing or bumper posts installed since well is outside of well pad.

Geologist Signature: Ashley L. Ager

(505) 334-2791

**Hall Environmental Analysis Laboratory, Inc.**

Date: 06-Oct-06

CLIENT:	XTO Energy	Client Sample ID:	Haney Gas Com B1E MW-1R
Lab Order:	0609347	Collection Date:	9/26/2006 8:28:00 AM
Project:	XTO Groundwater	Date Received:	9/27/2006
Lab ID:	0609347-05	Matrix:	AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	10/5/2006 2:20:07 AM
Toluene	ND	1.0		µg/L	1	10/5/2006 2:20:07 AM
Ethylbenzene	ND	1.0		µg/L	1	10/5/2006 2:20:07 AM
Xylenes, Total	ND	3.0		µg/L	1	10/5/2006 2:20:07 AM
Surr: 4-Bromofluorobenzene	92.3	72.2-125		%REC	1	10/5/2006 2:20:07 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MCL Maximum Contaminant Level
	ND Not Detected at the Reporting Limit	RL Reporting Limit
	S Spike recovery outside accepted recovery limits	

Page 5 of 11

**Hall Environmental Analysis Laboratory, Inc.**

Date: 06-Oct-06

<b>CLIENT:</b>	XTO Energy	<b>Client Sample ID:</b>	Haney Gas Com B1E MW-2
<b>Lab Order:</b>	0609347	<b>Collection Date:</b>	9/26/2006 9:20:00 AM
<b>Project:</b>	XTO Groundwater	<b>Date Received:</b>	9/27/2006
<b>Lab ID:</b>	0609347-06	<b>Matrix:</b>	AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>EPA METHOD 8021B: VOLATILES</b>						
Benzene	ND	1.0		µg/L	1	Analyst: NSB 10/5/2006 2:49:10 AM
Toluene	ND	1.0		µg/L	1	10/5/2006 2:49:10 AM
Ethylbenzene	ND	1.0		µg/L	1	10/5/2006 2:49:10 AM
Xylenes, Total	ND	3.0		µg/L	1	10/5/2006 2:49:10 AM
Surr: 4-Bromofluorobenzene	90.5	72.2-125		%REC	1	10/5/2006 2:49:10 AM

<b>Qualifiers:</b>	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MCL	Maximum Contaminant Level
	ND	Not Detected at the Reporting Limit	RL	Reporting Limit
	S	Spike recovery outside accepted recovery limits		

Page 6 of 11

**Hall Environmental Analysis Laboratory, Inc.**

Date: 06-Oct-06

<b>CLIENT:</b>	XTO Energy	<b>Client Sample ID:</b>	Haney Gas Com B1E MW-4
<b>Lab Order:</b>	0609347	<b>Collection Date:</b>	9/26/2006 9:28:00 AM
<b>Project:</b>	XTO Groundwater	<b>Date Received:</b>	9/27/2006
<b>Lab ID:</b>	0609347-07	<b>Matrix:</b>	AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>EPA METHOD 8021B: VOLATILES</b>						
Benzene	ND	1.0		µg/L	1	Analyst: NSB 10/5/2006 3:38:34 PM
Toluene	ND	1.0		µg/L	1	10/5/2006 3:38:34 PM
Ethylbenzene	ND	1.0		µg/L	1	10/5/2006 3:38:34 PM
Xylenes, Total	ND	3.0		µg/L	1	10/5/2006 3:38:34 PM
Surr: 4-Bromofluorobenzene	101	72.2-125		%REC	1	10/5/2006 3:38:34 PM

<b>Qualifiers:</b>	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MCL Maximum Contaminant Level
	ND Not Detected at the Reporting Limit	RL Reporting Limit
	S Spike recovery outside accepted recovery limits	

Page 7 of 11

# Hall Environmental Analysis Laboratory, Inc.

Date: 06-Oct-06

CLIENT: XTO Energy  
Lab Order: 0609347  
Project: XTO Groundwater  
Lab ID: 0609347-11

Client Sample ID: 25092006TB01  
Collection Date:  
Date Received: 9/27/2006  
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	10/5/2006 6:16:33 AM
Toluene	ND	1.0		µg/L	1	10/5/2006 6:16:33 AM
Ethylbenzene	ND	1.0		µg/L	1	10/5/2006 6:16:33 AM
Xylenes, Total	ND	3.0		µg/L	1	10/5/2006 6:16:33 AM
Surr: 4-Bromofluorobenzene	97.5	72.2-125		%REC	1	10/5/2006 6:16:33 AM

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit  
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
MCL Maximum Contaminant Level  
RL Reporting Limit

## QA/QC SUMMARY REPORT

Client: XTO Energy  
Project: XTO Groundwater

Work Order: 0609347

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Method: SW8021									
Sample ID: 5ML REAGENT BLA		MBLK			Batch ID: R20938		Analysis Date: 10/4/2006 11:00:33 AM		
Benzene	ND	µg/L	1.0						
Toluene	ND	µg/L	1.0						
Ethylbenzene	ND	µg/L	1.0						
Xylenes, Total	ND	µg/L	3.0						
Sample ID: 5ML REAGENT BLA		MBLK			Batch ID: R20958		Analysis Date: 10/5/2006 10:03:16 AM		
Benzene	ND	µg/L	1.0						
Toluene	ND	µg/L	1.0						
Ethylbenzene	ND	µg/L	1.0						
Xylenes, Total	ND	µg/L	3.0						
Sample ID: 100NG BTEX LCS		LCS			Batch ID: R20938		Analysis Date: 10/4/2006 3:28:27 PM		
Benzene	20.90	µg/L	1.0	105	85	115			
Toluene	20.64	µg/L	1.0	103	85	118			
Ethylbenzene	20.83	µg/L	1.0	104	85	116			
Xylenes, Total	63.36	µg/L	3.0	106	85	119			
Sample ID: 100NG BTEX LCS		LCS			Batch ID: R20958		Analysis Date: 10/5/2006 1:42:53 PM		
Benzene	20.96	µg/L	1.0	105	85	115			
Toluene	20.53	µg/L	1.0	103	85	118			
Ethylbenzene	20.82	µg/L	1.0	104	85	116			
Xylenes, Total	63.12	µg/L	3.0	105	85	119			
Sample ID: 100NG BTEX LCSD		LCSD			Batch ID: R20958		Analysis Date: 10/5/2006 9:31:35 PM		
Benzene	21.14	µg/L	1.0	106	85	115	0.855	27	
Toluene	20.72	µg/L	1.0	104	85	118	0.892	19	
Ethylbenzene	20.79	µg/L	1.0	104	85	116	0.173	10	
Xylenes, Total	63.10	µg/L	3.0	105	85	119	0.0317	13	

Method: SW7470									
Sample ID: 0609347-04A msd		MSD			Batch ID: 11395		Analysis Date: 9/27/2006		
Mercury	0.005070	mg/L	0.00020	101	75	125	7.36	20	
Sample ID: MB-11395		MBLK			Batch ID: 11395		Analysis Date: 9/27/2006		
Mercury	ND	mg/L	0.00020						
Sample ID: LCS-11395		LCS			Batch ID: 11395		Analysis Date: 9/27/2006		
Mercury	0.005070	mg/L	0.00020	101	80	120			
Sample ID: 0609347-04A ms		MS			Batch ID: 11395		Analysis Date: 9/27/2006		
Mercury	0.004710	mg/L	0.00020	94.2	75	125			

## Qualifiers:

E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

Page 1



## Hall Environmental Analysis Laboratory, Inc.

Date: 15-Dec-06

CLIENT: XTO Energy  
Project: Ground Water

Lab Order: 0612121

Lab ID: 0612121-01

Collection Date: 12/6/2006 9:00:00 AM

Client Sample ID: Haney Gas Com 1E MW-1R

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

## EPA METHOD 8021B: VOLATILES

Analyst: NSB

Benzene	ND	1.0		µg/L	1	12/13/2006 12:00:00 PM
Toluene	ND	1.0		µg/L	1	12/13/2006 12:00:00 PM
Ethylbenzene	ND	1.0		µg/L	1	12/13/2006 12:00:00 PM
Xylenes, Total	ND	3.0		µg/L	1	12/13/2006 12:00:00 PM
Surr: 4-Bromofluorobenzene	80.3	70.2-105		%REC	1	12/13/2006 12:00:00 PM

Lab ID: 0612121-02

Collection Date: 12/6/2006 9:50:00 AM

Client Sample ID: Haney Gas Com 1E MW-2

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

## EPA METHOD 8021B: VOLATILES

Analyst: NSB

Benzene	ND	1.0		µg/L	1	12/13/2006 12:30:04 PM
Toluene	ND	1.0		µg/L	1	12/13/2006 12:30:04 PM
Ethylbenzene	ND	1.0		µg/L	1	12/13/2006 12:30:04 PM
Xylenes, Total	ND	3.0		µg/L	1	12/13/2006 12:30:04 PM
Surr: 4-Bromofluorobenzene	82.2	70.2-105		%REC	1	12/13/2006 12:30:04 PM

Lab ID: 0612121-03

Collection Date: 12/6/2006 9:44:00 AM

Client Sample ID: Haney Gas Com 1E MW-4

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

## EPA METHOD 8021B: VOLATILES

Analyst: NSB

Benzene	ND	1.0		µg/L	1	12/13/2006 1:00:09 PM
Toluene	ND	1.0		µg/L	1	12/13/2006 1:00:09 PM
Ethylbenzene	ND	1.0		µg/L	1	12/13/2006 1:00:09 PM
Xylenes, Total	ND	3.0		µg/L	1	12/13/2006 1:00:09 PM
Surr: 4-Bromofluorobenzene	82.8	70.2-105		%REC	1	12/13/2006 1:00:09 PM

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit  
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
MCL Maximum Contaminant Level  
RL Reporting Limit

## QA/QC SUMMARY REPORT

Client: XTO Energy  
Project: Ground Water

Work Order: 0612121

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Method: SW8021									
Sample ID: 0612121-01A MSD		MSD			Batch ID: R21800	Analysis Date: 12/13/2006 5:33:06 PM			
Benzene	18.11	µg/L	1.0	90.6	85.9	113	2.89	27	
Toluene	18.24	µg/L	1.0	91.2	86.4	113	1.16	19	
Ethylbenzene	17.68	µg/L	1.0	88.4	83.5	118	1.39	10	
Xylenes, Total	53.06	µg/L	3.0	88.4	83.4	122	0.923	13	
Sample ID: 5ML REAGENT BLA		MBLK			Batch ID: R21800	Analysis Date: 12/13/2006 8:26:25 AM			
Benzene	ND	µg/L	1.0						
Toluene	ND	µg/L	1.0						
Ethylbenzene	ND	µg/L	1.0						
Xylenes, Total	ND	µg/L	3.0						
Sample ID: 100NG BTEX LCS		LCS			Batch ID: R21800	Analysis Date: 12/13/2006 4:33:03 PM			
Benzene	18.09	µg/L	1.0	90.4	85.9	113			
Toluene	17.99	µg/L	1.0	89.9	86.4	113			
Ethylbenzene	17.55	µg/L	1.0	87.7	83.5	118			
Xylenes, Total	52.58	µg/L	3.0	87.6	83.4	122			
Sample ID: 0612121-01A MS		MS			Batch ID: R21800	Analysis Date: 12/13/2006 5:03:05 PM			
Benzene	18.65	µg/L	1.0	93.2	85.9	113			
Toluene	18.45	µg/L	1.0	92.2	86.4	113			
Ethylbenzene	17.93	µg/L	1.0	89.6	83.5	118			
Xylenes, Total	53.56	µg/L	3.0	89.3	83.4	122			

## Qualifiers:

E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	recovery outside accepted recovery limits

## Hall Environmental Analysis Laboratory, Inc.

Date: 13-Mar-07

CLIENT: XTO Energy  
Project: Ground Water

Lab Order: 0703123

Lab ID: 0703123-04

Collection Date: 3/8/2007 10:22:00 AM

Client Sample ID: Haney GC 1E MW-2

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	3/12/2007 3:58:54 PM
Toluene	ND	1.0		µg/L	1	3/12/2007 3:58:54 PM
Ethylbenzene	ND	1.0		µg/L	1	3/12/2007 3:58:54 PM
Xylenes, Total	ND	2.0		µg/L	1	3/12/2007 3:58:54 PM
Surr: 4-Bromofluorobenzene	85.4	70.2-105		%REC	1	3/12/2007 3:58:54 PM

Lab ID: 0703123-05

Collection Date: 3/8/2007 10:39:00 AM

Client Sample ID: Haney GC 1E MW-4

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	3/12/2007 4:28:57 PM
Toluene	ND	1.0		µg/L	1	3/12/2007 4:28:57 PM
Ethylbenzene	ND	1.0		µg/L	1	3/12/2007 4:28:57 PM
Xylenes, Total	ND	2.0		µg/L	1	3/12/2007 4:28:57 PM
Surr: 4-Bromofluorobenzene	88.5	70.2-105		%REC	1	3/12/2007 4:28:57 PM

Lab ID: 0703123-06

Collection Date: 3/8/2007 11:34:00 AM

Client Sample ID: ~~McDaniel GC B1E MW-1~~

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	3/12/2007 4:59:01 PM
Toluene	ND	1.0		µg/L	1	3/12/2007 4:59:01 PM
Ethylbenzene	ND	1.0		µg/L	1	3/12/2007 4:59:01 PM
Xylenes, Total	ND	2.0		µg/L	1	3/12/2007 4:59:01 PM
Surr: 4-Bromofluorobenzene	86.8	70.2-105		%REC	1	3/12/2007 4:59:01 PM

Qualifiers: \* Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

MCL Maximum Contaminant Level

RL Reporting Limit

2 / 8

Page 2 of 6

## QA/QC SUMMARY REPORT

Client: XTO Energy  
Project: Ground Water

Work Order: 0703123

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
<b>Method: SW8021</b>									
<b>Sample ID: 0703123-10A MSD</b>		<b>MSD</b>			<b>Batch ID: R22791</b>	<b>Analysis Date: 3/12/2007 5:59:11 PM</b>			
Benzene	20.46	µg/L	1.0	102	85.9	113	0.726	27	
Toluene	20.45	µg/L	1.0	102	86.4	113	0.156	19	
Ethylbenzene	20.55	µg/L	1.0	103	83.5	118	0.553	10	
Xylenes, Total	62.34	µg/L	2.0	104	83.4	122	0.115	13	
<b>Sample ID: 5ML REAGENT BLA</b>		<b>MBLK</b>			<b>Batch ID: R22791</b>	<b>Analysis Date: 3/12/2007 7:48:15 AM</b>			
Benzene	ND	µg/L	1.0						
Toluene	ND	µg/L	1.0						
Ethylbenzene	ND	µg/L	1.0						
Xylenes, Total	ND	µg/L	2.0						
<b>Sample ID: 100NG BTEX LCS</b>		<b>LCS</b>			<b>Batch ID: R22791</b>	<b>Analysis Date: 3/12/2007 6:29:11 PM</b>			
Benzene	20.59	µg/L	1.0	103	85.9	113			
Toluene	20.69	µg/L	1.0	103	86.4	113			
Ethylbenzene	20.53	µg/L	1.0	103	83.5	118			
Xylenes, Total	62.49	µg/L	2.0	104	83.4	122			
<b>Sample ID: 0703123-10A MS</b>		<b>MS</b>			<b>Batch ID: R22791</b>	<b>Analysis Date: 3/12/2007 5:29:09 PM</b>			
Benzene	20.31	µg/L	1.0	102	85.9	113			
Toluene	20.49	µg/L	1.0	102	86.4	113			
Ethylbenzene	20.67	µg/L	1.0	103	83.5	118			
Xylenes, Total	62.41	µg/L	2.0	104	83.4	122			

## Qualifiers:

E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

# Hall Environmental Analysis Laboratory, Inc.

Date: 21-Jun-07

CLIENT: XTO Energy  
Project: Ground Water

Lab Order: 0706237

Lab ID: 0706237-07

Collection Date: 6/13/2007 9:04:00 AM

Client Sample ID: Haney GC DIEMW-1R

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	6/19/2007 5:28:31 PM
Toluene	ND	1.0		µg/L	1	6/19/2007 5:28:31 PM
Ethylbenzene	ND	1.0		µg/L	1	6/19/2007 5:28:31 PM
Xylenes, Total	ND	2.0		µg/L	1	6/19/2007 5:28:31 PM
Surr: 4-Bromofluorobenzene	82.1	70.2-105		%REC	1	6/19/2007 5:28:31 PM

Lab ID: 0706237-08

Collection Date: 6/13/2007 9:38:00 AM

Client Sample ID: Haney GCDIE MW-2

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	6/19/2007 6:28:46 PM
Toluene	ND	1.0		µg/L	1	6/19/2007 6:28:46 PM
Ethylbenzene	ND	1.0		µg/L	1	6/19/2007 6:28:46 PM
Xylenes, Total	ND	2.0		µg/L	1	6/19/2007 6:28:46 PM
Surr: 4-Bromofluorobenzene	82.0	70.2-105		%REC	1	6/19/2007 6:28:46 PM

Lab ID: 0706237-09

Collection Date: 6/13/2007 10:03:00 AM

Client Sample ID: Haney GCDIE MW-4

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	6/19/2007 6:58:51 PM
Toluene	ND	1.0		µg/L	1	6/19/2007 6:58:51 PM
Ethylbenzene	ND	1.0		µg/L	1	6/19/2007 6:58:51 PM
Xylenes, Total	ND	2.0		µg/L	1	6/19/2007 6:58:51 PM
Surr: 4-Bromofluorobenzene	85.9	70.2-105		%REC	1	6/19/2007 6:58:51 PM

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit  
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
MCL Maximum Contaminant Level  
RL Reporting Limit

## QA/QC SUMMARY REPORT

Client: XTO Energy  
Project: Ground Water

Work Order: 0706237

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: SW8021

Sample ID: 0706237-12A MSD

MSD

Batch ID: R24017 Analysis Date: 6/18/2007 12:21:32 PM

Benzene	18.72	µg/L	1.0	93.6	85.9	113	4.52	27	
Toluene	18.79	µg/L	1.0	94.0	86.4	113	4.64	19	
Ethylbenzene	18.60	µg/L	1.0	93.0	83.5	118	4.77	10	
Xylenes, Total	55.68	µg/L	2.0	92.8	83.4	122	3.58	13	

Sample ID: 0706237-25A MSD

MSD

Batch ID: R24049 Analysis Date: 6/20/2007 9:23:49 PM

Benzene	19.29	µg/L	1.0	96.5	85.9	113	2.88	27	
Toluene	18.77	µg/L	1.0	93.9	86.4	113	2.82	19	
Ethylbenzene	18.77	µg/L	1.0	93.8	83.5	118	2.60	10	
Xylenes, Total	54.62	µg/L	2.0	91.0	83.4	122	2.24	13	

Sample ID: 5ML REAGENT BLA

MBLK

Batch ID: R24013 Analysis Date: 6/15/2007 8:56:45 AM

Benzene	ND	µg/L	1.0						
Toluene	ND	µg/L	1.0						
Ethylbenzene	ND	µg/L	1.0						
Xylenes, Total	ND	µg/L	2.0						

Sample ID: 5ML REAGENT BLA

MBLK

Batch ID: R24017 Analysis Date: 6/18/2007 10:56:56 AM

Benzene	ND	µg/L	1.0						
Toluene	ND	µg/L	1.0						
Ethylbenzene	ND	µg/L	1.0						
Xylenes, Total	ND	µg/L	2.0						

Sample ID: 5ML REAGENT BLA

MBLK

Batch ID: R24036 Analysis Date: 6/19/2007 9:56:41 AM

Benzene	ND	µg/L	1.0						
Toluene	ND	µg/L	1.0						
Ethylbenzene	ND	µg/L	1.0						
Xylenes, Total	ND	µg/L	2.0						

Sample ID: 5ML REAGENT BLA

MBLK

Batch ID: R24049 Analysis Date: 6/20/2007 10:05:12 AM

Benzene	ND	µg/L	1.0						
Toluene	ND	µg/L	1.0						
Ethylbenzene	ND	µg/L	1.0						
Xylenes, Total	ND	µg/L	2.0						

Sample ID: 100NG BTEX LCS

LCS

Batch ID: R24013 Analysis Date: 6/15/2007 11:42:55 PM

Benzene	19.24	µg/L	1.0	96.2	85.9	113			
Toluene	18.67	µg/L	1.0	93.4	86.4	113			
Ethylbenzene	18.36	µg/L	1.0	91.8	83.5	118			
Xylenes, Total	54.32	µg/L	2.0	90.5	83.4	122			

Sample ID: 100NG BTEX LCS

LCS

Batch ID: R24017 Analysis Date: 6/18/2007 12:51:39 PM

Benzene	18.99	µg/L	1.0	94.9	85.9	113			
Toluene	19.05	µg/L	1.0	95.3	86.4	113			
Ethylbenzene	18.69	µg/L	1.0	93.4	83.5	118			
Xylenes, Total	56.17	µg/L	2.0	93.6	83.4	122			

Sample ID: 100NG BTEX LCS

LCS

Batch ID: R24036 Analysis Date: 6/19/2007 11:27:18 AM

Benzene	19.95	µg/L	1.0	99.7	85.9	113			
Toluene	20.29	µg/L	1.0	101	86.4	113			

## Qualifiers:

E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

## QA/QC SUMMARY REPORT

Client: XTO Energy  
Project: Ground Water

Work Order: 0706237

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: SW8021

Sample ID: 100NG BTEX LCS

LCS

Batch ID: R24036 Analysis Date: 6/19/2007 11:27:18 AM

Ethylbenzene 20.10 µg/L 1.0 101 83.5 118

Xylenes, Total 59.83 µg/L 2.0 99.7 83.4 122

Sample ID: 100NG BTEX LCS

LCS

Batch ID: R24049 Analysis Date: 6/20/2007 9:54:18 PM

Benzene 18.97 µg/L 1.0 94.9 85.9 113

Toluene 18.46 µg/L 1.0 92.3 86.4 113

Ethylbenzene 18.62 µg/L 1.0 93.1 83.5 118

Xylenes, Total 54.86 µg/L 2.0 91.4 83.4 122

Sample ID: 0706237-12A MS

MS

Batch ID: R24017 Analysis Date: 6/18/2007 11:51:22 AM

Benzene 19.59 µg/L 1.0 98.0 85.9 113

Toluene 19.68 µg/L 1.0 98.4 86.4 113

Ethylbenzene 19.51 µg/L 1.0 97.5 83.5 118

Xylenes, Total 57.71 µg/L 2.0 96.2 83.4 122

Sample ID: 0706237-25A MS

MS

Batch ID: R24049 Analysis Date: 6/20/2007 8:53:24 PM

Benzene 18.74 µg/L 1.0 93.7 85.9 113

Toluene 18.25 µg/L 1.0 91.2 86.4 113

Ethylbenzene 18.29 µg/L 1.0 91.4 83.5 118

Xylenes, Total 53.41 µg/L 2.0 89.0 83.4 122

## Qualifiers:

E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

94238 JJ

# ENVIROTECH Inc.

5796 US HWY. 84, FARMINGTON, NM 87401  
(505) 632-0815

1359

## FIELD REPORT: SITE ASSESSMENT

JOB No: 92140  
PAGE No: 1 of 1

PROJECT: PIT ASSESSMENTS & CLOSURE  
CLIENT: AMOCO PRODUCTION COMPANY  
CONTRACTOR: ENVIROTECH INC.  
EQUIPMENT USED: EXTENDAHOE

DATE STARTED: 6-3-92  
DATE FINISHED: 6-3-92  
ENVIRO. SPCLT: J.W.  
OPERATOR: G.S.  
ASSISTANT: T.C.

LOCATION: LSE: HANEY Gas Cont. 'B' WELL: No. 1E QD: 5W 1/4 SW 1/4 (M)  
SEC: 20 TWP: 29N RNG: 10W PM: N.M CNTY: S.J. ST: N.M PIT: Separator  
LAND USE: River Bottom Federal Com. No. 94000208  
SURFACE CONDITIONS: Steel tank 12' x 5'

FIELD NOTES & REMARKS: Pit is located approx. 115' North and 95' west of well head. Most of the contamination seems to be on North side of pit area.

### SAMPLE INVENTORY:


SMPL ID:	SMPL TYPE:	LABORATORY ANALYSIS:
T-1 @ 5'	Soil	TPH
T-1 @ 5'	Water	TPH
T-1 @ 5'	Water	BETEX -(8020)
T-1 @ 5'	Water	BETEX -(8020)
T-2 @ 5'	Water	Headspace Betex
T-3 @ 5'	Water	Headspace Betex
T-4 @ 5'	Water	Headspace Betex

SCALE



FEET


### SITE DIAGRAM



### TEST HOLE LOGS:

TH#:	SOIL TYPE:	SMPL TYPE:	QVM/TPH
TH# 1	SP	Soil	235
		H2o	319
TH# 2	SC	Soil	875
		H2o	724
TH# 3		H2o	26.2
TH# 4	SC	Soil	3.6
		H2o	5.3





# ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401  
PHONE: (505) 632-0615 • FAX: (505) 632-1865

## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client: AMOCO  
Sample ID: T-1 @ 5'  
Laboratory Number: 1074  
Sample Matrix: Soil  
Preservative: Cool  
Condition: Cool & Intact

Project #: 92140  
Date Reported: 07-16-92  
Date Sampled: 06-03-92  
Date Received: 06-03-92  
Date Analyzed: 07-15-92  
Analysis Needed: TPH

Parameter -----	Concentration (mg/kg) -----	Det. Limit (mg/kg) -----
Total Petroleum Hydrocarbons	2,790	5.0


Method: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

ND - Parameter not detected at the stated detection limit.

Comments: Haney Gas Com. 'B' #1E Separator Pit 94238

Vanessa Ransom  
Analyst

Paul Ransom  
Review



# ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401  
PHONE: (505) 632-0615 • FAX: (505) 632-1865

## EPA METHOD 8020 AROMATIC VOLATILE ORGANICS

Client: Amoco  
Sample ID: T1 @ 5'  
Laboratory Number: 1074  
Sample Matrix: Soil  
Preservative: Cool  
Condition: Cool & Intact

Project #: 92140  
Date Reported: 10-05-92  
Date Sampled: 06-03-92  
Date Received: 06-03-92  
Date Extracted: 07-15-92  
Date Analyzed: 10-01-92  
Analysis Requested: BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	20,800	19.6
Toluene	326,100	79
Ethylbenzene	118,700	29.5
p,m-Xylene	444,600	59
o-Xylene	225,200	39.3

SURROGATE RECOVERIES:	Parameter	Percent Recovery
	Bromfluorobenzene	101 %

Method: Method 5030, Purge-and-Trap, Test Methods for  
Evaluating Solid Waste, SW-846, USEPA, Sept. 1986.


Method 8020, Aromatic Volatile Organics, Test Methods  
for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986.

ND - Parameter not detected at the stated detection limit.

Comments: Haney Gas Com B 1E---Separator Pit---94238.

Robert M Young  
Analyst

Morris D Young  
Review



# ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401

PHONE: (505) 632-0615 • FAX: (505) 632-1865

## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client: AMOCO  
Sample ID: T-1 @ 5'  
Laboratory Number: 1075  
Sample Matrix: Water  
Preservative: Cool  
Condition: Cool & Intact

Project #: 92140  
Date Reported: 06-18-92  
Date Sampled: 06-03-92  
Date Received: 06-03-92  
Date Analyzed: 06-04-92  
Analysis Needed: TPH


Parameter -----	Concentration (mg/L) -----	Det. Limit (mg/L) -----
TPH	2,630	10.0


Method: Method 418.1, Total Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

ND - Parameter not detected at the stated detection limit.

Comments: Haney Gas Com. 'B' 1E Separator Pit 94238

  
Analyst

  
Review



# ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401  
PHONE: (505) 632-0615 • FAX: (505) 632-1865

## EPA METHOD 8020 AROMATIC VOLATILE ORGANICS

Client:	Amoco	Project #:	92140
Sample ID:	T1 @ 5'	Date Reported:	09-15-92
Laboratory Number:	1076	Date Sampled:	06-03-92
Sample Matrix:	Water	Date Received:	06-03-92
Preservative:	HgCl & Cool	Date Analyzed:	07-22-92
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/L)	Det. Limit (ug/L)
Benzene	8,000	40.0
Toluene	12,900	100
Ethylbenzene	740	40.0
p,m-Xylene	5,100	60
o-Xylene	1,810	60

SURROGATE RECOVERIES:	Parameter	Percent Recovery
	Trifluorotoluene	80.8 %

Method: Method 5030, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986


Method 8020, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986

ND - Parameter not detected at the stated detection limit.

Comments: Haney Gas Com 'B' No.1E---Separator Pit---94238

Al Chaharley  
Analyst

James D. Young  
Review



# ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401  
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 8020  
AROMATIC VOLATILE ORGANICS  
HEADSPACE EXTRACTION

Client:	Amoco	Project #:	92140
Sample ID:	T2 @ 5'	Date Reported:	09-03-92
Laboratory Number:	1077	Date Sampled:	06-03-92
Sample Matrix:	Water	Date Received:	06-03-92
Preservative:	Cool	Date Analyzed:	08-13-92
Condition:	Cool and Intact	Analysis Requested:	BTEX


Parameter	Concentration (ug/L)	Det. Limit (ug/L)
Benzene	9.0	6.4
Toluene	16.0	1.6
Ethylbenzene	6.4	5.6
p,m-Xylene	ND	6.4
o-Xylene	33.9	4.0


Method: Method 3810, Headspace, Test Methods for Evaluating  
Solid Waste, SW-846, USEPA, Sept. 1986


Method 8020, Aromatic Volatile Organics, Test Methods for  
Evaluating Solid Waste, SW-846, USEPA, Sept. 1986

ND - Parameter not detected at the stated detection limit.

Comments: Haney Gas Com 'B' No. 1E Separator Pit 94238

  
Analyst

  
Review



# ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401  
PHONE: (505) 632-0615 • FAX: (505) 632-1865

## EPA METHOD 8020 AROMATIC VOLATILE ORGANICS HEADSPACE EXTRACTION

Client:	AMOCO	Project #:	92140
Sample ID:	T4 @ 8'	Date Reported:	11-02-92
Laboratory Number:	1079	Date Sampled:	06-03-92
Sample Matrix:	Soil	Date Received:	06-03-92
Preservative:	Cool	Date Analyzed:	08-17-92
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/L)	Det. Limit (ug/L)
Benzene	ND	1.6
Toluene	ND	4.8
Ethylbenzene	ND	10.4
p,m-Xylene	ND	6.4
o-Xylene	ND	4.8

Method: Method 3810, Headspace, Test Methods for Evaluating  
Solid Waste, SW-846, USEPA, Sept. 1986

Method 8020, Aromatic Volatile Organics, Test Methods for  
Evaluating Solid Waste, SW-846, USEPA, Sept. 1986

ND - Parameter not detected at the stated detection limit.

Comments: Haney GC B 1E---Separator Pit---94238.

Robert M. Young  
Analyst

Morris D. Young  
Review

# CHAIN OF CUSTODY RECORD

94 238

Client/Project Name		Project Location		ANALYSIS/PARAMETERS										
Amoco 92140		Separator Pit												
Sampler: (Signature)		Chain of Custody Tape No.												
J. Wlaakke														
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix	No. of Containers	TPH	BETEX	HEADSPACE	BETEX					Remarks
T-1 @ 5'	6-3-92	917	1074	SOLC	1	✓	✓							
T-1 @ 5'	6-3-92	940	1075	WATER	1	✓								
T-1 @ 5'	6-3-92	940	1076	WATER	2		✓							
T-2 @ 5'	6-3-92	1015	1077	WATER	1				✓					not analyzed TT 11/18/92
T-3 @ 5'	6-3-92	1030	1078	WATER	1				✓					
T-4 @ 8'	6-3-92	1050	1079	WATER	1				✓					
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time				
J. Wlaakke		6-3-92		1725		Michael J. J...		6-3-92		1725				
Relinquished by: (Signature)						Received by: (Signature)								
Relinquished by: (Signature)						Received by: (Signature)								

**ENVIROTECH INC.**

5796 U.S. Highway 64-3014  
Farmington, New Mexico 87401

(505) 632-0615

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Amoco Production Company

3. Address and Telephone No.

200 Amoco Court, Farmington, N.M. 87401 Tel: (505) 326-9200

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SW / SW SEC. 20, T29N, R10W. NMPM,

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

FED. COM # 94000208

6. If Indian, Allottee or Tribe Name

7. If Unit of CA Agreement Designation

SW 208

8. Well Name and No.

HANEY 6C B 1E

9. API Well No.

3004524646

10. Field and Pool, or Exploratory Area

DAKOTA

11. County or Parish, State

SAN JUAN, N.M.

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent  
☒ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☒ Other Pit closure
- ☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Pit closure verification - see attached documentation.

SEPARATOR PIT - ABANDONED, GROUNDWATER IMPACTED.

14. I hereby certify that the foregoing is true and correct

Signed

B. Shaw

Title

Enviro. Coordinator

Date

4-9-96

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instruction on Reverse Side



District I  
P.O. Box 1980, Hobbs, NM  
District II  
P.O. Drawer DD, Artesia, NM 88211  
District III  
1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico  
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

80332  
SUBMIT 1 COPY TO  
APPROPRIATE  
DISTRICT OFFICE  
AND 1 COPY TO  
SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORT

Operator: Amoco Production Company Telephone: (505) - 326-9200  
Address: 200 Amoco Court, Farmington, New Mexico 87401  
Facility or: HANEY GC BIE  
Well Name  
Location: Unit or Qtr/Qtr Sec M Sec 20 T 29N R 10W County SAN JUAN  
Pit Type: Separator X Dehydrator    Other     
Land Type: BLM   , State   , Fee   , Other com. AGMT.

Pit Location: Pit dimensions: length 110', width 100', depth 8'  
Attach diagram) Reference: wellhead X, other     
Footage from reference: 150  
Direction from reference: 45 Degrees    East North X  
of  
X West South   

Depth To Ground Water:  
(Vertical distance from  
contaminants to seasonal  
high water elevation of  
ground water)

Less than 50 feet (20 points)  
50 feet to 99 feet (10 points)  
Greater than 100 feet (0 Points) 20

Wellhead Protection Area:  
(Less than 200 feet from a private  
domestic water source, or; less than  
1000 feet from all other water sources)

Yes (20 points)  
No (0 points) 20

Distance To Surface Water:  
Horizontal distance to perennial  
lakes, ponds, rivers, streams, creeks,  
irrigation canals and ditches)

Less than 200 feet (20 points)  
200 feet to 1000 feet (10 points)  
Greater than 1000 feet (0 points) 10

RANKING SCORE (TOTAL POINTS): 50

Date Remediation Started: \_\_\_\_\_ Date Completed: IN PROGRESS

Remediation Method: Excavation X Approx. cubic yards 3000  
(Check all appropriate sections) Landfarmed \_\_\_\_\_ Insitu Bioremediation \_\_\_\_\_  
Other Compost

Remediation Location: Onsite X Offsite \_\_\_\_\_  
(ie. landfarmed onsite, name and location of offsite facility)

General Description Of Remedial Action: \_\_\_\_\_

Excavation OF SOILS - PUMP CONTAMINATED WATER.

GROUNDWATER CONTAMINATION EXTENT DEFINED - SOIL EXCAVATION LIMITED  
BY EQUIPMENT ON LOCATION. AIR SYSTEM INSTALLED TO REMEDIATE  
REMAINING SOIL + WATER CONTAMINATION.

Ground Water Encountered: No \_\_\_\_\_ Yes X Depth 8'

Final Pit: Sample location see Attached Documents - MULTIPLE  
Closure Sampling: \_\_\_\_\_ SAMPLES  
(if multiple samples, attach sample results and diagram of sample locations and depths)

Sample depth ~ 8'Sample date 2/12 - 2/16 Sample time \_\_\_\_\_

## Sample Results

Benzene(ppm) \_\_\_\_\_

Total BTEX(ppm) \_\_\_\_\_

Field headspace(ppm) \_\_\_\_\_

TPH \_\_\_\_\_

Ground Water Sample: Yes X No \_\_\_\_\_ (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST  
OF MY KNOWLEDGE AND BELIEF

DATE 4-9-96

SIGNATURE

B. ShawPRINTED NAME  
AND TITLEBuddy D. Shaw  
ENVIRONMENTAL COORDINATOR




AMOCO

B0332

HANER GC BIE

2-16-96



**PURGEABLE AROMATICS**

Blagg Engineering, Inc.

Project ID: Haney GC B1E  
Sample ID: Pit water  
Lab ID: 2615  
Sample Matrix: Water  
Preservative: Cool, HgCl<sub>2</sub>  
Condition: Intact

Report Date: 02/13/96  
Date Sampled: 02/12/96  
Date Received: 02/12/96  
Date Analyzed: 02/12/96


Target Analyte	Concentration (ug/L)	Detection Limit (ug/L)
Benzene	195	40.0
Toluene	720	40.0
Ethylbenzene	127	40.0
m,p-Xylenes	1,350	80.0
o-Xylene	287	40.0
Total BTEX		2,680

ND - Analyte not detected at the stated detection limit.

<b>Quality Control:</b>	<u>Surrogate</u>	<u>Percent Recovery</u>	<u>Acceptance Limits</u>
	Trifluorotoluene	100	88 - 110%

**Reference:** Method 602.2, Purgeable Aromatics; Federal Register, Vol. 49, No. 209, Oct. 1984.

**Comments:**

  
Analyst

  
Review

**PURGEABLE AROMATICS**

Blagg Engineering, Inc.

Project ID: Haney GC B1E  
Sample ID: TH - 3 @ 5'  
Lab ID: 2616  
Sample Matrix: Water  
Preservative: Cool, HgCl<sub>2</sub>  
Condition: Intact

Report Date: 02/13/96  
Date Sampled: 02/12/96  
Date Received: 02/12/96  
Date Analyzed: 02/12/96

Target Analyte	Concentration (ug/L)	Detection Limit (ug/L)
Benzene	3.77	0.20
Toluene	15.2	0.20
Ethylbenzene	13.4	0.20
m,p-Xylenes	95.0	4.00
o-Xylene	21.8	0.20


Total BTEX	168
------------	-----


ND - Analyte not detected at the stated detection limit.

Quality Control:	<u>Surrogate</u>	<u>Percent Recovery</u>	<u>Acceptance Limits</u>
	Trifluorotoluene	102	88 - 110%

Reference: Method 602.2, Purgeable Aromatics; Federal Register, Vol. 49, No. 209,  
Oct. 1984.

Comments:

  
Analyst

  
Review

**PURGEABLE AROMATICS**

Blagg Engineering, Inc.

Project ID: Haney GC B 1E  
Sample ID: TH - 4  
Lab ID: 2691  
Sample Matrix: Water  
Preservative: Cool, HgCl<sub>2</sub>  
Condition: Intact

Report Date: 02/23/96  
Date Sampled: 02/16/96  
Date Received: 02/16/96  
Date Analyzed: 02/19/96

Target Analyte	Concentration (ug/L)	Detection Limit (ug/L)
Benzene	ND	0.50
Toluene	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	2.21	1.00
o-Xylene	ND	0.50


<b>Total BTEX</b>	<b>2.21</b>
-------------------	-------------


ND - Analyte not detected at the stated detection limit.

**Quality Control:**    Surrogate                      Percent Recovery                      Acceptance Limits  
Trifluorotoluene                      98                      88 - 110%

**Reference:**                      Method 602.2, Purgeable Aromatics; Federal Register, Vol. 49, No. 209,  
Oct. 1984.

**Comments:**

  
Analyst

  
Review

**PURGEABLE AROMATICS**

Blagg Engineering, Inc.

Project ID: Haney GC B 1E  
Sample ID: TH - 6  
Lab ID: 2692  
Sample Matrix: Water  
Preservative: Cool, HgCl<sub>2</sub>  
Condition: Intact

Report Date: 02/22/96  
Date Sampled: 02/16/96  
Date Received: 02/16/96  
Date Analyzed: 02/19/96

Target Analyte	Concentration (ug/L)	Detection Limit (ug/L)
Benzene	ND	0.50
Toluene	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	1.00
o-Xylene	ND	0.50

<b>Total BTEX</b>	<b>ND</b>
-------------------	-----------


ND - Analyte not detected at the stated detection limit.

<b>Quality Control:</b>	<u>Surrogate</u>	<u>Percent Recovery</u>	<u>Acceptance Limits</u>
	Trifluorotoluene	98	88 - 110%

**Reference:** Method 602.2, Purgeable Aromatics; Federal Register, Vol. 49, No. 209, Oct. 1984.

**Comments:**

  
Analyst

  
Review



## General Water Quality Blagg Engineering, Inc.

Project ID: Haney GC B1E  
Sample ID: Pit Water  
Laboratory ID: 2615  
Sample Matrix: Water

Date Reported: 02/15/96  
Date Sampled: 02/12/96  
Time Sampled: 8:30  
Date Received: 02/12/96

Parameter	Analytical Result	Units
<b>General</b>		
Lab pH.....	7.3	s.u.
Lab Conductivity @ 25° C.....	5,090	µmhos/cm
Total Dissolved Solids @ 180°C.....	4,650	mg/L
Total Dissolved Solids (Calc).....	4,330	mg/L
<b>Anions</b>		
Total Alkalinity as CaCO <sub>3</sub> .....	503	mg/L
Bicarbonate Alkalinity as CaCO <sub>3</sub> .....	503	mg/L
Carbonate Alkalinity as CaCO <sub>3</sub> .....	NA	mg/L
Hydroxide Alkalinity as CaCO <sub>3</sub> .....	NA	mg/L
Chloride.....	5.50	mg/L
Sulfate.....	2,740	mg/L
Nitrate + Nitrite - N.....	NA	
Nitrate - N.....	NA	
Nitrite - N.....	NA	
<b>Cations</b>		
Total Hardness as CaCO <sub>3</sub> .....	1,560	mg/L
Calcium.....	424	mg/L
Magnesium.....	121	mg/L
Potassium.....	13	mg/L
Sodium.....	720	mg/L

Data Validation		Acceptance Level
Cation/Anion Difference.....	3.53	+/- 5 %
TDS (180):TDS (calculated).....	1.1	1.0 - 1.2

**Reference** U.S.E.P.A. 600/4-79-020, Methods for Chemical Analysis of Water and Wastes, 1983.  
Standard Methods For The Examination Of Water And Wastewater, 18th ed., 1992.

  
Review

**PROJECT MANAGER:**

Analytica Lab I.D.:

**Company:**

**Address:**

**Phone:**

**Fax:**

**Bill To:**

**Company:**

**Address:**

[illegible]

## CHAIN OF CUSTODY

[illegible]

