

AP-122

**2nd Quarter Monitoring
Report, DCP Hobbs Gas
Plant**

DATE

August 13, 2014



DCP Midstream
370 17th Street, Suite 2500
Denver, CO 80202
303-595-3331
303-605-2226 FAX

August 13, 2014

Mr. Leonard Lowe
Environmental Engineer
New Mexico Oil Conservation Division
1220 S. St. Francis Dr.
Santa Fe, NM 87505

**RE: 2nd Quarter 2014 Groundwater Monitoring Results
DCP Hobbs Gas Plant (AP-122)
Unit G, Section 36, Township 18 South, Range 36 East
Lea County, New Mexico**

Dear Mr. Lowe:

DCP Midstream, LP (DCP) is pleased to submit for your review, an electronic copy of the 2nd Quarter 2014 Groundwater Monitoring Results for the DCP Hobbs Gas Plant located in Lea County, New Mexico (Unit G, Section 36, Township 18 South, Range 36 East).

If you have any questions regarding the report or work plan, please call me at 303-605-1718.

Sincerely

DCP Midstream, LP

A handwritten signature in black ink, appearing to read "Stephen Weathers", followed by a long horizontal line.

Stephen Weathers, P.G.
Principal Environmental Specialist

cc: Tomas Oberding, OCD Hobbs District Office
Environmental Files

From: [Weathers, Stephen W](#)
To: [Lowe, Leonard, EMNRD](#)
Cc: [Oberding, Tomas, EMNRD](#)
Subject: DCP Hobbs Gas Plant (AP-122) 2nd Q 2014 Groundwater Monitoring Report
Date: Wednesday, August 13, 2014 10:21:48 AM
Attachments: [OCD202014HobbsGPGWLtr8-13-14.doc](#)
[DCP Hobbs GP Q2 2014 GW Monitoring Report.pdf](#)

Mr. Lowe

Attached you will find the 2nd Q 2014 Hobbs Gas Plant Groundwater Monitoring Report and the associated cover letter.


If you have any questions or concerns, please give me a call.

Thanks

Stephen W Weathers, P.G.
Principal Environmental Specialist
DCP Midstream L.P.
Office 303.605.1718
Cell 303.619.3042



www.CRAworld.com



Final Report

SECOND QUARTER 2014 GROUNDWATER MONITORING REPORT

DCP MIDSTREAM, LP
Hobbs Gas Plant
AP-122
Unit G, Section 36, Township 18 South, Range 36 East
Lea County, New Mexico

Prepared for: Mr. Steve Weathers

Conestoga-Rovers & Associates

2135 South Loop, 250 West
Midland, Texas 79703

August 2014 • 059097 • Report No. 23



Table of Contents

Section 1.0	Introduction.....	1
1.1	Site Background.....	1
Section 2.0	Regulatory Framework.....	1
Section 3.0	Monitoring Well Gauging and Groundwater Sampling	2
3.1	Groundwater Gradient.....	2
3.2	Purged Groundwater Management.....	3
Section 4.0	Analytical Methods and Results.....	3
4.1	Groundwater Sampling Results.....	3
Section 5.0	LNAPL Abatement and Recovery	3
Section 6.0	Conclusions and Recommendations.....	4

List of Figures

Figure 1	Vicinity Map
Figure 2	Groundwater Elevation Contour Map - Second Quarter 2014
Figure 3	Groundwater BTEX Analytical Results And LNAPL Thickness – Second Quarter 2014

List of Tables

Table 1	2014 Summary of Groundwater Gauging Data, Elevations, Analytical Results, LNAPL Thickness and Product Removed
Table 2	Historical Summary of Groundwater and LNAPL Gauging Measurements
Table 3	Historical Summary of Groundwater Analytical Results and Parameter Readings

List of Appendices

Appendix A	Groundwater Monitoring Field Sheets
Appendix B	Standard Operating Procedures for Groundwater Monitoring and Sampling
Appendix C	Laboratory Analytical Reports

Section 1.0 Introduction

Conestoga-Rovers & Associates (CRA) is submitting this Second Quarter 2014 Groundwater Monitoring Report to DCP Midstream, LP (DCP) for Hobbs Gas Plant in Lea County, New Mexico. This report summarizes the June 2014 quarterly monitoring well gauging and groundwater sampling event. Monitoring well gauging, groundwater sampling details, analytical results, conclusions and recommendations are presented below.

1.1 Site Background

The site is a cryogenic processing plant located in Lea County, New Mexico approximately 9 miles west of Hobbs, New Mexico (Figure 1). The site occupies approximately 3.5 acres surrounded by undeveloped area. The facility contains a laboratory, an amine unit, compressors, molecular sieve dehydration, tank batteries and an onsite water production well used for non-potable water. The DCP Apex Compressor Station is located approximately 750 feet (ft) to the north. There are seven onsite groundwater monitoring wells.

Section 2.0 Regulatory Framework

The Site has been assigned an Abatement Plan number AP-122 by the New Mexico Oil Conservation Division (NMOCD) Environmental Bureau. The NMOCD guidelines require groundwater to be analyzed for potential contaminants as defined by the New Mexico Water Quality Control Commission (NMWQCC) Standards 20.6.2.3103 Section A. The NMWQCC Standard 20.6.2.3103, Section A, provides the Human Health Standards for Groundwater. The constituents of concern (COCs) in affected groundwater at the Site are benzene, toluene, ethylbenzene and total xylenes (BTEX). The regulation also states that non-aqueous phase liquids shall not be present floating atop or immersed within groundwater, as can be reasonably measured. In this report, groundwater analytical results for the COCs are compared to the NMWQCC standards as shown in the following table:

<i>Analyte</i>	<i>NMWQCC Standard for Groundwater</i>
20.6.2.3103 Section A – Human Health Standard	
Benzene	0.01 mg/L
Toluene	0.75 mg/L
Ethylbenzene	0.75 mg/L
Total Xylenes	0.62 mg/L

Section 3.0 Monitoring Well Gauging and Groundwater Sampling

The second quarter monitoring well gauging and groundwater sampling event was conducted on June 3, 2014. Each well cap was removed to allow groundwater levels to stabilize and equilibrate prior to gauging. CRA gauged monitoring wells MW-AR, MW-B, MW-C, MW-D, MW-E and MW-F and then purged and collected groundwater samples from MW-AR, MW-D, MW-E and MW-F using a disposable polyurethane bailer. MW-G was not gauged due to a casing deformity which had increased in size and would not allow the probe of a water level indicator to pass. In addition, a routinely used disposable polyurethane bailer or submersible pump was unable to be lowered for purging activities. Consequently, three well casing volumes of groundwater were manually purged from MW-G was using a Waterra Foot Valve attached to LDPE 3/8 inch tubing and a sample was collected directly from the discharge end of the tubing. Light non-aqueous phase liquids (LNAPL) were measured at thicknesses of 1.93 ft in MW-B and 0.15 ft in MW-C and were not sampled. The LNAPL thickness in MW-B decreased by 0.47 ft from the thickness gauged in March 2014. The LNAPL thickness in MW-C decreased by 0.42 ft from the thickness gauged in March 2014. 2014 groundwater gauging data, elevations, analytical results and LNAPL thickness are summarized in Table 1. Historical groundwater and LNAPL gauging measurements are summarized in Table 2.

Prior to sampling, all monitoring wells were purged of approximately three well-casing volumes while temperature, pH, and conductivity were measured. Groundwater samples, including a duplicate sample, were collected using clean disposable bailers and decanted into clean containers supplied by the analytical laboratory. The samples were submitted under chain-of-custody to Accutest Laboratories of Texas. Groundwater monitoring field sheets documenting gauging, purging and sampling data for the June 2014 quarterly event are presented as Appendix A. CRA's standard operating procedures for groundwater monitoring and sampling are presented as Appendix B.

3.1 Groundwater Gradient

Based on subsurface groundwater investigations conducted at the Site, the Ogallala Aquifer appears to be the origin of groundwater and the depth to groundwater is approximately 65 feet below ground surface (bgs). Historical static groundwater elevation have ranged between 3,691.46 (MW-E) and 3,695.74 (MW-A) ft above mean seal level (famsl). Static groundwater elevations ranged from 3,692.28 (MW-F) to 3,693.38 (MW-AR) famsl on June 3, 2014. Groundwater flowed to the southeast with a gradient of 0.003 ft/ft (Figure 2). All wells on the site that were gauged through June 3, 2014 indicated a decline in the elevation of the potentiometric surface. The average decline from March 11, 2014 thru June 3, 2014 was 0.15 foot.

3.2 Purged Groundwater Management

Purged groundwater from MW-AR, MW-D, MW-E and MW-F has been determined to be below cleanup levels and was discharged to the ground surface as allowed by the NMOCD. Purged groundwater from MW-G is stored onsite in United States Department of Transportation-approved 55-gallon drums. Stored purge water will be properly disposed when all storage drums are full.

Section 4.0 Analytical Methods and Results

Groundwater samples collected from MW-AR, MW-D, MW-E, MW-F and MW-G were analyzed for benzene, toluene, ethylbenzene, and total xylenes (BTEX) by SW-846 8260B.

4.1 Groundwater Sampling Results

BTEX was not detected above the NMWQCC cleanup levels in groundwater samples collected from MW-AR, MW-D, MW-E and MW-F. Groundwater from MW-G contained a benzene concentration of 103 micrograms per liter (ug/L) which exceeds the NMWQCC cleanup levels and a total xylene concentration of 105 micrograms per liter (ug/L) which is below the NMWQCC cleanup level for total xylenes. Historical groundwater analytical results and parameter readings are summarized in Table 3. Laboratory analytical reports are presented as Appendix C.

Section 5.0 LNAPL Abatement and Recovery

In April 2014, LNAPL abatement and recovery was initiated. LNAPL was bailed by hand from MW-B and MW-C during monthly visits for April and May and during the June quarterly monitoring event to the greatest practicable extent. The total amount bailed during the second quarter of 2014 for MW-B was 1.40 gallons and 0.30 gallon for MW-C. A cumulative total of LNAPL recovered from MW-B and MW-C during the second quarter of 2014 was 1.70 gallons. The cumulative total of LNAPL recovered from the Site since April 2014 is 1.70 gallons. LNAPL recovery for the second quarter of 2014 is summarized in Table 1. LNAPL thicknesses and BTEX analytical results are displayed in Figure 3.

Section 6.0 Conclusions and Recommendations

A casing deformity is present in MW-G. MW-G was not gauged due to an increase in size of the deformity. Groundwater was manually purged from MW-G using a Waterra Foot Valve attached to LDPE 3/8 inch tubing and a sample was collected directly from the discharge end of the tubing. MW-G contained concentrations above the NMWQCC cleanup levels for benzene. The total xylene concentration in MW-G remained below the NMWQCC cleanup level and is diminishing. BTEX was not detected above the NMWQCC cleanup levels in groundwater samples collected from MW-AR, MW-D, MW-E, and MW-F. BTEX has not been detected above the NMWQCC cleanup levels in groundwater samples collected from MW-D, MW-E and MW-F since 2008. LNAPL thickness decreased to 1.93 ft in MW-B and decreased to 0.15 ft in MW-C. LNAPL abatement and recovery via hand bailing was initiated in April 2014. For the second quarter of 2014 a cumulative total of 1.70 gallons of LNAPL have been recovered from MW-B and MW-C and an accumulative total of 1.70 gallons of LNAPL have been recovered from the Site since April 2014.

For the Third Quarter of 2014, CRA recommends the following:

- Continue quarterly monitoring well gauging and groundwater sampling to evaluate the site's groundwater condition;
- Continue evaluating the BTEX concentration in MW-G (located down gradient from LNAPL plume) to determine if natural attenuation of the dissolved phase plume is occurring;
- Conduct Enhanced Fluid Recovery (EFR) or limited Mobile Dual Phase Extraction (MDPE) events on MW-B and MW-C for a more aggressive LNAPL abatement and recovery.

All of which is Respectfully Submitted,

CONESTOGA-ROVERS & ASSOCIATES




John Ferguson, P.G.
Senior Project Manager



Thomas C. Larson, P.G.
Principal, Midland Operations Manager

Figures




SOURCE: USGS 7.5 MINUTE QUAD
"MONUMENT NORTH, NEW MEXICO EAST"

LAT/LONG: 32.7056° NORTH, 103.3072° WEST
COORDINATE: NAD83 DATUM, U.S. FOOT
STATE PLANE ZONE - NEW MEXICO EAST

Figure 1
VICINITY MAP
HOBBS GAS PLANT
LEA COUNTY, NEW MEXICO
DCP Midstream





LEGEND:

- x — FENCE LINE
- SECONDARY CONTAINMENT
- ABOVEGROUND STORAGE TANK (AST) OR DRUM
- MW-F EXISTING MONITORING WELL
- MW-A DESTROYED MONITORING WELL
- 3692.00 GROUNDWATER ELEVATION CONTOUR (INTERVAL = 0.5 ft)
- 3692.28 ELEVATION OF GROUNDWATER (ft)
- DIRECTION OF GROUNDWATER FLOW

Figure 2
GROUNDWATER ELEVATION CONTOUR MAP - SECOND QUARTER 2014
HOBBS GAS PLANT
LEA COUNTY, NEW MEXICO
DCP Midstream
June 3, 2014






Figure 3
GROUNDWATER BTEX ANALYTICAL RESULTS AND LNAPL THICKNESS - SECOND QUARTER 2014
HOBBS GAS PLANT
LEA COUNTY, NEW MEXICO
DCP Midstream
June 3, 2014



Tables

TABLE 1
DCP MIDSTREAM, LP - HOBBS GAS PLANT
2014 SUMMARY OF GROUNDWATER GAUGING DATA, ELEVATIONS,
ANALYTICAL RESULTS, LNAPL THICKNESS AND PRODUCT REMOVED

Well ID	Date	TOC	DTW	DTP	LNAPL	GWE*	Product Removed	Benzene	Toluene	Ethyl -	Total
					Thicknes s					benzen e	
								Concentrations in µg/l			
NMWQCC Cleanup Levels								10	750	750	620
MW-AR	3/11/2014	3755.7	62.21	--	--	3693.52	--	<1.0	<1.0	<1.0	<3.0
	6/3/2014		62.35	--	--	3693.38	--	<1.0	<1.0	<1.0	<3.0
MW-B	3/11/2014	3755.70	64.90	62.50	2.40	3692.74	--			LNAPL present	
	4/16/2014		64.98	62.58	2.40	3692.66	0.75			LNAPL present	
	5/20/2014		64.85	62.65	2.20	3692.63	0.30			LNAPL present	
	6/3/2014		64.73	62.80	1.93	3692.53	0.35			LNAPL present	
MW-C	3/11/2014	3755.4	63.12	62.55	0.57	3692.69	--			LNAPL present	
	4/16/2014		63.31	62.60	0.71	3692.62	0.25			LNAPL present	
	5/20/2014		63.08	62.67	0.41	3692.60	0.04			LNAPL present	
	6/3/2014		63.08	62.93	0.15	3692.39	0.01			LNAPL present	
MW-D	3/11/2014	3755.2	62.24	--	--	3692.95	--	<1.0	<1.0	<1.0	<3.0
	6/3/2014		62.43	--	--	3692.76	--	<1.0	<1.0	<1.0	<3.0
MW-E	3/11/2014	3754.1	61.95	--	--	3692.16	--	<1.0	<1.0	<1.0	<3.0
	6/3/2014		62.09	--	--	3692.02	--	<1.0	<1.0	<1.0	<1.0
MW-F	3/11/2014	3755.9	63.49	--	--	3692.39	--	<1.0	<1.0	<1.0	<3.0
DUP	3/11/2014							<1.0	<1.0	<1.0	<3.0
	6/3/2014		63.60	--	--	3692.28	--	<1.0	<1.0	<1.0	<1.0
MW-G	3/11/2014	3754.7	62.73	--	--	3691.94	--	109	449	77.3	333
	6/3/2014		Not Gauged due to Damage				--				
Notes and Abbreviations:											
ID = Identification											
TOC = Top of casing											
DTW = Depth to water											
GWE = Groundwater elevation											
* = Groundwater elevation corrected using a LNAPL specific gravity of 0.81											
Wells were re-surveyed on 9/25/2013											
BTEX = Benzene, toluene, ethylbenzene, and total xylenes by SW-846 8021 or 8260B											
ft msl = Feet above mean sea le											
ft bgs = Feet below ground surf;											
µg/l = Micrograms per											
<x = Not detected above x µg/l											
x/y = Sample results/blind duplicate results											
BOLD = Indicates concentration above the NMQCC Cleanup Levels											
NMWQCC = New Mexico Water Quality Control Commission											
LNAPL = Light non-aqueous phase liquids											

TABLE 2
DCP MIDSTREAM, LP - HOBBS GAS PLANT
HISTORICAL SUMMARY OF GROUNDWATER
AND LNAPL GAUGING MEASUREMENTS

<i>Well ID</i>	<i>Date</i>	<i>TOC (ft msl)</i>	<i>DTW (ft bgs)</i>	<i>DTP (ft.)</i>	<i>LNAPL Thickness (ft.)</i>	<i>GWE* (ft msl)</i>	<i>Product Recovered (gal.)</i>
MW-A	3/23/2006	3755.87	60.54	--	--	3695.33	--
	6/14/2006		60.71	--	--	3695.16	--
	8/14/2006		60.71	--	--	3695.16	--
	11/14/2006		60.81	--	--	3695.06	--
	3/27/2007		60.28	--	--	3695.59	--
	6/21/2007		60.28	--	--	3695.59	--
	9/18/2007		60.44	--	--	3695.43	--
	12/13/2007		60.32	--	--	3695.55	--
	03/05/08		60.18	--	--	3695.69	--
	06/02/08		60.19	--	--	3695.68	--
	09/15/08		60.58	--	--	3695.29	--
	12/03/08		60.41	--	--	3695.46	--
	02/27/09		60.18	--	--	3695.69	--
	06/25/09		60.21	--	--	3695.66	--
	09/01/09		60.37	--	--	3695.50	--
	11/17/09		60.40	--	--	3695.47	--
	03/25/10		60.40	--	--	3695.47	--
	06/08/10		60.39	--	--	3695.48	--
	09/21/10		60.13	--	--	3695.74	--
	12/16/10		60.24	--	--	3695.63	--
	03/11/11		60.39	--	--	3695.48	--
	06/14/11		60.63	--	--	3695.24	--
	09/27/11		61.04	--	--	3694.83	--
	12/13/11		61.24	--	--	3694.63	--
	03/27/12		61.39	--	--	3694.48	--
	06/19/12		61.54	--	--	3694.33	--
	09/24/12		61.71	--	--	3694.16	--
	12/10/12		61.91	--	--	3693.96	--
MW-AR	09/17/13	3755.73	62.09	--	--	3693.64	--
	12/03/13		62.15	--	--	3693.58	--
	03/11/14		62.21	--	--	3693.52	--
	06/03/14		62.35	--	--	3693.52	--
MW-B	3/23/2006	3755.94	62.08	--	--	3693.86	--
	6/15/2006		61.58	--	--	3694.36	--
	8/14/2006		62.34	--	--	3693.60	--

TABLE 2
DCP MIDSTREAM, LP - HOBBS GAS PLANT
HISTORICAL SUMMARY OF GROUNDWATER
AND LNAPL GAUGING MEASUREMENTS

<i>Well ID</i>	<i>Date</i>	<i>TOC (ft msl)</i>	<i>DTW (ft bgs)</i>	<i>DTP (ft.)</i>	<i>LNAPL Thickness (ft.)</i>	<i>GWE* (ft msl)</i>	<i>Product Recovered (gal.)</i>
MW-B cont.	11/14/2006	3755.70	62.16	--	--	3693.78	--
	3/27/2007		61.77	--	--	3694.17	--
	6/21/2007		61.84	--	--	3694.10	--
	9/18/2007		61.93	--	--	3694.01	--
	12/13/2007		61.85	--	--	3694.09	--
	03/05/08		61.66	--	--	3694.28	--
	06/02/08		61.69	--	--	3694.25	--
	09/15/08		62.04	--	--	3693.90	--
	12/03/08		61.93	--	--	3694.01	--
	02/27/09		61.68	--	--	3694.26	--
	06/25/09		61.63	--	--	3694.31	--
	09/01/09		61.81	--	--	3694.13	--
	11/17/09		61.85	--	--	3694.09	--
	03/25/10		61.70	--	--	3694.24	--
	06/08/10		61.77	--	--	3694.17	--
	09/21/10		61.58	--	--	3694.36	--
	12/16/10		61.61	--	--	3694.33	--
	03/11/11		61.74	--	--	3694.20	--
	06/14/11		61.95	--	--	3693.99	--
	09/27/11		62.43	--	--	3693.51	--
	12/13/11		62.60	--	--	3693.34	--
	03/27/12		62.94	--	0.29	3693.23	--
	06/19/12		64.10	--	1.65	3693.18	--
	09/24/12		64.60	--	2.10	3693.04	--
	12/10/12		65.07	--	2.57	3692.95	--
	03/11/13		65.00	--	3.60	3693.86	--
	06/11/13		65.02	--	2.57	3693.00	--
	09/16/13		64.84	--	2.44	3692.84	--
	12/03/13		64.82	62.42	2.40	3692.82	--
	03/11/14		64.90	62.50	2.40	3692.74	--
	04/16/14		64.98	62.58	2.40	3692.66	0.75
	05/20/14		64.85	62.65	2.20	3692.63	0.30
	06/03/14		64.73	62.80	1.93	3692.53	0.35

TABLE 2
DCP MIDSTREAM, LP - HOBBS GAS PLANT
HISTORICAL SUMMARY OF GROUNDWATER
AND LNAPL GAUGING MEASUREMENTS

<i>Well ID</i>	<i>Date</i>	<i>TOC (ft msl)</i>	<i>DTW (ft bgs)</i>	<i>DTP (ft.)</i>	<i>LNAPL Thickness (ft.)</i>	<i>GWE* (ft msl)</i>	<i>Product Recovered (gal.)</i>
MW-C	3/23/2006	3755.59	61.69	--	--	3693.90	--
	6/14/2006		61.86	--	--	3693.73	--
	8/14/2006		61.88	--	--	3693.71	--
	11/14/2006		61.70	--	--	3693.89	--
	3/27/2007		61.28	--	--	3694.31	--
	6/21/2007		61.57	--	--	3694.02	--
	9/18/2007		61.48	--	--	3694.11	--
	12/13/2007		61.34	--	--	3694.25	--
	03/05/08		61.18	--	--	3694.41	--
	06/02/08		61.22	--	--	3694.37	--
	09/15/08		61.54	--	--	3694.05	--
	12/03/08		61.48	--	--	3694.11	--
	02/27/09		61.15	--	--	3694.44	--
	06/25/09		61.16	--	--	3694.43	--
	09/01/09		61.35	--	--	3694.24	--
	11/17/09		61.37	--	--	3694.22	--
	03/25/10		61.27	--	--	3694.32	--
	06/08/10		61.33	--	--	3694.26	--
	09/21/10		61.10	--	--	3694.49	--
	12/16/10		61.15	--	--	3694.44	--
	03/11/11		61.28	--	--	3694.31	--
	06/14/11		61.52	--	--	3694.07	--
	09/27/11		62.00	--	--	3693.59	--
	12/13/11		62.20	--	--	3693.39	--
	03/27/12		62.33	--	--	3693.26	--
	06/19/12		62.45	--	--	3693.14	--
	09/24/12		62.67	--	--	3692.92	--
	12/10/12		62.73	--	--	3692.86	--
	03/11/13		61.70	--	--	3693.89	--
	06/11/13		62.73	62.70	0.03	3692.88	--
	09/16/13	3755.35	62.73	62.53	0.20	3692.78	--
	12/03/13		62.87	62.50	0.37	3692.78	--
	03/11/14		63.12	62.55	0.57	3692.69	--
	04/16/14		63.31	62.60	0.71	3692.62	0.25
	05/20/14		63.08	62.67	0.41	3692.60	0.04
	06/03/14		63.08	62.93	0.15	3692.39	0.01

TABLE 2
DCP MIDSTREAM, LP - HOBBS GAS PLANT
HISTORICAL SUMMARY OF GROUNDWATER
AND LNAPL GAUGING MEASUREMENTS

<i>Well ID</i>	<i>Date</i>	<i>TOC (ft msl)</i>	<i>DTW (ft bgs)</i>	<i>DTP (ft.)</i>	<i>LNAPL Thickness (ft.)</i>	<i>GWE* (ft msl)</i>	<i>Product Recovered (gal.)</i>
MW-D	3/23/2006	3755.43	61.09	--	--	3694.34	--
	6/14/2006		61.32	--	--	3694.11	--
	8/14/2006		61.36	--	--	3694.07	--
	11/14/2006		61.22	--	--	3694.21	--
	3/27/2007		60.85	--	--	3694.58	--
	6/21/2007		60.97	--	--	3694.46	--
	9/18/2007		61.05	--	--	3694.38	--
	12/13/2007		60.91	--	--	3694.52	--
	03/05/08		60.77	--	--	3694.66	--
	06/02/08		60.77	--	--	3694.66	--
	09/15/08		61.10	--	--	3694.33	--
	12/03/08		61.08	--	--	3694.35	--
	02/27/09		60.79	--	--	3694.64	--
	06/25/09		60.77	--	--	3694.66	--
	09/01/09		60.96	--	--	3694.47	--
	11/17/09		60.96	--	--	3694.47	--
	03/25/10		60.89	--	--	3694.54	--
	06/08/10		60.91	--	--	3694.52	--
	09/21/10		60.66	--	--	3694.77	--
	12/16/10		60.72	--	--	3694.71	--
	03/11/11		60.84	--	--	3694.59	--
	06/14/11		61.09	--	--	3694.34	--
	09/27/11		61.55	--	--	3693.88	--
	12/13/11		61.70	--	--	3693.73	--
	03/27/12		61.84	--	--	3693.59	--
	06/19/12		61.97	--	--	3693.46	--
	09/24/12		62.12	--	--	3693.31	--
	12/10/12		62.26	--	--	3693.17	--
	03/11/13		62.20	--	--	3693.23	--
	06/11/13		62.26	--	--	3693.17	--
	09/17/13	3755.19	62.14	--	--	3693.05	--
	12/03/13		62.15	--	--	3693.04	--
	03/11/14		62.24	--	--	3692.95	--
	06/03/14		62.43	--	--	3692.76	--
MW-E	3/23/2006	3754.36	61.09	--	--	3693.27	--
	6/15/2006		61.32	--	--	3693.04	--

TABLE 2
DCP MIDSTREAM, LP - HOBBS GAS PLANT
HISTORICAL SUMMARY OF GROUNDWATER
AND LNAPL GAUGING MEASUREMENTS

<i>Well ID</i>	<i>Date</i>	<i>TOC (ft msl)</i>	<i>DTW (ft bgs)</i>	<i>DTP (ft.)</i>	<i>LNAPL Thickness (ft.)</i>	<i>GWE* (ft msl)</i>	<i>Product Recovered (gal.)</i>
MW-E cont.	8/14/2006	3754.11	61.41	--	--	3692.95	--
	11/14/2006		61.27	--	--	3693.09	--
	3/27/2007		60.86	--	--	3693.5	--
	6/21/2007		61.09	--	--	3693.27	--
	9/18/2007		61.09	--	--	3693.27	--
	12/13/2007		60.91	--	--	3693.45	--
	03/05/08		60.75	--	--	3693.61	--
	06/02/08		60.78	--	--	3693.58	--
	09/15/08		61.21	--	--	3693.15	--
	12/03/08		61.13	--	--	3693.23	--
	02/27/09		60.81	--	--	3693.55	--
	06/25/09		60.74	--	--	3693.62	--
	09/01/09		60.93	--	--	3693.43	--
	11/17/09		60.94	--	--	3693.42	--
	03/25/10		60.82	--	--	3693.54	--
	06/08/10		60.83	--	--	3693.53	--
	09/21/10		60.65	--	--	3693.71	--
	12/16/10		60.65	--	--	3693.71	--
	03/11/11		60.75	--	--	3693.61	--
	06/14/11		60.91	--	--	3693.45	--
	09/27/11		61.43	--	--	3692.93	--
	12/13/11		61.59	--	--	3692.77	--
	03/27/12		61.66	--	--	3692.70	--
	06/19/12		61.81	--	--	3692.55	--
	09/24/12		61.94	--	--	3692.42	--
	12/10/12		62.90	--	--	3691.46	--
	03/11/13		61.91	--	--	3692.45	--
	06/11/13		61.97	--	--	3692.39	--
	09/17/13		61.90	--	--	3692.21	--
	12/03/13		61.85	--	--	3692.26	--
	03/11/14		61.95	--	--	3692.16	--
	06/03/14		62.09	--	--	3692.02	--
				--			
MW-F	3/23/2006	3756.13	62.53	--	--	3693.60	--
	6/14/2006		62.72	--	--	3693.41	--
	8/14/2006		62.68	--	--	3693.45	--
	11/14/2006		62.46	--	--	3693.67	--

TABLE 2
DCP MIDSTREAM, LP - HOBBS GAS PLANT
HISTORICAL SUMMARY OF GROUNDWATER
AND LNAPL GAUGING MEASUREMENTS

<i>Well ID</i>	<i>Date</i>	<i>TOC (ft msl)</i>	<i>DTW (ft bgs)</i>	<i>DTP (ft.)</i>	<i>LNAPL Thickness (ft.)</i>	<i>GWE* (ft msl)</i>	<i>Product Recovered (gal.)</i>
MW-F cont.	3/27/2007	3755.88	67.05	--	--	3689.08	--
	6/21/2007		62.32	--	--	3693.81	--
	9/18/2007		62.31	--	--	3693.82	--
	12/13/2007		62.19	--	--	3693.94	--
	03/05/08		62.01	--	--	3694.12	--
	06/02/08		62.06	--	--	3694.07	--
	09/15/08		62.44	--	--	3693.69	--
	12/03/08		62.22	--	--	3693.91	--
	02/27/09		61.97	--	--	3694.16	--
	06/25/09		61.96	--	--	3694.17	--
	09/01/09		62.18	--	--	3693.95	--
	11/17/09		62.13	--	--	3694.00	--
	03/25/10		62.02	--	--	3694.11	--
	06/08/10		62.12	--	--	3694.01	--
	09/21/10		61.92	--	--	3694.21	--
	12/16/10		61.93	--	--	3694.20	--
	03/11/11		62.05	--	--	3694.08	--
	06/14/11		62.35	--	--	3693.78	--
	09/27/11		62.85	--	--	3693.28	--
	12/13/11		63.05	--	--	3693.08	--
	03/27/12		63.16	--	--	3692.97	--
	06/19/12		63.30	--	--	3692.83	--
	09/24/12		63.50	--	--	3692.63	--
	12/10/12		63.65	--	--	3692.48	--
	03/11/13		63.50	--	--	3692.63	--
	06/11/13		63.51	--	--	3692.62	--
	09/17/13		63.41	--	--	3692.47	--
	12/03/13		63.40	--	--	3692.48	--
	03/11/14		63.49	--	--	3692.39	--
	06/03/14		63.60	--	--	3692.28	--
MW-G	09/17/13	3754.67	62.65	--	--	3692.02	--
	12/03/13		62.63	--	--	3692.04	--
	12/18/13		62.61	--	--	3692.06	--
	03/11/14		62.73	--	--	3691.94	--
	06/03/14	Not Gauged due to Damage			--	--	--

TABLE 2
DCP MIDSTREAM, LP - HOBBS GAS PLANT
HISTORICAL SUMMARY OF GROUNDWATER
AND LNAPL GAUGING MEASUREMENTS

<i>Well ID</i>	<i>Date</i>	<i>TOC (ft msl)</i>	<i>DTW (ft bgs)</i>	<i>DTP (ft.)</i>	<i>LNAPL Thickness (ft.)</i>	<i>GWE* (ft msl)</i>	<i>Product Recovered (gal.)</i>
----------------	-------------	---------------------	---------------------	------------------	----------------------------------	--------------------------	---

Notes and Abbreviations:

ID = Identification

TOC = Top of casing

DTW = Depth to water

LNAPL = Light non-aqueous phase liquids

GWE = Groundwater elevation

ft msl = Feet above mean sea level

ft bgs = Feet below ground surface

-- = No LNAPL gauged

Wells were re-surveyed on 9/25/2013

TABLE 3
DCP MIDSTREAM, LP - HOBBS GAS PLANT
HISTORICAL SUMMARY OF GROUNDWATER
ANALYTICAL RESULTS AND PARAMETER READINGS

<i>Well ID (mg/l)</i>	<i>Date of Sample</i>	<i>Benzene (µg/l)</i>	<i>Toluene (µg/l)</i>	<i>Ethyl-Benzene (µg/l)</i>	<i>Total Xylenes (µg/l)</i>	<i>LNAPL Thickness (ft)</i>	<i>pH (s.u.)</i>	<i>Conductivity (µS/cm)</i>	<i>Temperature (°C)</i>	<i>DO (mg/l)</i>	<i>ORP (mV)</i>
NMWQCC Cleanup Levels		10 (µg/l)	750 (µg/l)	750 (µg/l)	620 (µg/l)						
MW-AR	03/23/06	< 1.0	< 5.0	< 1.0	< 3.0	--	7.37	373	17.0	6.19	--
DUP	03/23/06	< 1.0	< 5.0	< 1.0	< 3.0	--	--	--	--	--	--
	06/14/06	< 1.0	< 5.0	< 1.0	< 3.0	--	7.38	532	20.1	8.67	--
	08/14/06	< 0.5	< 5.0	< 0.5	< 1.5	--	5.70	578	22.4	5.7	68.7
	11/14/06	< 1.0	< 5.0	< 1.0	< 3.0	--	7.10	433	18.9	7.6	44.4
	03/28/07	< 1.0	< 5.0	< 1.0	< 3.0	--	7.71	594	18.9	10.04	223.7
	06/21/07	< 1.0	< 5.0	< 1.0	< 3.0	--	7.30	565	19.5	5.45	28.7
	09/18/07	< 1.0	< 5.0	< 1.0	< 3.0	--	7.13	495	19.9	4.79	5.9
	12/13/07	< 1.0	< 5.0	< 1.0	< 3.0	--	7.23	614	18.4	7.01	-8.6
	03/05/08	11	<5.0	3.8	15.0	--	7.20	431	17.5	11.42	21.3
	06/02/08	<0.46	<0.48	<0.45	<1.4	--	7.31	573	20.6	5.49	31.1
	09/15/08	<0.46	<0.48	<0.45	<1.4	--	6.81	533	19.3	4.96	238.7
	12/03/08	<0.46	<0.48	<0.45	<1.4	--	7.37	505	18.2	7.17	183.9
	02/27/09	<0.46	<0.48	<0.45	<1.4	--	7.29	505	19.3	8.15	64.1
	06/25/09	<2.0	<2.0	<2.0	<6.0	--	6.90	660	19.8	8.20	145.0
	09/01/09	<2.0	<2.0	<2.0	<6.0	--	7.07	670	19.9	8.11	69.0
	11/17/09	<2.0	<2.0	<2.0	<6.0	--	7.82	576	17.7	--	--
	03/25/10	<2.0	<2.0	<2.0	<6.0	--	7.51	567	21.7	--	--
	06/08/10	<2.0	<2.0	<2.0	<6.0	--	7.36	513	--	--	--
	09/21/10	<0.50	<0.43	<0.55	<1.7	--	7.11	585	20.3	--	--
	12/16/10	<0.50	<0.43	<0.55	<1.7	--	7.27	226	18.0	--	--
	03/11/11	<2.0	<2.0	<2.0	<6.0	--	7.31	557	19.4	--	--
	06/14/11	<1.0	<1.0	<1.0	<3.0	--	6.93	582	21.0	--	--
	09/27/11	<1.0	<1.0	<1.0	<3.0	--	7.65	539	20.8	--	--
	12/13/11	<1.0	<1.0	<1.0	<3.0	--	7.50	574	17.5	--	--
	03/27/12	<1.0	<1.0	<1.0	<3.0	--	7.79	516	19.7	--	--
	06/19/12	<1.0	<1.0	<1.0	<3.0	--	7.53	518	20.2	--	--
	09/24/12	<1.0	<1.0	<1.0	<3.0	--	7.86	554	20.5	--	--
	12/10/12	<1.0	<1.0	<1.0	<3.0	--	7.10	554	19.7	--	--

TABLE 3
DCP MIDSTREAM, LP - HOBBS GAS PLANT
HISTORICAL SUMMARY OF GROUNDWATER
ANALYTICAL RESULTS AND PARAMETER READINGS

<i>Well ID (mg/l)</i>	<i>Date of Sample</i>	<i>Benzene (µg/l)</i>	<i>Toluene (µg/l)</i>	<i>Ethyl-Benzene (µg/l)</i>	<i>Total Xylenes (µg/l)</i>	<i>LNAPL Thickness (ft)</i>	<i>pH (s.u.)</i>	<i>Conductivity (µS/cm)</i>	<i>Temperature (°C)</i>	<i>DO (mg/l)</i>	<i>ORP (mV)</i>
NMWQCC Cleanup Levels		10 (µg/l)	750 (µg/l)	750 (µg/l)	620 (µg/l)						
MW-AR cont.	09/17/13	<1.0	<1.0	<1.0	<3.0	--	7.67	581	19.2	--	--
	12/03/13	<1.0	<1.0	<1.0	<3.0	--	8.17	792	18.9	--	--
	03/11/14	<1.0	<1.0	<1.0	<3.0	--	8.26	568	18.8	--	--
	06/03/14	<1.0	<1.0	<1.0	<3.0	--	7.51	580	19.0	--	--
MW-B	03/23/06	200	370	43	750	--	6.96	440	19.1	1.71	--
	06/15/06	150	110	40	270	--	7.02	809	19.2	3.68	--
DUP	06/15/06	110	50	27	160	--	--	--	--	--	--
	08/14/06	29	6.2	< 0.5	48	--	6.63	753	19.9	1.41	-140.6
	11/14/06	200	74	82	440	--	6.69	609	19.0	7.83	-198.5
	03/28/07	300	120	140	1000	--	6.84	1009	19.4	4.34	-150.6
	06/21/07	310	81	110	740	--	6.92	863	19.1	3.72	-127.9
	09/18/07	410	87	160	1100	--	6.74	822	20.0	1.18	-140.1
	12/13/07	420	86	140	630	--	6.85	980	18.2	7.39	--
	03/05/08	550	64	130	730	--	6.67	836	17.0	2.49	-214.1
	06/02/08	444	86.5	155	716	--	7.08	868	20.0	1.09	-150.1
	09/15/08	398	36.6	157	947	--	6.60	902	19.6	0.56/0.56	1.0
DUP	09/15/08	488	46	200	1,210	--	--	--	--	--	--
	12/03/08	25.6	0.56	7.1	29.2	--	6.93	889	18.4	1.57	-161.4
	02/27/09	592	86.3	176	1,230	--	6.87	921	18.8	0.96	-115.7
	06/25/09	1,490	270	411	2,750	--	6.60	130	19.8	2.50	-131.0
	09/01/09	1,420	195	380	2,930	--	6.60	130	20.4	1.92	-206.0
	11/17/09	199	2.9	68.5	159	--	6.99	822	17.5	--	--
	03/25/10	199	7.8	112	375	--	6.99	1007	20.8	--	--
	06/08/10	438	20.2	161	836	--	6.98	866	21.6	--	--
DUP	06/08/10	631	26.8	191	1,230	--	--	--	--	--	--
	09/21/10	572	21.7	167	885	--	6.73	981	19.7	--	--
	12/16/10	154	14.6	52.8	239	--	7.04	994	17.5	--	--
	03/11/11	360	19.9	175	742	--	6.89	946	19.5	--	--
DUP	03/11/11	295	--	--	742	--	--	--	--	--	--
	06/14/11	295	9.2	135	584	--	6.69	998	20.1	--	--

TABLE 3
DCP MIDSTREAM, LP - HOBBS GAS PLANT
HISTORICAL SUMMARY OF GROUNDWATER
ANALYTICAL RESULTS AND PARAMETER READINGS

<i>Well ID (mg/l)</i>	<i>Date of Sample</i>	<i>Benzene (µg/l)</i>	<i>Toluene (µg/l)</i>	<i>Ethyl-Benzene (µg/l)</i>	<i>Total Xylenes (µg/l)</i>	<i>LNAPL Thickness (ft)</i>	<i>pH (s.u.)</i>	<i>Conductivity (µS/cm)</i>	<i>Temperature (°C)</i>	<i>DO (mg/l)</i>	<i>ORP (mV)</i>
NMWQCC Cleanup Levels		10 (µg/l)	750 (µg/l)	750 (µg/l)	620 (µg/l)						
DUP	06/14/11	448	11	162	932	--	--	--	--	--	--
	09/27/11	225	0.8	147	464	--	7.30	873	20.8	--	--
	12/13/11	357	10	157	581	--	7.07	1006	18.2	--	--
	03/27/12		LNAPL present			0.29	--	--	--	--	--
	06/19/12		LNAPL present			1.65	--	--	--	--	--
	09/24/12		LNAPL present			2.10	--	--	--	--	--
	12/10/12		LNAPL present			2.57	--	--	--	--	--
	03/11/13		LNAPL present			3.60	--	--	--	--	--
	06/11/13		LNAPL present			2.57	--	--	--	--	--
	09/16/13		LNAPL present			2.44	--	--	--	--	--
	12/03/13		LNAPL present			2.40	--	--	--	--	--
	03/11/14		LNAPL present			2.40	--	--	--	--	--
	06/03/14		LNAPL present			1.93	--	--	--	--	--
MW-C	03/23/06	< 1.0	< 5.0	< 1.0	< 3.0	--	7.12	350	19.2	4.21	-
	06/14/06	80.0	37.0	22.0	180	--	7.03	618	20.1	4.17	-
	08/14/06	31.0	8.70	2.90	58.0	--	6.71	644	22.0	2.08	-147.4
	11/14/06	30.0	19.0	11.0	83.0	--	6.71	483	18.5	4.31	-138.6
	03/28/07	84.0	44.0	19.0	160	--	6.98	692	18.6	4.79	-95.4
	06/21/07	18.0	7.10	3.50	26.0	--	7.02	659	18.9	4.36	-90.5
	09/18/07	43.0	5.30	14.0	57.0	--	6.88	625	19.2	3.8	-103.6
	DUP 09/18/07	48.0	6.90	16.0	64.0	--	--	--	--	--	--
	DUP 12/13/07	13.0	< 5.0	4.50	22.0	--	7.00	844	18.0	10.86	-106.1
	DUP 12/13/07	17.0	< 5.0	5.80	25.0	--	--	--	--	--	--
	DUP 03/05/08	61.0	5.30	19.0	78.0	--	--	--	--	--	--
	DUP 03/05/08	160	<25	160	140	--	6.91	535	17.5	6.50	-104.1
	DUP 06/02/08	75.1	4.90	26.3	121	--	--	--	--	--	--
	DUP 06/02/08	103	8.10	36.9	170	--	6.90	781	20.0	2.64	-121.2
	DUP 09/15/08	130	5.70	47.3	222	--	6.51	679	19.0	1.97	160.3
	DUP 12/03/08	39.0	<0.48	10.5	33.3	--	6.88	621	18.2	2.31	-17.8
	DUP 12/03/08	50.6	<0.48	13.6	44.5	--	--	--	--	--	--
	DUP 02/27/09	69.9	0.78	20.1	86.8	--	6.90	614	18.6	1.96	-8.7

TABLE 3
DCP MIDSTREAM, LP - HOBBS GAS PLANT
HISTORICAL SUMMARY OF GROUNDWATER
ANALYTICAL RESULTS AND PARAMETER READINGS

<i>Well ID (mg/l)</i>	<i>Date of Sample</i>	<i>Benzene (µg/l)</i>	<i>Toluene (µg/l)</i>	<i>Ethyl-Benzene (µg/l)</i>	<i>Total Xylenes (µg/l)</i>	<i>LNAPL Thickness (ft)</i>	<i>pH (s.u.)</i>	<i>Conductivity (µS/cm)</i>	<i>Temperature (°C)</i>	<i>DO (mg/l)</i>	<i>ORP (mV)</i>
NMWQCC Cleanup Levels		10 (µg/l)	750 (µg/l)	750 (µg/l)	620 (µg/l)						
DUP	02/27/09	36.6	<0.48	10.0	43.3	--	--	--	--	--	--
	06/25/09	54.3	0.72	11.9	53.0	--	6.60	760	19.6	4.42	54.0
DUP	06/25/09	64.2	0.87	19.0	82.4	--	--	--	--	--	--
	09/01/09	82.8	1.30	23.1	132	--	6.78	990	19.3	2.66	40.0
DUP	09/01/09	71.5	1.00	19.8	110	--	--	--	--	--	--
	11/17/09	30.0	<2.0	9.30	53.0	--	7.26	631	17.2	--	--
DUP	11/17/19	25.7	<2.0	7.70	44.3	--	--	--	--	--	--
	03/25/10	48.2	3.00	16.9	141	--	7.13	686	19.2	--	--
DUP	03/25/10	52.2	2.90	20.3	123	--	--	--	--	--	--
	06/08/10	20.4	1.10	8.50	52.3	--	6.92	621	23.1	--	--
	09/21/10	124	3.10	50.4	276	--	6.58	742	19.2	--	--
	12/16/10	10.7	0.59	5.10	25.2	--	6.95	761	18.1	--	--
DUP	12/16/10	5.40	<0.43	2.80	12.6	--	--	--	--	--	--
	03/11/11	95.8	5.70	42.4	235	--	6.80	725	19.3	--	--
	06/14/11	66.0	2.80	29.8	145	--	6.60	737	21.2	--	--
	09/27/11	40.3	0.73	19.9	94.4	--	7.34	677	20.5	--	--
	12/13/11	112	4.30	29.8	200	--	7.06	730	16.5	--	--
DUP	12/13/11	44.1	1.90	14.4	97.7	--	--	--	--	--	--
	03/27/12	37.0	1.20	11.4	75.8	--	7.26	652	19.2	--	--
DUP	03/27/12	52.0	1.80	15.0	108	--	--	--	--	--	--
	06/19/12	66.8	1.90	20.1	135	--	7.15	701	20.0	--	--
	09/24/12	2.10	<0.33	0.89	5.60	--	7.76	732	20.6	--	--
	12/10/12	26.6	2.20	8.20	57.8	--	7.08	670	17.6	--	--
	03/11/13	8.60	0.66	2.90	19.8	--	7.64	801	18.4	--	--
DUP	03/11/13	4.70	0.37	1.60	11.1	--	--	--	--	--	--
	06/11/13		LNAPL present			0.03	--	--	--	--	--
	09/16/13		LNAPL present			0.20	--	--	--	--	--
	12/03/13		LNAPL present			0.37	--	--	--	--	--
	03/11/14		LNAPL present			0.57	--	--	--	--	--
	06/03/14		LNAPL present			0.15	--	--	--	--	--

TABLE 3
DCP MIDSTREAM, LP - HOBBS GAS PLANT
HISTORICAL SUMMARY OF GROUNDWATER
ANALYTICAL RESULTS AND PARAMETER READINGS

Well ID (mg/l)	Date of Sample	Benzene (µg/l)	Toluene (µg/l)	Ethyl-Benzene (µg/l)	Total Xylenes (µg/l)	LNAPL Thickness (ft)	pH (s.u.)	Conductivity (µS/cm)	Temperature (°C)	DO (mg/l)	ORP (mV)
NMWQCC Cleanup Levels		10 (µg/l)	750 (µg/l)	750 (µg/l)	620 (µg/l)						
MW-D	3/23/2006	< 1.0	< 5.0	< 1.0	< 3.0	< 0.1	6.86	426	18.5	3.88	--
	6/14/2006	< 1.0	< 5.0	< 1.0	< 3.0	< 0.1	6.08	722	20.1	5.36	--
	8/14/2006	< 0.5	< 5.0	< 0.5	< 1.5	--	7.08	602	20.0	7.38	109.6
	11/14/2006	< 1.0	< 5.0	< 1.0	< 3.0	--	6.73	464	19.0	6.53	79.2
	3/28/2007	< 1.0	< 5.0	< 1.0	< 3.0	--	6.90	777	19.2	9.8	715.4
	6/21/2007	< 1.0	< 5.0	< 1.0	< 3.0	--	6.99	681	19.3	6.24	54.9
	9/18/2007	< 1.0	< 5.0	< 1.0	< 3.0	--	6.79	645	19.5	4.46	65.6
	12/13/2007	< 1.0	< 5.0	< 1.0	< 3.0	--	7.00	714	18.3	10.41	5.4
	03/05/08	<1.0	<5.0	<1.0	<3.0	--	6.85	507	17.2	9.66	22.5
	06/02/08	<0.46	<0.48	<0.45	<1.4	--	7.13	668	20.0	5.39	29.2
	09/15/08	<0.46	<0.48	<0.45	<1.4	--	6.64	646	19.4	3.65	233.1
	12/03/08	<0.46	<0.48	<0.45	<1.4	--	7.09	587	18.0	5.46	175.5
	02/27/09	<0.46	<0.48	<0.45	<1.4	--	7.01	589	19.6	7.22	77.1
	06/25/09	<2.0	<2.0	<2.0	<6.0	--	6.70	820	20.1	6.38	177.0
	09/01/09	<2.0	<2.0	<2.0	<6.0	--	6.81	860	19.9	6.11	118.0
	11/17/09	<2.0	<2.0	<2.0	<6.0	--	7.67	658	16.7	--	--
	03/25/10	<2.0	<2.0	<2.0	<6.0	--	7.18	706	19.5	--	--
	06/08/10	<2.0	<2.0	<2.0	<6.0	--	7.09	636	22.3	--	--
	09/21/10	<0.50	<0.43	<0.55	<1.7	--	6.84	731	19.3	--	--
	12/16/10	<0.50	<0.43	<0.55	<1.7	--	7.03	795	18.7	--	--
	03/11/11	<2.0	<2.0	<2.0	<6.0	--	6.82	761	19.4	--	--
	06/14/11	<1.0	<1.0	<1.0	<3.0	--	6.65	842	20.0	--	--
	09/27/11	<1.0	<1.0	<1.0	<3.0	--	7.21	709	20.6	--	--
	12/13/11	<1.0	<1.0	<1.0	<3.0	--	7.28	772	16.7	--	--
	03/27/12	<1.0	<1.0	<1.0	<3.0	--	7.18	660	20.5	--	--
	06/19/12	<1.0	<1.0	<1.0	<3.0	--	7.26	706	21.1	--	--
	09/24/12	<1.0	<1.0	<1.0	<3.0	--	8.18	718	23.0	--	--
	12/10/12	<1.0	<1.0	<1.0	<3.0	--	6.92	676	18.3	--	--
DUP	12/10/12	<1.0	<1.0	<1.0	<3.0	--	--	--	--	--	--
	03/11/13	<1.0	<1.0	<1.0	<3.0	--	8.14	707	18.8	--	--
DUP	06/11/13	<1.0	<1.0	<1.0	<3.0	--	7.01	658	20.5	--	--
	06/11/13	<1.0	<1.0	<1.0	<3.0	--	--	--	--	--	--

TABLE 3
DCP MIDSTREAM, LP - HOBBS GAS PLANT
HISTORICAL SUMMARY OF GROUNDWATER
ANALYTICAL RESULTS AND PARAMETER READINGS

<i>Well ID (mg/l)</i>	<i>Date of Sample</i>	<i>Benzene (µg/l)</i>	<i>Toluene (µg/l)</i>	<i>Ethyl-Benzene (µg/l)</i>	<i>Total Xylenes (µg/l)</i>	<i>LNAPL Thickness (ft)</i>	<i>pH (s.u.)</i>	<i>Conductivity (µS/cm)</i>	<i>Temperature (°C)</i>	<i>DO (mg/l)</i>	<i>ORP (mV)</i>
NMWQCC Cleanup Levels		10 (µg/l)	750 (µg/l)	750 (µg/l)	620 (µg/l)						
MW-D cont.	09/17/13	<1.0	<1.0	<1.0	<3.0	--	7.38	694	19.5	--	--
	12/03/13	<1.0	<1.0	<1.0	<3.0	--	8.32	696	18.1	--	--
	03/11/14	<1.0	<1.0	<1.0	<3.0	--	7.97	641	19.0	--	--
	06/03/14	<1.0	<1.0	<1.0	<3.0	--	7.40	642	19.6	--	--
	06/03/14	<1.0	<1.0	<1.0	<3.0	--	--	--	--	--	--
DUP											
MW-E	3/23/2006	< 1.0	< 5.0	< 1.0	< 3.0	< 0.1	7.21	347	19.7	5.04	--
	6/15/2006	< 1.0	< 5.0	< 1.0	< 3.0	< 0.1	7.13	543	19.4	6.43	--
	8/14/2006	< 0.5	< 5.0	< 0.5	< 1.5	--	6.75	541	20.3	7.24	101.4
	11/14/2006	< 1.0	< 5.0	< 1.0	< 3.0	--	6.83	413	19.0	6.69	54.1
	3/28/2007	< 1.0	< 5.0	< 1.0	< 3.0	--	7.07	667	19.0	6.44	46.9
	3/28/2007	< 1.0	< 5.0	< 1.0	< 3.0	--	--	--	--	--	--
	6/21/2007	< 1.0	< 5.0	< 1.0	< 3.0	--	6.90	640	19.1	3.94	20.3
	9/18/2007	< 1.0	< 5.0	< 1.0	< 3.0	--	6.92	585	22.0	3.28	7.6
	12/13/2007	< 1.0	< 5.0	< 1.0	< 3.0	--	7.02	778	18.0	7.28	3.5
	03/05/08	14.0	< 5.0	3.90	14.0	--	6.89	487	17.3	8.99	38.4
	06/02/08	<0.46	<0.48	<0.45	<1.4	--	7.07	633	19.9	3.72	9.4
	09/15/08	<0.46	<0.48	<0.45	<1.4	--	6.74	601	19.3	4.02	228.3
	12/03/08	<0.46	<0.48	<0.45	<1.4	--	7.03	592	18.6	5.25	186.2
	02/27/09	<0.46	<0.48	<0.45	<1.4	--	7.01	590	19.1	6.29	91.2
	06/25/09	<2.0	<2.0	<2.0	<6.0	--	6.80	270	20.1	5.19	60.0
	09/01/09	<2.0	<2.0	<2.0	<6.0	--	6.84	780	20.9	5.95	16.0
	11/17/09	<2.0	<2.0	<2.0	<6.0	--	7.32	610	17.1	--	--
	03/25/10	<2.0	<2.0	<2.0	<6.0	--	7.14	654	19.5	--	--
	06/08/10	<2.0	<2.0	<2.0	<6.0	--	7.00	612	22.5	--	--
	09/21/10	<0.50	<0.43	<0.55	<1.7	--	6.72	730	19.4	--	--
DUP											
DUP	09/21/10	<0.50	<0.43	<0.55	<1.7	--	--	--	--	--	--
	12/16/10	<0.50	<0.43	<0.55	<1.7	--	7.01	699	18.1	--	--
	03/11/11	<2.0	<2.0	<2.0	<6.0	--	6.82	685	19.3	--	--
	03/11/11	<2.0	<2.0	<2.0	<6.0	--	--	--	--	--	--
	06/14/11	<1.0	<1.0	<1.0	<3.0	--	6.63	728	21.0	--	--
	09/27/11	<1.0	<1.0	<1.0	<3.0	--	7.42	607	20.9	--	--

TABLE 3
DCP MIDSTREAM, LP - HOBBS GAS PLANT
HISTORICAL SUMMARY OF GROUNDWATER
ANALYTICAL RESULTS AND PARAMETER READINGS

Well ID (mg/l)	Date of Sample	Benzene (µg/l)	Toluene (µg/l)	Ethyl-Benzene (µg/l)	Total Xylenes (µg/l)	LNAPL Thickness (ft)	pH (s.u.)	Conductivity (µS/cm)	Temperature (°C)	DO (mg/l)	ORP (mV)
NMWQCC Cleanup Levels		10 (µg/l)	750 (µg/l)	750 (µg/l)	620 (µg/l)						
DUP	09/27/11	<1.0	<1.0	<1.0	<3.0	--	--	--	--	--	--
	12/13/11	<1.0	<1.0	<1.0	<3.0	--	7.19	682	15.9	--	--
	03/27/12	<1.0	<1.0	<1.0	<3.0	--	7.55	630	20.0	--	--
	06/19/12	<1.0	<1.0	<1.0	<3.0	--	7.25	641	19.9	--	--
	06/19/12	<1.0	<1.0	<1.0	<3.0	--	--	--	--	--	--
DUP	09/24/12	<1.0	<1.0	<1.0	<3.0	--	7.83	707	23.0	--	--
DUP	09/24/12	<1.0	<1.0	<1.0	<3.0	--	--	--	--	--	--
	12/10/12	<1.0	<1.0	<1.0	<3.0	--	6.21	653	17.1	--	--
	03/11/13	<1.0	<1.0	<1.0	<3.0	--	8.17	697	18.8	--	--
	06/11/13	<1.0	<1.0	<1.0	<3.0	--	6.98	687	23.4	--	--
	09/17/13	<1.0	<1.0	<1.0	<3.0	--	7.30	717	19.2	--	--
	12/03/13	<1.0	<1.0	<1.0	<3.0	--	8.40	663	18.5	--	--
	03/11/14	<1.0	<1.0	<1.0	<3.0	--	8.05	629	19.0	--	--
	06/03/14	<1.0	<1.0	<1.0	<3.0	--	7.33	683	19.3	--	--
MW-F	3/23/2006	< 1.0	< 5.0	< 1.0	< 3.0	< 0.1	6.82	517	19.4	2.12	--
	6/14/2006	< 1.0	< 5.0	< 1.0	< 3.0	< 0.1	6.81	855	21.7	5.52	--
	8/14/2006	< 0.5	< 5.0	< 0.5	< 1.5	--	6.65	846	20.0	2.45	123.7
DUP	8/14/2006	< 0.5	< 5.0	< 0.5	< 1.5	--	--	--	--	--	--
	11/14/2006	< 1.0	< 5.0	< 1.0	< 3.0	--	6.52	544	18.2	4.5	178.2
	11/14/2006	< 1.0	< 5.0	< 1.0	< 3.0	--	--	--	--	--	--
DUP	3/27/2007	< 1.0	< 5.0	< 1.0	< 3.0	--	6.84	833	18.4	4.61	177
	6/21/2007	< 1.0	< 5.0	< 1.0	< 3.0	--	6.85	849	18.6	4.64	84.7
	6/21/2007	< 1.0	< 5.0	< 1.0	< 3.0	--	--	--	--	--	--
	9/18/2007	< 1.0	< 5.0	< 1.0	< 3.0	--	6.63	734	19.0	3.61	207.9
	12/13/2007	< 1.0	< 5.0	< 1.0	< 3.0	--	6.71	1062	17.9	9.52	-5.7
	03/05/08	1.90	< 5.0	< 1.0	3.80	--	6.76	657	17.0	9.71	3.6
	06/02/08	<0.46	<0.48	<0.45	<1.4	--	6.76	879	19.0	3.08	21.4
	09/15/08	<0.46	<0.48	<0.45	<1.4	--	6.43	876	19.2	2.52	234.3
	12/03/08	<0.46	<0.48	<0.45	<1.4	--	6.76	917	17.8	3.79	188.4
	02/27/09	<0.46	<0.48	<0.45	<1.4	--	6.77	857	18.6	3.85	93.4
	06/25/09	<2.0	<2.0	<2.0	<6.0	--	6.20	100	19.8	5.56	221.0

TABLE 3
DCP MIDSTREAM, LP - HOBBS GAS PLANT
HISTORICAL SUMMARY OF GROUNDWATER
ANALYTICAL RESULTS AND PARAMETER READINGS

Well ID (mg/l)	Date of Sample	Benzene (µg/l)	Toluene (µg/l)	Ethyl-Benzene (µg/l)	Total Xylenes (µg/l)	LNAPL Thickness (ft)	pH (s.u.)	Conductivity (µS/cm)	Temperature (°C)	DO (mg/l)	ORP (mV)
NMWQCC Cleanup Levels		10 (µg/l)	750 (µg/l)	750 (µg/l)	620 (µg/l)						
MW-F cont.	09/01/09	<2.0	<2.0	<2.0	<6.0	--	6.51	110	19.3	5.27	108.0
	11/17/09	<2.0	<2.0	<2.0	<6.0	--	6.93	1030	18.7	--	--
	03/25/10	<2.0	<2.0	<2.0	<6.0	--	6.94	1053	19.0	--	--
	06/08/10	<2.0	<2.0	<2.0	<6.0	--	7.03	900	22.1	--	--
	09/21/10	<0.50	<0.43	<0.55	<1.7	--	6.67	1003	19.1	--	--
	12/16/10	<0.50	<0.43	<0.55	<1.7	--	6.90	1058	17.6	--	--
	03/11/11	<2.0	<2.0	<2.0	<6.0	--	6.84	1017	19.0	--	--
	06/14/11	<1.0	<1.0	<1.0	<3.0	--	6.53	1053	20.1	--	--
	09/27/11	<1.0	<1.0	<1.0	<3.0	--	7.05	890	20.4	--	--
	12/13/11	<1.0	<1.0	<1.0	<3.0	--	7.12	922	16.7	--	--
	03/27/12	<1.0	<1.0	<1.0	<3.0	--	7.20	755	20.6	--	--
	06/19/12	<1.0	<1.0	<1.0	<3.0	--	7.23	776	19.7	--	--
	09/24/12	<0.34	<0.33	<0.32	<0.87	--	7.64	770	21.6	--	--
	12/10/12	<1.0	<1.0	<1.0	<3.0	--	6.97	754	15.8	--	--
	03/11/13	<1.0	<1.0	<1.0	<3.0	--	7.96	830	18.4	--	--
	06/11/13	<1.0	<1.0	<1.0	<3.0	--	7.04	740	20.2	--	--
	09/17/13	<1.0	<1.0	<1.0	<3.0	--	7.39	781	19.1	--	--
	09/17/13	<1.0	<1.0	<1.0	<3.0	--	--	--	--	--	--
	12/03/13	<1.0	<1.0	<1.0	<3.0	--	8.94	801	18.1	--	--
	12/03/13	<1.0	<1.0	<1.0	<3.0	--	--	--	--	--	--
DUP	03/11/14	<1.0	<1.0	<1.0	<3.0	--	8.19	769	18.6	--	--
DUP	03/11/14	<1.0	<1.0	<1.0	<3.0	--	--	--	--	--	--
DUP	06/03/14	<1.0	<1.0	<1.0	<3.0	--	7.62	847	18.8	--	--
MW-G	09/17/13	113	449	77.3	720	--	Well not purged due to damage				
	12/03/13	--	--	--	--	--	Well not purged due to damage				
	12/18/13	160	413	82.7	751	--	Well not purged due to damage				
	03/11/14	109	183	44.7	333	--	7.85	670	20.3	--	--
	06/03/14	103	54.0	20.8	105	--	7.51	702	29.5	--	--
Water Supply Well	08/14/06	<0.5	<5.0	<0.5	<1.5		7.47	473	20.9	4.61	31.7

TABLE 3
DCP MIDSTREAM, LP - HOBBS GAS PLANT
HISTORICAL SUMMARY OF GROUNDWATER
ANALYTICAL RESULTS AND PARAMETER READINGS

<i>Well ID (mg/l)</i>	<i>Date of Sample</i>	<i>Benzene (µg/l)</i>	<i>Toluene (µg/l)</i>	<i>Ethyl-Benzene (µg/l)</i>	<i>Total Xylenes (µg/l)</i>	<i>LNAPL Thickness (ft)</i>	<i>pH (s.u.)</i>	<i>Conductivity (µS/cm)</i>	<i>Temperature (°C)</i>	<i>DO (mg/l)</i>	<i>ORP (mV)</i>
NMWQCC Cleanup Levels		10 (µg/l)	750 (µg/l)	750 (µg/l)	620 (µg/l)						
Notes and Abbreviations: ID = Identification TOC = Top of casing DTW = Depth to water LNAPL = Light non-aqueous phase liquids GWE = Groundwater elevation * = Groundwater elevation corrected using a LNAPL specific gravity of 0.81 DO = Dissolved oxygen ORP = Oxidation reduction potential BTEX = Benzene, toluene, ethylbenzene, and total xylenes by SW-846 8021 or 8260B ft msl = Feet above mean sea level ft bgs = Feet below ground surface s.u. = Standard unit µS/cm = Microsiemens per centimeter °C = Degrees Celcius mg/l = Milligrams per liter mV = Millivolts µg/l = Micrograms per liter NMWQCC = New Mexico Water Quality Control Commission <x = Not detected above x µg/l BOLD = Indicates concentration above the NMWQCC Cleanup Levels -- = Not measured/not analyzed											

Appendices

Appendix A

Groundwater Monitoring Field Sheets



CONESTOGA-ROVERS
& ASSOCIATES

Groundwater Monitoring Field Sheet

Well ID	Time	DTP	DTW	Depth to Bottom	Product Thickness	Amount of Product Removed	Casing Diam.	Comments
MW-AR		-	62.35	70.19	-	-	2"	7.84
MW-B		62.93	63.08	-	.15	.01	2"	No Sample
MW-B		62.80	64.73	-	1.93	.35	2"	No Sample
MW-D		-	62.43	69.74	-	-	2"	7.31
MW-E		-	62.09	71.21	-	-	2"	9.42
MW-F		-	63.60	73.61	-	-	2"	10.01
MW-G			CAW	NOT	Gauge		2"	Well Damage

Project Name: **HOBBS GAS PLANT**

Project Number/Task: **059097**

Field Staff: Don Quigley / Sue Michaels

Date: 6-3-14



CONESTOGA-ROVERS
& ASSOCIATES

WELL SAMPLING FORM DISPOSABLE BAILER SAMPLING

Project Name: Hobbs Gas Plant	CRA Mgr: John Ferguson	Well ID: MW-G
Project Number: 059097	Date: 6-3-14	Field Staff: Glenn Quinney 500 Miracles

Depth to Water:	Depth to Bottom (TOC):	Water Column Height:
Volume/ft:	1 Casing Volume:	3 Casing Volumes:
Well Diameter:	Did Well Dewater?:	Total Gallons Purged: 1 gal
Purged groundwater: Drum ☒ Surface ☐		

1 Casing Volume = Water column height x Volume/ ft.

Well Diam.	Volume/ft (gallons)
2"	0.16
4"	0.65
6"	1.47

Time	Volume Purged (gallons)	Temp. (°C) ± 10%	pH ± 0.1	Cond. (uS) ± 3%	Comments
1430	1 gal	29.5	7.51	701.8 µs	

*** A minimum of three parameter must be monitored and recorded***

NOTE: If well is purged dry. Do not collect sample until it has recharged to approximately 80% of its pre-purge volume.

Sample ID	Date	Time	Analytes/Analytical Method
MW-G, 060314	6-3-14	1430	BTEF
Additional Comments: Could not gauge well Damaged.			



**CONESTOGA-ROVERS
& ASSOCIATES**

WELL SAMPLING FORM DISPOSABLE BAILER SAMPLING

Project Name: Hobbs Gas Plant	CRA Mgr: John Ferguson	Well ID: MW-AR
Project Number: 059097	Date: 6-3-14	Field Staff: Glenn W. Jolley / Joe Mills

Depth to Water: 62.35	Depth to Bottom (TOC): 70.19	Water Column Height: 7.84
Volume/ft: .16	1 Casing Volume: 1.25	3 Casing Volumes: 3.76
Well Diameter: 2"	Did Well Dewater?: NO	Total Gallons Purged: 3.76
Purged groundwater: Drum ☐ Surface ☒		

1 Casing Volume = Water column height x Volume/ ft.

Well Diam.	Volume/ft (gallons)
2"	0.16
4"	0.65
6"	1.47

Time	Volume Purged (gallons)	Temp. (°C) ± 10%	pH ± 0.1	Cond. (uS) ± 3%	Comments
919	.33	19.2	7.56	599.1 _{us}	
921	.33	19.2	7.52	568.3	
930	.33	19.0	7.51	580.1	

*** A minimum of three parameter must be monitored and recorded***

NOTE: If well is purged dry. Do not collect sample until it has recharged to approximately 80% of its pre-purge volume.

Sample ID	Date	Time	Analytes/Analytical Method
MW-AR 060314	6-3-14	930	BTEX
Additional Comments:			



**CONESTOGA-ROVERS
& ASSOCIATES**

WELL SAMPLING FORM *DISPOSABLE BAILER SAMPLING*

Project Name: Hobbs Gas Plant	CRA Mgr: John Ferguson	Well ID: MW-B
Project Number: 059097	Date:	Field Staff:

Depth to Water:	Depth to Bottom (TOC):	Water Column Height:
Volume/ft:	1 Casing Volume:	3 Casing Volumes:
Well Diameter:	Did Well Dewater?:	Total Gallons Purged:
Purged groundwater: Drum ☐ Surface ☐		

1 Casing Volume = Water column height x Volume/ ft.

Well Diam.	Volume/ft (gallons)
2"	0.16
4"	0.65
6"	1.47

Pro

Time	Volume Purged (gallons)	Temp. (°C) ± 10%	pH ± 0.1	Cond. (uS) ± 3%	Comments

*** A minimum of three parameter must be monitored and recorded***

NOTE: If well is purged dry. Do not collect sample until it has recharged to approximately 80% of its pre-purge volume.

Sample ID	Date	Time	Analytes/Analytical Method

Additional Comments:

Product in well No sample



**CONESTOGA-ROVERS
& ASSOCIATES**

WELL SAMPLING FORM *DISPOSABLE BAILER SAMPLING*

Project Name: Hobbs Gas Plant	CRA Mgr: John Ferguson	Well ID: MW-C
Project Number: 059097	Date:	Field Staff:

Depth to Water:	Depth to Bottom (TOC):	Water Column Height:
Volume/ft:	1 Casing Volume:	3 Casing Volumes:
Well Diameter:	Did Well Dewater?:	Total Gallons Purged:
Purged groundwater: Drum ☐ Surface ☐		

1 Casing Volume = Water column height x Volume/ ft.

Well Diam.	Volume/ft (gallons)
2"	0.16
4"	0.65
6"	1.47

Time	Volume Purged (gallons)	Temp. (°C) ± 10%	pH ± 0.1	Cond. (uS) ± 3%	Comments

*** A minimum of three parameter must be monitored and recorded***

NOTE: If well is purged dry. Do not collect sample until it has recharged to approximately 80% of its pre-purge volume.

Sample ID	Date	Time	Analytes/Analytical Method

Additional Comments:

Product
in well
No sample



CONESTOGA-ROVERS
& ASSOCIATES

WELL SAMPLING FORM DISPOSABLE BAILER SAMPLING

Project Name: Hobbs Gas Plant	CRA Mgr: John Ferguson	Well ID: MW-D
Project Number: 059097	Date: 6-3-14	Field Staff: Glenn Quinney Joe Miralles

Depth to Water: 62.43	Depth to Bottom (TOC): 69.74	Water Column Height: 7.31
Volume/ft: .16	1 Casing Volume: 1.16	3 Casing Volumes: 3.50
Well Diameter: 2"	Did Well Dewater?: NO	Total Gallons Purged: 3.50
Purged groundwater: Drum ☐ Surface ☒		

1 Casing Volume = Water column height x Volume/ ft.

Well Diam.

Volume/ft (gallons)

2"	0.16
4"	0.65
6"	1.47

DUP-2

Time	Volume Purged (gallons)	Temp. (°C) ± 10%	pH ± 0.1	Cond. (uS) ± 3%	Comments
937	.53	19.4	7.33	678.7	
940	.33	19.3	7.35	659.8	
945	.30	19.6	7.40	641.7	

*** A minimum of three parameter must be monitored and recorded***

NOTE: If well is purged dry. Do not collect sample until it has recharged to approximately 80% of its pre-purge volume.

Sample ID	Date	Time	Analytes/Analytical Method
MW-D 060314	6-3-14	945	137EX
DUP-02 060314	6-3-14		

Additional Comments:

DUP-2



CONESTOGA-ROVERS
& ASSOCIATES

WELL SAMPLING FORM DISPOSABLE BAILER SAMPLING

Project Name: Hobbs Gas Plant	CRA Mgr: John Ferguson	Well ID: MW-E
Project Number: 059097	Date: 6-3-14	Field Staff: Glenn Quinney Joe Miralles

Depth to Water: 62.09	Depth to Bottom (TOC): 71.21	Water Column Height: 9.12
Volume/ft: 1.16	1 Casing Volume: 1.45	3 Casing Volumes: 4.37
Well Diameter: 2"	Did Well Dewater?: NO	Total Gallons Purged: 4.37
Purged groundwater: Drum ☐ Surface ☒		

1 Casing Volume = Water column height x Volume/ ft.

Well Diam.	Volume/ft (gallons)
2"	0.16
4"	0.65
6"	1.47

Time	Volume Purged (gallons)	Temp. (°C) ± 10%	pH ± 0.1	Cond. (uS) ± 3%	Comments
1017	1.33	19.7	7.45	677.3	
1022	1.33	19.3	7.30	671.2	
1030	1.33	19.3	7.33	682.7	

*** A minimum of three parameter must be monitored and recorded***

NOTE: If well is purged dry. Do not collect sample until it has recharged to approximately 80% of its pre-purge volume.

Sample ID	Date	Time	Analytes/Analytical Method
MW-E 060314	6-3-14	1030	B TEP
Additional Comments:			



**CONESTOGA-ROVERS
& ASSOCIATES**

WELL SAMPLING FORM DISPOSABLE BAILER SAMPLING

Project Name: Hobbs Gas Plant	CRA Mgr: John Ferguson	Well ID: MW-F
Project Number: 059097	Date: 6-3-14	Field Staff: Glenn Quinney Joe Mirdes

Depth to Water: 63.60	Depth to Bottom (TOC): 73.61	Water Column Height: 10.01
Volume/ft: .16	1 Casing Volume: 1.60	3 Casing Volumes: 4.80
Well Diameter: 2"	Did Well Dewater?: NO	Total Gallons Purged: 4.80
Purged groundwater: Drum ☐ Surface ☒		

1 Casing Volume = Water column height x Volume/ ft.

Well Diam.	Volume/ft (gallons)
2"	0.16
4"	0.65
6"	1.47

Time	Volume Purged (gallons)	Temp. (°C) ± 10%	pH ± 0.1	Cond. (uS) ± 3%	Comments
907	1.33	19.0	7.73	1103 uS	
910	1.33	19.4	7.75	843.7	
912	1.33	18.9	7.68	833.1	
915	1.33	18.8	7.62	847.2	

*** A minimum of three parameter must be monitored and recorded***

NOTE: If well is purged dry. Do not collect sample until it has recharged to approximately 80% of its pre-purge volume.

Sample ID	Date	Time	Analytes/Analytical Method
MW-F 060314	6-3-14	915	ISTEX
Additional Comments:			

Appendix B
Standard Operating Procedures for Groundwater
Monitoring and Sampling



**CONESTOGA-ROVERS
& ASSOCIATES**

STANDARD FIELD PROCEDURES FOR GROUNDWATER MONITORING AND SAMPLING

This document presents standard field methods for groundwater monitoring, purging and sampling, and well development. These procedures are designed to comply with Federal, State and local regulatory guidelines. Conestoga-Rovers & Associates' specific field procedures are summarized below.

Groundwater Monitoring

Prior to performing monitoring activities, the historical monitoring and analytical data of each monitoring well shall be reviewed to determine if any of the wells are likely to contain separate phase hydrocarbons (SPH) and to determine the order in which the wells will be monitored (i.e. cleanest to dirtiest). Groundwater monitoring should not be performed when the potential exists for surface water to enter the well (i.e. flooding during a rainstorm).

Prior to monitoring, each well shall be opened and the well cap removed to allow water levels to stabilize and equilibrate. The condition of the well box and well cap shall be observed and recommended repairs noted. Any surface water that may have entered and flooded the well box should be evacuated prior to removing the well cap. In wells with no history of SPH, the static water level and total well depth shall be measured to the nearest 0.01 foot with an electronic water level meter. Wells with the highest contaminant concentrations shall be monitored last. In wells with a history of SPH, the SPH level/thickness and static water level shall be measured to the nearest 0.01 foot using an electronic interface probe. The water level meter and/or interface probe shall be thoroughly cleaned and decontaminated at the beginning of the monitoring event and between each well. Monitoring equipment shall be washed using soapy water consisting of Liqui-noxTM or AlconoxTM followed by one rinse of clean tap water and then two rinses of distilled water.

Groundwater Purging and Sampling

Prior to groundwater purging and sampling, the historical analytical data of each monitoring well shall be reviewed to determine the order in which the wells should be purged and sampled (i.e. cleanest to dirtiest). No purging or groundwater sampling shall be performed on wells with a measurable thickness of SPH or floating SPH globules. If a sheen is observed, the well should be purged and a groundwater sample collected only if no SPH is present. Wells shall be purged either by hand using a disposal or PVC bailer or by using an aboveground pump (e.g. peristaltic or WatteraTM) or down-hole pump (e.g. GrundfosTM or DC Purger pump).

Groundwater wells shall be purged approximately three to ten well-casing volumes (depending on the regulatory agency requirements) or until groundwater parameters of temperature, pH, and conductivity have stabilized to within 10% for three consecutive readings. Temperature, pH, and conductivity shall be measured and recorded at the start of purging, once per well casing volume removed, and at the completion of purging. The total volume of groundwater removed shall be recorded along with any other notable physical characteristic such as color and odor. If required, field parameters such as turbidity, dissolved oxygen (DO), and oxidation-reduction potential (ORP) shall be measured prior to collection of each groundwater sample.

Groundwater samples shall be collected after the well has been purged and allowed to recharge to 80% of the pre-purging static water level, or if the well is slow to recharge, after waiting a minimum of 2 hours. Groundwater samples shall be collected using clean disposable bailers or



**CONESTOGA-ROVERS
& ASSOCIATES**

pumps (if an operating remediation system exists on site and the project manager approves of its use for sampling) and shall be decanted into clean containers supplied by the analytical laboratory. New latex gloves and disposable tubing or bailers shall be used for sampling each well. If a PVC bailer or down-hole pump is used for groundwater purging, it shall be decontaminated before purging each well by using soapy water consisting of Liqui-nox™ or Alconox™ followed by one rinse of clean tap water and then two rinses of distilled water. If a submersible pump with non-dedicated discharge tubing is used for groundwater purging, both the inside and outside of pump and discharge tubing shall be decontaminated as described above.

Sample Handling

Except for samples that will be tested in the field, or that require special handling or preservation, samples shall be stored in coolers chilled to 4° C for shipment to the analytical laboratory. Samples shall be labeled, placed in protective foam sleeves or bubble wrap as needed, stored on crushed ice at or below 4° C, and submitted under chain-of-custody (COC) to the laboratory. The laboratory shall be notified of the sample shipment schedule and arrival time. Samples shall be shipped to the laboratory within a time frame to allow for extraction and analysis to be performed within the standard sample holding times.

Sample labels shall be filled out using indelible ink and must contain the site name; field identification number; the date, time, and location of sample collection; notation of the type of sample; identification of preservatives used; remarks; and the signature of the sampler. Field identification must be sufficient to allow easy cross-reference with the field datasheet.

All samples submitted to the laboratory shall be accompanied by a COC record to ensure adequate documentation. One copy of the COC shall be kept in the QA/QC file and another copy shall be retained in the project file. Information on the COC shall consist of the project name and number; project location; sample numbers; sampler/recorder's signature; date and time of collection of each sample; sample type; analyses requested; name of person receiving the sample; and date of receipt of sample.

Laboratory-supplied trip blanks shall accompany the samples and be analyzed to check for cross-contamination, if requested by the project manager.

Well Development

Wells shall be developed using a combination of groundwater surging and extraction. A surge block shall be used to swab the well and agitate the groundwater in order to dislodge any fine sediment from the sand pack. After approximately ten minutes of swabbing the well, groundwater shall be extracted from the well using a bailer, pump and/or reverse air-lifting through a pipe to remove the sediments from the well. Alternating surging and extraction shall continue until the sediment volume in the groundwater (i.e. turbidity) is negligible, which typically requires extraction of approximately ten well-casing volumes of groundwater. Preliminary well development usually is performed during well installation prior to placing the sanitary surface seal to ensure sand pack stabilization. Well development that is performed after surface seal installation, should occur 72 hours after seal installation to ensure that the cement has had adequate time to set.



CONESTOGA-ROVERS
& ASSOCIATES

Waste Handling and Disposal

Groundwater extracted during development and sampling shall be stored onsite in sealed U.S. DOT H17 55-gallon drums. Each drum shall be labeled with the contents, date of generation, generator identification and consultant contact. If hydrocarbon concentrations in the purged groundwater are below ADEC cleanup levels or the site is in a remote area (pending ADEC approval) groundwater will be discharged to the ground surface, at least 100 feet from the nearest surface water body.

\\DEN-S1\Shared\Denver\Alaska\AK SOP\CRA Alaska SOP\AK Groundwater Monitoring and Sampling SOP - CRA.doc

Appendix C

Laboratory Analytical Reports



06/13/14

Technical Report for

DCP Midstream, LLC

CRA:Hobbs Gas Plant / 059097-2014-02 / Lea County, New Mexico

Accutest Job Number: TC49385

Sampling Date: 06/03/14

Report to:

DCP Midstream, L.P.
370 17th Street Suite 2500
Denver, CO 80202
SWWeathers@dcpmidstream.com; cknight@craworld.com;
jfergerson@craworld.com
ATTN: Mr. Steve Weathers

Total number of pages in report: **20**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.


Richard Rodriguez
Laboratory Director

Client Service contact: Sylvia Garza 713-271-4700

Certifications: TX (T104704220-14-15, 1M104704220-14-1) AR (14-016-0) AZ (AZ0769) FL (E87628)
KS (E-10366) LA (85695/04004) NJ (TX010) OK (2013-152) VA (2085)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Summary of Hits	4
Section 3: Sample Results	5
3.1: TC49385-1: MW-AR-060314	6
3.2: TC49385-2: DUP-02-060314	7
3.3: TC49385-3: MW-D-060314	8
3.4: TC49385-4: MW-E-060314	9
3.5: TC49385-5: MW-F-060314	10
3.6: TC49385-6: MW-G-060314	11
3.7: TC49385-7: TRIP BLANK	12
Section 4: Misc. Forms	13
4.1: Chain of Custody	14
Section 5: GC/MS Volatiles - QC Data Summaries	17
5.1: Method Blank Summary	18
5.2: Blank Spike Summary	19
5.3: Matrix Spike/Matrix Spike Duplicate Summary	20

Sample Summary

DCP Midstream, LLC

Job No: TC49385

CRA:Hobbs Gas Plant / 059097-2014-02 / Lea County, New Mexico

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
TC49385-1	06/03/14	09:30	06/05/14	AQ	Ground Water	MW-AR-060314
TC49385-2	06/03/14	00:00	06/05/14	AQ	Ground Water	DUP-02-060314
TC49385-3	06/03/14	09:45	06/05/14	AQ	Ground Water	MW-D-060314
TC49385-4	06/03/14	10:30	06/05/14	AQ	Ground Water	MW-E-060314
TC49385-5	06/03/14	09:15	06/05/14	AQ	Ground Water	MW-F-060314
TC49385-6	06/03/14	14:30	06/05/14	AQ	Ground Water	MW-G-060314
TC49385-7	06/03/14	00:00	06/05/14	AQ	Trip Blank Water	TRIP BLANK

Summary of Hits

Page 1 of 1

Job Number: TC49385
Account: DCP Midstream, LLC
Project: CRA:Hobbs Gas Plant / 059097-2014-02 / Lea County, New Mexico
Collected: 06/03/14

Lab Sample ID Analyte	Client Sample ID	Result/ Qual	MQL	SDL	Units	Method
--------------------------	------------------	-----------------	-----	-----	-------	--------

TC49385-1 MW-AR-060314

No hits reported in this sample.

TC49385-2 DUP-02-060314

No hits reported in this sample.

TC49385-3 MW-D-060314

No hits reported in this sample.

TC49385-4 MW-E-060314

No hits reported in this sample.

TC49385-5 MW-F-060314

No hits reported in this sample.

TC49385-6 MW-G-060314

Benzene	0.103	0.0010	0.00034	mg/l	SW846 8260C
Toluene	0.0540	0.0010	0.00033	mg/l	SW846 8260C
Ethylbenzene	0.0208	0.0010	0.00032	mg/l	SW846 8260C
Xylene (total)	0.105	0.0030	0.00087	mg/l	SW846 8260C

TC49385-7 TRIP BLANK

No hits reported in this sample.

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	MW-AR-060314	Date Sampled:	06/03/14
Lab Sample ID:	TC49385-1	Date Received:	06/05/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	CRA:Hobbs Gas Plant / 059097-2014-02 / Lea County, New Mexico		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	Z041834.D	1	06/10/14	EM	n/a	n/a	VZ4318
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	MQL	SDL	Units	Q
71-43-2	Benzene	0.00034 U	0.0010	0.00034	mg/l	
108-88-3	Toluene	0.00033 U	0.0010	0.00033	mg/l	
100-41-4	Ethylbenzene	0.00032 U	0.0010	0.00032	mg/l	
1330-20-7	Xylene (total)	0.00087 U	0.0030	0.00087	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	93%		72-122%
17060-07-0	1,2-Dichloroethane-D4	90%		68-124%
2037-26-5	Toluene-D8	91%		80-119%
460-00-4	4-Bromofluorobenzene	89%		72-126%

U = Not detected SDL = Sample Detection Limit
MQL = Method Quantitation Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	DUP-02-060314	Date Sampled:	06/03/14
Lab Sample ID:	TC49385-2	Date Received:	06/05/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	CRA:Hobbs Gas Plant / 059097-2014-02 / Lea County, New Mexico		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	Z041835.D	1	06/10/14	EM	n/a	n/a	VZ4318
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	MQL	SDL	Units	Q
71-43-2	Benzene	0.00034 U	0.0010	0.00034	mg/l	
108-88-3	Toluene	0.00033 U	0.0010	0.00033	mg/l	
100-41-4	Ethylbenzene	0.00032 U	0.0010	0.00032	mg/l	
1330-20-7	Xylene (total)	0.00087 U	0.0030	0.00087	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		72-122%
17060-07-0	1,2-Dichloroethane-D4	89%		68-124%
2037-26-5	Toluene-D8	87%		80-119%
460-00-4	4-Bromofluorobenzene	91%		72-126%

U = Not detected SDL = Sample Detection Limit
MQL = Method Quantitation Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-D-060314	Date Sampled:	06/03/14
Lab Sample ID:	TC49385-3	Date Received:	06/05/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	CRA:Hobbs Gas Plant / 059097-2014-02 / Lea County, New Mexico		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	Z041836.D	1	06/10/14	EM	n/a	n/a	VZ4318
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	MQL	SDL	Units	Q
71-43-2	Benzene	0.00034 U	0.0010	0.00034	mg/l	
108-88-3	Toluene	0.00033 U	0.0010	0.00033	mg/l	
100-41-4	Ethylbenzene	0.00032 U	0.0010	0.00032	mg/l	
1330-20-7	Xylene (total)	0.00087 U	0.0030	0.00087	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		72-122%
17060-07-0	1,2-Dichloroethane-D4	90%		68-124%
2037-26-5	Toluene-D8	87%		80-119%
460-00-4	4-Bromofluorobenzene	89%		72-126%

U = Not detected SDL = Sample Detection Limit
MQL = Method Quantitation Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-E-060314	Date Sampled:	06/03/14
Lab Sample ID:	TC49385-4	Date Received:	06/05/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	CRA:Hobbs Gas Plant / 059097-2014-02 / Lea County, New Mexico		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	Z041837.D	1	06/10/14	EM	n/a	n/a	VZ4318
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	MQL	SDL	Units	Q
71-43-2	Benzene	0.00034 U	0.0010	0.00034	mg/l	
108-88-3	Toluene	0.00033 U	0.0010	0.00033	mg/l	
100-41-4	Ethylbenzene	0.00032 U	0.0010	0.00032	mg/l	
1330-20-7	Xylene (total)	0.00087 U	0.0030	0.00087	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		72-122%
17060-07-0	1,2-Dichloroethane-D4	91%		68-124%
2037-26-5	Toluene-D8	86%		80-119%
460-00-4	4-Bromofluorobenzene	92%		72-126%

U = Not detected SDL = Sample Detection Limit
MQL = Method Quantitation Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-F-060314	Date Sampled:	06/03/14
Lab Sample ID:	TC49385-5	Date Received:	06/05/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	CRA:Hobbs Gas Plant / 059097-2014-02 / Lea County, New Mexico		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	Z041838.D	1	06/10/14	EM	n/a	n/a	VZ4318
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	MQL	SDL	Units	Q
71-43-2	Benzene	0.00034 U	0.0010	0.00034	mg/l	
108-88-3	Toluene	0.00033 U	0.0010	0.00033	mg/l	
100-41-4	Ethylbenzene	0.00032 U	0.0010	0.00032	mg/l	
1330-20-7	Xylene (total)	0.00087 U	0.0030	0.00087	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		72-122%
17060-07-0	1,2-Dichloroethane-D4	90%		68-124%
2037-26-5	Toluene-D8	86%		80-119%
460-00-4	4-Bromofluorobenzene	90%		72-126%

U = Not detected SDL = Sample Detection Limit
MQL = Method Quantitation Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-G-060314	
Lab Sample ID:	TC49385-6	Date Sampled: 06/03/14
Matrix:	AQ - Ground Water	Date Received: 06/05/14
Method:	SW846 8260C	Percent Solids: n/a
Project:	CRA:Hobbs Gas Plant / 059097-2014-02 / Lea County, New Mexico	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	Z041839.D	1	06/10/14	EM	n/a	n/a	VZ4318
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	MQL	SDL	Units	Q
71-43-2	Benzene	0.103	0.0010	0.00034	mg/l	
108-88-3	Toluene	0.0540	0.0010	0.00033	mg/l	
100-41-4	Ethylbenzene	0.0208	0.0010	0.00032	mg/l	
1330-20-7	Xylene (total)	0.105	0.0030	0.00087	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		72-122%
17060-07-0	1,2-Dichloroethane-D4	91%		68-124%
2037-26-5	Toluene-D8	87%		80-119%
460-00-4	4-Bromofluorobenzene	91%		72-126%

U = Not detected SDL = Sample Detection Limit
MQL = Method Quantitation Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TRIP BLANK	Date Sampled:	06/03/14
Lab Sample ID:	TC49385-7	Date Received:	06/05/14
Matrix:	AQ - Trip Blank Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	CRA:Hobbs Gas Plant / 059097-2014-02 / Lea County, New Mexico		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	Z041820.D	1	06/09/14	EM	n/a	n/a	VZ4318
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	MQL	SDL	Units	Q
71-43-2	Benzene	0.00034 U	0.0010	0.00034	mg/l	
108-88-3	Toluene	0.00033 U	0.0010	0.00033	mg/l	
100-41-4	Ethylbenzene	0.00032 U	0.0010	0.00032	mg/l	
1330-20-7	Xylene (total)	0.00087 U	0.0030	0.00087	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		72-122%
17060-07-0	1,2-Dichloroethane-D4	89%		68-124%
2037-26-5	Toluene-D8	87%		80-119%
460-00-4	4-Bromofluorobenzene	93%		72-126%

U = Not detected SDL = Sample Detection Limit
MQL = Method Quantitation Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody

10165 Harwin Dr, Ste 150 Houston, TX 77036
TEL: 713-271-4700 FAX: 713-271-4770
www.aaculast.com

[illegible]

TC49385: Chain of Custody

Page 1 of 3

Accutest Job Number: TC49385 **Client:** CRA **Project:** DCP HOBBS GAS PLANT
Date / Time Received: 6/5/2014 **Delivery Method:** **Airbill #'s:** 581784553740
No. Coolers: 1 **Therm ID:** IR-5; **Temp Adjustment Factor:** 0;
Cooler Temps (Initial/Adjusted): #1: (1.8/1.8);

Cooler Security		Y or N		Y or N	
1. Custody Seals Present:	☒	☐	3. COC Present:	☒	☐
2. Custody Seals Intact:	☒	☐	4. Smpl Dates/Time OK	☒	☐
Cooler Temperature		Y or N			
1. Temp criteria achieved:	☒	☐			
2. Cooler temp verification:					
3. Cooler media:	Ice (Bag)				
Quality Control Preservation	Y or N	N/A	WTB	STB	
1. Trip Blank present / cooler:	☒	☐	☒	☐	
2. Trip Blank listed on COC:	☒	☐			
3. Samples preserved properly:	☒	☐			
4. VOCs headspace free:	☒	☐			

Sample Integrity - Documentation		Y or N	
1. Sample labels present on bottles:	☒	☐	
2. Container labeling complete:	☒	☐	
3. Sample container label / COC agree:	☒	☐	
Sample Integrity - Condition		Y or N	
1. Sample recvd within HT:	☒	☐	
2. All containers accounted for:	☒	☐	
3. Condition of sample:	Intact		
Sample Integrity - Instructions		Y or N	N/A
1. Analysis requested is clear:	☒	☐	
2. Bottles received for unspecified tests	☐	☒	
3. Sufficient volume recvd for analysis:	☒	☐	
4. Compositing instructions clear:	☐	☐	☒
5. Filtering instructions clear:	☐	☐	☒

Comments

Sample Receipt Log

Job #: TC49385

Date / Time Received: 6/5/2014 9:30:00 AM

Initials: RE

Client: CRA

Cooler #	Sample ID:	Vol	Bot #	Location	Pres	pH	Therm ID	Initial Temp	Therm CF	Corrected Temp
1	TC49385-1	40ml	1	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8
1	TC49385-1	40ml	2	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8
1	TC49385-1	40ml	3	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8
1	TC49385-2	40ml	1	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8
1	TC49385-2	40ml	2	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8
1	TC49385-2	40ml	3	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8
1	TC49385-3	40ml	1	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8
1	TC49385-3	40ml	2	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8
1	TC49385-3	40ml	3	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8
1	TC49385-4	40ml	1	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8
1	TC49385-4	40ml	2	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8
1	TC49385-4	40ml	3	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8
1	TC49385-5	40ml	1	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8
1	TC49385-5	40ml	2	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8
1	TC49385-5	40ml	3	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8
1	TC49385-6	40ml	1	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8
1	TC49385-6	40ml	2	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8
1	TC49385-6	40ml	3	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8
1	TC49385-7	40ml	1	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8
1	TC49385-7	40ml	2	VR	HCL	Note #1 - Preservative to be checked by analyst at the instrument.	IR-5	1.8	0	1.8

 4.1
4

TC49385: Chain of Custody
Page 3 of 3

GC/MS Volatiles

5

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Page 1 of 1

Job Number: TC49385

Account: DUKE DCP Midstream, LLC

Project: CRA:Hobbs Gas Plant / 059097-2014-02 / Lea County, New Mexico

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VZ4318-MB	Z041819.D	1	06/09/14	EM	n/a	n/a	VZ4318

The QC reported here applies to the following samples:

Method: SW846 8260C

TC49385-1, TC49385-2, TC49385-3, TC49385-4, TC49385-5, TC49385-6, TC49385-7

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	0.34	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.32	ug/l	
108-88-3	Toluene	ND	1.0	0.33	ug/l	
1330-20-7	Xylene (total)	ND	3.0	0.87	ug/l	

CAS No.	Surrogate Recoveries	Limits
1868-53-7	Dibromofluoromethane	99% 72-122%
17060-07-0	1,2-Dichloroethane-D4	90% 68-124%
2037-26-5	Toluene-D8	86% 80-119%
460-00-4	4-Bromofluorobenzene	93% 72-126%

Blank Spike Summary

Page 1 of 1

Job Number: TC49385

Account: DUKE DCP Midstream, LLC

Project: CRA:Hobbs Gas Plant / 059097-2014-02 / Lea County, New Mexico

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VZ4318-BS	Z041817.D	1	06/09/14	EM	n/a	n/a	VZ4318

The QC reported here applies to the following samples:

Method: SW846 8260C

TC49385-1, TC49385-2, TC49385-3, TC49385-4, TC49385-5, TC49385-6, TC49385-7

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
71-43-2	Benzene	25	21.5	86	68-119
100-41-4	Ethylbenzene	25	22.1	88	71-117
108-88-3	Toluene	25	20.6	82	73-119
1330-20-7	Xylene (total)	75	70.7	94	74-119

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	95%	72-122%
17060-07-0	1,2-Dichloroethane-D4	92%	68-124%
2037-26-5	Toluene-D8	87%	80-119%
460-00-4	4-Bromofluorobenzene	92%	72-126%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: TC49385

Account: DUKE DCP Midstream, LLC

Project: CRA:Hobbs Gas Plant / 059097-2014-02 / Lea County, New Mexico

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
TC49351-1MS	Z041823.D	1	06/09/14	EM	n/a	n/a	VZ4318
TC49351-1MSD	Z041824.D	1	06/09/14	EM	n/a	n/a	VZ4318
TC49351-1	Z041822.D	1	06/09/14	EM	n/a	n/a	VZ4318

The QC reported here applies to the following samples:

Method: SW846 8260C

TC49385-1, TC49385-2, TC49385-3, TC49385-4, TC49385-5, TC49385-6, TC49385-7

CAS No.	Compound	TC49351-1 ug/l	Spike Q ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	1.0 U	25	22.1	88	25	21.8	87	1	68-119/12
100-41-4	Ethylbenzene	1.0 U	25	22.7	91	25	23.0	92	1	71-117/12
108-88-3	Toluene	1.0 U	25	22.3	89	25	21.8	87	2	73-119/13
1330-20-7	Xylene (total)	3.0 U	75	73.1	97	75	72.4	97	1	74-119/13

CAS No.	Surrogate Recoveries	MS	MSD	TC49351-1	Limits
1868-53-7	Dibromofluoromethane	93%	94%	97%	72-122%
17060-07-0	1,2-Dichloroethane-D4	91%	86%	91%	68-124%
2037-26-5	Toluene-D8	90%	90%	86%	80-119%
460-00-4	4-Bromofluorobenzene	89%	90%	94%	72-126%

* = Outside of Control Limits.