

HBP - _____15_____

MONITORING REPORTS

YEAR(S):

__2014 - 2015__



DCP Midstream
10 Desta Dr. Suite 400 W
Midland, TX 79705
O: (432) 620-4207
F: (432) 620-4162

NOV 25 2015

NOV 25 4 30 PM '15

via certified mail 7014 2120 0000 6789 0575

November 25, 2015

Mr. Brad Jones
New Mexico Energy, Mineral and Natural Resource Department
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

**RE: 2015 Annual Discharge of Hydrostatic Test Water
Permit HBP-NM-015**

Dear Mr. Jones,

Enclosed is the annual submittal of hydrostatic water discharged under the conditions of Permit HBP-NM-015 by DCP Midstream, LP (DCP). The information contained is required by permit condition 10 for calendar year 2015.

If you require any additional information, please contact me at (432) 620-4207 or email jdbebbington@dcpmidstream.com.

Sincerely,

DCP Midstream, LP

A handwritten signature in black ink, appearing to read "Jon D. Bebbington", written over a horizontal line.

Jon D. Bebbington
Princ. Environmental Specialist

Cc: Liz Frye - Denver Environmental
Nick Case - Midland
Dan Landenberger - Midland
- Hobbs Field Office
Env. File: Gathering System 2.2.3.2

Date of Test	Test Location (Lat / Long)	Volume of Discharge (gallons)	Source of Water *	Quality of Water	Discharge Location (Lat / Long)	DCP Person Making Notification	Notice given to OCD?	To whom?	When?	Landowner notified?	When?	All Permit Terms have been met for this discharge	DCP Person Conducting Test	Project
2015 Discharge Tracking Log														
10/7/2014	N32.643409, W-103.809142	29	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	9/4/2014	NA	NA	YES	NO	Zia II Gas Plant
10/10/2014	N32.643409, W-103.809142	65	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	9/6/2014	NA	NA	YES	NO	Zia II Gas Plant
10/14/2014	N32.643409, W-103.809142	18	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	9/11/2014	NA	NA	YES	NO	Zia II Gas Plant
11/12/2014	N32.643409, W-103.809142	1680	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	11/0/2014	NA	NA	YES	NO	cancelled
11/14/2014	N32.643409, W-103.809142	14	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	11/11/2014	NA	NA	YES	NO	cancelled
11/18/2014	N32.643409, W-103.809142	577	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	11/18/2014	NA	NA	YES	NO	Zia II Gas Plant
11/22/2014	N32.643409, W-103.809142	126	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	11/19/2014	NA	NA	YES	NO	Zia II Gas Plant
11/22/2014	N32.643409, W-103.809142	815	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	11/19/2014	NA	NA	YES	NO	Zia II Gas Plant
11/23/2014	N32.643409, W-103.809142	114	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	11/20/2014	NA	NA	YES	NO	Zia II Gas Plant
12/10/2014	N32.643409, W-103.809142	622	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	12/7/2014	NA	NA	YES	NO	Zia II Gas Plant
12/12/2014	N32.643409, W-103.809142	888	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	12/9/2014	NA	NA	YES	NO	Zia II Gas Plant
12/15/2014	N32.643409, W-103.809142	910	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	12/12/2014	NA	NA	YES	NO	Zia II Gas Plant
12/15/2014	N32.643409, W-103.809142	125	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	12/12/2014	NA	NA	YES	NO	Zia II Gas Plant
12/15/2014	N32.643409, W-103.809142	392	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	12/12/2014	NA	NA	YES	NO	Zia II Gas Plant
12/16/2014	N32.643409, W-103.809142	15	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	12/13/2014	NA	NA	YES	NO	Zia II Gas Plant
12/26/2014	N32.643409, W-103.809142	20	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	12/22/2014	NA	NA	YES	NO	Zia II Gas Plant
12/26/2014	N32.643409, W-103.809142	392	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	12/22/2014	NA	NA	YES	NO	Zia II Gas Plant
1/9/2015	N32.643409, W-103.809142	560	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	1/6/2015	NA	NA	YES	NO	Zia II Gas Plant
1/16/2015	N32.643409, W-103.809142	2580	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	1/13/2015	NA	NA	YES	NO	Zia II Gas Plant
1/19/2015	N32.643409, W-103.809142	18	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	1/16/2015	NA	NA	YES	NO	Zia II Gas Plant
1/22/2015	N32.643409, W-103.809142	397	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	1/19/2015	NA	NA	YES	NO	Zia II Gas Plant
1/27/2015	N32.643409, W-103.809142	133	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	1/24/2015	NA	NA	YES	NO	Zia II Gas Plant
1/30/2015	N32.643409, W-103.809142	117	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	1/27/2015	NA	NA	YES	NO	Zia II Gas Plant
2/5/2015	N32.643409, W-103.809142	2126	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	2/2/2015	NA	NA	YES	NO	Zia II Gas Plant
2/5/2015	N32.643409, W-103.809142	815	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	2/2/2015	NA	NA	YES	NO	Zia II Gas Plant
2/5/2015	N32.643409, W-103.809142	82	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	2/2/2015	NA	NA	YES	NO	Zia II Gas Plant
2/5/2015	N32.643409, W-103.809142	68	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	2/2/2015	NA	NA	YES	NO	Zia II Gas Plant
2/5/2015	N32.643409, W-103.809142	496	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	2/2/2015	NA	NA	YES	NO	Zia II Gas Plant
2/8/2015	N32.643409, W-103.809142	543	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	2/5/2015	NA	NA	YES	NO	Zia II Gas Plant
2/10/2015	N32.643409, W-103.809142	65	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	2/7/2015	NA	NA	YES	NO	Zia II Gas Plant
2/10/2015	N32.643409, W-103.809142	269	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	2/7/2015	NA	NA	YES	NO	Zia II Gas Plant
2/10/2015	N32.643409, W-103.809142	18	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	2/7/2015	NA	NA	YES	NO	Zia II Gas Plant

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Y

6/15/2015	N32.643409, W-103.809142	4	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	6/12/2015	NA	NA	YES	NO	Zia II Gas Plant
6/15/2015	N32.643409, W-103.809142	3197	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	6/12/2015	NA	NA	YES	NO	Zia II Gas Plant
6/15/2015	N32.643409, W-103.809142	1	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	6/12/2015	NA	NA	YES	NO	Zia II Gas Plant
6/16/2015	N32.643409, W-103.809142	848	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	6/13/2015	NA	NA	YES	NO	Zia II Gas Plant
6/16/2015	N32.643409, W-103.809142	2003	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	6/13/2015	NA	NA	YES	NO	Zia II Gas Plant
6/16/2015	N32.643409, W-103.809142	1516	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	6/14/2015	NA	NA	YES	NO	Zia II Gas Plant
6/16/2015	N32.643409, W-103.809142	100	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	6/14/2015	NA	NA	YES	NO	Zia II Gas Plant
6/16/2015	N32.643409, W-103.809142	175	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	6/14/2015	NA	NA	YES	NO	Zia II Gas Plant
6/16/2015	N32.643409, W-103.809142	70	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	6/15/2015	NA	NA	YES	NO	Zia II Gas Plant
6/16/2015	N32.643409, W-103.809142	2954	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	6/15/2015	NA	NA	YES	NO	Zia II Gas Plant
6/19/2015	N32.643409, W-103.809142	15219	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	6/16/2015	NA	NA	YES	NO	Zia II Gas Plant
6/21/2015	N32.643409, W-103.809142	79	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	6/18/2015	NA	NA	YES	NO	Zia II Gas Plant
6/21/2015	N32.643409, W-103.809142	3	Mosaic Potash Mine	OCD approved	N32.643409, W-103.809142	Ron Gosnell (Saulsbury)	YES	Brad Jones	6/18/2015	NA	NA	YES	NO	Zia II Gas Plant

See OCD Hydrotest Permit for terms of perr 154299

* Source of water must be from a MUNICIPAL/CITY potable water source. If water is to be obtained from any other source, an analytical of the water must be submitted to OCD and approved. Please note that a fresh water station IS NOT a "public/municipal water supply".
RED - I have a discharge, but SI does not show it on their spreadsheet

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, June 18, 2015 10:13 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Discharge Notification06212015 tp208.docx; Discharge Notification06212015 tp296.docx; Discharge Notification06212015 tp306.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA • HOUSTON • DALLAS • PORT ARTHUR • FARMINGTON • BATON ROUGE • DENVER • HENDERSON • ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-208

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/21/2015
Discharge amount	21560 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-296

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/21/2015
Discharge amount	79 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-306

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/21/2015
Discharge amount	3 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, June 16, 2015 4:23 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notification
Attachments: Discharge Notification06192015 tp311.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-311

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/19/2015
Discharge amount	15219 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, June 15, 2015 10:03 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notification
Attachments: Discharge Notification06182015 tp162.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-162

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/18/2015
Discharge amount	2954 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, June 15, 2015 8:15 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notification
Attachments: Discharge Notification06182015 tp283.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-283

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/16/2015
Discharge amount	70 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Sunday, June 14, 2015 12:41 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_06162015 tp208.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-208

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/16/2015
Discharge amount	21506 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Sunday, June 14, 2015 11:56 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_06162015 tp307.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-307

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/16/2015
Discharge amount	1516 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Sunday, June 14, 2015 7:56 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_06162015 tp247.docx;
Hydrostatic_Test_Discharge_Notification_06162015 tp248.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-247

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/16/2015
Discharge amount	100 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-248

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/16/2015
Discharge amount	175 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Saturday, June 13, 2015 6:45 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_06162015 tp96.docx;
Hydrostatic_Test_Discharge_Notification_06162015 tp134.docx

Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-96

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/16/2015
Discharge amount	2003 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-134

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/16/2015
Discharge amount	848 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Friday, June 12, 2015 4:26 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_06152015 tp56-2.docx;
Hydrostatic_Test_Discharge_Notification_06152015 tp91.docx;
Hydrostatic_Test_Discharge_Notification_06152015 tp98.docx;
Hydrostatic_Test_Discharge_Notification_06152015 tp317.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-56-2

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/15/2015
Discharge amount	168 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-98

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/15/2015
Discharge amount	3197 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-317

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/15/2015
Discharge amount	1 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-91

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/15/2015
Discharge amount	4 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, June 11, 2015 10:49 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_06132015 tp123.docx;
Hydrostatic_Test_Discharge_Notification_06132015 tp126.docx;
Hydrostatic_Test_Discharge_Notification_06132015 tp127.docx;
Hydrostatic_Test_Discharge_Notification_06132015 tp128.docx;
Hydrostatic_Test_Discharge_Notification_06132015 tp254.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-123

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/13/2015
Discharge amount	270 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-127

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/13/2015
Discharge amount	125 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-128

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/13/2015
Discharge amount	170 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-254

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/13/2015
Discharge amount	31 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-126

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/13/2015
Discharge amount	1139 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Wednesday, June 10, 2015 11:47 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_06112015 tp161.docx;
Hydrostatic_Test_Discharge_Notification_06112015 tp255.docx;
Hydrostatic_Test_Discharge_Notification_06112015 tp309.docx;
Hydrostatic_Test_Discharge_Notification_06112015 tp325.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-161

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/13/2015
Discharge amount	2557 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-309

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/13/2015
Discharge amount	194 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-325

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/13/2015
Discharge amount	78 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-255

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/13/2015
Discharge amount	81 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, June 09, 2015 1:44 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_06112015 tp253.docx;
Hydrostatic_Test_Discharge_Notification_06112015 tp296.docx;
Hydrostatic_Test_Discharge_Notification_06112015 tp319.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-253

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/11/2015
Discharge amount	134 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-319

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/11/2015
Discharge amount	10 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-296

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/11/2015
Discharge amount	79 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, June 09, 2015 8:04 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_06112015 tp219.docx;
Hydrostatic_Test_Discharge_Notification_06112015 tp242.docx;
Hydrostatic_Test_Discharge_Notification_06112015 tp296.docx;
Hydrostatic_Test_Discharge_Notification_06112015 tp324.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-219

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/11/2015
Discharge amount	329 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-296

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/11/2015
Discharge amount	79 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-324

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/11/2015
Discharge amount	82 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-242

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/11/2015
Discharge amount	474 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, June 08, 2015 10:22 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_06102015 tp105.docx;
Hydrostatic_Test_Discharge_Notification_06102015 tp182.docx;
Hydrostatic_Test_Discharge_Notification_06102015 tp308.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-105

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/10/2015
Discharge amount	253 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-308

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/10/2015
Discharge amount	46 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-182

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/10/2015
Discharge amount	8242 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, June 08, 2015 7:56 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_06102015 tp125.docx;
Hydrostatic_Test_Discharge_Notification_06102015 tp313.docx;
Hydrostatic_Test_Discharge_Notification_06102015 tp318.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-125

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/10/2015
Discharge amount	158 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-318

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/10/2015
Discharge amount	8 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-313

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/10/2015
Discharge amount	155 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Sunday, June 07, 2015 11:08 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_06092015 tp163.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-163

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/09/2015
Discharge amount	13032 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Sunday, June 07, 2015 8:23 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_06092015 tp243.docx;
Hydrostatic_Test_Discharge_Notification_06092015 tp244.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA · HOUSTON · DALLAS · PORT ARTHUR · FARMINGTON · BATON ROUGE · DENVER · HENDERSON · ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-243

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/09/2015
Discharge amount	735 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-244

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/09/2015
Discharge amount	1193 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Saturday, June 06, 2015 4:33 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_06082015 tp323.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-323

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/08/2015
Discharge amount	3 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Friday, June 05, 2015 8:08 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_06072015 tp61.docx;
Hydrostatic_Test_Discharge_Notification_06072015 tp122.docx;
Hydrostatic_Test_Discharge_Notification_06072015 tp125.docx;
Hydrostatic_Test_Discharge_Notification_06072015 tp130.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-61

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/07/2015
Discharge amount	166 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-125

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/07/2015
Discharge amount	158 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-130

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/07/2015
Discharge amount	160 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-122

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/07/2015
Discharge amount	116 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, June 04, 2015 2:31 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_06072015 tp173.docx;
Hydrostatic_Test_Discharge_Notification_06072015 tp222.docx;
Hydrostatic_Test_Discharge_Notification_06072015 tp223.docx;
Hydrostatic_Test_Discharge_Notification_06072015 tp227.docx;
Hydrostatic_Test_Discharge_Notification_06072015 tp239.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-173

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/07/2015
Discharge amount	1338 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-223

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/07/2015
Discharge amount	532Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-227

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/07/2015
Discharge amount	734Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-239

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/07/2015
Discharge amount	1863 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-222

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/07/2015
Discharge amount	532Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Wednesday, June 03, 2015 4:54 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Malloy, Rebecca P; Rudy Flores; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_06062015 tp141.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-141

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/06/2015
Discharge amount	2945 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, June 02, 2015 3:18 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Malloy, Rebecca P; Rudy Flores; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_06042015 tp321.docx;
Hydrostatic_Test_Discharge_Notification_06042015 tp225.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-321

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/04/2015
Discharge amount	55 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-225

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/04/2015
Discharge amount	51 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, June 02, 2015 8:06 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Malloy, Rebecca P; Rudy Flores; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_06042015 tp301.docx;
Hydrostatic_Test_Discharge_Notification_06042015 tp256.docx;
Hydrostatic_Test_Discharge_Notification_06042015 tp171.docx;
Hydrostatic_Test_Discharge_Notification_06042015 tp73.docx;
Hydrostatic_Test_Discharge_Notification_06042015 tp74.docx

Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran


Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com

Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-301

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/04/2015
Discharge amount	285 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-171

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/04/2015
Discharge amount	2635 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-73

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/04/2015
Discharge amount	1195 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-74

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/04/2015
Discharge amount	1195 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-256

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/04/2015
Discharge amount	20 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, June 01, 2015 10:36 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Malloy, Rebecca P; Rudy Flores; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_06032015 tp228.docx;
Hydrostatic_Test_Discharge_Notification_06032015 tp223.docx;
Hydrostatic_Test_Discharge_Notification_06032015 tp226.docx;
Hydrostatic_Test_Discharge_Notification_06032015 tp224.docx;
Hydrostatic_Test_Discharge_Notification_06032015 tp227.docx

Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran

Field Safety Representative


Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com

Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-228

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/03/2015
Discharge amount	1634 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-224

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/03/2015
Discharge amount	1634 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-226

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/03/2015
Discharge amount	485 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-227

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/03/2015
Discharge amount	734 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-223

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/03/2015
Discharge amount	740 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Saturday, May 30, 2015 9:05 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Malloy, Rebecca P; Rudy Flores; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_06012015 tp170.docx;
Hydrostatic_Test_Discharge_Notification_06012015 tp169.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA • HOUSTON • DALLAS • PORT ARTHUR • FARMINGTON • BATON ROUGE • DENVER • HENDERSON • ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-170

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/01/2015
Discharge amount	2635 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-169

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/01/2015
Discharge amount	2635 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Saturday, May 30, 2015 5:57 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Malloy, Rebecca P; Rudy Flores; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: HYDROSTATIC TEST DISCHARGE NOTIFICATION
Attachments: Hydrostatic_Test_Discharge_Notification_06012015 tp205.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-205

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	06/01/2015
Discharge amount	128 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Friday, May 29, 2015 10:29 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Malloy, Rebecca P; Rudy Flores; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_05312015 tp156.docx;
Hydrostatic_Test_Discharge_Notification_05312015 tp174.docx;
Hydrostatic_Test_Discharge_Notification_05312015 tp197.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-156

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/31/2015
Discharge amount	1300 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-197

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/31/2015
Discharge amount	95 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-174

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/31/2015
Discharge amount	1338 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, May 28, 2015 2:35 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Malloy, Rebecca P; Rudy Flores; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_05302015 tp148.docx;
Hydrostatic_Test_Discharge_Notification_05302015 tp150.docx;
Hydrostatic_Test_Discharge_Notification_05302015 tp284.docx;
Hydrostatic_Test_Discharge_Notification_05302015 tp305.docx;
Hydrostatic_Test_Discharge_Notification_05302015 tp314.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-148

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/30/2015
Discharge amount	7 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-284

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/30/2015
Discharge amount	1 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-305

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/30/2015
Discharge amount	7 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-314

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/30/2015
Discharge amount	113 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-150

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/30/2015
Discharge amount	13 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Wednesday, May 27, 2015 11:34 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Malloy, Rebecca P; Rudy Flores; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_05292015 tp146.docx;
Hydrostatic_Test_Discharge_Notification_05292015 tp147.docx;
Hydrostatic_Test_Discharge_Notification_05292015 tp233.docx;
Hydrostatic_Test_Discharge_Notification_05292015 tp315.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-146

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/29/2015
Discharge amount	3 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-233

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/29/2015
Discharge amount	179 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-315

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/29/2015
Discharge amount	4 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-147

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/29/2015
Discharge amount	2 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, May 26, 2015 5:00 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Malloy, Rebecca P; Rudy Flores; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_05282015 tp221.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-221

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/28/2015
Discharge amount	5 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, May 26, 2015 9:19 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Malloy, Rebecca P; Rudy Flores; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_05292015 tp150.docx;
Hydrostatic_Test_Discharge_Notification_05292015 tp172.docx;
Hydrostatic_Test_Discharge_Notification_05292015 tp175.docx;
Hydrostatic_Test_Discharge_Notification_05292015 tp178.docx;
Hydrostatic_Test_Discharge_Notification_05292015 tp183.docx;
Hydrostatic_Test_Discharge_Notification_05292015 tp305.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-150

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/29/2015
Discharge amount	13 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-175

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/29/2015
Discharge amount	1338 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-178

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/29/2015
Discharge amount	422 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-183

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/29/2015
Discharge amount	4 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-305

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/29/2015
Discharge amount	7 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-172

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/29/2015
Discharge amount	2635 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, May 26, 2015 7:27 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Malloy, Rebecca P; Rudy Flores; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_05292015 tp102.docx;
Hydrostatic_Test_Discharge_Notification_05292015 tp129.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-102

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/29/2015
Discharge amount	206 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-129

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/29/2015
Discharge amount	7 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, May 25, 2015 2:35 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Malloy, Rebecca P; Rudy Flores; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_05282015 tp272.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-272

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/28/2015
Discharge amount	186 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, May 25, 2015 7:27 AM
To: Jones, Brad A., EMNRD
Cc: Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D; Antonio Leyva
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_05282015 tp156.docx;
Hydrostatic_Test_Discharge_Notification_05282015 tp181.docx

Mr. Jones,
Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-156

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/28/2015
Discharge amount	2611 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-181

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/28/2015
Discharge amount	42 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Saturday, May 23, 2015 12:27 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_05252015 tp177.docx;
Hydrostatic_Test_Discharge_Notification_05252015 tp180.docx;
Hydrostatic_Test_Discharge_Notification_05252015 tp181.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-177

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/25/2015
Discharge amount	422 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-181

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/25/2015
Discharge amount	42 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-180

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/25/2015
Discharge amount	422 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Friday, May 22, 2015 2:52 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Jeff Cunningham; Josh Bowers; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_05252015 tp302.docx;
Hydrostatic_Test_Discharge_Notification_05252015 tp220.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-302

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/25/2015
Discharge amount	418 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-220

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/25/2015
Discharge amount	2 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, May 21, 2015 2:52 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_05232015 tp195.docx;
Hydrostatic_Test_Discharge_Notification_05232015 tp196.docx;
Hydrostatic_Test_Discharge_Notification_05232015 tp304.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-195

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/23/2015
Discharge amount	7 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-304

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/23/2015
Discharge amount	1 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-196

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/23/2015
Discharge amount	12 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, May 21, 2015 1:56 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_05202015 tp164.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-164

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/20/2015
Discharge amount	9 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, May 21, 2015 8:52 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_05232015 tp269.docx;
Hydrostatic_Test_Discharge_Notification_05232015 tp154.docx;
Hydrostatic_Test_Discharge_Notification_05232015 tp234.docx;
Hydrostatic_Test_Discharge_Notification_05232015 tp145.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-269

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/23/2015
Discharge amount	53 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-234

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/23/2015
Discharge amount	5 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-145

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/23/2015
Discharge amount	3 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-154

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/23/2015
Discharge amount	2 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, May 18, 2015 3:03 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; John Andrews; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_05212015 tp121.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-121

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/21/2015
Discharge amount	506 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, May 18, 2015 6:10 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D; John Andrews; William A. "Billy" Yargo
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_05202015 tp118.docx;
Hydrostatic_Test_Discharge_Notification_05202015 tp120.docx;
Hydrostatic_Test_Discharge_Notification_05202015 tp124.docx;
Hydrostatic_Test_Discharge_Notification_05202015 tp159.docx;
Hydrostatic_Test_Discharge_Notification_05202015 tp249.docx;
Hydrostatic_Test_Discharge_Notification_05202015 tp273.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-118

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/20/2015
Discharge amount	98 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-124

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/20/2015
Discharge amount	7 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-159

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/20/2015
Discharge amount	6 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-249

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/20/2015
Discharge amount	14 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-273

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/20/2015
Discharge amount	186 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-120

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/20/2015
Discharge amount	1113 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, May 14, 2015 2:19 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; William A. "Billy" Yargo; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic test Discharge_Notification_05162015 tp153.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-153

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/16/2015
Discharge amount	21 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, May 14, 2015 11:52 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic test Discharge_Notification_05162015 tp118.docx; Hydrostatic test Discharge_Notification_05162015 tp132.docx; Hydrostatic test Discharge_Notification_05162015 tp154.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-118

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/16/2015
Discharge amount	98 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-154

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/16/2015
Discharge amount	2 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-132

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/16/2015
Discharge amount	647 Gallons
Source of water	Mosaic Potash. Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, May 14, 2015 6:58 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_05162015 tp275.docx;
Hydrostatic_Test_Discharge_Notification_05162015 tp288.docx;
Hydrostatic_Test_Discharge_Notification_05162015 tp289.docx;
Hydrostatic_Test_Discharge_Notification_05162015 tp295.docx

Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran

Field Safety Representative


Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com

Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-275

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/16/2015
Discharge amount	197 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-289

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/16/2015
Discharge amount	142 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-295

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/16/2015
Discharge amount	142 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-288

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/16/2015
Discharge amount	13 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, May 12, 2015 5:30 PM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: HYDROSTATIC TEST DISCHARGE NOTIFICATIONS
Attachments: Hydrostatic_Test_Discharge_Notification_05152015 tp194.docx;
Hydrostatic_Test_Discharge_Notification_05152015 tp276.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA • HOUSTON • DALLAS • PORT ARTHUR • FARMINGTON • BATON ROUGE • DENVER • HENDERSON • ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-194

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/15/2015
Discharge amount	1554 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-276

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/15/2015
Discharge amount	91 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, May 12, 2015 8:23 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications.
Attachments: Hydrostatic_Test_Discharge_Notification_05152015 tp288.docx;
Hydrostatic_Test_Discharge_Notification_05152015 tp294.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA • HOUSTON • DALLAS • PORT ARTHUR • FARMINGTON • BATON ROUGE • DENVER • HENDERSON • ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-288

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/15/2015
Discharge amount	13 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-294

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/15/2015
Discharge amount	13 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, May 11, 2015 5:23 PM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_05142015 tp26.docx;
Hydrostatic_Test_Discharge_Notification_05142015 tp135.docx;
Hydrostatic_Test_Discharge_Notification_05142015 tp160.docx;
Hydrostatic_Test_Discharge_Notification_05142015 tp271.docx;
Hydrostatic_Test_Discharge_Notification_05142015 tp281.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-26

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/14/2015
Discharge amount	408 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-160

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/14/2015
Discharge amount	2 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-271

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/14/2015
Discharge amount	33 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-281

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/14/2015
Discharge amount	33 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-135

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/14/2015
Discharge amount	3 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Jesse Carrasco <jcarrasco@si-tx.com>
Sent: Friday, May 08, 2015 2:56 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Alvin Garza; Rudy Flores; RPMalloy@dcpmidstream.com; Michael Cothran; JBowers@dcpmidstream.com; Chad Higdon; Jeff Cunningham; cdcanfield@dcpmidstream.com
Subject: Hydro Static discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_05112015 tp267.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Jesse Carrasco
Field Safety Representative
Safety
Direct (432) 894-9375 jcarrasco@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-267

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/11/2015
Discharge amount	119 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Jesse Carrasco <jcarrasco@si-tx.com>
Sent: Friday, May 08, 2015 10:46 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Alvin Garza; Rudy Flores; RPMalloy@dcpmidstream.com; Michael Cothran; JBowers@dcpmidstream.com; Chad Higdon; Jeff Cunningham; cdcanfield@dcpmidstream.com
Subject: Hydro Static discharge notification's
Attachments: Hydrostatic_Test_Discharge_Notification_05112015 tp194.docx;
Hydrostatic_Test_Discharge_Notification_05112015 tp268.docx;
Hydrostatic_Test_Discharge_Notification_05112015 tp166.docx

Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Jesse Carrasco
Field Safety Representative
Safety
Direct (432) 894-9375 jcarrasco@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-194

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/11/2015
Discharge amount	1554 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-166

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/11/2015
Discharge amount	4374 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-268

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/11/2015
Discharge amount	119 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, May 07, 2015 10:43 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_05102015 tp140.docx

Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-140

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/10/2015
Discharge amount	1374 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Jesse Carrasco <jcarrasco@si-tx.com>
Sent: Tuesday, May 05, 2015 5:15 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Alvin Garza; Rudy Flores; RPMalloy@dcpmidstream.com; Michael Cothran; JBowers@dcpmidstream.com; Chad Higdon; Jeff Cunningham; cdcanfield@dcpmidstream.com
Subject: Hydro Static discharge notification's
Attachments: Hydrostatic_Test_Discharge_Notification_05082015 tp231.docx;
Hydrostatic_Test_Discharge_Notification_05082015 tp110.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Jesse Carrasco
Field Safety Representative
Safety
Direct (432) 894-9375 jcarrasco@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-231

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/08/2015
Discharge amount	1 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-110

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/08/2015
Discharge amount	232 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Jesse Carrasco <jcarrasco@si-tx.com>
Sent: Saturday, May 02, 2015 8:46 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Alvin Garza; Rudy Flores; RPMalloy@dcpmidstream.com; Michael Cothran; JBowers@dcpmidstream.com; Chad Higdon; Jeff Cunningham; cdcanfield@dcpmidstream.com
Subject: Hydro Static discharge notification's
Attachments: Hydrostatic_Test_Discharge_Notification_05052015 tp165.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Jesse Carrasco
Field Safety Representative
Safety
Direct (432) 894-9375 jcarrasco@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-165

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/05/2015
Discharge amount	1185 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Jesse Carrasco <jcarrasco@si-tx.com>
Sent: Friday, May 01, 2015 9:29 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Alvin Garza; Rudy Flores; RPMalloy@dcpmidstream.com; Michael Cothran; JBowers@dcpmidstream.com; Chad Higdon; Jeff Cunningham; cdcanfield@dcpmidstream.com
Subject: Hydro Static discharge notification's
Attachments: Hydrostatic_Test_Discharge_Notification_05042015 tp144.docx;
Hydrostatic_Test_Discharge_Notification_05042015 tp143.docx;
Hydrostatic_Test_Discharge_Notification_05042015 tp158.docx

Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.


Jesse Carrasco
Field Safety Representative
Safety

Direct (432) 894-9375 jcarrasco@si-tx.com

Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-144

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/04/2015
Discharge amount	23 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-158

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/04/2015
Discharge amount	3 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-143

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/04/2015
Discharge amount	20 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, April 30, 2015 8:52 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_05032015 tp115.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-115

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/03/2015
Discharge amount	531 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, April 28, 2015 9:37 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Rudy Flores; Ron Gosnell; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_05012015 tp112.docx;
Hydrostatic_Test_Discharge_Notification_05012015 tp168.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA • HOUSTON • DALLAS • PORT ARTHUR • FARMINGTON • BATON ROUGE • DENVER • HENDERSON • ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-112

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/01/2015
Discharge amount	21 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-168

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	05/01/2015
Discharge amount	178 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, April 27, 2015 11:54 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Rudy Flores; Ron Gosnell; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_04302015 tp28.docx;
Hydrostatic_Test_Discharge_Notification_04302015 tp199.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-28

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/30/2015
Discharge amount	815 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-199

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/30/2015
Discharge amount	68 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Friday, April 24, 2015 1:05 PM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Rudy Flores; Ron Gosnell; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_04272015 tp66.docx;
Hydrostatic_Test_Discharge_Notification_04272015 tp103.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA · HOUSTON · DALLAS · PORT ARTHUR · FARMINGTON · BATON ROUGE · DENVER · HENDERSON · ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-66

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/27/2015
Discharge amount	317 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-103

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/27/2015
Discharge amount	343 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Wednesday, April 22, 2015 2:44 PM
To: Jones, Brad A., EMNRD
Cc: Rudy Flores; Ron Gosnell; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield; Alvin Garza; Antonio Leyva
Subject: HYDROSTATIC DISCHARGE NOTIFICATION
Attachments: Hydrostatic_Test_Discharge_Notification_04252015 tp185.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-185

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/25/2015
Discharge amount	2 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, April 16, 2015 3:58 PM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_04182015 tp82.docx;
Hydrostatic_Test_Discharge_Notification_04182015 tp83.docx;
Hydrostatic_Test_Discharge_Notification_04182015 tp131.docx;
Hydrostatic_Test_Discharge_Notification_04182015 tp133.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-82

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/18/2015
Discharge amount	153 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-131

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/18/2015
Discharge amount	1118 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-133

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/18/2015
Discharge amount	1359 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-83

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/18/2015
Discharge amount	307 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, April 16, 2015 6:22 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_04182015 tp84.docx;
Hydrostatic_Test_Discharge_Notification_04182015 tp87.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-84

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/18/2015
Discharge amount	487 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-87

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/18/2015
Discharge amount	4 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, April 14, 2015 2:09 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Alvin Garza; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_04172015 tp101.docx;
Hydrostatic_Test_Discharge_Notification_04172015 tp116.docx;
Hydrostatic_Test_Discharge_Notification_04172015 tp117.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-101

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/17/2015
Discharge amount	23 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-117

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/17/2015
Discharge amount	264 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-116

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/17/2015
Discharge amount	176 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Saturday, April 11, 2015 4:22 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Alvin Garza; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_04142015 tp114.docx

Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-114

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/14/2015
Discharge amount	531 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Friday, April 10, 2015 9:48 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Alvin Garza; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_04132015 tp108.docx;
Hydrostatic_Test_Discharge_Notification_04132015 tp109.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-108

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/13/2015
Discharge amount	9 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-109

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/13/2015
Discharge amount	9 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, April 09, 2015 2:54 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Alvin Garza; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_04122015 tp142.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-142

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/12/2015
Discharge amount	34 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, April 07, 2015 11:05 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Alvin Garza; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_04102015 tp100.docx;
Hydrostatic_Test_Discharge_Notification_04102015 tp104.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA • HOUSTON • DALLAS • PORT ARTHUR • FARMINGTON • BATON ROUGE • DENVER • HENDERSON • ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-100

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/10/2015
Discharge amount	1698 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-104

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/10/2015
Discharge amount	483 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Friday, April 03, 2015 4:46 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Alvin Garza; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_04062015 tp42.docx;
Hydrostatic_Test_Discharge_Notification_04062015 tp71.docx;
Hydrostatic_Test_Discharge_Notification_04062015 tp72.docx;
Hydrostatic_Test_Discharge_Notification_04062015 tp85.docx;
Hydrostatic_Test_Discharge_Notification_04062015 tp104.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-42

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/06/2015
Discharge amount	15 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-72

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/06/2015
Discharge amount	282 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-85

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/06/2015
Discharge amount	8 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-104

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/06/2015
Discharge amount	483 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-71

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/06/2015
Discharge amount	282 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, April 02, 2015 2:02 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Alvin Garza; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_04052015 tp86.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-86

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/05/2015
Discharge amount	5 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, April 02, 2015 10:04 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Alvin Garza; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_04052015 tp99.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-99

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/05/2015
Discharge amount	11 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, March 31, 2015 10:04 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_04022015 tp93.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-93

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/02/2015
Discharge amount	1195 Gallon
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, March 30, 2015 11:58 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_04012015 tp92.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-92

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	04/01/2015
Discharge amount	1 Gallon
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Ron Gosnell <rgosnell@si-tx.com>
Sent: Sunday, March 29, 2015 10:52 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Michael Cothran; Antonio Leyva; Rudy Flores; Malloy, Rebecca P; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic Test Discharge Notifications
Attachments: Hydrostatic_Test_Discharge_Notification_03292015 tp94.docx;
Hydrostatic_Test_Discharge_Notification_03292015 tp95.docx;
Hydrostatic_Test_Discharge_Notification_03292015 tp62.docx;
Hydrostatic_Test_Discharge_Notification_03292015 tp92.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Ron Gosnell
Field HSE Representative
Safety
Direct (432) 366-3686 Cell (432) 967-8115 Fax (432) 368-0061 rgosnell@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-94

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	004/01/2015
Discharge amount	1306 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Ron Gosnell
Lead HSE Zia II Project
Saulsbury Industries
(432) 967-8115
rgosnell@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-62

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	004/01/2015
Discharge amount	3 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Ron Gosnell
Lead HSE Zia II Project
Saulsbury Industries
(432) 967-8115
rgosnell@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-92

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	004/01/2015
Discharge amount	1 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Ron Gosnell
Lead HSE Zia II Project
Saulsbury Industries
(432) 967-8115
rgosnell@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-95

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	004/01/2015
Discharge amount	2061 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Ron Gosnell
Lead HSE Zia II Project
Saulsbury Industries
(432) 967-8115
rgosnell@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Friday, March 27, 2015 2:16 PM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_03302015 tp88.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-88

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/30/2015
Discharge amount	27 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Friday, March 27, 2015 11:12 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_03302015 tp57.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-57

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/30/2015
Discharge amount	16 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Specialist Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, March 24, 2015 11:23 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_03272015 tp23.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-23

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/27/2015
Discharge amount	18 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Ron Gosnell
HSE Lead Zia II Project
Saulsbury Industries
(432) 967-8115
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, March 23, 2015 2:27 PM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test notifications
Attachments: Hydrostatic_Test_Discharge_Notification_03262015 tp68.docx;
Hydrostatic_Test_Discharge_Notification_03262015 tp69.docx;
Hydrostatic_Test_Discharge_Notification_03262015 tp79.docx;
Hydrostatic_Test_Discharge_Notification_03262015 tp80.docx

Mr. Jones,


Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-68

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/26/2015
Discharge amount	287 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Ron Gosnell
HSE Lead Zia II Project
Saulsbury Industries
(432) 967-8115
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-79

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/26/2015
Discharge amount	287 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Ron Gosnell
HSE Lead Zia II Project
Saulsbury Industries
(432) 967-8115
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-80

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/26/2015
Discharge amount	287 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Ron Gosnell
HSE Lead Zia II Project
Saulsbury Industries
(432) 967-8115
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-69

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/26/2015
Discharge amount	287 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Ron Gosnell
HSE Lead Zia II Project
Saulsbury Industries
(432) 967-8115
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Saturday, March 21, 2015 12:10 PM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_03242015 tp77.docx;
Hydrostatic_Test_Discharge_Notification_03242015 tp78.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA • HOUSTON • DALLAS • PORT ARTHUR • FARMINGTON • BATON ROUGE • DENVER • HENDERSON • ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-77

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/24/2015
Discharge amount	269 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Ron Gosnell
HSE Lead Zia II Project
Saulsbury Industries
(432) 967-8115
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-78

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/24/2015
Discharge amount	269 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Ron Gosnell
HSE Lead Zia II Project
Saulsbury Industries
(432) 967-8115
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Ron Gosnell <rgosnell@si-tx.com>
Sent: Friday, March 20, 2015 2:50 PM
To: Jones, Brad A., EMNRD
Cc: Michael Cothran
Subject: Hydrostatic Test Discharge Notification
Attachments: Hydrostatic_Test_Discharge_Notification_03232015 tp46.docx;
Hydrostatic_Test_Discharge_Notification_03232015 tp75.docx


Mr. Jones,

Attached are the notifications of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Ron Gosnell
Field HSE Representative
Safety
Direct (432) 366-3686 Cell (432) 967-8115 Fax (432) 368-0061 rgosnell@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-746

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/23/2015
Discharge amount	263 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Ron Gosnell
HSE Lead Zia II Project
Saulsbury Industries
(432) 967-8115
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-75

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/23/2015
Discharge amount	263 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Ron Gosnell
HSE Lead Zia II Project
Saulsbury Industries
(432) 967-8115
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, March 19, 2015 10:34 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_03222015 tp34.docx;
Hydrostatic_Test_Discharge_Notification_03222015 tp81.docx


Mr. Jones,

Attached is the notification of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-34

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/22/2015
Discharge amount	286 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-81

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/22/2015
Discharge amount	96 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Saturday, March 14, 2015 3:13 PM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_003172015 tp18 455gal.docx;
Hydrostatic_Test_Discharge_Notification_003172015 tp34 286gal.docx;
Hydrostatic_Test_Discharge_Notification_003172015 tp50 551gal.docx


Mr. Jones,

Attached is the notification of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-18

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/17/2015
Discharge amount	455 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-50

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/17/2015
Discharge amount	551 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-34

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/17/2015
Discharge amount	286 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Friday, March 13, 2015 10:15 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_003162015 tp23 18gal.docx;
Hydrostatic_Test_Discharge_Notification_003162015 tp51 112gal.docx


Mr. Jones,

Attached is the notification of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA • HOUSTON • DALLAS • PORT ARTHUR • FARMINGTON • BATON ROUGE • DENVER • HENDERSON • ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-23

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/16/2015
Discharge amount	18 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-51

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/16/2015
Discharge amount	112 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, March 12, 2015 4:40 PM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_003142015 tp55 168gal.docx


Mr. Jones,

Attached is the notification of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-55

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/14/2015
Discharge amount	168 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, March 09, 2015 1:18 PM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_003122015 tp47 2040gal.docx;
Hydrostatic_Test_Discharge_Notification_003122015 tp48 554gal.docx;
Hydrostatic_Test_Discharge_Notification_003122015 tp49 259gal.docx


Mr. Jones,

Attached is the notification of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-47

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/12/2015
Discharge amount	2040 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-49

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/12/2015
Discharge amount	257 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-48

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/12/2015
Discharge amount	554 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Saturday, March 07, 2015 11:26 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_03102015 tp20 74gal.docx

Mr. Jones,


Attached is the notification of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-20

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/10/2015
Discharge amount	74 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, March 05, 2015 12:34 PM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_003082015 tp45 3281gal.docx;
Hydrostatic_Test_Discharge_Notification_003082015 tp54 3326gal.docx


Mr. Jones,

Attached is the notification of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA • HOUSTON • DALLAS • PORT ARTHUR • FARMINGTON • BATON ROUGE • DENVER • HENDERSON • ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-45

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/08/2015
Discharge amount	3281 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-54

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/08/2015
Discharge amount	3326 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Wednesday, March 04, 2015 3:18 PM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_003072015 tp17 653gal.docx


Mr. Jones,

Attached is the notification of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-17

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	03/07/2015
Discharge amount	653 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Ron Gosnell <rgosnell@si-tx.com>
Sent: Saturday, February 21, 2015 9:08 AM
To: Jones, Brad A., EMNRD
Cc: Michael Cothran
Subject: Hydrostatic_Test_Discharge_Notification_02212015 tp58
Attachments: Hydrostatic_Test_Discharge_Notification_02212015 tp58.docx


Mr. Jones,

Attached is the notification of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Ron Gosnell
Field HSE Representative
Safety
Direct (432) 366-3686 Fax (432) 368-0061 rgosnell@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

TP-58

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	02/24/2015
Discharge amount	1306 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Ron Gosnell
Lead HSE Zia II Project
Saulsbury Industries
(432) 967-8115
rgosnell@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Wednesday, February 18, 2015 9:27 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Chad Higdon; Carlton D Canfield; Josh Bowers; Jeff Cunningham
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_02212015 tp21.docx

Mr. Jones,

Attached is the notification of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	02/21/2015
Discharge amount	65 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Wednesday, February 18, 2015 7:11 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Chad Higdon; Carlton D Canfield; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Josh Bowers; Jeff Cunningham
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_02212015 tp59.docx

Mr. Jones,


Attached is the notification of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	02/21/2015
Discharge amount	1207 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, February 09, 2015 8:52 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Chad Higdon; Carlton D Canfield; Josh Bowers; Jeff Cunningham
Subject: Hydrostatic discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_02122015 tp56- 38gal.docx


Mr. Jones,

Attached is the notification of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	02/12/2015
Discharge amount	38 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Saturday, February 07, 2015 1:43 PM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Malloy, Rebecca P; Rudy Flores; Chad Higdon; Carlton D Canfield; Josh Bowers; Jeff Cunningham
Subject: Hydrostatic test discharge notifications
Attachments: Hydrostatic_Test_Discharge_Notification_02102015 tp21- 65gal.docx;
Hydrostatic_Test_Discharge_Notification_02102015 tp23- 18gal.docx;
Hydrostatic_Test_Discharge_Notification_02102015 tp50- 269gal.docx;
Hydrostatic_Test_Discharge_Notification_02102015 tp51 112gal.docx


Mr. Jones,

Attached is the notification of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	02/10/2015
Discharge amount	65 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	02/10/2015
Discharge amount	269 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	02/10/2015
Discharge amount	112 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	02/10/2015
Discharge amount	18 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, February 05, 2015 11:40 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Malloy, Rebecca P; Rudy Flores; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_02082015 tp16.docx

Mr. Jones,


Attached is the notification of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	02/08/2015
Discharge amount	543 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, February 02, 2015 12:06 PM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Malloy, Rebecca P; Rudy Flores; Josh Bowers; Jeff Cunningham; Chad Higdon; Carlton D Canfield
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_02052015 tp44.docx

Mr. Jones,


Attached is the notification of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	02/05/2015
Discharge amount	496 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, February 02, 2015 10:10 AM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Chad Higdon; Carlton D Canfield; Josh Bowers; Jeff Cunningham
Subject: Hydrostatic Test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_02052015 tp27.docx;
Hydrostatic_Test_Discharge_Notification_02052015 tp28.docx;
Hydrostatic_Test_Discharge_Notification_02052015 tp41.docx;
Hydrostatic_Test_Discharge_Notification_02052015 tp43.docx

Mr. Jones,


Attached is the notification of hydrostatic test discharge from OSE Well ID#/POD L 1883 for use under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	02/05/2015
Discharge amount	2126 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	02/05/2015
Discharge amount	82 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	02/05/2015
Discharge amount	68 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	02/05/2015
Discharge amount	815 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, January 29, 2015 1:14 PM
To: Jones, Brad A., EMNRD
Cc: Alvin Garza; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Chad Higdon; Canfield, Carlton D; Bowers, Josh; Jeff Cunningham
Subject: Hydrostatic discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_02012015 tp 53.docx;
Hydrostatic_Test_Discharge_Notification_02012015 tp 54.docx


Mr. Jones,

Attached is the notification of hydrostatic test discharge under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	02/01/2015
Discharge amount	2570 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	02/01/2015
Discharge amount	2612 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, January 27, 2015 11:14 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Alvin Garza; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Bowers, Josh; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notification 01302015
Attachments: Hydrostatic_Test_Discharge_Notification_01302015.docx


Mr. Jones,

Attached is the notification of hydrostatic test discharge under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	01/30/2015
Discharge amount	117 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Saturday, January 24, 2015 9:22 AM
To: Jones, Brad A., EMNRD
Cc: Bowers, Josh; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Jeff Cunningham; Chad Higdon; Canfield, Carlton D; Alvin Garza; Antonio Leyva
Subject: Hydrostatic test discharge 01272015
Attachments: Hydrostatic_Test_Discharge_Notification_01272015.docx

Mr. Jones,


Attached is the notification of hydrostatic test discharge under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.

ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE



CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	01/27/2015
Discharge amount	133 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, January 19, 2015 6:02 AM
To: Jones, Brad A., EMNRD
Cc: Ron Gosnell; Malloy, Rebecca P; Rudy Flores; Bowers, Josh; Jeff Cunningham; Antonio Leyva; Canfield, Carlton D; Alvin Garza; Antonio Leyva
Subject: Hydrostatic discharge notification 01222015
Attachments: Hydrostatic_Test_Discharge_Notification_01222015.docx


Mr. Jones,

Attached is the notification of hydrostatic test discharge under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	01/22/2015
Discharge amount	397 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Friday, January 16, 2015 10:49 AM
To: Jones, Brad A., EMNRD
Cc: Chad Higdon; Canfield, Carlton D; Ron Gosnell; Malloy, Rebecca P; Rudy Flores; Bowers, Josh; Antonio Leyva; Alvin Garza
Subject: Hydrostatic discharge notification 01192015
Attachments: Hydrostatic_Test_Discharge_Notification_01192015 tp38 18 gal.docx

Mr. Jones,

Attached is the notification of hydrostatic test discharge under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of test	01/19/2015
Discharge amount	18 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, January 13, 2015 9:22 AM
To: Jones, Brad A., EMNRD
Cc: Ron Gosnell; Malloy, Rebecca P; Bowers, Josh; Jeff Cunningham; Canfield, Carlton D; Chad Higdon; Antonio Leyva; Rudy Flores
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_01162015.docx

Mr. Jones,

Attached is the notification of hydrostatic test discharge under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran


Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com

Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of Discharge	01/16/2015
Discharge amount	2580 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, December 22, 2014 8:38 AM
To: Jones, Brad A., EMNRD
Cc: Ron Gosnell; Malloy, Rebecca P; Rudy Flores; Bowers, Josh; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_12222014_TP36.docx

Mr. Jones,


Attached is the notification of hydrostatic test discharge under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Test Package #36

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of discharge	12/26/2014/2014
Discharge amount	20 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Ron Gosnell <rgosnell@si-tx.com>
Sent: Saturday, December 13, 2014 11:24 AM
To: Jones, Brad A., EMNRD
Cc: Malloy, Rebecca P; Bowers, Josh; Canfield, Carlton D; Bowers, Josh; Jeff Cunningham; Chad Higdon; Antonio Leyva
Subject: Hydrostatic Test Discharge Notification
Attachments: Hydrostatic_Test_Discharge_Notification_12132014_TP35.docx


Mr. Jones,

Attached is the notification of hydrostatic test discharge under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Ron Gosnell
Field HSE Representative
Safety
Direct (432) 366-3686 Fax (432) 368-0061 rgosnell@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Test Package #35

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of discharge	12/16/2014/2014
Discharge amount	15 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Ron Gosnell
Field HSE Lead Zia II Project
Saulsbury Industries
(432) 967-8115
rgosnell@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Friday, December 12, 2014 9:59 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Ron Gosnell; Malloy, Rebecca P; Rudy Flores; Bowers, Josh; Jeff Cunningham; Canfield, Carlton D; Chad Higdon
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_12122014 tp25, 910 gal.docx;
Hydrostatic_Test_Discharge_Notification_12122014 tp32_ 125 gal.docx;
Hydrostatic_Test_Discharge_Notification_12122014 tp33_ 392 gal.docx


Mr. Jones,

Attached is the notification of hydrostatic test discharge under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of test	12/15/2014
Discharge amount	910 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of test	12/15/2014
Discharge amount	392 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of test	12/15/2014
Discharge amount	125 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, December 09, 2014 12:33 PM
To: Jones, Brad A., EMNRD
Cc: Bowers, Josh; Jeff Cunningham; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Antonio Leyva; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_11222014_tp26.docx

Mr. Jones,


Attached is the notification of hydrostatic test discharge under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of test	11/22/2014
Discharge amount	1720 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Sunday, December 07, 2014 9:23 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Bowers, Josh; Jeff Cunningham; Chad Higdon; Canfield, Carlton D
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_12102014_tp30_622_gal.docx

Mr. Jones,

Attached is the notification of hydrostatic test discharge under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of test	12/10/2014
Discharge amount	622 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Thursday, November 20, 2014 11:17 AM
To: Jones, Brad A., EMNRD
Cc: Bowers, Josh; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Chad Higdon; cdcanfield@dcpmidstream.com
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_11232014_tp29.docx


Mr. Jones,

Attached is the notification of hydrostatic test discharge under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of test	11/23/2014
Discharge amount	114 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Wednesday, November 19, 2014 3:44 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Chad Higdon; cdcanfield@dcpmidstream.com; Bowers, Josh
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_11222014_tp26.docx

Mr. Jones,


Attached is the notification of hydrostatic test discharge under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of test	11/22/2014
Discharge amount	1720 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Wednesday, November 19, 2014 2:17 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Chad Higdon; cdcanfield@dcpmidstream.com; Bowers, Josh
Subject: Hydrostatic test discharge notification Test pkg. 27 and 28
Attachments: Hydrostatic_Test_Discharge_Notification_11222014_tp27.docx;
Hydrostatic_Test_Discharge_Notification_11222014_tp28.docx


Mr. Jones,

Attached is the notification of hydrostatic test discharge under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of test	11/22/2014
Discharge amount	126 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of test	11/22/2014
Discharge amount	815 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, November 18, 2014 1:00 PM
To: Jones, Brad A., EMNRD
Cc: Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Chad Higdon;
cdcanfield@dcpmidstream.com; Bowers, Josh; Antonio Leyva
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_11182014 tp24, 577 gal.docx

Mr. Jones,


Attached is the notification of hydrostatic test discharge under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me. The water will not be discharged until 11/21/2014

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of test	11/18/2014
Discharge amount	577 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Friday, November 14, 2014 3:16 PM
To: Jones, Brad A., EMNRD
Cc: Bowers, Josh; Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Chad Higdon; cdcanfield@dcpmidstream.com
Subject: Cancelled hydro test discharges
Attachments: Hydrostatic_Test_Discharge_Notification_11122014 tp 26 1680 gal.docx;
Hydrostatic_Test_Discharge_Notification_11142014 tp29 114 gal.docx

The attached hydrostatic test discharges have been cancelled due to weather.


Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com

Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of test	11/12/2014
Discharge amount	1680 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of test	11/14/2014
Discharge amount	114 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Tuesday, November 11, 2014 12:47 PM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Bowers, Josh; Jeff Cunningham; Chad Higdon; cdcandfield@dcpmidstream.com
Subject: Hydrostatic test discharge notification tp 29, 114 gal.
Attachments: Hydrostatic_Test_Discharge_Notification_11142014 tp29 114 gal.docx

Mr. Jones,


Attached is the notification of hydrostatic test discharge under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of test	11/14/2014
Discharge amount	114 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, November 10, 2014 8:33 AM
To: Jones, Brad A., EMNRD
Cc: Antonio Leyva; Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Chad Higdon; cdcandfield@dcpmidstream.com; Bowers, Josh; Jeff Cunningham
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_11122014 tp 26 1680 gal.docx

Mr. Jones,

Attached is the notification of hydrostatic test discharge under DCP Midstream, LP, permit number: HBP – 015. If you have any questions or require any additional information please feel free to contact me.

Michael Cothran
Field Safety Representative
Safety

Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of test	11/12/2014
Discharge amount	1680 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD

From: Hyman, Janice L <JLHyman@dcpmidstream.com>
Sent: Tuesday, October 21, 2014 3:48 PM
To: Jones, Brad A., EMNRD
Subject: Hydrotest Notification

Mr. Jones,

This is notification of a hydrotest under 25,000gal. We will discharge water under the blanket permit #HBP-015 on 10/24/14.

Date of test:10/24/14

Test location: N32.34135520 W104.17820139

Volume of discharge: 6994

Source of water: City of Carlsbad

Quality of Water: Potable

Discharge location: N32.334290 W104.17820139

DCP Person: Jimmy Rather

Email notice to Brad Jones : yes

Land owner notified: yes

Thank you and best regards,

Janice Hyman

Construction and Maintenance

Administrative Assistant

DCP Midstream

Office: 575-397-5560

Mobile: 432-940-5580

eMail: jhyman@dcpmidstream.com



Jones, Brad A., EMNRD


From: Michael Cothran <mcothran@si-tx.com>
Sent: Saturday, October 11, 2014 10:28 AM
To: Jones, Brad A., EMNRD
Cc: Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Antonio Leyva; Bowers, Josh; Chad Higdon; cdcanfield@dcpmidstream.com
Subject: Hydrostatic discharge notification 10122014
Attachments: Hydrostatic_Test_Discharge_Notification_10122014-18 gal.docx

No water will be discharged until 10/14/2014

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of test	10/12/2014
Discharge amount	18 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD


From: Michael Cothran <mcothran@si-tx.com>
Sent: Monday, October 06, 2014 9:29 AM
To: Jones, Brad A., EMNRD
Cc: Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Chad Higdon;
cdcanfield@dcpmidstream.com; Antonio Leyva; Bowers, Josh
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_10062014 tp 21.docx

Water will not be discharged until 10/10/2014

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of test	10/06/2014
Discharge amount	65 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com

Jones, Brad A., EMNRD


From: Michael Cothran <mcothran@si-tx.com>
Sent: Saturday, October 04, 2014 10:52 AM
To: Jones, Brad A., EMNRD
Cc: Ron Gosnell; Rudy Flores; Malloy, Rebecca P; Chad Higdon;
cdcanfield@dcpmidstream.com; Antonio Leyva
Subject: Hydrostatic test discharge notification
Attachments: Hydrostatic_Test_Discharge_Notification_10042014 tp 20.docx

Water will not be discharged until 10/07/2014

Michael Cothran
Field Safety Representative
Safety
Direct (432) 366-3686 Cell (432) 269-6180 mcothran@si-tx.com
Corporate Office: 2951 E Interstate 20 Odessa, TX 79766 www.si-tx.com



Committed to Injury-Free Performance.



ODESSA - HOUSTON - DALLAS - PORT ARTHUR - FARMINGTON - BATON ROUGE - DENVER - HENDERSON - ABILENE

CONFIDENTIALITY NOTE: The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information.

Mr. Brad Jones,

On behalf of DCP, this is notification of a hydrostatic test under 25,000 gallons.
We would like to discharge under the blanket permit #HBP-015.

Project	Zia II Plant
Location of well	NA
Location of discharge	Section 19 Township 19 Range 32 Survey NMPM Lea County
Date of test	10/04/2014
Discharge amount	29 Gallons
Source of water	Mosaic Potash Mine

Thank you,

Michael Cothran
Field HSE Zia II Project
Saulsbury Industries
(432) 269-6180
mcothran@si-tx.com