3R - 1026

2014 **GWMP**

12/02/2014



CORRECTIVE ACTION REPORT AND SITE INVESTIGATION WORK PLAN

Property:

Gallegos #2 Well Tie Pipeline Release (9/18/2014) NE 1/4, S29 T26N R11W San Juan County, New Mexico

> December 2, 2014 Apex Project No. 7030414G035

> > Prepared for:

Enterprise Field Services LLC 614 Reilly Avenue Farmington, NM 87401 Attn: Mr. Tom Long

Prepared by:

Heather M. Woods, P.G. Senior Project Manager

Elizabeth Scaggs, P.G. Senior Program Manager

TABLE OF CONTENTS

1.0	INTR	ODUCTION	
	1.1	Site Description & Background	1
	1.2	Project Objective	1
2.0	SITE	RANKING	1
3.0	RES	PONSE ACTIONS	2
	3.1	Soil Excavation Activities	2
	3.2	Soil and Water Sampling Program	3
	3.3	Laboratory Analytical Methods	
4.0	DAT	A EVALUATION	4
	4.1	Soil Samples	
	4.2	Water Sample	
5.0	FIND	INGS AND RECOMMENDATIONS	5
6.0	STAI	NDARD OF CARE, LIMITATIONS, AND RELIANCE	6
7.0		INVESTIGATION WORK PLAN	
	7.1	Objective	
	7.2 7.3	Health and Safety Plan	
	7.3 7.4	Soil Boring Installation Temporary Monitoring Well Installation	
	7. 4 7.5	Soil Sampling Program	
	_	3011 3a111011110 F1001a111	
			ρ
	7.6 7.7	Soil Laboratory Analytical Program	
	7.7	Soil Laboratory Analytical ProgramGroundwater Sampling Program	8
	_	Soil Laboratory Analytical Program	8 9
8.0	7.7 7.8 7.9	Soil Laboratory Analytical Program	8 9

LIST OF APPENDICES

Appendix A: Figure 1 – Topographic Map

Figure 2 – Site Vicinity Map

Figure 3 – Site Map with Sample Locations

Figure 4 – Proposed Temporary Monitoring Well Locations

Appendix B: Executed C-138 Solid Waste Acceptance Forms

Appendix C: Photographic Documentation

Appendix D: Table 1A – Soil Analytical Summary, Excavation Confirmation Samples

Table 1B – Soil Analytical Summary, Stockpile Confirmation Samples

Table 2A – Excavation Water Analytical Summary, BTEX Table 2B – Excavation Water Analytical Summary, Anions Table 2C – Excavation Water Analytical Summary, Cations

Appendix E: Laboratory Analytical Reports &

Chain of Custody Documentation



CORRECTIVE ACTION REPORT AND SITE INVESTIGATION WORK PLAN

Gallegos #2 Well Tie Pipeline Release (9/18/2014)

NE 1/4, S29 T26N R11W San Juan County, New Mexico

Apex Project No. 7030414G035

1.0 INTRODUCTION

1.1 Site Description & Background

The Gallegos #2 Well Tie Pipeline Release (9/18/2014) site is located within the Enterprise Field Services LLC (Enterprise) pipeline right-of-way (ROW) in the northeast (NE) ¼ of Section 29 in Township 26 North, Range 11 West in rural San Juan County, New Mexico (36.46020N 108.02147W), referred to hereinafter as the "Site" or "subject Site". The Site is located on Navajo Nation allotted land, and consists of native vegetation rangeland periodically interrupted with oil and gas gathering facilities, including the Enterprise natural gas gathering pipeline which traverses the area from approximately southwest to northeast.

On October 7, 2014, Enterprise initiated excavation activities at the Site in an effort to locate and repair a subsurface leak, which was discovered on September 18, 2014. Three leaks were subsequently identified and repaired along a 40 foot length of the pipeline. Unknown quantities of natural gas and pipeline liquids were released from the pipeline as a result of leaks caused by internal corrosion. The leaks were identified by the detection of natural gas at the ground surface during a vapor survey. No other surface expression was observed in the vicinity of the release.

A topographic map depicting the location of the Site is included as Figure 1, and a Site Vicinity Map is included as Figure 2 in Appendix A.

1.2 Project Objective

The primary objective of the corrective actions was to reduce the concentration of constituents of concern (COCs) in the on-Site soils to below the New Mexico Energy, Minerals, and Natural Resources Department (EMNRD) Oil Conservation Division (OCD) Remediation Action Levels using the New Mexico EMNRD OCD's Guidelines for Remediation of Leaks, Spills and Releases as guidance.

2.0 SITE RANKING

The site is under the jurisdiction of the Navajo Nation Environmental Protection Agency (NNEPA) and the New Mexico ENMRD OCD. Site activities were performed in accordance with the ENMRD OCD *Guidelines for Remediation of Leaks, Spills and Releases*, in addition to the OCD rules, specifically NMAC 19.15.29 *Remediation Plan*. This guidance establishes investigation and abatement action requirements for sites subject to reporting and/or corrective action.

Apex TITAN, Inc. (Apex) utilized the general site characteristics obtained during completion of corrective action activities and information available from the New Mexico Office of the State Engineer (OSE) to determine the appropriate "ranking" for the Site. The ranking criteria and associated scoring are provided in the following table:



Rankir	Ranking Criteria						
	<50 feet	20					
Depth to Groundwater	50 to 99 feet	10	20				
	>100 feet	0					
Wellhead Protection Area • <1,000 feet from a water	Yes	20	0				
source, or; <200 feet from private domestic water source.	No 0		•				
	<200 feet	20					
Distance to Surface Water Body	200 to 1,000 feet	10	20				
-	>1,000 feet 0						
Total Rai	40						

Based on Apex's evaluation of the scoring criteria, the Site would have a maximum Total Ranking Score of "40". This ranking is based on the following:

- Groundwater was observed in the pipeline repair excavation at approximately 2.5 feet below grade surface (bgs), resulting in a ranking of "20" for depth to groundwater. No water wells were identified on the OSE website database within one mile of the Site.
- No water sources or wellheads were identified within 1,000 feet of the Site, resulting in a ranking of "0" for proximity to a wellhead protection area.
- The Site is located adjacent to the active channel of the Gallegos Wash, resulting in a ranking of "20" for distance to surface water

3.0 RESPONSE ACTIONS

3.1 Soil Excavation Activities

On October 7, 2014, Enterprise initiated excavation activities at the Site in an effort to locate and repair a subsurface leak. Three leaks were subsequently identified and repaired along a 40 foot length of the pipeline. Unknown quantities of natural gas and pipeline liquids were released from the pipeline as a result of leaks caused by internal corrosion. The leaks were identified by the detection of natural gas at the ground surface during a vapor survey. No other surface expression was observed in the vicinity of the release. During the corrective action activities, West States Energy Contractors provided heavy equipment and labor support, and Kyle Summers and Heather Woods, Apex environmental professionals, provided environmental support.

Confirmation soil samples were collected over the course of several days, as different areas of the excavation became accessible during soil removal and dewatering activities. Confirmation samples C-1 through C-15 were collected from the floors and sidewalls of the excavation to evaluate soils remaining in place. Subsequent analytical results indicated that a portion of the west sidewall still exhibited evidence of hydrocarbon impact (sample C-8). This sidewall was over-excavated on October 14, 2014, and resampled (confirmation sample C-16) to verify the removal of hydrocarbon affected soils.

The lithology encountered during the completion of corrective action activities consisted primarily of unconsolidated sands with variable amounts of silt and clay.

The final excavation measured approximately 380 feet long with variable width and depth, typically six (6) feet wide and four (4) to six (6) feet bgs in depth. The majority of this excavation



was created to proactively replace sections of pipeline that exhibited signs of internal corrosion. The portion of the excavated area affected by the hydrocarbon release measured approximately 41 feet long by 30 feet wide and 8 to 10 feet bgs in depth.

A total of approximately 568 cubic yards of hydrocarbon affected soils were transported to the Envirotech Landfarm near Hilltop, New Mexico for disposal/remediation. Additionally, approximately 585 barrels (bbls) of water were removed from the excavation during dewatering activities and transported to the Basin Disposal, Inc. facility in Bloomfield, New Mexico for disposal. The executed C-138 forms are provided in Appendix B. Composite samples (SP-1 through SP-12) were collected from the remaining soil stockpiles associated with the northern (unaffected) portion of the excavation at an approximate 20 cubic yard sample interval (as requested by the NMOCD) to verify the potential for reuse as backfill material. Subsequent to the laboratory verification that the remaining stockpiled soils were not affected, the excavation was backfilled with clean, imported fill and soils from the remaining unaffected stockpiles.

Figure 3 is a site map that indicates the approximate location of the final excavated area in relation to pertinent land features (Appendix A). Photographic documentation of the field activities is included in Appendix C.

3.2 Soil and Water Sampling Program

Apex screened head-space samples of Site soils with a photoionization detector (PID) fitted with a 10.6 electron volt (eV) lamp to aid in determining the excavation limits.

Apex's soil sampling program included the collection of sixteen (16) confirmation samples (C-1 through C-16) from the resulting excavation for laboratory analysis. Additionally, twelve (12) composite samples (SP-1 through SP-12) were collected from the remaining unaffected stockpiled soils to determine the potential to reuse these soils as excavation backfill. Figure 3 depicts the approximate location of the excavated areas and shows the final confirmation sample locations in relation to the final excavation dimensions (Appendix A).

A water sample (EW-1) was collected from the open excavation and submitted for laboratory analysis, to evaluate potential groundwater impact at the Site.

The confirmation soil and water samples were collected and placed in laboratory prepared glassware, labeled/sealed using the laboratory supplied labels, and placed on ice in coolers, which were secured with custody seals. The sample coolers and completed chain-of-custody form were relinquished to Hall Environmental Analysis Laboratory (Hall) in Albuquerque, New Mexico for analysis.

3.3 Laboratory Analytical Methods

The confirmation and stockpile soil samples were analyzed for benzene, toluene, ethylbenzene and xylenes (BTEX) using Environmental Protection Agency (EPA) SW-846 Method #8021, and total petroleum hydrocarbons (TPH) gasoline range organics (GRO) and diesel range organics (DRO) using EPA SW-846 Method #8015. Additionally, at the request of the NMOCD, the stockpile composite samples were analyzed for chloride using EPA Method 300.0.

The excavation water sample was analyzed for BTEX using EPA SW-846 #8021, anions using EPA Method 300.0, and cations using EPA Method 200.7.

Laboratory results are summarized in Tables 1A, 1B, and 2A through 2C, included in Appendix D. The executed chain-of-custody form and laboratory data sheets are provided in Appendix E.



4.0 DATA EVALUATION

The Site is subject to regulatory oversight by the NNEPA. Due to the absence of published NNEPA regulatory guidance with respect to unrefined oil and gas releases, Apex referred to the New Mexico EMNRD OCD guidance and rules. To address activities related to condensate releases, the New Mexico EMNRD OCD utilizes the *Guidelines for Remediation of Leaks, Spills and Releases* as guidance, in addition to the OCD rules, specifically NMAC 19.15.29 *Remediation Plan.* These guidance documents establish investigation and abatement action requirements for sites subject to reporting and/or corrective action.

4.1 Soil Samples

Apex compared the BTEX and TPH concentrations or reporting limits (RLs) associated with the final confirmation and stockpile samples for soils remaining at the Site to the OCD *Remediation Action Levels* for sites having a total ranking score of "40". Soils associated with confirmation sample C-8 were removed by over-excavation and are not included in the following discussion.

- The laboratory analyses of the confirmation samples collected from soils remaining in place indicate benzene concentrations ranging from below laboratory reporting limits to 0.33 milligrams per kilogram (mg/kg), which are below the OCD Remediation Action Level.
- The laboratory analyses of the confirmation samples collected from soils remaining in place indicate total BTEX concentrations ranging from below laboratory reporting limits to 6.7 mg/kg, which are below the OCD *Remediation Action Level*.
- The laboratory analyses of the confirmation samples collected from soils remaining in place indicate combined TPH GRO/DRO concentrations ranging from below the laboratory reporting limits to 74 mg/Kg, which are below the OCD Remediation Action Level.

The laboratory analyses of the stockpile samples identified chloride concentrations ranging from 4.6 mg/kg to 12 mg/kg. Chloride does not have an established OCD *Remediation Action Level*. Confirmation sample results are provided in Tables 1A and 1B in Appendix D.

4.2 Water Sample

Apex compared the BTEX constituent concentrations or reporting limits (RLs) associated with the excavation water sample collected from the main excavation area to the New Mexico Water Quality Control Commission (WQCC) Groundwater Quality Standards (GQSs).

- The laboratory analyses of the excavation water sample (EW-1) indicates a benzene concentration of 1,400 micrograms per liter (μg/L), which is above the WQCC GQS of 10 μg/L.
- The laboratory analyses of EW-1 indicates a toluene concentration of 6,300 μ g/L, which is above the WQCC GQS of 750 μ g/L.
- The laboratory analyses of EW-1 indicates an ethylbenzene concentration of 870 μ g/L, which is above the WQCC GQS of 750 μ g/L.
- The laboratory analyses of EW-1 indicates a total xylenes concentration of 11,000 μg/L, which above the WQCC GQS of 620 μg/L.



In addition to the analysis for BTEX, the NMOCD requested that the excavation water sample be analyzed for anions/cations.

- The laboratory analyses of EW-1 indicates fluoride, nitrogen (nitrate), and sulfate concentrations below the laboratory reporting limits, which are below the WQCC GQS of 1.6 milligrams per liter (mg/L) fluoride, 10.0 mg/L nitrogen (nitrate), and 600 mg/L sulfate. Laboratory analyses of EW-1 also indicates nitrogen (nitrite), bromide, and phosphorus (orthophosphate) concentrations below the laboratory reporting limits, for which no WQCC GQSs have been established. The laboratory analyses of EW indicates a chloride concentration of 94 mg/L, which is below the WQCC GQS of 250 mg/L for domestic water supplies.
- Laboratory analyses of EW-1 also identified cation concentrations of 100 mg/L calcium, 34 mg/L magnesium, 22 mg/L potassium, and 580 mg/L sodium. No WQCC GQSs have been established for these cations.

Sample results are provided in Tables 2A through 2C in Appendix D.

It should be noted that due to the "mixing/blending" nature of excavation activities, as well as the characteristics of the native media comprising the local aquifer and vadose zone, open excavation water sample analyses are sometimes not indicative of the actual groundwater constituent concentrations in the area.

5.0 FINDINGS AND RECOMMENDATIONS

The Gallegos #2 Well Tie Pipeline Release (9/18/2014) site is located within the Enterprise pipeline ROW in the NE ¼ of Section 29 in Township 26 North, Range 11 West in rural San Juan County, New Mexico (36.46020N 108.02147W). The Site is located on Navajo Nation allotted land, and consists of native vegetation rangeland periodically interrupted with oil and gas gathering facilities, including the Enterprise natural gas gathering pipeline which traverses the area from approximately southwest to northeast.

On October 7, 2014, Enterprise initiated excavation activities at the Site in an effort to locate and repair a subsurface leak. Three leaks were subsequently identified and repaired along a 40 foot length of the pipeline. Unknown quantities of natural gas and pipeline liquids were released from the pipeline as a result of leaks caused by internal corrosion. The leaks were identified by the detection of natural gas at the ground surface during a vapor survey. No other surface expression was observed in the vicinity of the release.

- The primary objective of the corrective actions was to reduce the concentration of COCs in the on-Site soils to below the New Mexico EMNRD OCD Remediation Action Levels using the New Mexico EMNRD OCD's Guidelines for Remediation of Leaks, Spills and Releases as guidance.
- The final excavation measured approximately 380 feet long with variable width and depth, typically 6 feet wide and 4 to 6 feet bgs in depth. The majority of this excavation was created to proactively replace sections of pipeline that exhibited signs of internal corrosion. The portion of the excavated area affected by the hydrocarbon release measured approximately 41 feet long by 30 feet wide and 8 to 10 feet bgs in depth.
- Groundwater was encountered during the corrective action excavation activities. A water sample was collected from the open excavation and submitted for laboratory analyses.



- The laboratory analysis of the excavation water sample indicates a benzene concentration of 1,400 μg/L, which exceeds the WQCC GQS of 10 μg/L.
- The laboratory analysis of the excavation water sample indicates a toluene concentration of 6,300 μg/L, which exceeds the WQCC GQS of 750 μg/L.
- The laboratory analysis of the excavation water sample indicates an ethylbenzene concentration of 870 μg/L, which exceeds the WQCC GQS of 750 μg/L.
- The laboratory analysis of the excavation water sample indicates a total xylene concentration of 11,000 μg/L, which exceeds the WQCC GQS of 620 μg/L.
- Prior to backfilling, final confirmation samples were collected from the resulting excavation for laboratory analyses. Based on analytical results, soils remaining in place do not exhibit COC concentrations above the OCD Remediation Action Levels for a Site ranking of "40".
- A total of approximately 568 cubic yards of hydrocarbon affected soils were transported to the Envirotech Landfarm near Hilltop, New Mexico for disposal/remediation. Additionally, approximately 585 barrels (bbls) were removed from the excavation during dewatering activities and transported to the Basin Disposal, Inc. facility in Bloomfield, New Mexico for disposal. The excavation was backfilled with clean imported fill and stockpiled soils not impacted by COCs above applicable OCD Remediation Action Levels based on laboratory analytical results. The area was then contoured to the surrounding grade.

Based on the laboratory analytical, no further action appears warranted regarding soil impact at the Site, however, groundwater may be affected by the petroleum hydrocarbon release.

6.0 STANDARD OF CARE, LIMITATIONS, AND RELIANCE

Apex's services were performed in accordance with standards customarily provided by a firm rendering the same or similar services in the area during the same time period. Apex makes no warranties, expressed or implied, as to the services performed hereunder. Additionally, Apex does not warrant the work of third parties supplying information used in the report (e.g. laboratories, regulatory agencies, or other third parties). This scope of services was performed in accordance with the scope of work agreed with the client.

Findings, conclusions and recommendations resulting from these services are based upon information derived from the on-Site activities and other services performed under this scope of work and it should be noted that this information is subject to change over time. Certain indicators of the presence of hazardous substances, petroleum products, or other constituents may have been latent, inaccessible, unobservable, or not present during these services, and Apex cannot represent that the Site contains no hazardous substances, toxic materials, petroleum products, or other latent conditions beyond those identified during this scope of services. Environmental conditions at other areas or portions of the Site may vary from those encountered at actual sample locations. Apex's findings and recommendations are based solely upon data available to Apex at the time of these services.

This report has been prepared for the exclusive use of Enterprise, and any authorization for use or reliance by any other party (except a governmental entity having jurisdiction over the Site) is



prohibited without the expressed written authorization of Enterprise and Apex. Any unauthorized distribution or reuse is at the client's sole risk. Notwithstanding the foregoing, reliance by authorized parties will be subject to the terms, conditions and limitations stated in the proposal, the report, and Apex's Agreement. The limitation of liability defined in the agreement is the aggregate limit of Apex's liability to the client.

7.0 SITE INVESTIGATION WORK PLAN

7.1 Objective

The primary objective of the proposed site investigation is to evaluate potential COC concentrations in groundwater with respect to the WQCC *Groundwater Quality Standards*.

The scope of work at the Site will include the advancement of eight (8) soil borings which will be completed as temporary monitoring wells. The borings will be advanced to a depth of approximately ten (10) feet bgs, three to four feet below the initial groundwater table elevation, or equipment refusal, whichever is more shallow, to evaluate the presence, magnitude and/or extent of dissolved-phase COCs.

7.2 Health and Safety Plan

Apex will develop a site specific Health and Safety Plan (HSP) for the performance of the corrective actions described herein. For the purposes of the HSP, it is assumed that the COCs include petroleum hydrocarbons. It is assumed that the scope of services can be conducted under modified Level D personal protective equipment (PPE), which will include a hard hat, steel-toed boots, protective eyewear, and gloves. Should the need arise to upgrade PPE (e.g. respiratory protection), the client will be notified, and the HSP will be modified accordingly.

Apex will ensure that utilities are cleared through the New Mexico One Call System and will coordinate with the utility companies as necessary to ensure the safe completion of site activities.

7.3 Soil Boring Installation

Eight (8) soil borings will be advanced and completed as temporary monitoring wells utilizing a direct push Geoprobe[®] drilling rig. The soil borings will be placed in selected locations to further evaluate potential petroleum hydrocarbon soil and groundwater impacts. The soil borings will be advanced to a depth of approximately ten (10) feet bgs, three to four feet below the initial groundwater table elevation, or equipment refusal, whichever is more shallow. Figure 4 is a site map that indicates the approximate locations of the proposed temporary monitoring wells (Appendix A).

Non-disposable sampling and drilling equipment will be decontaminated using an Alconox® wash and potable water rinse prior to commencement of the project and between the advancement of each soil boring.

Soil samples will be collected continuously using core barrels or split spoon samplers to document lithology, color, relative moisture content and visual or olfactory evidence of impairment. In addition, the samples will be scanned with a PID for the presence of volatile organic compounds (VOCs).



7.4 Temporary Monitoring Well Installation

Subsequent to advancement, the soil borings will be completed as temporary groundwater monitoring wells to evaluate the initial groundwater-bearing unit. The temporary monitoring wells will be completed as follows:

- Temporary installation of 5 to 10 feet of 1-inch diameter, machine slotted schedule 40 PVC well screen assembly with a threaded bottom plug;
- Installation of schedule 40 riser pipe to surface; and
- Graded silica sand for annular sand pack around the well screen from the bottom of the well to one foot above the groundwater level, if needed.

The temporary monitoring wells will be developed by surging and removing groundwater until the fluid appears relatively free of fine-grained sediment. Groundwater samples will be collected following development and monitoring well recovery utilizing low-flow sampling techniques. The temporary wells will be removed upon the completion of sampling and the boreholes backfilled with bentonite to the surface.

7.5 Soil Sampling Program

Up to two (2) soil samples will be collected from each soil boring from one or more of the following locations:

- The depth interval exhibiting the highest concentration of VOCs based on PID evidence;
- An interval exhibiting visual/olfactory evidence of impairment;
- The capillary fringe zone;
- From a change in lithology: or
- From the bottom of the boring.

The soil samples will be collected in laboratory prepared glassware and placed on ice in a cooler, which will be secured with a custody seal. The samples will be transported to Hall along with a completed chain-of-custody form.

7.6 Soil Laboratory Analytical Program

Selected soil samples will be analyzed for TPH GRO/DRO utilizing EPA SW-846 Method 8015 and BTEX utilizing EPA SW-846 Method 8021.

A summary of the analysis, sample type, and EPA-approved methods is presented in the following table:

Analysis	Sample Type	No. of Samples	EPA Method
TPH GRO/DRO	Soil	8-16	SW-846 8015
BTEX	Soil	8-16	SW-846 8021

7.7 Groundwater Sampling Program

Prior to sampling, fluid levels in each of the temporary monitoring wells will be gauged utilizing an interface probe capable of detecting non aqueous phase liquid (NAPL).



Apex will collect one (1) groundwater sample from each of the eight (8) temporary monitoring wells, utilizing low-flow sampling methods, to evaluate the potential magnitude and extent of COCs identified in association with the on-site groundwater.

Low-flow refers to the velocity with which groundwater enters the pump intake and that is imparted to the formation pore water in the immediate vicinity of the well screen. It does not necessarily refer to the flow rate of water discharged at the surface which can be affected by flow regulators or restrictions. Water level drawdown provides the best indication of the stress imparted by a given flow-rate for a given hydrological situation. The objective is to pump in a manner that minimizes stress (drawdown) to the system to the extent practical taking into account established site sampling objectives. Flow rates on the order of 0.1 to 0.5 liters per minute (L/min) will be maintained during the sampling activities using dedicated sampling equipment.

The utilization of low-flow minimal drawdown techniques enables the isolation of the screened interval groundwater from the overlying stagnant casing water. The pump intake is placed within the screened interval such that the groundwater pumped is drawn in directly from the formation with little mixing of casing water or disturbance to the sampling zone.

Disposable tubing will be utilized during the low-flow sampling activities and are typically discarded after a single use. In the event that tubing reuse was ever required, the tubing would be washed in the same manner as the pump itself, with an Alconox® soap solution and then rinsed with clean water prior to re-use.

The temporary monitoring wells will be purged until produced groundwater is consistent in color, clarity, pH, temperature and conductivity. The general goal for stabilization of the monitored groundwater parameters of pH, temperature, and conductivity is three (3) consecutive readings at five (5) minute intervals that demonstrate less than 10% variation.

The groundwater samples will be collected in laboratory prepared glassware and placed on ice in a cooler, which will be secured with a custody seal. The samples will be transported to Hall along with a completed chain-of-custody form.

7.8 Groundwater Laboratory Analytical Program

The groundwater samples will be analyzed BTEX utilizing EPA SW-846 Method 8021.

A summary of the analysis, sample type, and EPA-approved methods is presented below:

Analysis	Sample Type	No. of Samples	EPA Method
BTEX	Groundwater	8	SW-846 8021

7.9 Plugging & Abandonment of Temporary Monitoring Wells

The temporary monitoring wells will be plugged and abandoned by removing the casings and screens, and backfilling the boreholes with bentonite pellets. Water will be added to the plugged boreholes to hydrate the bentonite, sealing the annulus.



8.0 SITE INVESTIGATION REPORT

Upon completion of the site investigation activities, a final report will be prepared that will include documentation of field activities, a site plan detailing pertinent site features, logs of subsurface exploration, laboratory analytical results, an evaluation of sampling results, and recommendations concerning further action.


9.0 PROJECT SCHEDULE

The completion of the proposed site investigation activities will require an estimated two (2) days for temporary monitoring well installation and development, one (1) day to sample the monitoring wells, and one (1) day to plug and abandon the temporary monitoring wells.



APPENDIX A

Figures



36.46020N, 108.02147W NE ¼ Sec 29 T26N R11W




606 S. Rio Grande, Suite A Aztec, New Mexico 87410 Phone: (505) 334-5200

www.apexcos.com
A Subsidiary of Apex Companies, LLC

Topographic Map Carson Trading Post, NM Quad. 1978

Apex Project # 7030414G035



Gallegos #2 Well Tie Pipeline Release (9/18/2014) Rural San Juan County 36.46020N, 108.02147W NE ¼ Sec 29 T26N R11W




Apex TITAN, Inc. 606 S. Rio Grande, Suite A Aztec, New Mexico 87410 Phone: (505) 334-5200


www.apexcos.com
A Subsidiary of Apex Companies, LLC

FIGURE 2 **Site Vicinity Map**

November 2013 Aerial Photograph Source: Google Earth

Apex Project # 7030414G035





Apex Project # 7030414G035



APPENDIX B

Executed C-138 Solid Waste Acceptance Forms

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources 97057-0664 Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-138 Revised 08/01/11

*Surface Waste Management Facility Operator and Generator shall maintain and make this documentation available for Division inspection.

REOUEST FOR APPROVAL TO ACCEPT SOLID WASTE

1. Generator Name and Address: Enterprise Field Services, LLC, 614 Reilly Ave, Farmington NM 87401
2. Originating Site: Gallegos #2 Well Tie
3. Location of Material (Street Address, City, State or ULSTR): Unit Letter H Section 29 T 26N R 11W; 36.46020, -108.02147, San Juan County, NM
4. Source and Description of Waste: Source: Natural Gas Pipeline Release Description: Exempt petroleum affected soil from clean-up efforts at pipeline release. Estimated Volume50 (yd³) bbls Known Volume (to be entered by the operator at the end of the haul)569 (yd³) bbls
5. GENERATOR CERTIFICATION STATEMENT OF WASTE STATUS
I, , representative or authorized agent for <u>Enterprise Field Services, LLC</u> do hereby Generator Signature certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste is: (Check the appropriate classification)
RCRA Exempt: Oil field wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste. Operator Use Only: Waste Acceptance Frequency Monthly Weekly Per Load
RCRA Non-Exempt: Oil field waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined in 40 CFR, part 261, subpart D, as amended. The following documentation is attached to demonstrate the above-described waste is non-hazardous. (Check the appropriate items)
☐ MSDS Information ☐ RCRA Hazardous Waste Analysis ☐ Process Knowledge ☐ Other (Provide description in Box 4)
GENERATOR 19.15.36.15 WASTE TESTING CERTIFICATION STATEMENT FOR LANDFARMS
I, 10-7-14, representative for Enterprise Field Services, LLC. authorizes Envirotech, Inc. to complete Generator Signature the required testing/sign the Generator Waste Testing Certification.
I, Photopresentative for Environtech do hereby certify that Representative/Agent Signature
representative samples of the oil field waste have been subjected to the paint filter test and tested for chloride content and that the samples have been found to conform to the specific requirements applicable to landfarms pursuant to Section 15 of 19.15.36 NMAC. The results of the representative samples are attached to demonstrate the above-described waste conform to the requirements of Section 15 of 19.15.36 NMAC.
5. Transporter: Various transporters on the OCD approved haulers list. Foutz + Bussom, Moss, Four States, Saul +
OCD Permitted Surface Waste Management Facility Name and Facility Permit #: Envirotech, Inc. Soil Remediation Facility * Permit #: NM 01-0011 Address of Facility: Hilltop, NM
Method of Treatment and/or Disposal: ☐ Evaporation ☐ Injection ☐ Treating Plant ☒ Landfarm ☐ Landfill ☐ Other
Waste Acceptance Status:
APPROVED DENIED (Must Be Maintained As Permanent Record)
PRINT NAME: Grea Craptree SIGNATURE: TITLE: Environmental Manager DATE: 10/14/14 TELEPHONE NO.: 505-632-0615

District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-138 Revised 08/01/11

*Surface Waste Management Facility Operator and Generator shall maintain and make this documentation available for Division inspection.

REQUEST FOR APPROVAL TO ACCEPT SOLID WASTE

1. Generator Name and Address: Enterprise Field Services, LLC, 614 Reilly Ave, Farmington NM 87401
2. Originating Site: Gallegos #2 Well Tie
3. Location of Material (Street Address, City, State or ULSTR): Unit Letter H Section 29 T 26N R 11W; 36.46020, -108.02147, San Juan County, NM
4. Source and Description of Waste: Source: Natural Gas Pipeline Release Description: Exempt petroleum affected soil from clean-up efforts at pipeline release. Estimated Volume 100 yd3 bbl Known Volume (to be entered by the operator at the end of the haul) yd3 / bbl
5. GENERATOR CERTIFICATION STATEMENT OF WASTE STATUS
I, , representative or authorized agent for <u>Enterprise Field Services. LLC</u> do hereby Generator Signature certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste is: (Check the appropriate classification)
RCRA Exempt: Oil field wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste. **Operator Use Only: Waste Acceptance Frequency Monthly Weekly Per Load**
RCRA Non-Exempt: Oil field waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined in 40 CFR, part 261, subpart D, as amended. The following documentation is attached to demonstrate the above-described waste is non-hazardous. (Check the appropriate items)
☐ MSDS Information ☐ RCRA Hazardous Waste Analysis ☒ Process Knowledge ☐ Other (Provide description in Box 4)
GENERATOR 19.15.36.15 WASTE TESTING CERTIFICATION STATEMENT FOR LANDFARMS
I, 10-7-14, representative for authorize Basin Disposal, Inc. to complete Generator Signature the required testing/sign the Generator Waste Testing Certification.
I, do hereby certify that
Representative/Agent Signature representative samples of the oil field waste have been subjected to the paint filter test and tested for chloride content and that the samples have been found to conform to the specific requirements applicable to landfarms pursuant to Section 15 of 19.15.36 NMAC. The results of the representative samples are attached to demonstrate the above-described waste conform to the requirements of Section 15 of 19.15.36 NMAC.
5. Transporter: Various transporters on the OCD approved haulers list.
OCD Permitted Surface Waste Management Facility Name and Facility Permit #: Basin Disposal, Inc. * Permit #: NM1-005 Address of Facility: 200 Montana Bloomfield, NM
Method of Treatment and/or Disposal: ☐ Evaporation ☐ Injection ☐ Treating Plant ☐ Landfarm ☐ Landfill ☐ Other
Waste Acceptance Status:
PRINT NAME: SIGNATURE: Surface Waste Management Facility Authorized Agent TITLE: Sold-632-8936 DENIED (Must Be Maintained As Permanent Record) TITLE: White Sold-632-8936



APPENDIX C

Photographic Documentation



Photograph 1

View of the excavation facing northeast.



Photograph 2

View of the hydrocarbon affected release excavation facing southwest.



Photograph 3

View of the hydrocarbon affected release excavation facing east.



Apex Job #703014G035 Page 1 of 2





Photograph 4

View of the hydrocarbon affected release excavation facing northwest.



Apex Job #703014G035 Page 2 of 2



APPENDIX D

Tables



TABLE 1A

Gallegos #2 Well Tie Pipeline Release SOIL ANALYTICAL SUMMARY - EXCAVATION CONFIRMATION SAMPLES

Sample I.D.	Date	Sample Depth	Benzene	Toluene	Ethylbenzene	Xylenes	Total BTEX	TPH	TPH
		(feet)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	GRO	DRO
								(mg/kg)	(mg/kg)
	New Mexico Entergy, Mineral & Natural Resources Department, Oil Conservation Division, Remediation Action Level			NE	NE	NE	50	10	00
				Sample Remov	ed by Excavation				
C-8	10/14/2014	3 to 7	0.057	1.4	0.78	9.4	11.6	120	35
				Excavation Conf	firmation Samples				
C-1	10/7/2014	2 to 3	0.062	<0.025	<0.025	<0.051	0.062	<2.5	<9.9
C-2	10/7/2014	2 to 3	<0.031	<0.031	<0.031	<0.062	ND	<3.1	<9.8
C-3	10/7/2014	4	0.33	<0.028	0.060	0.10	0.49	<2.8	<10
C-4	10/8/2014	4	<0.049	<0.049	<0.049	<0.099	ND	<4.9	<10
C-5	10/13/2014	2 to 4	<0.048	<0.048	<0.048	<0.096	ND	<4.8	<10
C-6	10/13/2014	2 to 4	<0.047	<0.047	<0.047	<0.095	ND	<4.7	<10
C-7	10/14/2014	8 to 10	0.27	0.67	0.49	5.3	6.7	74	<9.9
C-9	10/14/2014	3 to 7	<0.047	0.31	0.12	1.4	1.8	24	<10
C-10	10/14/2014	3 to 7	0.065	0.19	0.077	0.93	1.26	16	<10
C-11	10/14/2014	8 to 10	0.30	0.52	0.17	1.9	2.9	26	10
C-12	10/16/2014	3 to 7	0.067	<0.050	<0.050	<0.099	0.067	<5.0	<10
C-13	10/16/2014	3 to 7	0.30	0.21	0.052	0.39	0.95	<4.7	<9.9
C-14	10/16/2014	3 to 7	0.095	0.12	<0.047	0.24	0.46	<4.7	<9.8
C-15	10/16/2014	3 to 7	<0.049	<0.049	<0.049	<0.098	ND	<4.9	<10
C-16	10/29/2014	8 to 10	0.043	<0.036	<0.036	<0.071	0.043	<3.6	<10

Note: Concentrations in **bold** and yellow exceed the applicable OCD Remediation Action Level

NE = Not Established

ND = Not Detected above Laboratory Reporting Limits



TABLE 1B

Gallegos #2 Well Tie Pipeline Release SOIL ANALYTICAL SUMMARY - STOCKPILE CONFIRMATION SAMPLES

Sample I.D.	Date	Sample Depth (feet)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH GRO	TPH DRO	Chloride (mg/kg)
								(mg/kg)	(mg/kg)	
New Mexico Entergy, Mineral & Natural Resources Department, Oil Conservation Division, Remediation Action Level			10	NE	NE	NE	50	1	00	NE
				Stock	pile Confirmation S	amples				
SP-1	10/13/2014	Stockpile	< 0.049	<0.049	< 0.049	<0.098	ND	<4.9	<10	12
SP-2	10/13/2014	Stockpile	< 0.049	<0.049	<0.049	<0.098	ND	<4.9	<9.9	9.2
SP-3	10/13/2014	Stockpile	<0.049	<0.049	< 0.049	<0.099	ND	<4.9	<9.9	11
SP-4	10/13/2014	Stockpile	<0.049	<0.049	< 0.049	< 0.097	ND	<4.9	<10	10
SP-5	10/13/2014	Stockpile	< 0.049	<0.049	< 0.049	< 0.099	ND	<4.9	<10	11
SP-6	10/13/2014	Stockpile	<0.048	<0.048	<0.048	<0.095	ND	<4.8	<9.9	7.2
SP-7	10/13/2014	Stockpile	<0.048	<0.048	<0.048	< 0.097	ND	<4.8	<10	12
SP-8	10/13/2014	Stockpile	<0.047	<0.047	<0.047	<0.094	ND	<4.7	<10	8.2
SP-9	10/13/2014	Stockpile	<0.049	<0.049	< 0.049	<0.099	ND	<4.9	<9.8	5.5
SP-10	10/13/2014	Stockpile	<0.049	<0.049	< 0.049	< 0.099	ND	<4.9	<9.9	17
SP-11	10/13/2014	Stockpile	<0.048	<0.048	<0.048	<0.096	ND	<4.8	<9.9	8.0
SP-12	10/13/2014	Stockpile	< 0.049	<0.049	< 0.049	<0.098	ND	<4.9	<10	4.6

Note: Concentrations in **bold** and yellow exceed the applicable OCD Remediation Action Level

NE = Not Established

ND = Not Detected above Laboratory Reporting Limits



TABLE 2A Gallegos #2 Well Tie Pipeline Release EXCAVATION WATER ANALYTICAL SUMMARY - BTEX

Sample I.D. Date		Benzene (μg/L)	Toluene (μg/L)	Ethylbenzene (μg/L)	Xylenes (μg/L)				
	New Mexico Water Quality Control nmision Groundwater Quality Standards		1 10 1 750 1 75		620				
Excavation Water Sample									
EW-1	10/16/2014	1,400	6,300	870	11,000				

Note: Concentrations in **bold** and yellow exceed the applicable WQCC Groundwater Quality Standards

NE = Not Established
NA = Not Analyzed



TABLE 2B

Gallegos #2 Well Tie Pipeline Release EXCAVATION WATER ANALYTICAL SUMMARY - ANIONS

Sample I.D. Date		Fluoride (mg/L)	Chloride (mg/L)	Nitrogen, Nitrite (As N)	Bromide (mg/L)	Nitrogen, Nitrate (As N)	Phosphorus, Orthophosphate	Sulfate (mg/L)	
				(mg/L)		(mg/L)	(As P) (mg/L)		
New Mexico Water Quality Control Commision Groundwater Quality Standards		1.6	250*	NE	NE	10.0	NE	600*	
Excavation Water Sample									
EW-1	10/16/2014	<0.50	94	<0.50	<0.50	<0.50	<2.5	<2.5	

Note: Concentrations in **bold** and yellow exceed the applicable WQCC Groundwater Quality Standards

*Standard for Domestic Water Supply

NE = Not Established

NA = Not Analyzed



TABLE 2C Gallegos #2 Well Tie Pipeline Release EXCAVATION WATER ANALYTICAL SUMMARY - CATIONS

Sample I.D. Date		Calcium (mg/L)			Sodium (mg/L)				
	er Quality Control ater Quality Standards				NE				
Excavation Water Sample									
EW-1	10/16/2014	100	34	22	580				

Note: Concentrations in **bold** and yellow exceed the applicable WQCC Groundwater Quality Standards

NE = Not Established
NA = Not Analyzed



APPENDIX E

Laboratory Data Reports & Chain-of-Custody Documentation



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

October 09, 2014

Heather Woods

APEX AZTEC

606 S. Rio Grande Unit A

Aztec, NM 87410

TEL: (505) 716-2787 FAX (505) 334-5204

RE: Enterprise Gallegos #2 OrderNo.: 1410348

Dear Heather Woods:

Hall Environmental Analysis Laboratory received 3 sample(s) on 10/8/2014 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Analytical ReportLab Order **1410348**

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 10/9/2014

CLIENT: APEX AZTEC Client Sample ID: C-1

 Project:
 Enterprise Gallegos #2
 Collection Date: 10/7/2014 1:40:00 PM

 Lab ID:
 1410348-001
 Matrix: MEOH (SOIL)
 Received Date: 10/8/2014 6:50:00 AM

Analyses	Result	RL Qı	ıal Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANG	E ORGANICS				Analyst	:: BCN
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	10/8/2014 9:31:09 AM	15769
Surr: DNOP	93.0	57.9-140	%REC	1	10/8/2014 9:31:09 AM	15769
EPA METHOD 8015D: GASOLINE RA				Analyst	: NSB	
Gasoline Range Organics (GRO)	ND	2.5	mg/Kg	1	10/8/2014 10:35:49 AM	R21746
Surr: BFB	91.2	80-120	%REC	1	10/8/2014 10:35:49 AM	R21746
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	0.062	0.025	mg/Kg	1	10/8/2014 10:35:49 AM	R21746
Toluene	ND	0.025	mg/Kg	1	10/8/2014 10:35:49 AM	R21746
Ethylbenzene	ND	0.025	mg/Kg	1	10/8/2014 10:35:49 AM	R21746
Xylenes, Total	ND	0.051	mg/Kg	1	10/8/2014 10:35:49 AM	R21746
Surr: 4-Bromofluorobenzene	95.1	80-120	%REC	1	10/8/2014 10:35:49 AM	R21746

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 1 of 6

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Analytical ReportLab Order **1410348**

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 10/9/2014

CLIENT: APEX AZTEC Client Sample ID: C-2

 Project:
 Enterprise Gallegos #2
 Collection Date: 10/7/2014 1:50:00 PM

 Lab ID:
 1410348-002
 Matrix: MEOH (SOIL)
 Received Date: 10/8/2014 6:50:00 AM

Analyses	Result	RL Qu	ıal Units	DF Date Analy	zed Batch
EPA METHOD 8015D: DIESEL RANGE ORGANICS					Analyst: BCN
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1 10/8/2014 10):00:51 AM 15769
Surr: DNOP	93.6	57.9-140	%REC	1 10/8/2014 10):00:51 AM 15769
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	3.1	mg/Kg	1 10/8/2014 11	1:04:27 AM R21746
Surr: BFB	90.7	80-120	%REC	1 10/8/2014 11	1:04:27 AM R21746
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.031	mg/Kg	1 10/8/2014 11	1:04:27 AM R21746
Toluene	ND	0.031	mg/Kg	1 10/8/2014 11	1:04:27 AM R21746
Ethylbenzene	ND	0.031	mg/Kg	1 10/8/2014 11	1:04:27 AM R21746
Xylenes, Total	ND	0.062	mg/Kg	1 10/8/2014 11	1:04:27 AM R21746
Surr: 4-Bromofluorobenzene	93.6	80-120	%REC	1 10/8/2014 11	1:04:27 AM R21746

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 2 of 6

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Analytical ReportLab Order **1410348**

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 10/9/2014

CLIENT: APEX AZTEC Client Sample ID: C-3

 Project:
 Enterprise Gallegos #2
 Collection Date: 10/7/2014 2:00:00 PM

 Lab ID:
 1410348-003
 Matrix: MEOH (SOIL)
 Received Date: 10/8/2014 6:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGE ORGANICS					Analys	t: JME
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	10/8/2014 9:47:50 AM	15769
Surr: DNOP	77.7	57.9-140	%REC	1	10/8/2014 9:47:50 AM	15769
EPA METHOD 8015D: GASOLINE RANGE					Analys	t: NSB
Gasoline Range Organics (GRO)	ND	2.8	mg/Kg	1	10/8/2014 11:32:59 AM	1 R21746
Surr: BFB	91.6	80-120	%REC	1	10/8/2014 11:32:59 AM	1 R21746
EPA METHOD 8021B: VOLATILES				Analys	: NSB	
Benzene	0.33	0.028	mg/Kg	1	10/8/2014 11:32:59 AM	1 R21746
Toluene	ND	0.028	mg/Kg	1	10/8/2014 11:32:59 AM	1 R21746
Ethylbenzene	0.060	0.028	mg/Kg	1	10/8/2014 11:32:59 AM	1 R21746
Xylenes, Total	0.10	0.056	mg/Kg	1	10/8/2014 11:32:59 AM	1 R21746
Surr: 4-Bromofluorobenzene	94.5	80-120	%REC	1	10/8/2014 11:32:59 AM	1 R21746

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 3 of 6

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#: 1410348

09-Oct-14

Client: APEX AZTEC

Project: Enterprise Gallegos #2

Sample ID MB-15769 SampType: MBLK TestCode: EPA Method 8015D: Diesel Range Organics Client ID: PBS Batch ID: 15769 RunNo: 21735 Prep Date: 10/7/2014 Analysis Date: 10/8/2014 SeqNo: 638274 Units: mg/Kg Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) ND 10 Surr: DNOP 10.00 80.2 8.0 57.9 140 Sample ID LCS-15769 SampType: LCS TestCode: EPA Method 8015D: Diesel Range Organics Client ID: LCSS Batch ID: 15769 RunNo: 21735 Analysis Date: 10/8/2014 SeqNo: 638381 Prep Date: 10/7/2014 Units: mg/Kg

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 64 10 50.00 128 68.6 130 Surr: DNOP 3.4 5.000 67.0 57.9 140 Sample ID MB-15738 SampType: MBLK TestCode: EPA Method 8015D: Diesel Range Organics Client ID: PBS Batch ID: 15738

RunNo: 21737

Prep Date: 10/6/2014 Analysis Date: 10/8/2014 SeqNo: 638953 Units: %REC

PQL SPK value SPK Ref Val %REC %RPD **RPDLimit** Analyte Result LowLimit HighLimit Qual

Surr: DNOP 10.00 92.2

Sample ID LCS-15738 TestCode: EPA Method 8015D: Diesel Range Organics SampType: LCS

Client ID: LCSS Batch ID: 15738 RunNo: 21737

Units: %REC Prep Date: 10/6/2014 Analysis Date: 10/8/2014 SeqNo: 638954

SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual Analyte Result LowLimit Surr: DNOP 4.5 5.000 89.1 57.9 140

Qualifiers:

Value exceeds Maximum Contaminant Level.

Е Value above quantitation range

Analyte detected below quantitation limits J

0 RSD is greater than RSDlimit

R RPD outside accepted recovery limits

Spike Recovery outside accepted recovery limits

В Analyte detected in the associated Method Blank

Η Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

P Sample pH greater than 2.

Reporting Detection Limit

Page 4 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: 1410348

09-Oct-14

Client: APEX AZTEC

Project: Enterprise Gallegos #2

Sample ID MB-15757 MK SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

PBS Client ID: Batch ID: R21746 RunNo: 21746

Prep Date: Analysis Date: 10/8/2014 SeqNo: 638774 Units: mg/Kg

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 900 1000 89.8 80 120

TestCode: EPA Method 8015D: Gasoline Range Sample ID LCS-15757 MK SampType: LCS

Client ID: LCSS Batch ID: R21746 RunNo: 21746

Prep Date: Analysis Date: 10/8/2014 SeqNo: 638775 Units: mg/Kg

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual

Gasoline Range Organics (GRO) 29 5.0 25.00 116 65.8 139 990 1000 99.2 80 Surr: BFB 120

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Е Value above quantitation range
- Analyte detected below quantitation limits J
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- Spike Recovery outside accepted recovery limits
- В Analyte detected in the associated Method Blank
- Η Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- Reporting Detection Limit RL

Page 5 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410348**

09-Oct-14

Client: APEX AZTEC

Project: Enterprise Gallegos #2

Sample ID MB-15757 MK SampType: MBLK TestCode: EPA Method 8021B: Volatiles PBS RunNo: 21746 Client ID: Batch ID: R21746 Analysis Date: 10/8/2014 Prep Date: SeqNo: 638804 Units: mg/Kg Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Benzene ND 0.050 Toluene ND 0.050 Ethylbenzene ND 0.050 ND Xylenes, Total 0.10 Surr: 4-Bromofluorobenzene 0.94 1.000 93.7 80 120

Sample ID LCS-15757 MK	Samp ⁻	Гуре: LC	s	Tes	tCode: E	PA Method	8021B: Vola	iles		
Client ID: LCSS	Batc	h ID: R2	1746	F	RunNo: 2	1746				
Prep Date:	Analysis [Date: 10	0/8/2014	5	SeqNo: 6	38805	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.94	0.050	1.000	0	93.9	80	120			
Toluene	0.94	0.050	1.000	0	94.5	80	120			
Ethylbenzene	1.0	0.050	1.000	0	99.8	80	120			
Xylenes, Total	3.0	0.10	3.000	0	99.9	80	120			
Surr: 4-Bromofluorobenzene	1.0		1.000		99.8	80	120			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 6 of 6



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109

Sample Log-In Check List

TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com
Work Order Number: 1410348

Client Name: APEX AZTEC	Work Order Number:	1410348		RcptNo: 1	l <u>.</u>
Received by/date:	10/08/14				
Logged By: Lindsay Mangin	10/8/2014 6:50:00 AM		Simby Hlagge		
Completed By: Lindsay Mangin	10/8/2014 7:31:58 AM		Janahy Hlangso		
Reviewed By:	10/08/14				
Chain of Custody					
1. Custody seals intact on sample	bottles?	Yes	No 🗌	Not Present 🗹	
2. Is Chain of Custody complete?		Yes 🐼	No 🗌	Not Present	
3. How was the sample delivered?		Courier			
<u>Log In</u>					
4. Was an attempt made to cool th	ne samples?	Yes 🕏	No 🗆	NA 🗍	
5. Were all samples received at a	temperature of >0° C to 6.0°C	Yes 🗹	No 🗆	na 🗀	
6. Sample(s) in proper container(s	s)?	Yes 🕏	No 🗆		
7. Sufficient sample volume for inc	licated test(s)?	Yes 🛃	No 🗆		
8. Are samples (except VOA and 0	ONG) properly preserved?	Yes 🕏	No 🗌		
9. Was preservative added to bottl	es?	Yes	No 🗹	NA \square	
10.VOA vials have zero headspace		Yes 🗌	No 🗆	No VOA Vials 🗹	
11. Were any sample containers re	ceived broken?	Yes 🗆	No 🛃	# of preserved	
12.Does paperwork match bottle la	.hole?	Yes 🗹	No 🗆	bottles checked for pH:	
(Note discrepancies on chain of		103 12		•	>12 unless noted)
13. Are matrices correctly identified	on Chain of Custody?	Yes 🗹	No 🗌	Adjusted?	
14. Is it clear what analyses were re	equested?	Yes 🗹	No 🗀 📗	Objective dilecti	
15. Were all holding times able to be (If no, notify customer for autho		Yes 🕏	No 📙	Checked by:	
Special Handling (if applica	hle)				
16. Was client notified of all discrep		Yes 🗌	No 🗌	NA 🗹	
]
Person Notified:	Date: Via:	eMail	Phone ☐ Fax	In Person	
By Whom: Regarding:	VIA.	Civian	THORE I TAX		
Client Instructions:					f.
17. Additional remarks:	<u> </u>		<u> </u>		_
18. <u>Cooler Information</u> Cooler No. Temp °C	ondition Seal Intact Seal No	Seal Date	Signed By		
1 1.7 God	appendicular and the first and the first and the second and the se	F			

CHAIN OF CUSTODY RECORD

Apex TITAN, Inc. • 606 S. Rio Grande, Suite A, Downstairs • Aztec, New Mexico 87410 • Office: 505-334-5200 • Fax: 505-334-5204



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

October 20, 2014

Kyle Summers APEX AZTEC 606 S. Rio Grande Unit A Aztec, NM 87410

TEL: (903) 821-5603 FAX (505) 334-5204

RE: Gallegos #2 OrderNo.: 1410601

Dear Kyle Summers:

Hall Environmental Analysis Laboratory received 1 sample(s) on 10/14/2014 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Lab Order 1410601

Date Reported: 10/20/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: APEX AZTEC Client Sample ID: C-4

 Project:
 Gallegos #2
 Collection Date: 10/8/2014 11:20:00 AM

 Lab ID:
 1410601-001
 Matrix: SOIL
 Received Date: 10/14/2014 7:00:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANG	SE ORGANICS				Anal	yst: JME
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	10/14/2014 12:15:40	PM 15880
Surr: DNOP	96.8	57.9-140	%REC	1	10/14/2014 12:15:40	PM 15880
EPA METHOD 8015D: GASOLINE RA	ANGE				Anal	yst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	10/15/2014 10:33:56	PM 15883
Surr: BFB	91.1	80-120	%REC	1	10/15/2014 10:33:56	PM 15883
EPA METHOD 8021B: VOLATILES					Anal	yst: NSB
Benzene	ND	0.049	mg/Kg	1	10/15/2014 10:33:56	PM 15883
Toluene	ND	0.049	mg/Kg	1	10/15/2014 10:33:56	PM 15883
Ethylbenzene	ND	0.049	mg/Kg	1	10/15/2014 10:33:56	PM 15883
Xylenes, Total	ND	0.099	mg/Kg	1	10/15/2014 10:33:56	PM 15883
Surr: 4-Bromofluorobenzene	90.9	80-120	%REC	1	10/15/2014 10:33:56	PM 15883

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded

Page 1 of 4

- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410601**

20-Oct-14

Client: APEX AZTEC
Project: Gallegos #2

Surr: DNOP

Sample ID MB-15880 SampType: MBLK TestCode: EPA Method 8015D: Diesel Range Organics

Client ID: PBS Batch ID: 15880 RunNo: 21866

Prep Date: 10/14/2014 Analysis Date: 10/14/2014 SeqNo: 643143 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Diesel Range Organics (DRO) ND 10

Surr: DNOP 9.6 10.00 96.2 57.9 140

Sample ID LCS-15880 SampType: LCS TestCode: EPA Method 8015D: Diesel Range Organics

Client ID: LCSS Batch ID: 15880 RunNo: 21866

4.8

Prep Date: 10/14/2014 Analysis Date: 10/14/2014 SeqNo: 643147 Units: mg/Kg

5.000

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 46 10 50.00 92.2 68.6 130

95.3

57.9

140

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 2 of 4

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410601**

20-Oct-14

Client: APEX AZTEC
Project: Gallegos #2

Sample ID MB-15883 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 15883 RunNo: 21927

Prep Date: 10/14/2014 Analysis Date: 10/15/2014 SeqNo: 644456 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Gasoline Range Organics (GRO) ND 5.0

970

Surr: BFB 900 1000 90.2 80 120

Sample ID LCS-15883 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 15883 RunNo: 21927

Prep Date: 10/14/2014 Analysis Date: 10/15/2014 SeqNo: 644457 Units: mg/Kg

1000

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) 26 5.0 25.00 103 65.8 139

96.6

80

120

Qualifiers:

Surr: BFB

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 3 of 4

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410601**

20-Oct-14

Client: APEX AZTEC
Project: Gallegos #2

Sample ID MB-15883 SampType: MBLK TestCode: EPA Method 8021B: Volatiles **PBS** RunNo: 21927 Client ID: Batch ID: 15883 10/14/2014 Prep Date: Analysis Date: 10/15/2014 SeqNo: 644540 Units: mg/Kg Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Benzene ND 0.050 Toluene ND 0.050 Ethylbenzene ND 0.050 ND Xylenes, Total 0.10 Surr: 4-Bromofluorobenzene 0.94 1.000 93.6 80 120

Sample ID LCS-15883	SampT	ype: LC	s	Tes	tCode: E	PA Method	8021B: Vola	tiles		
Client ID: LCSS	Batcl	n ID: 15	883	F	RunNo: 2	1927				
Prep Date: 10/14/2014	Analysis D	oate: 10	0/15/2014	S	SeqNo: 6	44541	Units: mg/k	ίg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.96	0.050	1.000	0	96.2	80	120			
Toluene	0.95	0.050	1.000	0	95.5	80	120			
Ethylbenzene	0.99	0.050	1.000	0	98.6	80	120			
Xylenes, Total	3.0	0.10	3.000	0	98.6	80	120			
Surr: 4-Bromofluorobenzene	1.0		1.000		100	80	120			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 4 of 4



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87105

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

	Work Order Numbe	er: 1410601	•	RcptNo:	
Received by/date: LM	10/14/14				
	10/14/2014 7:00:00 A		Michael Com		
Logged By: Michelle Garcia			Michaelo Gone Michaelo Gone	• (
Completed By: Michelle Garcia	10/14/2014 8:51:16 A	NV	" pureu Chu	un)	
Reviewed By:	10/14/14				
Chain of Custody					
1. Custody seals intact on sample bottles?	,	Yes 🗌	No 🗀	Not Present ☑	
2. Is Chain of Custody complete?		Yes 🗸	No 🗀	Not Present L	
3. How was the sample delivered?		Courier			
<u>Log In</u>		÷			
4. Was an attempt made to cool the samp	oles?	Yes 🗹	No 🗆	NA \square	
5. Were all samples received at a temperature	ature of >0° C to 6.0°C	Yes 🔽	No 🗆	NA 🗆	
6. Sample(s) in proper container(s)?		Yes 🗹	No 🗆		
7. Sufficient sample volume for indicated	test(s)?	Yes 🗹	No 🗀		
8. Are samples (except VOA and ONG) p	roperly preserved?	Yes 🗹	No 🗀	_	
9. Was preservative added to bottles?		Yes	No 🗸	NA L	
10.VOA vials have zero headspace?		Yes 🗌	No 🗆	No VOA Vials 🗹	
11. Were any sample containers received	broken?	Yes	No 🗹	# of preserved	
			\Box	bottles checked	
12. Does paperwork match bottle labels? (Note discrepancies on chain of custod	v)	Yes 🗸	No 🗀	for pH: (<2 o	r >12 unless noted)
13 Are matrices correctly identified on Cha		Yes 🗸	No 🗆	Adjusted?	<u> </u>
14. Is it clear what analyses were requeste		Yes 🗸	No 🗆		
15. Were all holding times able to be met?		Yes 🗹	No 🗆	Checked by:	
(If no, notify customer for authorization	.)		l		
Special Handling (if applicable)					
16. Was client notified of all discrepancies	with this order?	Yes 🗌	No 🗆	NA 🗹	
Person Notified:	Date]
By Whom:	Via:	eMail	Phone Fax	In Person	
Regarding:	nt fall has been along the annual state of the state of t				IF
Client Instructions:	and the second of the second o		85-4-05-1-185-1	A SMIRE BEAUTY OF THE PROPERTY	
17. Additional remarks:					_
18. Cooler Information					
Cooler No Temp °C Condition 1 1.4 Good	Seal Intact Seal No Yes	Seal Date	Signed By		

CHAIN OF CUSTODY RECORD

Apex TITAN, Inc. • 606 S. Rio Grande, Suite A, Downstairs • Aztec, New Mexico 87410 • Office: 505-334-5200 • Fax: 505-334-5204



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

October 20, 2014

Heather Woods

APEX AZTEC

606 S. Rio Grande Unit A

Aztec, NM 87410

TEL: (505) 716-2787 FAX (505) 334-5204

RE: Gallegos #2 OrderNo.: 1410602

Dear Heather Woods:

Hall Environmental Analysis Laboratory received 2 sample(s) on 10/14/2014 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Lab Order 1410602

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 10/20/2014

CLIENT: APEX AZTEC Client Sample ID: C-5

 Project:
 Gallegos #2
 Collection Date: 10/13/2014 3:36:00 PM

 Lab ID:
 1410602-001
 Matrix: SOIL
 Received Date: 10/14/2014 7:00:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANG	E ORGANICS				Analy	/st: JME
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	10/15/2014 5:30:02 F	PM 15880
Surr: DNOP	102	57.9-140	%REC	1	10/15/2014 5:30:02 F	PM 15880
EPA METHOD 8015D: GASOLINE RA	NGE				Analy	yst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	10/15/2014 11:02:31	PM 15883
Surr: BFB	92.2	80-120	%REC	1	10/15/2014 11:02:31	PM 15883
EPA METHOD 8021B: VOLATILES					Analy	yst: NSB
Benzene	ND	0.048	mg/Kg	1	10/15/2014 11:02:31	PM 15883
Toluene	ND	0.048	mg/Kg	1	10/15/2014 11:02:31	PM 15883
Ethylbenzene	ND	0.048	mg/Kg	1	10/15/2014 11:02:31	PM 15883
Xylenes, Total	ND	0.096	mg/Kg	1	10/15/2014 11:02:31	PM 15883
Surr: 4-Bromofluorobenzene	93.8	80-120	%REC	1	10/15/2014 11:02:31	PM 15883

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.

Page 1 of 5

RL Reporting Detection Limit

Lab Order **1410602**

Date Reported: 10/20/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: APEX AZTEC Client Sample ID: C-6

Project: Gallegos #2 **Collection Date:** 10/13/2014 3:40:00 PM 1410602-002 Matrix: SOIL Lab ID: Received Date: 10/14/2014 7:00:00 AM

Analyses	Result	RL Qu	ıal Units	DF	Date Analyzed Bat	tch
EPA METHOD 8015D: DIESEL RANGI	E ORGANICS				Analyst: JM	E
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	10/15/2014 6:01:07 PM 158	380
Surr: DNOP	96.9	57.9-140	%REC	1	10/15/2014 6:01:07 PM 158	380
EPA METHOD 8015D: GASOLINE RA	NGE				Analyst: NS	В
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	10/15/2014 11:31:01 PM 158	383
Surr: BFB	91.1	80-120	%REC	1	10/15/2014 11:31:01 PM 158	383
EPA METHOD 8021B: VOLATILES					Analyst: NS	В
Benzene	ND	0.047	mg/Kg	1	10/15/2014 11:31:01 PM 158	383
Toluene	ND	0.047	mg/Kg	1	10/15/2014 11:31:01 PM 158	383
Ethylbenzene	ND	0.047	mg/Kg	1	10/15/2014 11:31:01 PM 158	383
Xylenes, Total	ND	0.095	mg/Kg	1	10/15/2014 11:31:01 PM 158	383
Surr: 4-Bromofluorobenzene	93.0	80-120	%REC	1	10/15/2014 11:31:01 PM 158	383

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Е Value above quantitation range
- Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- Spike Recovery outside accepted recovery limits
- Analyte detected in the associated Method Blank
- Η Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.

Page 2 of 5

- RL Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410602**

20-Oct-14

Client: APEX AZTEC
Project: Gallegos #2

Sample ID MB-15880 SampType: MBLK TestCode: EPA Method 8015D: Diesel Range Organics

Client ID: PBS Batch ID: 15880 RunNo: 21866

Prep Date: 10/14/2014 Analysis Date: 10/14/2014 SeqNo: 643143 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Diesel Range Organics (DRO) ND 10

Surr: DNOP 9.6 10.00 96.2 57.9 140

Sample ID LCS-15880 SampType: LCS TestCode: EPA Method 8015D: Diesel Range Organics

Client ID: LCSS Batch ID: 15880 RunNo: 21866

4.8

Prep Date: 10/14/2014 Analysis Date: 10/14/2014 SeqNo: 643147 Units: mg/Kg

5.000

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 46 10 50.00 92.2 68.6 130

95.3

57.9

140

Qualifiers:

Surr: DNOP

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 3 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410602**

20-Oct-14

Client: APEX AZTEC
Project: Gallegos #2

Sample ID MB-15883 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 15883 RunNo: 21927

Prep Date: 10/14/2014 Analysis Date: 10/15/2014 SeqNo: 644456 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 900 1000 90.2 80 120

Sample ID LCS-15883 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 15883 RunNo: 21927

970

Prep Date: 10/14/2014 Analysis Date: 10/15/2014 SeqNo: 644457 Units: mg/Kg

1000

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) 26 5.0 25.00 103 65.8 139

96.6

80

120

Surr: BFB

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 4 of 5

Hall Environmental Analysis Laboratory, Inc.

0.94

WO#: **1410602**

20-Oct-14

Client: APEX AZTEC
Project: Gallegos #2

Surr: 4-Bromofluorobenzene

Sample ID MB-15883 SampType: MBLK TestCode: EPA Method 8021B: Volatiles **PBS** RunNo: 21927 Client ID: Batch ID: 15883 10/14/2014 Prep Date: Analysis Date: 10/15/2014 SeqNo: 644540 Units: mg/Kg Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Benzene ND 0.050 Toluene ND 0.050 Ethylbenzene ND 0.050 ND Xylenes, Total 0.10

93.6

80

120

1.000

Sample ID LCS-15883	SampT	ype: LC	s	Tes	tCode: El	PA Method	8021B: Vola	iles		
Client ID: LCSS	Batch	n ID: 15	883	R	RunNo: 21927					
Prep Date: 10/14/2014	Analysis D	Date: 10)/15/2014	S	SeqNo: 6	44541	Units: mg/k	ίg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.96	0.050	1.000	0	96.2	80	120			
Toluene	0.95	0.050	1.000	0	95.5	80	120			
Ethylbenzene	0.99	0.050	1.000	0	98.6	80	120			
Xylenes, Total	3.0	0.10	3.000	0	98.6	80	120			
Surr: 4-Bromofluorobenzene	1.0		1.000		100	80	120			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 5 of 5



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87105 TEL: 505-345-3975 FAX: 505-345-4107

EL: 303-343-3973 FAX: 303-343-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name:	APEX AZTE	С	Work Order Nu	mber: 14	10602			RcptNo:	1
Received by/o	late: LM		10/14/14		-			_	
Logged By:	Michelle Ga	arcia	10/14/2014 7:00:0	00 AM		Miihil Miihil	l Ga	un	
Completed By	: Michelle Ga	arcia	10/14/2014 9:01:	21 AM		Michel	l Gar	un)	
Reviewed By:		Cs	10/14/14						
Chain of Cu	ıstod <u>y</u>		, , , ,	. "					
1. Custody s	eals intact on sa	mple bottles?		Y	es 🗌	No		Not Present	
2. Is Chain o	of Custody compl	ete?		Υ	es 🗸	No		Not Present	
3. How was	the sample delive	ered?		<u>C</u>	ourier				
Log In									
4. Was an a	ittempt made to	cool the samples	3?	Y	′es 🗹	Nọ		na 🗆	
5. Were all s	samples received	i at a temperatui	re of >0° C to 6.0°C	Y	es 🗸	No		NA \square	
6. Sample(s) in proper conta	iner(s)?		Y	′es 🗹	No			
7. Sufficient	sample volume f	for indicated test	(s)?	Y	es 🗹	No			
8. Are samp	les (except VOA	and ONG) prope	erly preserved?	Y	es 🗸	No			
9. Was pres	ervative added to	bottles?		Y	es 🗌	No	✓	NA 🗆	
10.VOA vials	have zero heads	space?		Y	es \square	No		No VOA Vials 🗹	
11. Were any	sample containe	ers received bro	ken?	١	es 🗆	No	V	# of preserved	
							\Box	bottles checked	
	erwork match bo crepancies on ch			Y	es 🗹	No	ш	for pH: (<2	or >12 unless noted)
-	ces correctly ider		of Custody?	Y	es 🔽	No		Adjusted?	<u> </u>
	what analyses w		•	Y	es 🗹	No			
	nolding times able ify customer for a			Y	es 🗹	No		Checked by:	
(II No, Not	ny customer for a	autionzation.)							
Special Ha	ndling (if app	olicable)							
	t notified of all di		n this order?	Y	es 🗌	No		NA 🗹	
Per	son Notified:		D	ate:					
Ву	/Vhom:		! V	ia: 🔲	eMail [] Phone [Fax	☐ In Person	
Reg	garding:	The state of the s	and the second s	we have a second	ing 1985 and Physics and delicate	ar over the case of the case o		en e	
Clie	nt Instructions:		South Control Technologies (Control of the Control	are e	un valuent auc s	v			
17. Additiona	al remarks:								
18. Cooler I	the second of the second of the second		Seal Intact Seal N	lo Sea	il Date	Signed E	Зу		
[1	11.**	3000 1	65			1			

CHAIN OF CUSTODY RECORD

Apex TITAN, Inc. • 606 S. Rio Grande, Suite A, Downstairs • Aztec, New Mexico 87410 • Office: 505-334-5200 • Fax: 505-334-5204



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

October 20, 2014

Heather Woods Enterprise Field Services 614 Reilly Ave. Farmington, NM 87401

TEL: (505) 599-2141

FAX

RE: Enterprise Gallegos #2 OrderNo.: 1410690

Dear Heather Woods:

Hall Environmental Analysis Laboratory received 5 sample(s) on 10/15/2014 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

Indest

4901 Hawkins NE

Albuquerque, NM 87109

Lab Order **1410690**

Date Reported: 10/20/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Enterprise Field Services

Client Sample ID: C-7

 Project:
 Enterprise Gallegos #2
 Collection Date: 10/14/2014 4:00:00 PM

 Lab ID:
 1410690-001
 Matrix: SOIL
 Received Date: 10/15/2014 7:30:00 AM

Analyses	Result	RL (Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGE	ORGANICS					Analy	st: BCN
Diesel Range Organics (DRO)	ND	9.9		mg/Kg	1	10/16/2014 10:35:30	AM 15914
Surr: DNOP	98.2	57.9-140		%REC	1	10/16/2014 10:35:30	AM 15914
EPA METHOD 8015D: GASOLINE RAI	NGE					Analy	st: NSB
Gasoline Range Organics (GRO)	74	4.7		mg/Kg	1	10/16/2014 7:15:36 F	PM 15913
Surr: BFB	342	80-120	S	%REC	1	10/16/2014 7:15:36 F	PM 15913
EPA METHOD 8021B: VOLATILES						Analy	st: NSB
Benzene	0.27	0.047		mg/Kg	1	10/16/2014 7:15:36 F	PM 15913
Toluene	0.67	0.047		mg/Kg	1	10/16/2014 7:15:36 F	PM 15913
Ethylbenzene	0.49	0.047		mg/Kg	1	10/16/2014 7:15:36 F	PM 15913
Xylenes, Total	5.3	0.094		mg/Kg	1	10/16/2014 7:15:36 F	PM 15913
Surr: 4-Bromofluorobenzene	121	80-120	S	%REC	1	10/16/2014 7:15:36 F	PM 15913

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 1 of 8

- $P \hspace{0.5cm} \hbox{Sample pH greater than 2.} \\$
- RL Reporting Detection Limit

Lab Order **1410690**

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 10/20/2014

CLIENT: Enterprise Field Services Client Sample ID: C-8

 Project:
 Enterprise Gallegos #2
 Collection Date: 10/14/2014 4:05:00 PM

 Lab ID:
 1410690-002
 Matrix: SOIL
 Received Date: 10/15/2014 7:30:00 AM

Analyses	Result	RL (Qual 1	Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGE	ORGANICS					Analy	st: BCN
Diesel Range Organics (DRO)	35	10		mg/Kg	1	10/16/2014 12:07:29	PM 15914
Surr: DNOP	93.9	63.5-128		%REC	1	10/16/2014 12:07:29	PM 15914
EPA METHOD 8015D: GASOLINE RAM	NGE					Analy	st: NSB
Gasoline Range Organics (GRO)	120	4.7		mg/Kg	1	10/16/2014 7:44:10 F	M 15913
Surr: BFB	621	80-120	S	%REC	1	10/16/2014 7:44:10 F	M 15913
EPA METHOD 8021B: VOLATILES						Analy	st: NSB
Benzene	0.057	0.047		mg/Kg	1	10/16/2014 7:44:10 F	M 15913
Toluene	1.4	0.047		mg/Kg	1	10/16/2014 7:44:10 F	M 15913
Ethylbenzene	0.78	0.047		mg/Kg	1	10/16/2014 7:44:10 F	M 15913
Xylenes, Total	9.4	0.095		mg/Kg	1	10/16/2014 7:44:10 F	PM 15913
Surr: 4-Bromofluorobenzene	139	80-120	S	%REC	1	10/16/2014 7:44:10 F	M 15913

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 2 of 8

Lab Order **1410690**

Date Reported: 10/20/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Enterprise Field Services Client Sample ID: C-9

 Project:
 Enterprise Gallegos #2
 Collection Date: 10/14/2014 4:10:00 PM

 Lab ID:
 1410690-003
 Matrix: SOIL
 Received Date: 10/15/2014 7:30:00 AM

Analyses Result **RL Qual Units DF** Date Analyzed Batch **EPA METHOD 8015D: DIESEL RANGE ORGANICS** Analyst: BCN Diesel Range Organics (DRO) 10 mg/Kg 1 10/16/2014 12:38:18 PM 15914 Surr: DNOP 101 63.5-128 %REC 10/16/2014 12:38:18 PM 15914 **EPA METHOD 8015D: GASOLINE RANGE** Analyst: NSB Gasoline Range Organics (GRO) 24 4.7 mg/Kg 1 10/16/2014 8:12:42 PM 15913 Surr: BFB 157 80-120 S %REC 10/16/2014 8:12:42 PM 15913 **EPA METHOD 8021B: VOLATILES** Analyst: **NSB** Benzene ND 0.047 mg/Kg 1 10/16/2014 8:12:42 PM 15913 Toluene mg/Kg 10/16/2014 8:12:42 PM 15913 0.31 0.047 1 Ethylbenzene 0.12 0.047 mg/Kg 10/16/2014 8:12:42 PM 15913 1 Xylenes, Total 1.4 0.094 mg/Kg 10/16/2014 8:12:42 PM 15913 Surr: 4-Bromofluorobenzene 105 80-120 %REC 10/16/2014 8:12:42 PM 15913

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
 - P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 3 of 8

Lab Order 1410690

Date Reported: 10/20/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Enterprise Field Services

Client Sample ID: C-10

Project: Enterprise Gallegos #2 **Collection Date:** 10/14/2014 4:15:00 PM 1410690-004 Matrix: SOIL Lab ID: Received Date: 10/15/2014 7:30:00 AM

Analyses	Result	RL (Qual Un	its	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANG	E ORGANICS					Analyst	BCN
Diesel Range Organics (DRO)	ND	10	mg	g/Kg	1	10/16/2014 1:09:08 PM	15914
Surr: DNOP	103	63.5-128	%l	REC	1	10/16/2014 1:09:08 PM	15914
EPA METHOD 8015D: GASOLINE RA	NGE					Analyst	: NSB
Gasoline Range Organics (GRO)	16	4.7	mg	g/Kg	1	10/16/2014 3:26:55 PM	15913
Surr: BFB	159	80-120	S %I	REC	1	10/16/2014 3:26:55 PM	15913
EPA METHOD 8021B: VOLATILES						Analyst	: NSB
Benzene	0.065	0.047	mg	g/Kg	1	10/16/2014 3:26:55 PM	15913
Toluene	0.19	0.047	mg	g/Kg	1	10/16/2014 3:26:55 PM	15913
Ethylbenzene	0.077	0.047	mg	g/Kg	1	10/16/2014 3:26:55 PM	15913
Xylenes, Total	0.93	0.094	mg	g/Kg	1	10/16/2014 3:26:55 PM	15913
Surr: 4-Bromofluorobenzene	102	80-120	%l	REC	1	10/16/2014 3:26:55 PM	15913

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Е Value above quantitation range
- Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- Spike Recovery outside accepted recovery limits
- Analyte detected in the associated Method Blank
- Η Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
 - P Sample pH greater than 2.

Page 4 of 8

- RL
- Reporting Detection Limit

Lab Order **1410690**

Date Reported: 10/20/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Enterprise Field Services

Client Sample ID: C-11

Project: Enterprise Gallegos #2 **Collection Date:** 10/14/2014 4:35:00 PM

Lab ID: 1410690-005 **Matrix:** SOIL **Received Date:** 10/15/2014 7:30:00 AM

Analyses	Result	Qual Units	DF	Date Analyzed	Batch	
EPA METHOD 8015D: DIESEL RANG	E ORGANICS				Analy	st: BCN
Diesel Range Organics (DRO)	10	10	mg/Kg	1	10/16/2014 1:40:13 P	M 15914
Surr: DNOP	87.0	63.5-128	%REC	1	10/16/2014 1:40:13 P	M 15914
EPA METHOD 8015D: GASOLINE RA	NGE				Analy	st: NSB
Gasoline Range Organics (GRO)	26	4.7	mg/Kg	1	10/16/2014 8:41:15 P	M 15913
Surr: BFB	186	80-120	S %REC	1	10/16/2014 8:41:15 P	M 15913
EPA METHOD 8021B: VOLATILES					Analy	st: NSB
Benzene	0.30	0.047	mg/Kg	1	10/16/2014 8:41:15 P	M 15913
Toluene	0.52	0.047	mg/Kg	1	10/16/2014 8:41:15 P	M 15913
Ethylbenzene	0.17	0.047	mg/Kg	1	10/16/2014 8:41:15 P	M 15913
Xylenes, Total	1.9	0.094	mg/Kg	1	10/16/2014 8:41:15 P	M 15913
Surr: 4-Bromofluorobenzene	106	80-120	%REC	1	10/16/2014 8:41:15 P	M 15913

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 5 of 8

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410690**

20-Oct-14

Client: Enterprise Field Services
Project: Enterprise Gallegos #2

Sample ID MB-15914 SampType: MBLK TestCode: EPA Method 8015D: Diesel Range Organics Client ID: **PBS** Batch ID: 15914 RunNo: 21946 Prep Date: 10/15/2014 Analysis Date: 10/16/2014 SeqNo: 645102 Units: mg/Kg Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) ND 10 Surr: DNOP 10.00 9.2 91.8 57.9 140

Sample ID LCS-15914 SampType: LCS TestCode: EPA Method 8015D: Diesel Range Organics Client ID: LCSS Batch ID: 15914 RunNo: 21946 Analysis Date: 10/16/2014 Prep Date: 10/15/2014 SeqNo: 645103 Units: mg/Kg Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 51 10 50.00 102 68.6 130 Surr: DNOP 140 4.3 5.000 86.5 57.9

Sample ID 1410690-001AMS SampType: MS TestCode: EPA Method 8015D: Diesel Range Organics Client ID: C-7 Batch ID: 15914 RunNo: 21946 Prep Date: 10/15/2014 Analysis Date: 10/16/2014 SeqNo: 645105 Units: mg/Kg SPK value SPK Ref Val %REC %RPD **RPDLimit** Analyte Result **PQL** LowLimit HighLimit Qual Diesel Range Organics (DRO) 54 49.16 110 40.1 152 Surr: DNOP 4.7 4.916 95.8 57.9 140

Sample ID 1410690-001AMSD SampType: MSD TestCode: EPA Method 8015D: Diesel Range Organics Client ID: C-7 Batch ID: 15914 RunNo: 21946 Analysis Date: 10/16/2014 Prep Date: 10/15/2014 SeqNo: 645175 Units: mg/Kg Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 48 10 50.20 96.5 40.1 152 10.6 32.1 Surr: DNOP 4.7 5.020 93.5 57.9 140 0 0

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 6 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410690**

20-Oct-14

Client: Enterprise Field Services
Project: Enterprise Gallegos #2

Sample ID MB-15913 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 15913 RunNo: 21955

Prep Date: 10/15/2014 Analysis Date: 10/16/2014 SeqNo: 645490 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 900 1000 89.8 80 120

Sample ID LCS-15913 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 15913 RunNo: 21955

Prep Date: 10/15/2014 Analysis Date: 10/16/2014 SeqNo: 645491 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

 Gasoline Range Organics (GRO)
 25
 5.0
 25.00
 0
 99.6
 65.8
 139

 Surr: BFB
 1000
 1000
 99.9
 80
 120

Sample ID 1410690-002AMS SampType: MS TestCode: EPA Method 8015D: Gasoline Range

Client ID: C-8 Batch ID: 15913 RunNo: 21955

Prep Date: 10/15/2014 Analysis Date: 10/16/2014 SeqNo: 645499 Units: mg/Kg

SPK value SPK Ref Val %REC LowLimit %RPD **RPDLimit** Qual Analyte Result **PQL** HighLimit Gasoline Range Organics (GRO) 80 23.70 119.1 -164 71.8 132 S Surr: BFB 3500 947.9 374 120 S 80

Sample ID 1410690-002AMSD SampType: MSD TestCode: EPA Method 8015D: Gasoline Range

Client ID: C-8 Batch ID: 15913 RunNo: 21955

Prep Date: 10/15/2014 Analysis Date: 10/16/2014 SeqNo: 645500 Units: mg/Kg

%REC Result **PQL** SPK value SPK Ref Val LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) 96 4.7 23.72 119.1 -99.2 71.8 132 17.5 20 S Surr: BFB 4200 948.8 446 80 120 0 0 S

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 7 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410690**

20-Oct-14

Client: Enterprise Field Services
Project: Enterprise Gallegos #2

Sample ID MB-15913 SampType: MBLK TestCode: EPA Method 8021B: Volatiles
Client ID: PBS Batch ID: 15913 RunNo: 21955

Prep Date: 10/15/2014 Analysis Date: 10/16/2014 SeqNo: 645532 Units: mg/Kg

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Benzene ND 0.050 Toluene ND 0.050 Ethylbenzene ND 0.050 Xylenes, Total ND 0.10

 Surr: 4-Bromofluorobenzene
 0.93
 1.000
 92.6
 80
 120

Sample ID LCS-15913 SampType: LCS TestCode: EPA Method 8021B: Volatiles Client ID: **LCSS** Batch ID: 15913 RunNo: 21955 Prep Date: 10/15/2014 Analysis Date: 10/16/2014 SeqNo: 645533 Units: mg/Kg **PQL** SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Analyte Result LowLimit Qual 0.050 1.000 O 80 120 Benzene 0.97 96.7 Toluene 0.96 0.050 1.000 0 96.3 80 120 Ethylbenzene 0.99 0.050 0 99.0 80 120 1.000 Xylenes, Total 2.9 0.10 3.000 0 97.8 80 120 99.7 Surr: 4-Bromofluorobenzene 1.0 1.000 80 120

Sample ID 1410690-001AMS SampType: MS TestCode: EPA Method 8021B: Volatiles
Client ID: C-7 Batch ID: 15913 RunNo: 21955

Prep Date: 10/15/2014 Analysis Date: 10/16/2014 SeqNo: 645547 Units: mg/Kg

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Benzene 1.1 0.047 0.9390 0.2709 85.3 77.4 142 Toluene 1.0 0.047 0.9390 0.6699 40.2 77 132 S 57.1 0.047 0.9390 0.4918 77.6 S Ethylbenzene 1.0 134 S Xylenes, Total 3.7 0.094 2.817 5.269 -56.2 77.4 132 Surr: 4-Bromofluorobenzene 0.98 0.9390104 80 120

Sample ID 1410690-001AMSD SampType: MSD TestCode: EPA Method 8021B: Volatiles

Client ID: C-7 Batch ID: 15913 RunNo: 21955

Prep Date: Analysis Date: 10/16/2014 SeqNo: 645548 10/15/2014 Units: mg/Kg SPK value SPK Ref Val %REC %RPD **RPDLimit** Analyte Result PQL LowLimit HighLimit Qual 1.0 0.047 0.9390 0.2709 81.4 77.4 142 3.46 20 Benzene Toluene 1.1 0.047 0.9390 0.6699 41.4 77 132 1.11 20 S Ethylbenzene 1.0 0.047 0.9390 0.4918 58.9 77.6 134 1.68 20 S Xylenes, Total 4.0 0.094 2.817 5.269 -46.1 77.4 132 7.45 20 S Surr: 4-Bromofluorobenzene 0.99 0.9390 106 80 120 0 0

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 8 of 8



4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: En	ient Name: Enterprise Work Order Numb								RcptNo	RcptNo: 1			
Received by/date:	AT	10/15/14								·			
Logged By: A	nne Thorne	•	10/15/201	14 7:30:00	AM		arne .	Am	_	;			
Completed By: A	nne Thorne	•	10/15/201	14			Anne	Am	_				
Reviewed By:	05	^ >	10/15	Lif			2,0,00						
Chain of Custod	<u>'</u>			,									
1. Custody seals in	tact on sam	ple bottles?			Yes		No		Not Present				
2. Is Chain of Custo	ody complet	te?			Yes	✓	No		Not Present				
3. How was the sar	nple deliver	red?			Cour	<u>ier</u>							
Log In													
4. Was an attempt	made to co	ool the samples	?	-	Yes	✓	No		NA 🗆				
5. Were all sample	s received a	at a temperature	of >0°C1	to 6.0°C	Yes	V	No		na 🗆				
6. Sample(s) in pro	per contain	er(s)?			Yes	V	No						
7. Sufficient sample	e volume for	r indicated test(s)?		Yes	✓	No						
8. Are samples (ex	cept VOA a	nd ONG) prope	rly preserve	d?	Yes	✓	No						
9. Was preservative	e added to t	bottles?			Yes		No	✓	NA 🗆				
10.VOA vials have a	zero headsp	pace?			Yes		No		No VOA Vials 🗹				
11. Were any samp	le container	s received brok	en?		Yes		No	✓	# of processed				
						_		_	# of preserved bottles checked				
12. Does paperwork (Note discrepand					Yes	✓	No	Ш	for pH:	or >12 unless noted)			
13. Are matrices cor			Custody?		Yes	✓	No		Adjusted?	or a re unicoo noted)			
14. Is it clear what a					Yes		No						
15. Were all holding					Yes	V	No		Checked by:				
(If no, notify cust	one or au	uionzauon.)											
Special Handling	g (if appli	icable)											
16. Was client notifie			this order?		Yes		No		NA 🗹				
Person No	tified:			Date									
By Whom:	F			Via:	eMa	ıil 🗀	Phone 🔲	Fax	☐ In Person				
Regarding	: 🖺				IN SECTION ASSESSMENT								
Client Instr	uctions:			ST. strokeno z rasiani inte	. CORRES DE LOS CONTROL DE LA CORRES DEL CORRES DE LA CORRES DEL CORRES DE LA CORRES DEL CORRES DE LA CORRES		And the control of th		Cast Facebook and St. Cast Cast Cast Cast Cast Cast Cast Cast				
17. Additional rema	rks:									_			
18. Cooler Informa	Carrier and the same of the	Santania 1.3	<u> </u>	(<u>8_1,</u> 7,71		25. 17.1	ے پر کار کا کا بہتے ؛ ۱۹۰۰	افراريا	ı				
	Temp ºC .4 (Condition S Good Ye	eal Intact s	Seal No	Seal Da	ite	Signed I	⇒y					

IATIACAIMENTAI	ANALYSIS LABORATORY	www.hallenvironmental.com	Albuquerque, NM 87109	505-345-4107	uest					· 'ΟΛ	8250 (Semi-												Remarks Direct bill to Entroprise FUZO Sirvices		ated on the analytical report.
	I SI	onmen	ıquerqu	Fax 505-							Anions (F,Cl									-			MANDY		searly nota
	ָל לא	llenvir	- Albu		Analys					rals	RCRA 8 Me											_	\$		a will be o
	ANAL		R	-3975	•		(S	MIS			EDB (Metho				,								Jing 1		ted data
3	Ì₹	*	awkins	5-345							odtoM) H9T		<u> </u>										25		o-contrac
			4901 Hawkins NE	Tel. 505-345-3975							83108 H9T	メ	×	R	ጷ	/	-							ļ	Any sut
			4	-							BTEX + ME	<i>y</i> <	×	叉	K.	R							temark	ļ	ssibility.
			‡2		ķ				Øs □ No		HEAL NO.	(102-	702	_	100-								So	Date Time 7/5/14	s. This serves as notice of this po
<u>.</u>	□ Rush	a:	Entropia Gallago #	D	16035	ger:	-	Woods	with luba	berature:	Preservative Type		(\	-							Whelen	n Hi	scredited laboratories
	 区 Standard	Project Name	Entrovie	Project'#:	70304146035	Project Manager:	-	Heather Woods	Sampler: 比 On Ice:	Sample Temperature:	Container Type and #	1-402	70.4-1	1-405	1-402	1-402							Received by: Muths	Received by: /	contracted to other a
Chain-ot-Custody Record	Client: Enterprise Full Securcos		Mailing Address: Lot 4 Revitte, Aux	NM 87401	Phone #: (505) 716 - 2787			☐ Level 4 (Full Validation)	□ Other		Matrix Sample Request ID	0,1 C.7	5,1 C.B		5:1 C-10	5,1 0-11			7	7	/		Relinquished by: Huth H. Wood	Relinquished by: Mutteel Doller	Ē
†	รณร์ย		s: bi	8	(Š							Soil	5 30:1	So)	1.oS	56;1		igert					X Relin		, sample
nain	nteri		Addres	الم بحريات	P.Q	Fax#:	ackage	ard	ation P	(Type)	Time	विवर्ग!	1605	Olail	1615	1635							Time:	: Time: N 1930	necessar)
5	Client:		Mailing ∤	Favo	Phone #	email or Fax#:	QA/QC Package:	X Standard	Accreditation □ NELAP	☐ EDD (Type)	Date	N/H/OI		0191 W/PLO	hi/hi/al								Date: 10/14/14	Dafe: Idjuffu	-



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

October 21, 2014

Heather Woods

APEX AZTEC

606 S. Rio Grande Unit A

Aztec, NM 87410

TEL: (505) 716-2787 FAX (505) 334-5204

RE: Enterprise Gallegos #2 OrderNo.: 1410855

Dear Heather Woods:

Hall Environmental Analysis Laboratory received 4 sample(s) on 10/17/2014 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 10/21/2014

Lab Order 1410855

Hall Environmental Analysis Laboratory, Inc.

CLIENT: APEX AZTEC Client Sample ID: C-12

 Project:
 Enterprise Gallegos #2
 Collection Date: 10/16/2014 11:35:00 AM

 Lab ID:
 1410855-001
 Matrix: SOIL
 Received Date: 10/17/2014 8:15:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGE		Analy	st: BCN			
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	10/20/2014 12:25:40	PM 15958
Surr: DNOP	98.5	63.5-128	%REC	1	10/20/2014 12:25:40	PM 15958
EPA METHOD 8015D: GASOLINE RAI	NGE				Analy	st: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	10/20/2014 4:22:44 F	PM 15966
Surr: BFB	91.8	80-120	%REC	1	10/20/2014 4:22:44 F	M 15966
EPA METHOD 8021B: VOLATILES					Analy	st: NSB
Benzene	0.067	0.050	mg/Kg	1	10/20/2014 4:22:44 F	PM 15966
Toluene	ND	0.050	mg/Kg	1	10/20/2014 4:22:44 F	PM 15966
Ethylbenzene	ND	0.050	mg/Kg	1	10/20/2014 4:22:44 F	PM 15966
Xylenes, Total	ND	0.099	mg/Kg	1	10/20/2014 4:22:44 F	PM 15966
Surr: 4-Bromofluorobenzene	94.8	80-120	%REC	1	10/20/2014 4:22:44 F	M 15966

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 1 of 7

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Lab Order 1410855

Date Reported: 10/21/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: APEX AZTEC Client Sample ID: C-13

Collection Date: 10/16/2014 11:40:00 AM **Project:** Enterprise Gallegos #2 1410855-002 Matrix: SOIL Received Date: 10/17/2014 8:15:00 AM Lab ID:

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANG	E ORGANICS				Analyst	BCN
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	10/20/2014 2:27:34 PM	15958
Surr: DNOP	98.9	63.5-128	%REC	1	10/20/2014 2:27:34 PM	15958
EPA METHOD 8015D: GASOLINE RA	NGE				Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	10/20/2014 5:48:42 PM	15966
Surr: BFB	92.2	80-120	%REC	1	10/20/2014 5:48:42 PM	15966
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	0.30	0.047	mg/Kg	1	10/20/2014 5:48:42 PM	15966
Toluene	0.21	0.047	mg/Kg	1	10/20/2014 5:48:42 PM	15966
Ethylbenzene	0.052	0.047	mg/Kg	1	10/20/2014 5:48:42 PM	15966
Xylenes, Total	0.39	0.095	mg/Kg	1	10/20/2014 5:48:42 PM	15966
Surr: 4-Bromofluorobenzene	96.1	80-120	%REC	1	10/20/2014 5:48:42 PM	15966

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Ε Value above quantitation range
- Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- Spike Recovery outside accepted recovery limits
- Analyte detected in the associated Method Blank
- Η Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 2 of 7

- P Sample pH greater than 2.
- Reporting Detection Limit

Lab Order **1410855**

Date Reported: 10/21/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: APEX AZTEC Client Sample ID: C-14

 Project:
 Enterprise Gallegos #2
 Collection Date: 10/16/2014 11:45:00 AM

 Lab ID:
 1410855-003
 Matrix: SOIL
 Received Date: 10/17/2014 8:15:00 AM

Analyses	Result	RL Qı	ıal Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGI	E ORGANICS				Analys	t: BCN
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	10/20/2014 2:58:19 PM	Л 15958
Surr: DNOP	103	63.5-128	%REC	1	10/20/2014 2:58:19 PM	<i>I</i> 15958
EPA METHOD 8015D: GASOLINE RA	NGE				Analys	t: NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	10/20/2014 2:56:49 PM	Л 15966
Surr: BFB	92.0	80-120	%REC	1	10/20/2014 2:56:49 PM	Л 15966
EPA METHOD 8021B: VOLATILES					Analys	t: NSB
Benzene	0.095	0.047	mg/Kg	1	10/20/2014 2:56:49 PM	И 15966
Toluene	0.12	0.047	mg/Kg	1	10/20/2014 2:56:49 PM	И 15966
Ethylbenzene	ND	0.047	mg/Kg	1	10/20/2014 2:56:49 PM	<i>l</i> 15966
Xylenes, Total	0.24	0.095	mg/Kg	1	10/20/2014 2:56:49 PM	И 15966
Surr: 4-Bromofluorobenzene	95.6	80-120	%REC	1	10/20/2014 2:56:49 PM	A 15966

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 3 of 7

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Lab Order **1410855**

Date Reported: 10/21/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: APEX AZTEC Client Sample ID: C-15

 Project:
 Enterprise Gallegos #2
 Collection Date: 10/16/2014 11:50:00 AM

 Lab ID:
 1410855-004
 Matrix: SOIL
 Received Date: 10/17/2014 8:15:00 AM

Analyses Result **RL Qual Units DF** Date Analyzed Batch **EPA METHOD 8015D: DIESEL RANGE ORGANICS** Analyst: BCN Diesel Range Organics (DRO) 10/20/2014 3:28:47 PM 15958 10 mg/Kg 1 Surr: DNOP 102 63.5-128 %REC 10/20/2014 3:28:47 PM 15958 **EPA METHOD 8015D: GASOLINE RANGE** Analyst: NSB 10/20/2014 3:54:00 PM 15966 Gasoline Range Organics (GRO) ND 4.9 mg/Kg 1 Surr: BFB 89.7 80-120 %REC 10/20/2014 3:54:00 PM 15966 **EPA METHOD 8021B: VOLATILES** Analyst: **NSB** Benzene ND 0.049 mg/Kg 1 10/20/2014 3:54:00 PM 15966 Toluene 10/20/2014 3:54:00 PM 15966 ND 0.049 mg/Kg 1 Ethylbenzene ND 0.049 mg/Kg 10/20/2014 3:54:00 PM 15966 1 Xylenes, Total ND 0.098 mg/Kg 10/20/2014 3:54:00 PM 15966 Surr: 4-Bromofluorobenzene 92.2 80-120 %REC 10/20/2014 3:54:00 PM 15966

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 4 of 7

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410855**

21-Oct-14

Client: APEX AZTEC

Project: Enterprise Gallegos #2

Sample ID MB-15958 SampType: MBLK TestCode: EPA Method 8015D: Diesel Range Organics

Client ID: **PBS** Batch ID: **15958** RunNo: **22014**

Prep Date: 10/17/2014 Analysis Date: 10/20/2014 SeqNo: 647196 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Diesel Range Organics (DRO) ND 10

Surr: DNOP 8.5 10.00 84.7 63.5 128

Sample ID LCS-15958 SampType: LCS TestCode: EPA Method 8015D: Diesel Range Organics

Client ID: LCSS Batch ID: 15958 RunNo: 22014

Prep Date: 10/17/2014 Analysis Date: 10/20/2014 SeqNo: 647197 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Diesel Range Organics (DRO) 43 10 50.00 0 86.9 68.6 130 Surr: DNOP 3.7 5.000 73.5 63.5 128

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 5 of 7

Hall Environmental Analysis Laboratory, Inc.

WO#: 1410855

21-Oct-14

Client: APEX AZTEC

Project: Enterprise Gallegos #2

Sample ID MB-15966 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 15966 RunNo: 22027

Prep Date: 10/17/2014 Analysis Date: 10/20/2014 SeqNo: 647476 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 900 1000 90.3 80 120

Sample ID LCS-15966 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 15966 RunNo: 22027

Prep Date: 10/17/2014 Analysis Date: 10/20/2014 SeqNo: 647477 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

 Gasoline Range Organics (GRO)
 23
 5.0
 25.00
 0
 93.7
 65.8
 139

 Surr: BFB
 1000
 1000
 99.6
 80
 120

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 6 of 7

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410855**

21-Oct-14

Client: APEX AZTEC

Project: Enterprise Gallegos #2

Sample ID MB-15966	SampT	уре: МЕ	BLK	Tes	tCode: El	PA Method	8021B: Volat	tiles		
Client ID: PBS	Batch	n ID: 15	966	F	RunNo: 2	2027				
Prep Date: 10/17/2014	Analysis D	oate: 10)/20/2014	8	SeqNo: 6	47489	Units: mg/K	ζg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.95		1.000		95.3	80	120			

Sample ID LCS-15966	SampT	Type: LC	S	Tes	tCode: El	PA Method	8021B: Vola	iles		
Client ID: LCSS	Batch	h ID: 15	966	R	RunNo: 2	2027				
Prep Date: 10/17/2014	Analysis D	Date: 10)/20/2014	S	SeqNo: 6	47490	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.90	0.050	1.000	0	89.7	80	120			
Toluene	0.90	0.050	1.000	0	89.9	80	120			
Ethylbenzene	0.93	0.050	1.000	0	93.4	80	120			
Xylenes, Total	2.8	0.10	3.000	0	92.5	80	120			
Surr: 4-Bromofluorobenzene	1.0		1.000		101	80	120			

Sample ID 1410855-001AMS	SampT	уре: М	3	Tes	tCode: El	PA Method	8021B: Volat	tiles		
Client ID: C-12	Batch	n ID: 15	966	F	RunNo: 2	2027				
Prep Date: 10/17/2014	Analysis D	oate: 10	0/20/2014	S	SeqNo: 6	47498	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.86	0.050	0.9921	0.06660	79.6	77.4	142			
Toluene	0.82	0.050	0.9921	0.01429	80.8	77	132			
Ethylbenzene	0.85	0.050	0.9921	0.01239	84.1	77.6	134			
Xylenes, Total	2.6	0.099	2.976	0.03534	84.5	77.4	132			
Surr: 4-Bromofluorobenzene	0.99		0.9921		99.5	80	120			

Sample ID 1410855-001AMS	SampT	уре: М	SD	Tes	tCode: El	PA Method	8021B: Volat	tiles		
Client ID: C-12	Batch	n ID: 15 9	966	R	RunNo: 2	2027				
Prep Date: 10/17/2014	Analysis D	oate: 10)/20/2014	S	SeqNo: 6	47499	Units: mg/K	ζg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.84	0.050	0.9930	0.06660	77.6	77.4	142	2.27	20	
Toluene	0.78	0.050	0.9930	0.01429	77.4	77	132	4.16	20	
Ethylbenzene	0.80	0.050	0.9930	0.01239	79.8	77.6	134	5.10	20	
Xylenes, Total	2.4	0.099	2.979	0.03534	80.2	77.4	132	5.08	20	
Surr: 4-Bromofluorobenzene	0.99		0.9930		99.6	80	120	0	0	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 7 of 7



4901 Hawkins NE Albuquerque, NM 87105 TEL: 505-345-3975 FAX: 505-345-4107

Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name:	APEX AZTEC	Work Order Numbe	r: 1410855		RcptNo: 1	
Received by/da	ite: LM	10/17/14		· -	-	
Logged By:	Michelle Garcia	10/17/2014 8:15:00 A	M	Miralle Gar	ui.	
Completed By:	Michelle Garcia	10/17/2014 10:51:24	AM	Michiello Gan Michiello Gan	, ,	
Reviewed By:	(\s	1017/14		,		
Chain of Cus		10(11)				
	eals intact on sample bottl	es?	Yes 🗌	No 🗆	Not Present ✓	
•	Custody complete?		Yes 🗸	No 🗌	Not Present	
	ne sample delivered?		<u>Courier</u>			
<u>Log in</u>						
	tempt made to cool the sa	amples?	Yes 🗹	No 🗆	NA \square	
5. Were all sa	amples received at a temp	perature of >0° C to 6.0°C	Yes 🗹	No 🗌	na \square	
6. Sample(s)	in proper container(s)?		Yes 🗹	No 🗆		
7. Sufficient s	ample volume for indicate	ed test(s)?	Yes 🗸	No \square		
8. Are sample	es (except VOA and ONG) properly preserved?	Yes 🗹	No 🗆		
9. Was prese	rvative added to bottles?		Yes	No 🗹	NA 🗆	
10.VOA vials I	have zero headspace?		Yes	No 🗆	No VOA Vials 🗹	÷
11. Were any	sample containers receiv	ed broken?	$_{Yes}$	No 🗹	# of preserved	
			_	_	bottles checked	
• •	rwork match bottle labels		Yes 🗹	No 🗀 🛚	for pH:(<2 or >12 unless	s noted)
-	repancies on chain of cus es correctly identified on (Yes 🗹	No □	Adjusted?	
	what analyses were reque		Yes ☑	No 🗆		
15. Were all ho	olding times able to be m	et?	Yes 🗹	No 🗆	Checked by:	
(If no, notif	y customer for authorizat	ion.)			-	
Special Han	dling (if applicable	1				
16. Was client	notified of all discrepanc	es with this order?	Yes 🗌	No 🗆	NA 🗹	
Pers	on Notified:	Date:		The second secon		
By W	Vhom:	Via:	eMail	Phone Fax	☐ In Person	
-	arding:	A CONTRACTOR OF THE PARTY OF TH				
_	nt Instructions:	and the property of the control of t	× 1.12.00.12.20.20.20.20.20.20.20.20.20.20.20.20.20	Tropped - all distances in the second		
17. Additional	remarks:	Hamid 1009 (90%) for a recess of a solid multiple Method Association of the description of the solid s	the second secon			
18. <u>Cooler in</u>	formation					
Cooler	No Temp ºC Condit		Seal Date	Signed By		
1	5.4 Good	Yes				

				0	CHAIN OF CUSTODY RECORD
1			AN	ANALYSIS / / / A	/ / Lab use only
		Laboratory: Hall Envivoumental		Requested / / / /	Due Date:
APEX		Address: Albuquerque, N.M.			Town of confee
Office Location Azite, NM	M	, , ,			when received (C°): 5,4
		Contact: Andly Freeman		(0	3 4 5
		~~		70	Pagelofl
Project Manager Headling Woods	woods	بحـــ		207	
Sampler's Name		Sampler's Signature		75	
Healther Woods		Heath M. Woods		D FIX	
	Project Name			87.78	
70304146035 Ent	HIPPIISE GAR	14-02 4-02	' <	/ / / / / / / /	
Matrix Date Time o	C G C Identifying Marks of Sample(s)	Start Depth End Depth AOV	Glass Jar P/O	10g	/ Lab Sample ID (Lab Use Only)
S 10/18/14 1135	C-12		×	*	1410855 -061
S (6/18/14 1140	C-13		×	×	1 002
SHIT PILATON S	ر 1- د		×	×	1003
S 10/16/14 1150	C~15		× -	×	100
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1			
			/		
Turn around time	☐ 25% Rush	□ 50% Rush □ 100% Rush			
Relinquished by (Signature)		Time: Received by (Signature)	Date: Time:	NOTES:	nkrpnie Fald Services
Relinquished by (Signature)	Date:	Received/by: (Signature)	 	Time: Attn: Town Cong. WO # ATAR37	<i>₩</i> υ
Relinquished by (Signature)	Date:	Time: Received by: (Signature)	Date: Tin	Time: Paykey RB21200	200
Relinquished by (Signature)	Date:	Time: Received by: (Signature)	Date: Tin	Time:	
Matrix WW - Wastewater Container VOA - 40 ml vial	W - Water A/G - Amber / C	W - Water S - Soil SD - Solid L - Liquid A - Air Bag A/G - Amber / Or Glass 1 Liter 250 ml - Glass wide mouth	C - Charcoal tube P/O - Plastic or other	oe SL - studge O - Oil other	

Apex TITAN, Inc. • 606 S. Rio Grande, Suite A, Downstairs • Aztec, New Mexico 87410 • Office: 505-334-5200 • Fax: 505-334-5204



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

October 31, 2014

Heather Woods

APEX AZTEC

606 S. Rio Grande Unit A

Aztec, NM 87410

TEL: (505) 716-2787 FAX (505) 334-5204

RE: Gallegos #2 OrderNo.: 1410D39

Dear Heather Woods:

Hall Environmental Analysis Laboratory received 1 sample(s) on 10/30/2014 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Lab Order **1410D39**

Date Reported: 10/31/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: APEX AZTEC Client Sample ID: C-16

 Project:
 Gallegos #2
 Collection Date: 10/29/2014 10:30:00 AM

 Lab ID:
 1410D39-001
 Matrix: SOIL
 Received Date: 10/30/2014 7:15:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANG	E ORGANICS				Analy	st: BCN
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	10/30/2014 9:25:58 A	M 16162
Surr: DNOP	94.7	63.5-128	%REC	1	10/30/2014 9:25:58 A	M 16162
EPA METHOD 8015D: GASOLINE RA	ANGE				Analy	st: NSB
Gasoline Range Organics (GRO)	ND	3.6	mg/Kg	1	10/30/2014 10:35:00	AM R22237
Surr: BFB	90.9	80-120	%REC	1	10/30/2014 10:35:00	AM R22237
EPA METHOD 8021B: VOLATILES					Analy	st: NSB
Benzene	0.043	0.036	mg/Kg	1	10/30/2014 10:35:00	AM R22237
Toluene	ND	0.036	mg/Kg	1	10/30/2014 10:35:00	AM R22237
Ethylbenzene	ND	0.036	mg/Kg	1	10/30/2014 10:35:00	AM R22237
Xylenes, Total	ND	0.071	mg/Kg	1	10/30/2014 10:35:00	AM R22237
Surr: 4-Bromofluorobenzene	94.3	80-120	%REC	1	10/30/2014 10:35:00	AM R22237

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 1 of 4

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410D39**

31-Oct-14

Client: APEX AZTEC
Project: Gallegos #2

Sample ID LCS-16162	SampT	ype: LC	S	Test	tCode: El	PA Method	8015D: Diese	el Range (Organics	
Client ID: LCSS	Batch	ID: 16	162	R	tunNo: 2	2228				
Prep Date: 10/30/2014	Analysis D	Analysis Date: 10/30/2014		S	SeqNo: 654885			(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	48	10	50.00	0	96.1	68.6	130			
Surr: DNOP	4.0		5.000		79.5	63.5	128			

Sample ID MB-16162	SampT	ype: ME	BLK	Test	:Code: El	PA Method	8015D: Dies	el Range (Organics	
Client ID: PBS	Batch	ID: 16	162	R	unNo: 2	2228				
Prep Date: 10/30/2014	Analysis Date: 10/30/2014		S	SeqNo: 654909			(g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Surr: DNOP	8.8		10.00		87.8	63.5	128			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 2 of 4

Hall Environmental Analysis Laboratory, Inc.

890

WO#: **1410D39**

31-Oct-14

Client: APEX AZTEC
Project: Gallegos #2

Sample ID MB-16141 MK	SampType: MBLK	TestCode: EPA Method	8015D: Gasoline Range
Client ID: PBS	Batch ID: R22237	RunNo: 22237	
Prep Date:	Analysis Date: 10/30/2014	SeqNo: 655593	Units: mg/Kg
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual
Gasoline Range Organics (GRO) Surr: BFB	ND 5.0 890 1000	89.1 80	120
Sample ID LCS-16141 MK	SampType: LCS	TestCode: EPA Method	8015D: Gasoline Range
Client ID: LCSS	Batch ID: R22237	RunNo: 22237	
Prep Date:	Analysis Date: 10/30/2014	SeqNo: 655594	Units: mg/Kg
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual
Gasoline Range Organics (GRO)	26 5.0 25.00	0 103 65.8	139
Surr: BFB	980 1000	98.1 80	120
Sample ID MB-16141	SampType: MBLK	TestCode: EPA Method	8015D: Gasoline Range
Client ID: PBS	Batch ID: 16141	RunNo: 22237	
Prep Date: 10/29/2014	Analysis Date: 10/30/2014	SeqNo: 655604	Units: %REC
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual

Sample ID LCS-16141	SampType:	LCS	Tes	tCode: E	PA Method	8015D: Gaso	line Rang	е		
Client ID: LCSS	Batch ID:	16141	R	tunNo: 2	2237					
Prep Date: 10/29/2014	Analysis Date:	10/30/2014	S	eqNo: 6	55605	Units: %RE	С			
Analyte	Result PC	QL SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Surr: BFB	980	1000		98.1	80	120				

89.1

80

120

1000

Qualifiers:

Surr: BFB

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 3 of 4

Hall Environmental Analysis Laboratory, Inc.

Analysis Date: 10/30/2014

Result

0.93

WO#: **1410D39**

31-Oct-14

Client: APEX AZTEC
Project: Gallegos #2

Sample ID MB-16141 MK	Samp	ype: ME	BLK	Tes	TestCode: EPA Method 8021B: Volatiles						
Client ID: PBS	Batc	n ID: R2	2237	R	RunNo: 2	2237					
Prep Date:	Analysis [Date: 10	0/30/2014	S	SeqNo: 6	55628	Units: mg/k	(g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	ND	0.050									
Toluene	ND	0.050									
Ethylbenzene	ND	0.050									
Xylenes, Total	ND	0.10									
Surr: 4-Bromofluorobenzene	0.93		1.000		92.8	80	120				
Sample ID LCS-16141 MK	Samp	ype: LC	s	Tes	tCode: El	PA Method	8021B: Vola	tiles			
Client ID: LCSS	Batc	Batch ID: R22237			RunNo: 2	2237					
Prep Date:	Analysis [Analysis Date: 10/30/2014		SeqNo: 655629			Units: mg/k	(g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	0.99	0.050	1.000	0	98.6	80	120				
Toluene	0.99	0.050	1.000	0	99.4	80	120				
Ethylbenzene	1.0	0.050	1.000	0	101	80	120				
Kylenes, Total	3.0	0.10	3.000	0	99.8	80	120				
Surr: 4-Bromofluorobenzene	0.97		1.000		97.1	80	120				
		SampType: MBLK									
Sample ID MB-16141	Samp	ype: ME	BLK	Tes	tCode: El	PA Method	8021B: Vola	tiles			

Sample ID LCS-16141	SampTy	/pe: LC	s	Tes	tCode: E	PA Method	8021B: Vola	tiles		
Client ID: LCSS	Batch	ID: 16	141	F	RunNo: 2	2237				
Prep Date: 10/29/2014	Analysis Da	ate: 10	0/30/2014	S	SeqNo: 655635			С		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	0.97		1 000		97 1	80	120			

SPK value SPK Ref Val %REC

1.000

SeqNo: 655634

92.8

LowLimit

80

Units: %REC

120

%RPD

RPDLimit

Qual

HighLimit

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range

Prep Date: 10/29/2014

Surr: 4-Bromofluorobenzene

- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 4 of 4



Hatt Environmental Analysis Laboratory
4901 Hawkins NE

Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107

Sample Log-In Check List

Website: www.hallenvironmental.com RcptNo: 1 Client Name: APEX AZTEC Work Order Number: 1410D39 10/30/19 Received by/date: anne Sham Logged By: Anne Thorne 10/20/2014 7:15:00 AM 10/30/2014 Completed By: Anne Thorne Reviewed By: Chain of Custody Not Present Yes 🗌 No 🗔 1 Custody seals intact on sample bottles? Yes 🗸 No 🗌 Not Present 2. Is Chain of Custody complete? 3. How was the sample delivered? Courier Log In No 🗌 NA 🗌 Yes 🗸 4. Was an attempt made to cool the samples? NA 🗌 No 🗌 5. Were all samples received at a temperature of >0° C to 6.0°C Yes 🗹 No Yes 🗸 Sample(s) in proper container(s)? No 🔲 Yes 🗹 7. Sufficient sample volume for indicated test(s)? No 🗌 Yes 🗸 8. Are samples (except VOA and ONG) properly preserved? NA 🔲 Yes 🗌 No 🔽 9. Was preservative added to bottles? No 🗌 No VOA Vials Yes 10. VOA vials have zero headspace? Yes No 🗸 11. Were any sample containers received broken? # of preserved bottles checked No 🗌 for pH: Yes 🛂 12. Does paperwork match bottle labels? (<2 or >12 unless noted) (Note discrepancies on chain of custody) Adjusted? No \square 13. Are matrices correctly identified on Chain of Custody? Yes 🗸 Yes 🗹 No 🗌 14. Is it clear what analyses were requested? No 🗀 Yes 🗹 Checked by: 15. Were all holding times able to be met? (If no, notify customer for authorization.) Special Handling (if applicable) Yes \square No 🗌 NA 🗸 16. Was client notified of all discrepancies with this order? Person Notified: Date By Whom: Via: eMail Phone Fax Regarding: Client Instructions: 17. Additional remarks: 18. Cooler Information Seal Intact | Seal No Seal Date Cooler No Temp ºC Condition Signed By 1.9 Good Yes

CHAIN OF CUSTODY RECORD

Apex TITAN, Inc. • 606 S. Rio Grande, Suite A, Downstairs • Aztec, New Mexico 87410 • Office: 505-334-5200 • Fax: 505-334-5204



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

October 21, 2014

Heather Woods

APEX AZTEC

606 S. Rio Grande Unit A

Aztec, NM 87410

TEL: (505) 716-2787 FAX (505) 334-5204

RE: Gallegos #2 OrderNo.: 1410597

Dear Heather Woods:

Hall Environmental Analysis Laboratory received 12 sample(s) on 10/14/2014 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Lab Order **1410597**

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 10/21/2014

CLIENT: APEX AZTEC Client Sample ID: SP-1

 Project:
 Gallegos #2
 Collection Date: 10/13/2014 3:00:00 PM

 Lab ID:
 1410597-001
 Matrix: SOIL
 Received Date: 10/14/2014 7:00:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANG	E ORGANICS				Analys	t: JME
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	10/15/2014 9:19:54 AM	Л 15880
Surr: DNOP	111	57.9-140	%REC	1	10/15/2014 9:19:54 AM	<i>l</i> 15880
EPA METHOD 8015D: GASOLINE RA	NGE				Analys	t: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	10/15/2014 1:01:57 PM	Л 15883
Surr: BFB	90.1	80-120	%REC	1	10/15/2014 1:01:57 PM	<i>I</i> 15883
EPA METHOD 8021B: VOLATILES					Analys	t: NSB
Benzene	ND	0.049	mg/Kg	1	10/15/2014 1:01:57 PM	Л 15883
Toluene	ND	0.049	mg/Kg	1	10/15/2014 1:01:57 PM	A 15883
Ethylbenzene	ND	0.049	mg/Kg	1	10/15/2014 1:01:57 PM	√ 15883
Xylenes, Total	ND	0.098	mg/Kg	1	10/15/2014 1:01:57 PM	√ 15883
Surr: 4-Bromofluorobenzene	92.9	80-120	%REC	1	10/15/2014 1:01:57 PM	<i>I</i> 15883
EPA METHOD 300.0: ANIONS					Analys	t: LGP
Chloride	12	1.5	mg/Kg	1	10/16/2014 5:59:56 PM	И 15944

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 1 of 16

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Lab Order 1410597

Date Reported: 10/21/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: APEX AZTEC Client Sample ID: SP-2

 Project:
 Gallegos #2
 Collection Date: 10/13/2014 3:02:00 PM

 Lab ID:
 1410597-002
 Matrix: SOIL
 Received Date: 10/14/2014 7:00:00 AM

Analyses	Result	RL Qu	al Units	DF Date Analyzed Batch
EPA METHOD 8015D: DIESEL RANGE	ORGANICS			Analyst: JME
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1 10/15/2014 10:50:33 AM 15880
Surr: DNOP	98.8	57.9-140	%REC	1 10/15/2014 10:50:33 AM 15880
EPA METHOD 8015D: GASOLINE RAN	IGE			Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1 10/15/2014 2:27:50 PM 15883
Surr: BFB	90.0	80-120	%REC	1 10/15/2014 2:27:50 PM 15883
EPA METHOD 8021B: VOLATILES				Analyst: NSB
Benzene	ND	0.049	mg/Kg	1 10/15/2014 2:27:50 PM 15883
Toluene	ND	0.049	mg/Kg	1 10/15/2014 2:27:50 PM 15883
Ethylbenzene	ND	0.049	mg/Kg	1 10/15/2014 2:27:50 PM 15883
Xylenes, Total	ND	0.098	mg/Kg	1 10/15/2014 2:27:50 PM 15883
Surr: 4-Bromofluorobenzene	92.2	80-120	%REC	1 10/15/2014 2:27:50 PM 15883
EPA METHOD 300.0: ANIONS				Analyst: LGP
Chloride	9.2	1.5	mg/Kg	1 10/16/2014 6:37:10 PM 15944

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 2 of 16

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Lab Order 1410597

Date Reported: 10/21/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: APEX AZTEC Client Sample ID: SP-3

 Project:
 Gallegos #2
 Collection Date: 10/13/2014 3:04:00 PM

 Lab ID:
 1410597-003
 Matrix: SOIL
 Received Date: 10/14/2014 7:00:00 AM

Analyses	Result	RL Qu	al Units	DF Date Analyzed Batch
EPA METHOD 8015D: DIESEL RANGE	ORGANICS			Analyst: JME
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1 10/15/2014 11:20:46 AM 15880
Surr: DNOP	95.5	57.9-140	%REC	1 10/15/2014 11:20:46 AM 15880
EPA METHOD 8015D: GASOLINE RAN	IGE			Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1 10/15/2014 2:56:24 PM 15883
Surr: BFB	89.4	80-120	%REC	1 10/15/2014 2:56:24 PM 15883
EPA METHOD 8021B: VOLATILES				Analyst: NSB
Benzene	ND	0.049	mg/Kg	1 10/15/2014 2:56:24 PM 15883
Toluene	ND	0.049	mg/Kg	1 10/15/2014 2:56:24 PM 15883
Ethylbenzene	ND	0.049	mg/Kg	1 10/15/2014 2:56:24 PM 15883
Xylenes, Total	ND	0.099	mg/Kg	1 10/15/2014 2:56:24 PM 15883
Surr: 4-Bromofluorobenzene	92.1	80-120	%REC	1 10/15/2014 2:56:24 PM 15883
EPA METHOD 300.0: ANIONS				Analyst: LGP
Chloride	11	1.5	mg/Kg	1 10/17/2014 1:19:03 PM 15944

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 3 of 16

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Lab Order **1410597**

Date Reported: 10/21/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: APEX AZTEC Client Sample ID: SP-4

 Project:
 Gallegos #2
 Collection Date: 10/13/2014 3:05:00 PM

 Lab ID:
 1410597-004
 Matrix: SOIL
 Received Date: 10/14/2014 7:00:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANG	E ORGANICS				Analy	st: JME
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	10/15/2014 11:51:20	AM 15880
Surr: DNOP	100	57.9-140	%REC	1	10/15/2014 11:51:20	AM 15880
EPA METHOD 8015D: GASOLINE RA	NGE				Analy	st: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	10/15/2014 3:24:57 P	M 15883
Surr: BFB	90.1	80-120	%REC	1	10/15/2014 3:24:57 P	M 15883
EPA METHOD 8021B: VOLATILES					Analy	st: NSB
Benzene	ND	0.049	mg/Kg	1	10/15/2014 3:24:57 P	M 15883
Toluene	ND	0.049	mg/Kg	1	10/15/2014 3:24:57 P	M 15883
Ethylbenzene	ND	0.049	mg/Kg	1	10/15/2014 3:24:57 P	M 15883
Xylenes, Total	ND	0.097	mg/Kg	1	10/15/2014 3:24:57 P	M 15883
Surr: 4-Bromofluorobenzene	92.0	80-120	%REC	1	10/15/2014 3:24:57 P	M 15883
EPA METHOD 300.0: ANIONS					Analy	st: LGP
Chloride	10	1.5	mg/Kg	1	10/17/2014 1:31:28 P	M 15944

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 4 of 16

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Lab Order **1410597**

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 10/21/2014

CLIENT: APEX AZTEC Client Sample ID: SP-5

 Project:
 Gallegos #2
 Collection Date: 10/13/2014 3:06:00 PM

 Lab ID:
 1410597-005
 Matrix: SOIL
 Received Date: 10/14/2014 7:00:00 AM

Analyses	Result	RL Qu	al Units	DF Date Analyzed Batch
EPA METHOD 8015D: DIESEL RANGE	ORGANICS			Analyst: JME
Diesel Range Organics (DRO)	ND	10	mg/Kg	1 10/15/2014 12:21:52 PM 15880
Surr: DNOP	102	57.9-140	%REC	1 10/15/2014 12:21:52 PM 15880
EPA METHOD 8015D: GASOLINE RANG	GE			Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1 10/15/2014 3:53:30 PM 15883
Surr: BFB	89.2	80-120	%REC	1 10/15/2014 3:53:30 PM 15883
EPA METHOD 8021B: VOLATILES				Analyst: NSB
Benzene	ND	0.049	mg/Kg	1 10/15/2014 3:53:30 PM 15883
Toluene	ND	0.049	mg/Kg	1 10/15/2014 3:53:30 PM 15883
Ethylbenzene	ND	0.049	mg/Kg	1 10/15/2014 3:53:30 PM 15883
Xylenes, Total	ND	0.099	mg/Kg	1 10/15/2014 3:53:30 PM 15883
Surr: 4-Bromofluorobenzene	90.6	80-120	%REC	1 10/15/2014 3:53:30 PM 15883
EPA METHOD 300.0: ANIONS				Analyst: LGP
Chloride	11	1.5	mg/Kg	1 10/17/2014 10:25:16 AM 15944

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 5 of 16

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Lab Order **1410597**

Date Reported: 10/21/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: APEX AZTEC Client Sample ID: SP-6

 Project:
 Gallegos #2
 Collection Date: 10/13/2014 3:08:00 PM

 Lab ID:
 1410597-006
 Matrix: SOIL
 Received Date: 10/14/2014 7:00:00 AM

Analyses	Result	RL Qu	al Units	DF Date Analyzed Batch
EPA METHOD 8015D: DIESEL RANGE	ORGANICS			Analyst: JME
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1 10/15/2014 12:52:34 PM 15880
Surr: DNOP	101	57.9-140	%REC	1 10/15/2014 12:52:34 PM 15880
EPA METHOD 8015D: GASOLINE RAN	GE			Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1 10/15/2014 4:22:13 PM 15883
Surr: BFB	90.2	80-120	%REC	1 10/15/2014 4:22:13 PM 15883
EPA METHOD 8021B: VOLATILES				Analyst: NSB
Benzene	ND	0.048	mg/Kg	1 10/15/2014 4:22:13 PM 15883
Toluene	ND	0.048	mg/Kg	1 10/15/2014 4:22:13 PM 15883
Ethylbenzene	ND	0.048	mg/Kg	1 10/15/2014 4:22:13 PM 15883
Xylenes, Total	ND	0.095	mg/Kg	1 10/15/2014 4:22:13 PM 15883
Surr: 4-Bromofluorobenzene	92.7	80-120	%REC	1 10/15/2014 4:22:13 PM 15883
EPA METHOD 300.0: ANIONS				Analyst: LGP
Chloride	7.2	1.5	mg/Kg	1 10/17/2014 10:37:41 AM 15944

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 6 of 16

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Lab Order **1410597**

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 10/21/2014

CLIENT: APEX AZTEC Client Sample ID: SP-7

 Project:
 Gallegos #2
 Collection Date: 10/13/2014 3:12:00 PM

 Lab ID:
 1410597-007
 Matrix: SOIL
 Received Date: 10/14/2014 7:00:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANG	E ORGANICS				Analys	st: JME
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	10/15/2014 1:23:25 P	M 15880
Surr: DNOP	100	57.9-140	%REC	1	10/15/2014 1:23:25 P	M 15880
EPA METHOD 8015D: GASOLINE RA	NGE				Analys	st: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	10/15/2014 4:50:54 P	M 15883
Surr: BFB	90.7	80-120	%REC	1	10/15/2014 4:50:54 P	M 15883
EPA METHOD 8021B: VOLATILES					Analys	st: NSB
Benzene	ND	0.048	mg/Kg	1	10/15/2014 4:50:54 P	M 15883
Toluene	ND	0.048	mg/Kg	1	10/15/2014 4:50:54 P	M 15883
Ethylbenzene	ND	0.048	mg/Kg	1	10/15/2014 4:50:54 P	M 15883
Xylenes, Total	ND	0.097	mg/Kg	1	10/15/2014 4:50:54 P	M 15883
Surr: 4-Bromofluorobenzene	93.0	80-120	%REC	1	10/15/2014 4:50:54 P	M 15883
EPA METHOD 300.0: ANIONS					Analys	st: LGP
Chloride	12	1.5	mg/Kg	1	10/17/2014 10:50:05	AM 15944

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 7 of 16

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Lab Order 1410597

Date Reported: 10/21/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: APEX AZTEC Client Sample ID: SP-8

 Project:
 Gallegos #2
 Collection Date: 10/13/2014 3:25:00 PM

 Lab ID:
 1410597-008
 Matrix: SOIL
 Received Date: 10/14/2014 7:00:00 AM

Analyses	Result	RL Qu	al Units	DF Date Analyzed Batch
EPA METHOD 8015D: DIESEL RANGE	ORGANICS			Analyst: JME
Diesel Range Organics (DRO)	ND	10	mg/Kg	1 10/15/2014 2:25:02 PM 15880
Surr: DNOP	108	57.9-140	%REC	1 10/15/2014 2:25:02 PM 15880
EPA METHOD 8015D: GASOLINE RAN	GE			Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1 10/15/2014 5:19:34 PM 15883
Surr: BFB	90.6	80-120	%REC	1 10/15/2014 5:19:34 PM 15883
EPA METHOD 8021B: VOLATILES				Analyst: NSB
Benzene	ND	0.047	mg/Kg	1 10/15/2014 5:19:34 PM 15883
Toluene	ND	0.047	mg/Kg	1 10/15/2014 5:19:34 PM 15883
Ethylbenzene	ND	0.047	mg/Kg	1 10/15/2014 5:19:34 PM 15883
Xylenes, Total	ND	0.094	mg/Kg	1 10/15/2014 5:19:34 PM 15883
Surr: 4-Bromofluorobenzene	92.6	80-120	%REC	1 10/15/2014 5:19:34 PM 15883
EPA METHOD 300.0: ANIONS				Analyst: LGP
Chloride	8.2	1.5	mg/Kg	1 10/17/2014 11:02:30 AM 15944

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 8 of 16

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Lab Order **1410597**

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 10/21/2014

CLIENT: APEX AZTEC Client Sample ID: SP-9

 Project:
 Gallegos #2
 Collection Date: 10/13/2014 3:27:00 PM

 Lab ID:
 1410597-009
 Matrix: SOIL
 Received Date: 10/14/2014 7:00:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANG	E ORGANICS				Analys	st: JME
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	10/15/2014 2:55:33 PI	M 15880
Surr: DNOP	101	57.9-140	%REC	1	10/15/2014 2:55:33 PI	M 15880
EPA METHOD 8015D: GASOLINE RA	NGE				Analys	st: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	10/15/2014 5:48:12 PI	M 15883
Surr: BFB	88.9	80-120	%REC	1	10/15/2014 5:48:12 PI	M 15883
EPA METHOD 8021B: VOLATILES					Analys	st: NSB
Benzene	ND	0.049	mg/Kg	1	10/15/2014 5:48:12 PI	M 15883
Toluene	ND	0.049	mg/Kg	1	10/15/2014 5:48:12 PI	M 15883
Ethylbenzene	ND	0.049	mg/Kg	1	10/15/2014 5:48:12 PI	M 15883
Xylenes, Total	ND	0.099	mg/Kg	1	10/15/2014 5:48:12 PI	M 15883
Surr: 4-Bromofluorobenzene	90.5	80-120	%REC	1	10/15/2014 5:48:12 PI	M 15883
EPA METHOD 300.0: ANIONS					Analys	st: LGP
Chloride	5.5	1.5	mg/Kg	1	10/17/2014 11:14:54	AM 15944

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 9 of 16

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Lab Order 1410597

Date Reported: 10/21/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: APEX AZTEC Client Sample ID: SP-10

Project: Gallegos #2 **Collection Date:** 10/13/2014 3:28:00 PM 1410597-010 Matrix: SOIL Lab ID: Received Date: 10/14/2014 7:00:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANG	GE ORGANICS				Analy	st: JME
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	10/15/2014 3:26:17 F	PM 15880
Surr: DNOP	97.3	57.9-140	%REC	1	10/15/2014 3:26:17 F	PM 15880
EPA METHOD 8015D: GASOLINE R	ANGE				Analy	st: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	10/15/2014 8:10:58 F	PM 15883
Surr: BFB	89.6	80-120	%REC	1	10/15/2014 8:10:58 F	PM 15883
EPA METHOD 8021B: VOLATILES					Analy	st: NSB
Benzene	ND	0.049	mg/Kg	1	10/15/2014 8:10:58 F	PM 15883
Toluene	ND	0.049	mg/Kg	1	10/15/2014 8:10:58 F	PM 15883
Ethylbenzene	ND	0.049	mg/Kg	1	10/15/2014 8:10:58 F	PM 15883
Xylenes, Total	ND	0.099	mg/Kg	1	10/15/2014 8:10:58 F	PM 15883
Surr: 4-Bromofluorobenzene	90.7	80-120	%REC	1	10/15/2014 8:10:58 F	PM 15883
EPA METHOD 300.0: ANIONS					Analy	st: LGP
Chloride	17	1.5	mg/Kg	1	10/17/2014 11:27:19	AM 15944

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Е Value above quantitation range
- Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- Spike Recovery outside accepted recovery limits
- Analyte detected in the associated Method Blank
- Η Holding times for preparation or analysis exceeded
- ND
 - Not Detected at the Reporting Limit

Page 10 of 16

- P Sample pH greater than 2.
- RL Reporting Detection Limit

Lab Order **1410597**

Date Reported: 10/21/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: APEX AZTEC Client Sample ID: SP-11

 Project:
 Gallegos #2
 Collection Date: 10/13/2014 3:30:00 PM

 Lab ID:
 1410597-011
 Matrix: SOIL
 Received Date: 10/14/2014 7:00:00 AM

Analyses	Result	RL Qu	al Units	DF Date A	Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGE	ORGANICS				Analyst:	JME
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1 10/15/	2014 3:57:07 PM	15880
Surr: DNOP	109	57.9-140	%REC	1 10/15/	2014 3:57:07 PM	15880
EPA METHOD 8015D: GASOLINE RANG	GE				Analyst:	NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1 10/15/	2014 8:39:37 PM	15883
Surr: BFB	89.8	80-120	%REC	1 10/15/	2014 8:39:37 PM	15883
EPA METHOD 8021B: VOLATILES					Analyst:	NSB
Benzene	ND	0.048	mg/Kg	1 10/15/	2014 8:39:37 PM	15883
Toluene	ND	0.048	mg/Kg	1 10/15/	2014 8:39:37 PM	15883
Ethylbenzene	ND	0.048	mg/Kg	1 10/15/	2014 8:39:37 PM	15883
Xylenes, Total	ND	0.096	mg/Kg	1 10/15/	2014 8:39:37 PM	15883
Surr: 4-Bromofluorobenzene	92.2	80-120	%REC	1 10/15/	2014 8:39:37 PM	15883
EPA METHOD 300.0: ANIONS					Analyst:	LGP
Chloride	8.0	1.5	mg/Kg	1 10/17/	2014 11:39:43 AN	/I 15944

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit Page 11 of 16
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Lab Order **1410597**

Date Reported: 10/21/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: APEX AZTEC Client Sample ID: SP-12

 Project:
 Gallegos #2
 Collection Date: 10/13/2014 3:32:00 PM

 Lab ID:
 1410597-012
 Matrix: SOIL
 Received Date: 10/14/2014 7:00:00 AM

Analyses	Result	RL Qu	al Units	DF Date Analyzed Batch	ì
EPA METHOD 8015D: DIESEL RANGE	ORGANICS			Analyst: JME	
Diesel Range Organics (DRO)	ND	10	mg/Kg	1 10/15/2014 4:27:51 PM 15880	ı
Surr: DNOP	98.4	57.9-140	%REC	1 10/15/2014 4:27:51 PM 15880	i
EPA METHOD 8015D: GASOLINE RAN	GE			Analyst: NSB	
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1 10/15/2014 9:08:17 PM 15883	í
Surr: BFB	90.3	80-120	%REC	1 10/15/2014 9:08:17 PM 15883	i
EPA METHOD 8021B: VOLATILES				Analyst: NSB	
Benzene	ND	0.049	mg/Kg	1 10/15/2014 9:08:17 PM 15883	í
Toluene	ND	0.049	mg/Kg	1 10/15/2014 9:08:17 PM 15883	í
Ethylbenzene	ND	0.049	mg/Kg	1 10/15/2014 9:08:17 PM 15883	í
Xylenes, Total	ND	0.098	mg/Kg	1 10/15/2014 9:08:17 PM 15883	i
Surr: 4-Bromofluorobenzene	92.4	80-120	%REC	1 10/15/2014 9:08:17 PM 15883	,
EPA METHOD 300.0: ANIONS				Analyst: LGP	
Chloride	4.6	1.5	mg/Kg	1 10/17/2014 11:52:08 AM 15944	

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit Page 12 of 16
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410597**

21-Oct-14

Client: APEX AZTEC
Project: Gallegos #2

Sample ID MB-15944 SampType: MBLK TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 15944 RunNo: 21982

Prep Date: 10/16/2014 Analysis Date: 10/16/2014 SeqNo: 646169 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID LCS-15944 SampType: LCS TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 15944 RunNo: 21982

Prep Date: 10/16/2014 Analysis Date: 10/16/2014 SeqNo: 646170 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 90.6 90 110

Sample ID 1410597-001AMS SampType: MS TestCode: EPA Method 300.0: Anions

Client ID: SP-1 Batch ID: 15944 RunNo: 21982

Prep Date: 10/16/2014 Analysis Date: 10/16/2014 SeqNo: 646176 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 24 1.5 15.00 11.93 82.7 61.7 122

Sample ID 1410597-001AMSD SampType: MSD TestCode: EPA Method 300.0: Anions

Client ID: SP-1 Batch ID: 15944 RunNo: 21982

Prep Date: 10/16/2014 Analysis Date: 10/16/2014 SeqNo: 646177 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 26 1.5 15.00 11.93 91.2 61.7 122 5.11 20

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 13 of 16

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410597**

21-Oct-14

Client:	APEX AZTEC
Project:	Gallegos #2

Project:	Gallegos	#2									
Sample ID	MB-15880	SampTyp	e: ME	BLK	Tes	tCode: El	PA Method	8015D: Dies	el Range (Organics	
Client ID:	PBS	Batch II	D: 15	880	F	RunNo: 2	1866				
Prep Date:	10/14/2014	Analysis Dat	e: 10	0/14/2014	5	SeqNo: 6	43143	Units: mg/l	K g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range C	Organics (DRO)	ND	10								
Surr: DNOP		9.6		10.00		96.2	57.9	140			
Sample ID	LCS-15880	SampTyp	e: LC	s	Tes	tCode: El	PA Method	8015D: Dies	el Range (Organics	
Client ID:	LCSS	Batch II	D: 15	880	F	RunNo: 2	1866				
Prep Date:	10/14/2014	Analysis Dat	e: 10	0/14/2014	8	SeqNo: 6	43147	Units: mg/l	K g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range C	Organics (DRO)	46	10	50.00	0	92.2	68.6	130			
Surr: DNOP		4.8		5.000		95.3	57.9	140			
Sample ID	1410597-001AMS	SampTyp	e: M \$	3	Tes	tCode: El	PA Method	8015D: Dies	el Range (Organics	
Client ID:	SP-1	Batch II	D: 15	880	F	RunNo: 2	1899				
Prep Date:	10/14/2014	Analysis Dat	e: 10	0/15/2014	8	SeqNo: 6	44218	Units: mg/l	K g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range C	Organics (DRO)	55	10	49.75	0	110	40.1	152			
Surr: DNOP		5.6		4.975		113	57.9	140			
Sample ID	1410597-001AMS) SampTyp	e: M \$	SD	Tes	tCode: El	PA Method	8015D: Dies	el Range (Organics	
Client ID:	SP-1	Batch II	D: 15	880	F	RunNo: 2	1899				
Prep Date:	10/14/2014	Analysis Dat	e: 10	0/15/2014	\$	SeqNo: 6	44219	Units: mg/l	K g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
ŭ	Organics (DRO)	48	9.9	49.50	0	97.9	40.1	152	12.4	32.1	
Surr: DNOP		4.9		4.950		98.5	57.9	140	0	0	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 14 of 16

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410597**

21-Oct-14

Client: APEX AZTEC
Project: Gallegos #2

Sample ID MB-15883 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 15883 RunNo: 21927

Prep Date: 10/14/2014 Analysis Date: 10/15/2014 SeqNo: 644456 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 900 1000 90.2 80 120

Sample ID LCS-15883 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 15883 RunNo: 21927

Prep Date: 10/14/2014 Analysis Date: 10/15/2014 SeqNo: 644457 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

 Gasoline Range Organics (GRO)
 26
 5.0
 25.00
 0
 103
 65.8
 139

 Surr: BFB
 970
 1000
 96.6
 80
 120

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 15 of 16

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410597**

21-Oct-14

Client: APEX AZTEC
Project: Gallegos #2

Sample ID MB-15883 SampType: MBLK TestCode: EPA Method 8021B: Volatiles Client ID: **PBS** Batch ID: 15883 RunNo: 21927 Prep Date: 10/14/2014 Analysis Date: 10/15/2014 SeqNo: 644540 Units: mg/Kg Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual 0.050 Benzene ND Toluene ND 0.050 0.050 Ethylbenzene ND Xylenes, Total ND 0.10 Surr: 4-Bromofluorobenzene 0.94 1.000 93.6 80 120

Sample ID LCS-15883 SampType: LCS TestCode: EPA Method 8021B: Volatiles **LCSS** Client ID: Batch ID: 15883 RunNo: 21927 Prep Date: 10/14/2014 Analysis Date: 10/15/2014 SeqNo: 644541 Units: mg/Kg Analyte **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Result 0.96 0.050 1.000 O 80 120 Benzene 96.2 Toluene 0.95 0.050 1.000 0 95.5 80 120 Ethylbenzene 0.99 0.050 1.000 0 98.6 80 120 98.6 Xylenes, Total 3.0 0.10 3.000 0 80 120 100 Surr: 4-Bromofluorobenzene 1.0 1.000 80 120

Sample ID 1410597-001AMS SampType: MS TestCode: EPA Method 8021B: Volatiles Client ID: SP-1 Batch ID: 15883 RunNo: 21927 Prep Date: 10/14/2014 Analysis Date: 10/15/2014 SeqNo: 644544 Units: mg/Kg Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Benzene 0.89 0.049 0.9852 89.8 77.4 142 Toluene 0.90 0.049 0.9852 0.008222 90.9 77 132 77.6 Ethylbenzene 0.97 0.049 0.9852 98.7 134 2.956 0.01448 98.2 Xylenes, Total 2.9 0.099 77.4 132 Surr: 4-Bromofluorobenzene 0.98 0.9852 99.1 80 120

Sample ID 1410597-001AM	SD SampT	SampType: MSD TestCode: EPA Method 8021B: Volatiles									
Client ID: SP-1	Batch	n ID: 158	883	R	RunNo: 2	1927					
Prep Date: 10/14/2014	Analysis D	Analysis Date: 10/15/2014 SeqNo: 644545 Units: mg/Kg									
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	0.98	0.049	0.9852	0	99.0	77.4	142	9.74	20		
Toluene	1.0	0.049	0.9852	0.008222	100	77	132	9.96	20		
Ethylbenzene	1.0	0.049	0.9852	0	105	77.6	134	6.04	20		
Xylenes, Total	3.1	0.099	2.956	0.01448	104	77.4	132	5.89	20		
Surr: 4-Bromofluorobenzene	0.98		0.9852		99.6	80	120	0	0		

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 16 of 16



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Work Order Number: 1410597 RcptNo: 1 APEX AZTEC Client Name: ĹM Received by/date: anne Sham 10/14/2014 7:00:00 AM Logged By: Anne Thorne an Am Anne Thorne 10/14/2014 Completed By: Reviewed By: Chain of Custody No 🗔 Not Present ✓ Yes 1. Custody seals intact on sample bottles? No 🗀 Yes 🗸 Not Present 2. Is Chain of Custody complete? Courier 3 How was the sample delivered? <u>Log In</u> NA 🗌 Yes 🗹 No \square 4. Was an attempt made to cool the samples? NA 🗌 Yes 🗹 No 5. Were all samples received at a temperature of >0° C to 6.0°C Yes 🔽 No Sample(s) in proper container(s)? No 🗆 Yes 🔽 7. Sufficient sample volume for indicated test(s)? No 8. Are samples (except VOA and ONG) properly preserved? No 🗹 NA 🗌 Yes 🗌 9. Was preservative added to bottles? No VOA Vials 🗹 No Yes 10. VOA vials have zero headspace? No 🗸 Yes 11. Were any sample containers received broken? # of preserved bottles checked Yes 🗹 for pH: No 12. Does paperwork match bottle labels? (<2 or >12 unless noted) (Note discrepancies on chain of custody) Adjusted? No 🗌 13. Are matrices correctly identified on Chain of Custody? Yes No 🗌 Yes 🗹 14. Is it clear what analyses were requested? No 🗌 Checked by: Yes 🗹 15. Were all holding times able to be met? (If no, notify customer for authorization.) Special Handling (if applicable) Yes 🗌 NA 🔽 No 🗌 16. Was client notified of all discrepancies with this order? Person Notified: Date ☐ eMail Phone Fax Via: By Whom: Regarding: Client Instructions: 17. Additional remarks: 18. Cooler Information Seal Date Signed By Condition Seal Intact | Seal No Cooler No Temp ºC 1.4 Good Yes

CHAIN OF CUSTODY RECORD

Apex TITAN, Inc. • 606 S. Rio Grande, Suite A, Downstairs • Aztec, New Mexico 87410 • Office: 505-334-5200 • Fax: 505-334-5204

to all Samples

O-Oil

SL - sludge

C - Charcoal tube P/O - Plastic or other

L - Liquid A - Air Bag 250 ml - Glass wide mouth

W - Water S - Soil SD - Solid A/G - Amber / Or Glass 1 Liter

WW - Wastewater VOA - 40 ml vial

Matríx Container

CHAIN OF CUSTODY RECORD	olers ed (C°):	Page 2_ of 2	Lab Sample ID (Lab Use Only)	1410597-011	7012							0-0
	Analysis Requested	X (GRO/ORO)	37.8 1508 149T 2109 15	> × ×	× ×			Time: NOTES:	Time:	Пте:		C - Charcoal tube SL - sludge O - P/O - Plastic or other
	con mental	2 2	Depth (tush (Signature)	Signature)	by (Signature) Date:	(Signature) Da	L-Liquid A-Air Bag C-Chard
!		1 1 1	Identifying Marks of Sample(s)	SP-11	SP-12	N N N N N N N N N N N N N N N N N N N		50% R u Time:	Date: 1877 Mileston Mileston 19/0]—	Date: Time: Received by:	W - Water S - Soil SD - Solid
	APEX Office Location Aztec, N.M.	Project Manager Headhur Wood 3 Sampler's Name	HEQ.YNL WOOOS Proj. No. Project N 40304145.035 C20 Matrix Date Time D a a		5 10/13/14 1532			Turn around time Mormal Rejipquished by (Signature)	Relinquished by (Signature)	Relinquished by (Signature)	Relinquished by (Signature)	Matrix WW - Wastewater

Apex TITAN, Inc. • 606 S. Rio Grande, Suite A, Downstairs • Aztec, New Mexico 87410 • Office: 505-334-5200 • Fax: 505-334-5204



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

November 03, 2014

Heather Woods
APEX AZTEC
606 S. Rio Grande Unit A

Aztec, NM 87410 TEL: (505) 716-2787 FAX (505) 334-5204

RE: Enterprise Gallegos #2 OrderNo.: 1410857

Dear Heather Woods:

Hall Environmental Analysis Laboratory received 1 sample(s) on 10/17/2014 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report Lab Order 1410857

Received Date: 10/17/2014 8:15:00 AM

Date Reported: 11/3/2014

Hall Environmental Analysis Laboratory, Inc.

CLIENT: APEX AZTEC Client Sample ID: EW-1

Project: Enterprise Gallegos #2 Collection Date: 10/16/2014 1:20:00 PM Matrix: AQUEOUS

Analyses Result **RL Qual Units DF** Date Analyzed Batch **EPA METHOD 8021B: VOLATILES** Analyst: NSB Benzene 1400 100 μg/L 100 10/17/2014 2:13:36 PM R22004 Toluene 6300 100 μg/L 100 10/17/2014 2:13:36 PM R22004 Ethylbenzene 870 100 100 10/17/2014 2:13:36 PM R22004 μg/L Xylenes, Total 11000 200 μg/L 100 10/17/2014 2:13:36 PM R22004 Surr: 4-Bromofluorobenzene %REC 100 10/17/2014 2:13:36 PM R22004 66.6-167 113 **EPA METHOD 300.0: ANIONS** Analyst: LGP 10/17/2014 5:13:03 PM R21997 Fluoride ND 0.50 mg/L 5 Chloride 94 2.5 mg/L 10/17/2014 5:13:03 PM R21997 Nitrogen, Nitrite (As N) ND 0.50 mg/L 10/17/2014 5:13:03 PM R21997 ND 0.50 **Bromide** mg/L 5 10/17/2014 5:13:03 PM R21997 Nitrogen, Nitrate (As N) ND 0.50 mg/L 5 10/17/2014 5:13:03 PM R21997 Phosphorus, Orthophosphate (As P) ND 2.5 5 10/17/2014 5:13:03 PM R21997 mg/L Sulfate ND 2.5 mg/L 10/17/2014 5:13:03 PM R21997 **EPA METHOD 200.7: METALS** Analyst: JLF Calcium 100 5.0 mg/L 10/22/2014 3:55:34 PM 16020 5 Magnesium 34 5.0 mg/L 10/22/2014 3:55:34 PM 16020

5.0

10

mg/L

mg/L

5

10/22/2014 3:55:34 PM 16020

10/22/2014 4:02:13 PM 16020

22

580

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Lab ID:

Potassium

Sodium

1410857-001

- Value exceeds Maximum Contaminant Level.
- Ε Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- Spike Recovery outside accepted recovery limits
- Analyte detected in the associated Method Blank
- Η Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 1 of 5

- Sample pH greater than 2. P
- RLReporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410857**

03-Nov-14

Client: APEX AZTEC

Project: Enterprise Gallegos #2

Sample ID MB-16020 SampType: MBLK TestCode: EPA Method 200.7: Metals PBW RunNo: 22075 Client ID: Batch ID: 16020 10/22/2014 Analysis Date: 10/22/2014 Prep Date: SeqNo: 649308 Units: mg/L Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Calcium ND 1.0 Magnesium ND 1.0 Potassium ND 1.0 ND Sodium 1.0

Sample ID LCS-16020	SampT	ype: LC	S	Tes	tCode: El	PA Method	5			
Client ID: LCSW	Batch	n ID: 16	020	F	RunNo: 2	2075				
Prep Date: 10/22/2014	Analysis D	ate: 10)/22/2014	9	SeqNo: 6	49309	Units: mg/L	·		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Calcium	51	1.0	50.00	0	101	85	115			
Magnesium	51	1.0	50.00	0	101	85	115			
Potassium	50	1.0	50.00	0	101	85	115			
Sodium	51	1.0	50.00	0	101	85	115			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 2 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410857**

03-Nov-14

Client: APEX AZTEC

Project: Enterprise Gallegos #2

Sample ID MB	SampT	уре: МЕ	BLK	Tes	tCode: E					
Client ID: PBW	Batcl	n ID: R2	1997	F	RunNo: 2	1997				
Prep Date:	Analysis D	oate: 10	0/17/2014	9	SeqNo: 6	46536	Units: mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Fluoride	ND	0.10								
Chloride	ND	0.50								
Nitrogen, Nitrite (As N)	ND	0.10								
Bromide	ND	0.10								
Nitrogen, Nitrate (As N)	ND	0.10								
Phosphorus, Orthophosphate (As P	ND	0.50								
Sulfate	ND	0.50								

Sample ID LCS	Sampl	Гуре: LC	S	Tes	TestCode: EPA Method 300.0: Anions							
Client ID: LCSW	Batcl	h ID: R2	1997	R	RunNo: 2	1997						
Prep Date:	Analysis D)ate: 10	0/17/2014	S	SeqNo: 6	46537	7 Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Fluoride	0.51	0.10	0.5000	0	101	90	110					
Chloride	4.6	0.50	5.000	0	92.3	90	110					
Nitrogen, Nitrite (As N)	0.97	0.10	1.000	0	97.1	90	110					
Bromide	2.4	0.10	2.500	0	96.3	90	110					
Nitrogen, Nitrate (As N)	2.4	0.10	2.500	0	96.8	90	110					
Phosphorus, Orthophosphate (As P	4.7	0.50	5.000	0	94.5	90	110					
Sulfate	9.6	0.50	10.00	0	96.2	90	110					

Sample ID MB	SampT	SampType: MBLK TestCode: EPA Metho						;		
Client ID: PBW	Batch	n ID: R2	1997	F	RunNo: 2	1997				
Prep Date:	Analysis D	ate: 10)/17/2014	8	SeqNo: 6	46591	Units: mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Fluoride	ND	0.10								
Chloride	ND	0.50								
Nitrogen, Nitrite (As N)	ND	0.10								
Bromide	ND	0.10								
Nitrogen, Nitrate (As N)	ND	0.10								
Phosphorus, Orthophosphate (As P	ND	0.50								
Sulfate	ND	0.50								

Sample ID LCS	SampType: LC:	S	Tes	tCode: El	PA Method	300.0: Anions	5		
Client ID: LCSW	Batch ID: R21	1997	R	RunNo: 2	1997				
Prep Date:	Analysis Date: 10	/17/2014	S	SeqNo: 6	46592	Units: mg/L			
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Fluoride	0.49 0.10	0.5000	0	97.3	90	110			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 3 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410857**

03-Nov-14

Client: APEX AZTEC

Project: Enterprise Gallegos #2

Sample ID LCS	SampT	SampType: LCS TestCode: EPA Method					300.0: Anions	3		
Client ID: LCSW	Batch	1D: R2	1997	F	RunNo: 2	1997				
Prep Date:	Analysis D	ate: 10)/17/2014	8	SeqNo: 6	46592	Units: mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	4.5	0.50	5.000	0	90.3	90	110			
Nitrogen, Nitrite (As N)	0.94	0.10	1.000	0	94.4	90	110			
Bromide	2.4	0.10	2.500	0	94.3	90	110			
Nitrogen, Nitrate (As N)	2.4	0.10	2.500	0	94.7	90	110			
Phosphorus, Orthophosphate (As P	4.7	0.50	5.000	0	93.1	90	110			
Sulfate	9.4	0.50	10.00	0	94.2	90	110			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 4 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: **1410857**

03-Nov-14

Client: APEX AZTEC

Project: Enterprise Gallegos #2

Sample ID 5ML RB SampType: MBLK TestCode: EPA Method 8021B: Volatiles PBW RunNo: 22004 Client ID: Batch ID: R22004 Analysis Date: 10/17/2014 Prep Date: SeqNo: 646795 Units: µg/L Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Benzene ND 1.0 Toluene ND 1.0 Ethylbenzene ND 1.0 ND Xylenes, Total 2.0 Surr: 4-Bromofluorobenzene 20 20.00 97.6 66.6 167

Sample ID 100NG BTEX LC	S SampT	SampType: LCS TestCode: EPA Method 8021B: Volatiles										
Client ID: LCSW	Batch	1D: R2	2004	F	RunNo: 2	2004						
Prep Date:	Analysis D	ate: 10	e: 10/17/2014 SeqNo: 646796 Units: µg/L									
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	21	1.0	20.00	0	104	80	120					
Toluene	21	1.0	20.00	0	104	80	120					
Ethylbenzene	21	1.0	20.00	0	104	80	120					
Xylenes, Total	63	2.0	60.00	0	105	80	120					
Surr: 4-Bromofluorobenzene	21		20.00		105	66.6	167					

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Page 5 of 5



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87105

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: APEX AZTEC	APEX AZTEC Work Order Number: 1410857		ReptNo: 1		
Received by/date:	10/17/14			.	
Logged By: Michelle Garcia	10/17/2014 8:15:00 /	AM	Michalle Gancer	်	
Completed By: Michelle Garcia	10/17/2014 10:55:48	AM	Michell Gones Michell Gones	•>	
Reviewed By:	10/17/14		, ,		
Chain of Custody					
1 Custody seals intact on sample bottles?		Yes 🗌	No 🗌	Not Present	
2. Is Chain of Custody complete?		Yes 🗹	No 🗆	Not Present	
3. How was the sample delivered?		Courier			
<u>Log In</u>					
Was an attempt made to cool the sample	s?	Yes 🗹	No 🗆	na 🗆	
Were all samples received at a temperature	re of >0° C to 6.0°C	Yes 🗸	No 🗌	na 🗆	
6. Sample(s) in proper container(s)?		Yes 🗹	No 🗆		
7. Sufficient sample volume for indicated tes	it(s)?	Yes 🗹	No □		
8. Are samples (except VOA and ONG) prop	erly preserved?	Yes	No □	4	
9. Was preservative added to bottles? METALS analysis?	daed 0.5 m	Yes □/ LHN02	to took	S for ac	reptable
10.VOA vials have zero headspace?		Yes 🗹	No 🗆	No VOA Vials	PH.
11. Were any sample containers received broken?		Yes	No 🗹	# of preserved	1 80 101
40.5		Yes 🗹	_	bottles checked for pH:	1 ~ 2 /
12. Does paperwork match bottle labels? (Note discrepancies on chain of custody)		Yes 🗹	140	· —	>12 unless noted)
13 Are matrices correctly identified on Chain of Custody?		Yes 🗹	No 🗆	Adjusted?/	
14. Is it clear what analyses were requested?		Yes 🗸	No 🔲	~	-1
15. Were all holding times able to be met? (If no, notify customer for authorization.)		Yes 🗹	No 🗆	Checked by:	24C
, .,,					/
Special Handling (if applicable)					-
16. Was client notified of all discrepancies wi	th this order?	Yes 🗌	No 🗆	NA 🗹	
Person Notified:	Date	* 24 mar og er i med eller med til av Sterlad Millian Alberta	a distriction of the group of the second of the last of the second of th		
By Whom:	Via:	eMail	Phone Fax	In Person	
Regarding:	and the second s		Value of the second second		
Client Instructions:	is journal wave dissinated visit, were as a second section with	es soudent communications (view of decident manner (v. 1870)).	.s e.a. a tampinamina asser las in nationals a les	NO. O. C.	
17. Additional remarks:					
18. Cooler Information Cooler No Temp °C Condition 1 5.4 Good	Seal Intact Seal No.	Seal Date	Signed By		

CHAIN OF CUSTODY RECORD

Apex TITAN, Inc. • 606 S. Rio Grande, Suite A, Downstairs • Aztec, New Mexico 87410 • Office: 505-334-5200 • Fax: 505-334-5204