


BW - 27

SONAR

MESQUITE SWD, INC  
CARLSBAD, NM  
DUNAWAY NO. 1

SONARWIRE, INC  
Max Range vs Bearing

Max Radius=325.6 ft @ 98.4 deg  
Depth= 1184 ft. Tue, Jan 19, 2010




1 inch = 125.0 ft.

400 350 300 250 200 150 100 50 0 50 100 150 200 250 300 350 400

MESQUITE SWD, INC  
DUNAWAY NO. 1

SONARWIRE, INC  
Vertical Cross Section


CARLSBAD, NM  
Tue, Jan 19, 2010



MESQUITE SWD, INC  
DUNAWAY NO. 1

SONARWIRE, INC  
Vertical Cross Section

CARLSBAD, NM  
Tue, Jan 19, 2010







### BW-27

Mesquite SWD, Inc.

Otis Brine Station

Well-to-well distance 348 feet

Sonar survey 1/19/10


Survey from 1170 to 1205 ft bgs

Scale: 1" = 153.5 ft

MESQUITE SWD, INC  
CARLSBAD, NM  
DUNAWAY NO. 1

SONARWIRE, INC  
Max Range vs Bearing

Max Radius=325.6 ft @ 98.4 deg  
Depth= 1184 ft. Tue, Jan 19, 2010



1 inch = 125.0 ft.

400 350 300 250 200 150 100 50 0 50 100 150 200 250 300 350 400