Chavez, Carl J, EMNRD

From: Chavez, Carl J, EMNRD

Thursday, February 16, 2017 2:16 PM Sent:

'Dade, Lewis (Randy)' To:

Cc: McWatters, Denise; O'Brien, Robert (Bob) K.; Holder, Mike; Marks, Allison, EMNRD; Brancard, Bill,

EMNRD; Combs, Robert; Griswold, Jim, EMNRD

Subject: ACO WQA-OCD-CO-2015-002 RO Reject Water Discharge Monthly Report for January 2017

Attachments: Memo Jan 2017.pdf

Randy:

The New Mexico Oil Conservation Division (OCD) has completed its review of the above subject report and finds the Permittee to be in compliance.

Please contact me if you have questions. Thank you.

Mr. Carl J. Chavez, CHMM (#13099) New Mexico Oil Conservation Division Energy Minerals and Natural Resources Department 1220 South St Francis Drive Santa Fe, New Mexico 87505 Ph. (505) 476-3490

E-mail: <u>CarlJ.Chavez@state.nm.us</u>

"Why not prevent pollution, minimize waste to reduce operating costs, reuse or recycle, and move forward with the rest of the Nation?" (To see how, go to: http://www.emnrd.state.nm.us/OCD and see "Publications")

Chavez, Carl J, EMNRD

From: Dade, Lewis (Randy) <Lewis.Dade@HollyFrontier.com>

Sent: Wednesday, February 15, 2017 11:24 AM **To:** Griswold, Jim, EMNRD; Chavez, Carl J, EMNRD

Cc: McWatters, Denise; O'Brien, Robert (Bob) K.; Holder, Mike; Marks, Allison, EMNRD; Brancard, Bill,

EMNRD; Combs, Robert

Subject: January 2017 GW-028 Monthly Report 2017-02-15 GW-028 Monthly Report.pdf

Please find the January 2017 GW-028 monthly report. If there are any questions or comments, please feel free to contact me.

Dade, Lewis (RANDY)

HF Navajo Ref LLC
Environmental Specialist IV
Environmental - Artesia
(575) 746-5281 Work
(575) 703-4735 Mobile
Lewis.Dade@HollyFrontier.com
501 E. MAIN
ARTESIA, NM. 88210

CONFIDENTIALITY NOTICE: This e-mail, and any attachments, may contain information that is privileged and confidential. If you received this message in error, please advise the sender immediately by reply e-mail and do not retain any paper or electronic copies of this message or any attachments. Unless expressly stated, nothing contained in this message should be construed as a digital or electronic signature or a commitment to a binding agreement.



February 15, 2017

Submitted electronically via email to jim.griswold@state.nm.us and carlj.chavez@state.nm.us

Oil Conservation Division New Mexico Energy, Minerals & Natural Resources Department 1220 South St. Francis Drive Santa Fe, NM 87505

RE: Discharge Permit GW-028

Monthly Report - January 2017 Reporting Period

Dear Sirs:

In accordance with Condition 4.B.7 of Discharge Permit GW-028 (the Permit), the HollyFrontier Navajo Refining LLC (Navajo), Artesia, New Mexico, Refinery (the Refinery) hereby submits the required monthly report to the New Mexico Energy, Minerals, and Natural Resources Department, Oil Conservation Division (OCD). This letter and all attachments provided herein constitute Navajo's January 2016 monthly report, for the period of January 1-31, 2017, under the Permit.

Specifically, this report covers the January 2017 reporting period and includes the following data and information as required by Condition 4.B.7:

• Daily discharge flow measurements for each reverse osmosis (RO) unit, which were collected as required by Condition 4.B.4.

Flow rates, volumes, and discharge locations for the RO reject fluid is monitored from the three permanent RO units on a daily basis. Daily discharge rates and volumes are provided in Attachment 1. Per Mr. Chavez' request, the total discharge for the month is also shown in Attachment 1.

To satisfy the quarterly sampling requirement of Condition 4.B.1 of the Permit for the fourth quarter, samples were collected for the RO reject streams from the permanent units on January 5, 2017. The samples were analyzed for the constituents listed in sections 20.6.2.3103A, B, and C of the New Mexico Administrative Code (NMAC) and using the methods specified in Navajo's Facility Wide Groundwater Monitoring Program (FWGWMP). The corresponding analytical results are provided in Attachment 2.

On October 21, 2016, Navajo notified OCD of its selection of a Class 1 disposal well as an alternative disposal method for the RO reject. Navajo submitted a revised application to renew and modify Discharge Permit GW-028 on January 13, 2017, to reflect this selection.

Navajo is committed to proactively meeting the requirements of the Permit and working cooperatively with OCD. If you have any questions or comments, please contact me at 575-746-5487.

Sincerely,

Scott M. Denton

Environmental Manager

Enclosures:

cc.

Attachment 1: Daily Discharge Flowrates and Volumes

Attachment 2: Analytical Lab Report

HFC: D. McWatters, R. O'Brien, M. Holder

OCD: A. Marks, B. Brancard

Attachment 1
Daily Discharge Flowrates and Volumes

Daily RO Reject Discharge Flow Rate Measurements and Calculated Daily Discharge

-		Permanen	t RO Units		Daily Discharge Volume
		Metered Data		Combined RO Reject Discharge (Calculated)	
	GPM	GPM	GPM	GPM	BBL/DAY
	SOUTH	NORTH	MIDDLE		
1/1/2017	0.00	128.70	125.72	254.42	8,722.97
1/2/2017	0.00	128.90	125.67	254.57	8,728.11
1/3/2017	0.00	128.73	125.77	254.50	8,725.71
1/4/2017	0.00	128.72	125.61	254.33	8,719.89
1/5/2017	0.15	128.90	125.86	254.91	8,739.77
1/6/2017	0.00	126.99	125.41	252.40	8,653.71
1/7/2017	0.00	124.68	124.50	249.18	8,543.31
1/8/2017	0.00	124.60	124.03	248.63	8,524.46
1/9/2017	0.00	115.64	116.60	232.24	7,962.51
1/10/2017	0.00	121.95	125.59	247.54	8,487.09
1/11/2017	0.00	122.38	126.03	248.41	8,516.91
1/12/2017	0.00	122.27	127.79	250.06	8,573.49
1/13/2017	21.23	107.10	128.94	257.27	8,820.69
1/14/2017	134.75	38.19	129.63	302.57	10,373.83
1/15/2017	136.47	39.28	130.72	306.47	10,507.54
1/16/2017	135.08	38.13	130.27	303.48	10,405.03
1/17/2017	135.69	38.65	130.06	304.40	10,436.57
1/18/2017	138.87	10.23	132.21	281.31	9,644.91
1/19/2017	123.39	64.66	131.14	319.19	10,943.66
1/20/2017	100.50	123.69	129.28	353.47	12,118.97
1/21/2017	97.46	122.80	129.00	349.26	11,974.63
1/22/2017	110.04	72.43	130.03	312.50	10,714.29
1/23/2017	125.38	42.27	131.51	299.16	10,256.91
1/24/2017	126.09	44.09	131.21	301.39	10,333.37
1/25/2017	126.86	43.15	131.16	301.17	10,325.83
1/26/2017	127.32	42.46	131.19	300.97	10,318.97
1/27/2017	127.20	42.55	130.96	300.71	10,310.06
1/28/2017	127.16	40.74	130.99	298.89	10,247.66
1/29/2017	127.49	16.81	131.11	275.41	9,442.63
1/30/2017	127.90	0.10	131.11	259.11	8,883.77
1/31/2017	127.71	0.07	130.88	258.66	8,868.34
OTAL (bbls/mont	:h)				297,825.60

Attachment 2 Analytical Lab Report



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

February 14, 2017

Mike Holder Navajo Refining Company P.O. Box 159 Artesia, NM 88211-0159 TEL: (575) 748-3311

FAX

RE: Quarterly R.O. Reject

OrderNo.: 1701253

Dear Mike Holder:

Hall Environmental Analysis Laboratory received 2 sample(s) on 1/9/2017 for the analyses presented in the following report.

This report is a revised report and it replaces the original report issued February 06, 2017.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Lab Order 1701253

Date Reported: 2/14/2017

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Navajo Refining Company

Client Sample ID: R.O. Reject

Project: Quarterly R.O. Reject

Collection Date: 1/5/2017 4:30:00 PM

Lab ID: 1701253-001

Matrix: AQUEOUS

Received Date: 1/9/2017 9:20:00 AM

Analyses	Result	PQL (Qual U	nits	DF	Date Analyzed	Batch
EPA 200.8: DISSOLVED METALS						Analyst	JLF
Arsenic	ND	0.0050	m	ng/L	5	1/13/2017 5:17:37 PM	C40026
Lead	ND	0.0025	m	ng/L	5	1/13/2017 5:17:37 PM	C40026
Selenium	0.010	0.0050	m	ng/L	5	1/13/2017 5:17:37 PM	C40026
Uranium	0.0052	0.0025	m	ng/L	5	1/13/2017 5:17:37 PM	C40026
EPA 903.1: RA 226 AND EPA 904.0: RA	228-SUBBE	D				Analyst	SUB
Radium-226	1.29	0.662	р	Ci/L	1	2/2/2017	R40526
Radium-226 ±	0.644	0.662	р	Ci/L	1	2/2/2017	R40526
Radium-228	0.624	1.02	р	Ci/L	1	2/2/2017	R40526
Radium-228 ±	0.507	1.02	р	Ci/L	1	2/2/2017	R40526
EPA METHOD 300.0: ANIONS						Analyst	LGT
Fluoride	3.5	2.0	m	ng/L	20	1/9/2017 10:08:12 PM	R39919
Chloride	74	10	m	ng/L	20	1/9/2017 10:08:12 PM	R39919
Sulfate	1400	50	m	ng/L	100	1/11/2017 1:08:20 AM	R39952
Nitrate+Nitrite as N	2.3	1.0	m	ng/L	5	1/10/2017 12:12:18 AM	R39919
SM2540C MOD: TOTAL DISSOLVED SO	DLIDS					Analyst	KS
Total Dissolved Solids	3410	20.0	* m	ng/L	1	1/11/2017 5:59:00 PM	29623
EPA 335.4: TOTAL CYANIDE SUBBED						Analyst	LSB
Cyanide	ND	0.0100	m	ng/L	1	1/16/2017	R40523
SM4500-H+B: PH						Analyst	JRR
рН	7.87	1.68	Н р	H units	1	1/9/2017 3:34:06 PM	R39934
EPA METHOD 200.7: DISSOLVED META	ALS					Analyst	TES
Aluminum	ND	0.020	m	ıg/L	1	1/22/2017 9:55:24 PM	A40181
Barium	0.066	0.0020	m	ıg/L	1	1/24/2017 11:12:53 AM	A40223
Boron	0.10	0.040	m	ıg/L	1	1/24/2017 11:12:53 AM	A40223
Cadmium	ND	0.0020	m	ıg/L	1	1/24/2017 11:12:53 AM	A40223
Chromium	ND	0.0060	m	ng/L	1	1/24/2017 11:12:53 AM	A40223
Cobalt	ND	0.0060	m	ng/L	1	1/24/2017 11:12:53 AM	A40223
Copper	ND	0.0060	m	ng/L	1	1/26/2017 9:36:42 AM	A40288
Iron	ND	0.020	m	ıg/L	1	1/24/2017 11:12:53 AM	A40223
Manganese	ND	0.0020	m	ıg/L	1	1/24/2017 11:12:53 AM	A40223
Molybdenum	0.0088	0.0080		ıg/L	1	1/24/2017 11:12:53 AM	
Nickel	ND	0.010		ıg/L	1	1/24/2017 11:12:53 AM	
Silver	ND	0.0050		ng/L	1	1/24/2017 11:12:53 AM	
Zinc	0.023	0.010	m	ıg/L	1	1/24/2017 11:40:30 AM	A40223
EPA METHOD 245.1: MERCURY						Analyst	MED
Mercury	ND	0.00020	m	ıg/L	1	1/10/2017 12:14:44 PM	29608

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 22
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Lab Order 1701253

Date Reported: 2/14/2017

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Navajo Refining Company

Client Sample ID: R.O. Reject

Project: Quarterly R.O. Reject Collection Date: 1/5/2017 4:30:00 PM Received Date: 1/9/2017 9:20:00 AM

Lab ID: 1701253-001 Matrix: AQUEOUS

Analyses	Result	PQL Q	ual Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: GASOLINE RAI	NGE				Analys	t: DJF
Gasoline Range Organics (GRO)	ND	0.050	mg/L	1	1/12/2017 2:15:17 PM	G39990
Surr: BFB	87.6	70-130	%Rec	1	1/12/2017 2:15:17 PM	G39990
EPA METHOD 8011/504.1: EDB					Analys	t: JME
1,2-Dibromoethane	ND	0.010	μg/L	1	1/10/2017 10:10:43 AN	1 29609
EPA METHOD 8082: PCB'S					Analys	t: SCC
Aroclor 1016	ND	1.0	μg/L	1	1/11/2017 10:44:00 AN	
Aroclor 1221	ND	1.0	μg/L	1	1/11/2017 10:44:00 AN	
Aroclor 1232	ND	1.0	μg/L	1	1/11/2017 10:44:00 AN	
Aroclor 1242	ND	1.0	μg/L	1	1/11/2017 10:44:00 AN	
Aroclor 1248	ND	1.0	μg/L	1	1/11/2017 10:44:00 AN	
Aroclor 1254	ND	1.0	μg/L	1	1/11/2017 10:44:00 AN	
Aroclor 1260	ND	1.0	μg/L	1	1/11/2017 10:44:00 AN	1 29618
Surr: Decachlorobiphenyl	60.4	26.1-140	%Rec	1	1/11/2017 10:44:00 AN	1 29618
Surr: Tetrachloro-m-xylene	53.2	15-123	%Rec	1	1/11/2017 10:44:00 AN	1 29618
EPA METHOD 8015M/D: DIESEL RAN	GE				Analys	t: TOM
Diesel Range Organics (DRO)	ND	1.0	mg/L	1	1/12/2017 4:33:48 PM	29657
Motor Oil Range Organics (MRO)	ND	5.0	mg/L	1	1/12/2017 4:33:48 PM	29657
Surr: DNOP	115	77.1-144	%Rec	1	1/12/2017 4:33:48 PM	29657
EPA METHOD 8310: PAHS					Analys	t: SCC
Naphthalene	ND	2.0	μg/L	1	1/11/2017 12:16:05 PN	1 29615
1-Methylnaphthalene	ND	2.0	μg/L	1	1/11/2017 12:16:05 PN	1 29615
2-Methylnaphthalene	ND	2.0	μg/L	1	1/11/2017 12:16:05 PM	1 29615
Benzo(a)pyrene	ND	0.070	μg/L	1	1/11/2017 12:16:05 PN	
Surr: Benzo(e)pyrene	81.0	24.4-130	%Rec	1	1/11/2017 12:16:05 PM	1 29615
EPA METHOD 8260B: VOLATILES					Analys	t: DJF
Benzene	ND	1.0	μg/L	1	1/9/2017 5:53:01 PM	W39912
Toluene	ND	1.0	μg/L	1	1/9/2017 5:53:01 PM	W39912
Ethylbenzene	ND	1.0	μg/L	1	1/9/2017 5:53:01 PM	W39912
1,2-Dichloroethane (EDC)	ND	1.0	μg/L	1	1/9/2017 5:53:01 PM	W39912
1,2-Dibromoethane (EDB)	ND	1.0	μg/L	1	1/9/2017 5:53:01 PM	W39912
Carbon Tetrachloride	ND	1.0	μg/L	1	1/9/2017 5:53:01 PM	W39912
Chloroform	ND	1.0	μg/L	1	1/9/2017 5:53:01 PM	W39912
1,1-Dichloroethane	ND	1.0	μg/L	1	1/9/2017 5:53:01 PM	W39912
1,1-Dichloroethene	ND	1.0	μg/L	1	1/9/2017 5:53:01 PM	W39912
Methylene Chloride	ND	3.0	μg/L	1	1/9/2017 5:53:01 PM	W39912
1,1,2,2-Tetrachloroethane	ND	2.0	μg/L	1	1/9/2017 5:53:01 PM	W39912
Tetrachloroethene (PCE)	ND	1.0	μg/L	1	1/9/2017 5:53:01 PM	W39912

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- % Recovery outside of range due to dilution or matrix
- В Analyte detected in the associated Method Blank
- Е Value above quantitation range
- Analyte detected below quantitation limits Page 2 of 22
- P Sample pH Not In Range
- RLReporting Detection Limit
- Sample container temperature is out of limit as specified

Lab Order 1701253

Date Reported: 2/14/2017

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Navajo Refining Company

Client Sample ID: R.O. Reject

Project: Quarterly R.O. Reject Collection Date: 1/5/2017 4:30:00 PM

Lab ID: 1701253-001

Matrix: AQUEOUS

Received Date: 1/9/2017 9:20:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8260B: VOLATILES					Analys	t: DJF
1,1,1-Trichloroethane	ND	1.0	μg/L	1	1/9/2017 5:53:01 PM	W39912
1,1,2-Trichloroethane	ND	1.0	μg/L	1	1/9/2017 5:53:01 PM	W39912
Trichloroethene (TCE)	ND	1.0	μg/L	1	1/9/2017 5:53:01 PM	W39912
Vinyl chloride	ND	1.0	μg/L	1	1/9/2017 5:53:01 PM	W39912
Xylenes, Total	ND	1.5	μg/L	1	1/9/2017 5:53:01 PM	W39912
Surr: 1,2-Dichloroethane-d4	107	70-130	%Rec	1	1/9/2017 5:53:01 PM	W39912
Surr: 4-Bromofluorobenzene	86.6	70-130	%Rec	1	1/9/2017 5:53:01 PM	W39912
Surr: Dibromofluoromethane	118	70-130	%Rec	1	1/9/2017 5:53:01 PM	W39912
Surr: Toluene-d8	87.9	70-130	%Rec	1	1/9/2017 5:53:01 PM	W39912
TOTAL PHENOLICS BY SW-846 9067					Analys	t: SCC
Phenolics, Total Recoverable	ND	2.5	μg/L	1	1/25/2017	29866

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits R
- % Recovery outside of range due to dilution or matrix
- В Analyte detected in the associated Method Blank
- Е Value above quantitation range
- Analyte detected below quantitation limits Page 3 of 22
- P Sample pH Not In Range
- RLReporting Detection Limit
- Sample container temperature is out of limit as specified

Lab Order 1701253

Date Reported: 2/14/2017

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Navajo Refining Company

Client Sample ID: Trip Blank

Project: Quarterly R.O. Reject **Collection Date:**

Lab ID: 1701253-002 Matrix: TRIP BLANK

Received Date: 1/9/2017 9:20:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: GASOLINE RAM	NGE		4 1000000000000000000000000000000000000		Analyst	: DJF
Gasoline Range Organics (GRO)	ND	0.050	mg/L	1	1/12/2017 3:43:50 PM	G39990
Surr: BFB	83.7	70-130	%Rec	1	1/12/2017 3:43:50 PM	G39990
EPA METHOD 8011/504.1: EDB					Analyst	JME
1,2-Dibromoethane	ND	0.010	μg/L	1	1/10/2017 10:25:50 AM	29609
EPA METHOD 8260B: VOLATILES					Analyst	DJF
Benzene	ND	1.0	μg/L	1	1/9/2017 6:22:09 PM	W39912
Toluene	ND	1.0	μg/L	1	1/9/2017 6:22:09 PM	W39912
Ethylbenzene	ND	1.0	μg/L	1	1/9/2017 6:22:09 PM	W39912
1,2-Dichloroethane (EDC)	ND	1.0	μg/L	1	1/9/2017 6:22:09 PM	W39912
1,2-Dibromoethane (EDB)	ND	1.0	μg/L	1	1/9/2017 6:22:09 PM	W39912
Carbon Tetrachloride	ND	1.0	μg/L	1	1/9/2017 6:22:09 PM	W39912
Chloroform	ND	1.0	μg/L	1	1/9/2017 6:22:09 PM	W39912
1,1-Dichloroethane	ND	1.0	μg/L	1	1/9/2017 6:22:09 PM	W39912
1,1-Dichloroethene	ND	1.0	μg/L	1	1/9/2017 6:22:09 PM	W39912
Methylene Chloride	ND	3.0	μg/L	1	1/9/2017 6:22:09 PM	W39912
1,1,2,2-Tetrachloroethane	ND	2.0	μg/L	1	1/9/2017 6:22:09 PM	W39912
Tetrachloroethene (PCE)	ND	1.0	μg/L	1	1/9/2017 6:22:09 PM	W39912
1,1,1-Trichloroethane	ND	1.0	μg/L	1	1/9/2017 6:22:09 PM	W39912
1,1,2-Trichloroethane	ND	1.0	μg/L	1	1/9/2017 6:22:09 PM	W39912
Trichloroethene (TCE)	ND	1.0	μg/L	1	1/9/2017 6:22:09 PM	W39912
Vinyl chloride	ND	1.0	μg/L	1	1/9/2017 6:22:09 PM	W39912
Xylenes, Total	ND	1.5	μg/L	1	1/9/2017 6:22:09 PM	W39912
Surr: 1,2-Dichloroethane-d4	103	70-130	%Rec	1	1/9/2017 6:22:09 PM	W39912
Surr: 4-Bromofluorobenzene	86.8	70-130	%Rec	1	1/9/2017 6:22:09 PM	W39912
Surr: Dibromofluoromethane	116	70-130	%Rec	1	1/9/2017 6:22:09 PM	W39912
Surr: Toluene-d8	88.9	70-130	%Rec	1	1/9/2017 6:22:09 PM	W39912

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- E Value above quantitation range
- Analyte detected below quantitation limits Page 4 of 22
- P Sample pH Not In Range
- Reporting Detection Limit RL
- Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#: 1701253

14-Feb-17

Client:

Navajo Refining Company

Project:

Quarterly R.O. Reject

Sample ID MB-A SampType: MBLK TestCode: EPA Method 200.7: Dissolved Metals PBW Client ID: Batch ID: A40181 RunNo: 40181 Prep Date: Analysis Date: 1/22/2017 SeqNo: 1259966 Units: mg/L Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Aluminum ND 0.020

Sample ID LLLCS-A SampType: LCSLL TestCode: EPA Method 200.7: Dissolved Metals Client ID: **BatchQC** Batch ID: A40181 RunNo: 40181 Prep Date: Analysis Date: 1/22/2017 SegNo: 1259967 Units: mg/L Analyte **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Aluminum ND 0.020 0.01000 104 50 150

Sample ID LCS-A SampType: LCS TestCode: EPA Method 200.7: Dissolved Metals Client ID: LCSW Batch ID: A40181 RunNo: 40181 Prep Date: Analysis Date: 1/22/2017 SeqNo: 1259968 Units: mg/L Analyte Result **PQL** SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** LowLimit Qual Aluminum 0.53 0.020 0.5000 106 85 115

Sample ID MB-A SampType: MBLK TestCode: EPA Method 200.7: Dissolved Metals Client ID: PBW Batch ID: A40223 RunNo: 40223 Prep Date: Analysis Date: 1/24/2017 SeqNo: 1261933 Units: mg/L Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Barium ND 0.0020 Boron ND 0.040 Cadmium ND 0.0020 Chromium ND 0.0060 Cobalt ND 0.0060 ND Iron 0.020 ND Manganese 0.0020 Molybdenum ND 0.0080 Nickel ND 0.010 Silver ND 0.0050

Sample ID LCS-A	SampTy	pe: LC :	S	Test	TestCode: EPA Method 200.7: Dissolved Metals					
Client ID: LCSW	Batch I	ID: A4 0	0223	R	lunNo: 4	0223				
Prep Date:	Analysis Da	te: 1/2	24/2017	S	SeqNo: 1	261934	Units: mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Barium	0.48 0	0.0020	0.5000	0	96.4	85	115			***************************************
Boron	0.50	0.040	0.5000	0	99.6	85	115			

Qualifiers:

Zinc

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND

0.010

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 5 of 22

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#: **1701253**

14-Feb-17

Client:

Navajo Refining Company

Project: Quarterly R.O. Reject

Sample ID LCS-A	·	SampType: LCS					200.7: Dissol	ved Meta	ls	1000
Client ID: LCSW Prep Date:		Batch ID: A40223 Analysis Date: 1/24/2017			RunNo: 4 SegNo: 1:		Unite: mad			
Trep Date.	Allalysis	Date. II.	24/2017		sequo. I.	201934	Units: mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Cadmium	0.49	0.0020	0.5000	0	97.1	85	115			
Chromium	0.48	0.0060	0.5000	0	95.4	85	115			
Cobalt	0.46	0.0060	0.5000	0	91.8	85	115			
Iron	0.47	0.020	0.5000	0	93.5	85	115			
Manganese	0.47	0.0020	0.5000	0	94.2	85	115			
Molybdenum	0.50	0.0080	0.5000	0	101	85	115			
Nickel	0.45	0.010	0.5000	0	90.4	85	115			
Silver	0.098	0.0050	0.1000	0	97.9	85	115			
Zinc	0.47	0.010	0.5000	0	93.5	85	115			

		**************************************			****					
Sample ID LLLCS-A	Samp	Type: LC	SLL	Tes	TestCode: EPA Method 200.7: Dissolved Metals					
Client ID: BatchQC	Bato	ch ID: A4	10223 RunNo: 40223							
Prep Date:	Analysis	Date: 1/	24/2017	S	SeqNo: 1	261935	Units: mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Barium	0.0022	0.0020	0.002000	0	112	50	150			
Boron	0.040	0.040	0.04000	0	101	50	150			
Cadmium	ND	0.0020	0.002000	0	98.5	50	150			
Chromium	0.0060	0.0060	0.006000	0	101	50	150			
Cobalt	ND	0.0060	0.006000	0	98.5	50	150			
Iron	ND	0.020	0.02000	0	99.3	50	150			
Manganese	ND	0.0020	0.002000	0	92.5	50	150			
Molybdenum	0.0092	0.0080	0.008000	0	115	50	150			
Nickel	ND	0.010	0.005000	0	110	50	150			
Silver	0.0052	0.0050	0.005000	0	105	50	150			
Zinc	ND	0.010	0.005000	0	109	50	150			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Analyte detected in the associated Method Bian

Page 6 of 22

Hall Environmental Analysis Laboratory, Inc.

Client: Navajo Refining Company
Project: Quarterly R.O. Reject

Sample ID 1701253-001GMS	Sample ID 1701253-001GMSDL SampType: MSD					PA 200.8: I	Dissolved Me	tals	With the state of		
Client ID: R.O. Reject	Bato	h ID: C4	0026	F	RunNo: 40026						
Prep Date:	Analysis I	Date: 1/	13/2017	SeqNo: 1254502 Units				its: mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Arsenic	0.14	0.0050	0.1250	0.002183	108	70	130	0.715	20		
Lead	0.064	0.0025	0.06250	0	102	70	130	0.187	20		
Selenium	0.14	0.0050	0.1250	0.01048	106	70	130	1.86	20		
Uranium	0.071	0.0025	0.06250	0.005175	105	70	130	0.245	20		

Sample ID	1701253-001GMSI	LL Samp	Гуре: М.	;	TestCode: EPA 200.8: Dissolved Metals							
Client ID:	R.O. Reject	Batc	h ID: C4	0026	F	RunNo: 40026						
Prep Date:		Analysis [Date: 1/	13/2017	SeqNo: 1254503 Unit			Units: mg/L				
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Arsenic		0.14	0.0050	0.1250	0.002183	107	70	130				
Lead		0.064	0.0025	0.06250	0	102	70	130				
Selenium		0.14	0.0050	0.1250	0.01048	104	70	130				
Uranium		0.071	0.0025	0.06250	0.005175	105	70	130				

Sample ID LCS	SampType: L	cs	Tes	tCode: El	PA 200.8: I	Dissolved Me	tals		
Client ID: LCSW	Batch ID: C	Batch ID: C40026 RunNo: 40026							
Prep Date:	Analysis Date:	1/13/2017	5	SeqNo: 1	254506	Units: mg/L			
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Arsenic	0.025 0.0010	0.02500	0	98.8	85	115			
Lead	0.013 0.00050	0.01250	0	100	85	115			
Selenium	0.026 0.0010	0.02500	0	103	85	115			
Uranium	0.012 0.00050	0.01250	0	98.4	85	115			

Sample ID LLLCS	Samp	Type: LC	SLL	Tes	tCode: El					
Client ID: BatchQC	Batch ID: C40026			F	RunNo: 40026					
Prep Date:	Analysis	Date: 1/	13/2017	S	SeqNo: 1	254507	Units: mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Arsenic	ND	0.0010	0.001000	0	98.2	50	150			
Lead	0.00052	0.00050	0.0005000	0	104	50	150			
Selenium	0.0010	0.0010	0.001000	0	102	50	150			
Uranium	0.00050	0.00050	0.0005000	0	100	50	150			

Sample ID MB	SampType: MBLK	TestCode: EPA 200.8: Dissolved Metals	
Client ID: PBW	Batch ID: C40026	RunNo: 40026	
Prep Date:	Analysis Date: 1/13/2017	SeqNo: 1254508 Units: mg/L	
Analyte	Result PQL SPK value SF	PK Ref Val %REC LowLimit HighLimit %RPD	RPDLimit Qual

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

Page 7 of 22

WO#:

1701253

14-Feb-17

Hall Environmental Analysis Laboratory, Inc.

WO#: 1701253

14-Feb-17

Client:

Navajo Refining Company

Project:

Quarterly R.O. Reject

Sample ID MB

SampType: MBLK

TestCode: EPA 200.8: Dissolved Metals

Client ID:

PBW

Batch ID: C40026

RunNo: 40026

Prep Date:

Analysis Date: 1/13/2017

SeqNo: 1254508

SPK value SPK Ref Val %REC LowLimit

Units: mg/L HighLimit

%RPD **RPDLimit**

Qual

Analyte **PQL** Arsenic ND 0.0010 Lead ND 0.00050 Selenium ND 0.0010 Uranium ND 0.00050

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Η Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- % Recovery outside of range due to dilution or matrix
- В Analyte detected in the associated Method Blank
- Ε Value above quantitation range
- Analyte detected below quantitation limits
- P Sample pH Not In Range
- RLReporting Detection Limit
- Sample container temperature is out of limit as specified

Page 8 of 22

Hall Environmental Analysis Laboratory, Inc.

WO#: 1701253

14-Feb-17

Client:

Navajo Refining Company

Project:

Quarterly R.O. Reject

Sample ID MB-29608

SampType: MBLK

TestCode: EPA Method 245.1: Mercury

Client ID: PBW

Batch ID: 29608

PQL

RunNo: 39928

Prep Date: 1/9/2017

HighLimit

Analysis Date: 1/10/2017

SeqNo: 1251284

%REC LowLimit

Units: mg/L

%RPD

Qual

Analyte Mercury

Client ID:

ND 0.00020

Sample ID LCS-29608 LCSW

SampType: LCS

TestCode: EPA Method 245.1: Mercury

Batch ID: 29608

RunNo: 39928

Units: mg/L

Prep Date: 1/9/2017 Analysis Date: 1/10/2017

SeqNo: 1251285

HighLimit

RPDLimit

RPDLimit

Analyte

SPK value SPK Ref Val

%RPD

PQL Result

SPK value SPK Ref Val

%REC 98.3

Qual

Mercury

0.0049 0.00020 0.005000

120

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit ND
- R RPD outside accepted recovery limits
- % Recovery outside of range due to dilution or matrix
- В
- E Value above quantitation range
- J Analyte detected below quantitation limits
- Р Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

Analyte detected in the associated Method Blank

Page 9 of 22

Hall Environmental Analysis Laboratory, Inc.

O#: 1701253 14-Feb-17

WO#:

Client:

Navajo Refining Company

Project:

Quarterly R.O. Reject

Sample ID MB	SampT	SampType: MBLK				PA Method	300.0: Anions	5	N. W. S.	***************************************
Client ID: PBW	Batch	ID: R3	9919	F	RunNo: 39919					
Prep Date:	Analysis D	ate: 1/	9/2017	5	SeqNo: 1	251098	Units: mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Fluoride	ND	0.10			***************************************				CHILD CO.	***************************************
Chloride	ND	0.50								
Nitrate+Nitrite as N	ND	0.20								
Sample ID LCS	SampT	SampType: LCS TestCode: EPA Method 3					300.0: Anions	}		
Client ID: LCSW	Batch	ID: R3	9919	F	RunNo: 3	39919				
Prep Date:	Analysis D	ate: 1/	9/2017	\$	SeqNo: 1	251099	Units: mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Fluoride	0.49	0.10	0.5000	0	97.8	90	110	***************************************		
Chloride	4.8	0.50	5.000	0	96.8	90	110			
Nitrate+Nitrite as N	3.5	0.20	3.500	0	101	90	110			
Sample ID MB	SamnT	SampType: MRLK TestCode: EPA Method					200 O. Anione			

Sample ID MB	SampType: MBLK	TestCode: EPA Method	300.0: Anions	-
Client ID: PBW	Batch ID: R39952	RunNo: 39952		
Prep Date:	Analysis Date: 1/10/2017	SeqNo: 1251860	Units: mg/L	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual	-
Sulfate	ND 0.50			

Sample ID LCS	SampType	: LCS	Tes	tCode: El	PA Method	300.0: Anions	5		
Client ID: LCSW	Batch ID	R39952	F	RunNo: 3	9952				
Prep Date:	Analysis Date	1/10/2017	9	SeqNo: 1	251861	Units: mg/L			
Analyte	Result P	QL SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Sulfate	94 (0.50 10.00	0	94.5	90	110			

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- Page 10 of 22

- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1701253 14-Feb-17

Client: Navajo Refining Company Project: Quarterly R.O. Reject

Sample ID MB-29609 SampType: MBLK TestCode: EPA Method 8011/504.1: EDB

Client ID: PBW Batch ID: 29609 RunNo: 39918

Prep Date: 1/10/2017 Analysis Date: 1/10/2017 SeqNo: 1251243 Units: µg/L

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual

1,2-Dibromoethane ND 0.010

Sample ID LCS-29609 SampType: LCS TestCode: EPA Method 8011/504.1: EDB

Client ID: LCSW Batch ID: 29609 RunNo: 39918

Prep Date: 1/10/2017 Analysis Date: 1/10/2017 SeqNo: 1251245 Units: µg/L

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit**

1,2-Dibromoethane 0.094 0.010 0.1000 93.8 130

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Η Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

% Recovery outside of range due to dilution or matrix

В Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Detection Limit

Sample container temperature is out of limit as specified W

Page 11 of 22

Hall Environmental Analysis Laboratory, Inc.

WO#: 1701253

RPDLimit

Qual

%RPD

HighLimit

144

14-Feb-17

Client:

Navajo Refining Company

Result

ND

ND

1.1

PQL

1.0

5.0

1.000

Project:

Analyte

Surr: DNOP

Diesel Range Organics (DRO)

Motor Oil Range Organics (MRO)

Quarterly R.O. Reject

Sample ID LCS-29657	SampType: LC	s	Tes	TestCode: EPA Method 8015M/D: Diesel Range					
Client ID: LCSW	Batch ID: 29	RunNo: 39973							
Prep Date: 1/12/2017	Analysis Date: 1	12/2017	S	SeqNo: 1	252916	Units: mg/L			
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	5.5 1.0	5.000	0	110	63.2	155			
Surr: DNOP	0.56	0.5000		111	77.1	144			
Sample ID MB-29657	SampType: MI	BLK	Tes	tCode: El	PA Method	8015M/D: Die	sel Rang	е	
Client ID: PBW	Batch ID: 29	657	F	RunNo: 3	9973				
Prep Date: 1/12/2017	Analysis Date: 1	12/2017	S	SeqNo: 1	252917	Units: mg/L			

SPK value SPK Ref Val %REC LowLimit

108

77.1

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- Η Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits R
- % Recovery outside of range due to dilution or matrix
- В
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RLReporting Detection Limit
- W Sample container temperature is out of limit as specified

Analyte detected in the associated Method Blank

Page 12 of 22

Hall Environmental Analysis Laboratory, Inc.

3.4

1.8

1.3

1.0

5.000

2.500

2.500

WO#: 1701253

14-Feb-17

Client:

Navajo Refining Company

Project:

Quarterly R.O. Reject

Sample ID MB-29618	SampT	ype: ME	BLK	Tes	tCode: E	PA Method	8082: PCB's			
Client ID: PBW	Batch	n ID: 29	618	F	RunNo: 3	9949				
Prep Date: 1/10/2017	Analysis D	ate: 1/	11/2017	S	SeqNo: 1	251667	Units: µg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Aroclor 1016	ND	1.0								
Aroclor 1221	ND	1.0								
Aroclor 1232	ND	1.0								
Aroclor 1242	ND	1.0								
Aroclor 1248	ND	1.0								
Aroclor 1254	ND	1.0								
Aroclor 1260	ND	1.0								
Surr: Decachlorobiphenyl	1.6		2.500		63.2	26.1	140			
Surr: Tetrachloro-m-xylene	1.4		2.500		55.2	15	123			
Sample ID LCS-29618(1221)	SampT	ype: LC	S	Tes	tCode: E	PA Method	8082: PCB's			
Sample ID LCS-29618(1221) Client ID: LCSW	•	ype: LC n ID: 29			tCode: E RunNo: 3		8082: PCB's			
	•	iD: 29	618	F		9949	8082: PCB's Units: μg/L			
Client ID: LCSW	Batch	iD: 29	618 11/2017	F	RunNo: 3	9949		%RPD	RPDLimit	Qual
Client ID: LCSW Prep Date: 1/10/2017	Batch Analysis D	n ID: 29 vate: 1 /	618 11/2017	F	RunNo: 3 SeqNo: 1	9949 251690	Units: µg/L	%RPD	RPDLimit	Qual
Client ID: LCSW Prep Date: 1/10/2017 Analyte	Batch Analysis D Result	n ID: 29 Pate: 1 /	618 11/2017 SPK value	SPK Ref Val	RunNo: 3 GeqNo: 1 %REC	9949 251690 LowLimit	Units: µg/L HighLimit	%RPD	RPDLimit	Qual
Client ID: LCSW Prep Date: 1/10/2017 Analyte Aroclor 1221	Batch Analysis D Result 3.1	n ID: 29 Pate: 1 /	618 11/2017 SPK value 5.000	SPK Ref Val	RunNo: 3 SeqNo: 1 %REC 61.8	9949 251690 LowLimit	Units: µg/L HighLimit	%RPD	RPDLimit	Qual
Client ID: LCSW Prep Date: 1/10/2017 Analyte Aroclor 1221 Surr: Decachlorobiphenyl	Batch Analysis D Result 3.1 1.8 1.2	n ID: 29 Pate: 1 /	618 11/2017 SPK value 5.000 2.500 2.500	F S SPK Ref Val 0	RunNo: 3 SeqNo: 1 **REC 61.8 71.6 48.0	9949 251690 LowLimit 15 26.1 15	Units: µg/L HighLimit 200 140	%RPD	RPDLimit	Qual
Client ID: LCSW Prep Date: 1/10/2017 Analyte Aroclor 1221 Surr: Decachlorobiphenyl Surr: Tetrachloro-m-xylene	Batch Analysis D Result 3.1 1.8 1.2 SampT	PQL 1.0	618 11/2017 SPK value 5.000 2.500 2.500	SPK Ref Val 0	RunNo: 3 SeqNo: 1 **REC 61.8 71.6 48.0	9949 251690 LowLimit 15 26.1 15	Units: µg/L HighLimit 200 140 123	%RPD	RPDLimit	Qual
Client ID: LCSW Prep Date: 1/10/2017 Analyte Aroclor 1221 Surr: Decachlorobiphenyl Surr: Tetrachloro-m-xylene Sample ID LCSD-29618(1221	Batch Analysis D Result 3.1 1.8 1.2 SampT	PQL 1.0 1D: 29	618 (11/2017 SPK value 5.000 2.500 2.500	SPK Ref Val 0	RunNo: 3 SeqNo: 1 **REC 61.8 71.6 48.0 tCode: E	9949 251690 LowLimit 15 26.1 15 PA Method 9949	Units: µg/L HighLimit 200 140 123	%RPD	RPDLimit	Qual

Sample ID LCS-29618(1232)	SampT	ype: LC	s	Tes	tCode: El	A Method				
Client ID: LCSW	Batch	1D: 29	618	F	RunNo: 3	9949				
Prep Date: 1/10/2017	Analysis D	ate: 1/	11/2017	S	SeqNo: 1	252021	Units: µg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Aroclor 1232	3.6	1.0	5.000	0	73.0	15	200			
Surr: Decachlorobiphenyl	1.8		2.500		70.4	26.1	140			
Surr: Tetrachloro-m-xylene	1.6		2.500		62.4	15	123			

0

68.4

72.8

50.8

15

15

26.1

200

140

123

10.1

0

0

Qualifiers:

Aroclor 1221

Surr: Decachlorobiphenyl

Surr: Tetrachloro-m-xylene

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Η Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

RPD outside accepted recovery limits R

% Recovery outside of range due to dilution or matrix

В Analyte detected in the associated Method Blank

Е Value above quantitation range

J Analyte detected below quantitation limits Page 13 of 22

0

0

0

P Sample pH Not In Range

RL Reporting Detection Limit

Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#: 1701253 14-Feb-17

Client:

Navajo Refining Company

Project:

Quarterly R.O. Reject

Sample ID LCS	D-29618(1232)	SampT	SampType: LCSD TestCode: EPA Method 8082: PCB's								
Client ID: LCS	SS02	Batch	ID: 29	618	F	RunNo: 3	9949				
Prep Date: 1/1	10/2017	Analysis Da	ate: 1/	11/2017	8	SeqNo: 1	252022	Units: µg/L			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Aroclor 1232		3.6	1.0	5.000	0	72.0	15	200	1.38	0	
Surr: Decachlorob	iphenyl	1.7		2.500		68.8	26.1	140	0	0	
Surr: Tetrachloro-r	m-xylene	1.5		2.500		61.6	15	123	0	0	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits

Page 14 of 22

- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

Client: Navajo Refining Company Project: Quarterly R.O. Reject

Sample ID rb SampType: MBLK TestCode: EPA Method 8260B: VOLATILES Client ID: PBW Batch ID: W39912 RunNo: 39912 Prep Date: Analysis Date: 1/9/2017 SeqNo: 1250932 Units: µg/L Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Benzene ND 1.0 Toluene ND 1.0 Ethylbenzene ND 1.0 1,2-Dichloroethane (EDC) ND 1.0 1,2-Dibromoethane (EDB) ND 1.0 Carbon Tetrachloride ND 1.0 Chloroform ND 1.0 1,1-Dichloroethane ND 1.0 1,1-Dichloroethene ND 1.0 Methylene Chloride ND 3.0 1,1,2,2-Tetrachloroethane ND 2.0 Tetrachloroethene (PCE) ND 1.0 1,1,1-Trichloroethane ND 1.0 1,1,2-Trichloroethane ND 1.0 Trichloroethene (TCE) ND 1.0 Vinyl chloride ND 1.0 Xylenes, Total ND 1.5 Surr: 1,2-Dichloroethane-d4 9.1 10.00 70 91.4 130 Surr: 4-Bromofluorobenzene 9.1 10.00 91.2 70 130 Surr: Dibromofluoromethane 9.7 10.00 97.5 70 130 Surr: Toluene-d8 8.9 10.00 88.9 70 130

Sample ID 100ng Ics	SampT	ype: LC	s	Tes	TestCode: EPA Method 8260B: VOLATILES					
Client ID: LCSW	Batch	n ID: W3	39912	F	RunNo: 3	9912				
Prep Date:	Analysis D	ate: 1/	9/2017	S	SeqNo: 1	250933	Units: µg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	23	1.0	20.00	0	115	70	130			
Toluene	19	1.0	20.00	0	97.2	70	130			
1,1-Dichloroethene	20	1.0	20.00	0	102	70	130			
Trichloroethene (TCE)	22	1.0	20.00	0	109	70	130			
Surr: 1,2-Dichloroethane-d4	9.4		10.00		93.8	70	130			
Surr: 4-Bromofluorobenzene	9.0		10.00		89.5	70	130			
Surr: Dibromofluoromethane	9.8		10.00		98.4	70	130			
Surr: Toluene-d8	9.1		10.00		91.5	70	130			

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Η Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix В Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

WO#:

1701253

14-Feb-17

Page 15 of 22

Hall Environmental Analysis Laboratory, Inc.

WO#: 1701253

14-Feb-17

Client: Navajo Refining Company
Project: Quarterly R.O. Reject

Sample ID MB-29615	Samp	Гуре: МВ	LK	Tes	tCode: El	PA Method	8310: PAHs			
Client ID: PBW	Batc	h ID: 29 6	615	F	RunNo: 3	9968				
Prep Date: 1/10/2017	Analysis [Date: 1/	11/2017	S	SeqNo: 1	252566	Units: µg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Naphthalene	ND	2.0			****************				Petro de consecuencia de la cons	***************************************
1-Methylnaphthalene	ND	2.0								
2-Methylnaphthalene	ND	2.0								
Acenaphthylene	ND	2.5								
Acenaphthene	ND	2.0								
Fluorene	ND	0.80								
Phenanthrene	ND	0.60								
Anthracene	ND	0.60								
Fluoranthene	ND	0.30								
Pyrene	ND	0.30								
Benz(a)anthracene	ND	0.070								
Chrysene	ND	0.20								
Benzo(b)fluoranthene	ND	0.10								
Benzo(k)fluoranthene	ND	0.070								
Benzo(a)pyrene	ND	0.070								
Dibenz(a,h)anthracene	ND	0.12								
Benzo(g,h,i)perylene	ND	0.12								
Indeno(1,2,3-cd)pyrene	ND	0.25								
Surr: Benzo(e)pyrene	17		20.00		83.8	24.4	130			

Sample ID LCS-29615	Samp	Гуре: LC	s	Tes	tCode: El	PA Method	8310: PAHs			
Client ID: LCSW	Batc	h ID: 29	615	F	RunNo: 3	9968				
Prep Date: 1/10/2017	Analysis [Date: 1/	11/2017	S	SeqNo: 1	252567	Units: µg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Naphthalene	47	2.0	80.00	0	59.0	33.3	141	***************************************		
1-Methylnaphthalene	45	2.0	80.20	0	56.4	35.5	139			
2-Methylnaphthalene	43	2.0	80.00	0	54.1	30.7	139			
Acenaphthylene	53	2.5	80.20	0	65.8	60.2	119			
Acenaphthene	49	2.0	80.00	0	61.9	56	126			
Fluorene	5.0	0.80	8.020	0	61.7	51.6	129			
Phenanthrene	2.8	0.60	4.020	0	69.7	58.8	129			
Anthracene	2.7	0.60	4.020	0	66.9	59.9	121			
Fluoranthene	5.9	0.30	8.020	0	72.9	48	145			
Pyrene	6.3	0.30	8.020	0	78.7	56.2	130			
Benz(a)anthracene	0.58	0.070	0.8020	0	72.3	50.4	142			
Chrysene	3.0	0.20	4.020	0	73.9	54.7	134			
Benzo(b)fluoranthene	0.73	0.10	1.002	0	72.9	61.8	120			
Benzo(k)fluoranthene	0.37	0.070	0.5000	0	74.0	55.9	134			

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 16 of 22

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

0.66

0.33

0.32

0.69

0.69

1.2

14

0.10

0.070

0.070

0.12

0.12

0.25

1.002

0.5000

0.5020

1.002

1.000

2.004

20.00

14-Feb-17

1701253

WO#:

Client:

Navajo Refining Company

Project:

Quarterly R.O. Reject

Sample ID LCS-29615	SampType: LCS TestCode: EPA Method				8310: PAHs					
Client ID: LCSW	Batcl	h ID: 29 0	615	F	RunNo: 3	9968				
Prep Date: 1/10/2017	Analysis [Date: 1/	11/2017	S	SeqNo: 1	252567	Units: µg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzo(a)pyrene	0.36	0.070	0.5020	0	71.7	49.1	142		`	
Dibenz(a,h)anthracene	0.76	0.12	1.002	0	75.8	57.8	134			
Benzo(g,h,i)perylene	0.77	0.12	1.000	0	77.0	57.2	134			
Indeno(1,2,3-cd)pyrene	1.4	0.25	2.004	0	68.9	58.2	137			
Surr: Benzo(e)pyrene	15		20.00		75.3	24.4	130			
Sample ID LCSD-29615	SampType: LCSD			Tes	tCode: El	PA Method	8310: PAHs			
Client ID: LCSS02	Batcl	n ID: 29 6	S15	F	RunNo: 3	9968				
Prep Date: 1/10/2017	Analysis D	Date: 1/	11/2017	S	SeqNo: 1	252568	Units: µg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Naphthalene	43	2.0	80.00	0	53.3	33.3	141	10.2	20.3	
1-Methylnaphthalene	41	2.0	80.20	0	51.0	35.5	139	10.0	22.7	
2-Methylnaphthalene	39	2.0	80.00	0	49.0	30.7	139	9.91	22.6	
Acenaphthylene	48	2.5	80.20	0	59.6	60.2	119	9.90	22.6	S
Acenaphthene	45	2.0	80.00	0	56.1	56	126	9.70	21.4	
Fluorene	4.6	0.80	8.020	0	57.1	51.6	129	7.76	23.6	
Phenanthrene	2.5	0.60	4.020	0	62.2	58.8	129	11.3	24.7	
A				-	·					
Anthracene	2.4	0.60	4.020	0	59.5	59.9	121	11.8	23.9	S
Anthracene Fluoranthene	2.4 5.3	0.60 0.30					121 145	11.8 10.6	23.9 25.1	S
			4.020	0	59.5	59.9				S
Fluoranthene	5.3	0.30	4.020 8.020	0	59.5 65.6	59.9 48	145	10.6	25.1	S

0

0

0

0

0

65.9

66.0

63.7

68.9

69.0

61.4

67.6

61.8

55.9

49.1

57.8

57.2

58.2

24.4

120

134

142

134

134

137

130

10.1

11.4

11.8

9.66

11.0

11.5

0

22.1

27.2

30.2

23.8

19.1

19.6

Qualifiers:

Benzo(b)fluoranthene

Benzo(k)fluoranthene

Dibenz(a,h)anthracene

Indeno(1,2,3-cd)pyrene

Surr: Benzo(e)pyrene

Benzo(g,h,i)perylene

Benzo(a)pyrene

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Page 17 of 22

Hall Environmental Analysis Laboratory, Inc.

WO#:

1701253

14-Feb-17

Client:

Navajo Refining Company

Project:

Quarterly R.O. Reject

Sample ID MB-29866

SampType: MBLK

TestCode: Total Phenolics by SW-846 9067

Client ID:

PBW

RunNo: 40252

Prep Date:

Analyte

1/25/2017

Batch ID: 29866 Analysis Date: 1/25/2017

SeqNo: 1262095

Units: µg/L

RPDLimit

Qual

Phenolics, Total Recoverable

Prep Date: 1/25/2017

Client ID: LCSS02

Phenolics, Total Recoverable

Result

PQL

SPK value SPK Ref Val %REC LowLimit HighLimit

%RPD

ND

SampType: LCS

2.5

TestCode: Total Phenolics by SW-846 9067

Sample ID LCS-29866 Client ID: LCSW

21

Batch ID: 29866

Analysis Date: 1/25/2017

Batch ID: 29866

2.5

RunNo: 40252

SeqNo: 1262096

Units: µg/L

SPK value SPK Ref Val

%REC

LowLimit

%RPD

Phenolics, Total Recoverable

PQL 2.5

20.00

0

104 62.4 HighLimit

RPDLimit

Qual

Sample ID LCSD-29866

SampType: LCSD

TestCode: Total Phenolics by SW-846 9067

Units: µg/L

146

RPDLimit Qual

Prep Date: Analyte

1/25/2017

Analysis Date: 1/25/2017

Result

23

SPK value SPK Ref Val %REC LowLimit

20.00

0

113

RunNo: 40252

SeqNo: 1262097

62.4

HighLimit 146 %RPD 8.32

21

Qualifiers:

R

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Н Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix В Analyte detected in the associated Method Blank

Е Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL

Reporting Detection Limit W Sample container temperature is out of limit as specified

Page 18 of 22

Hall Environmental Analysis Laboratory, Inc.

WO#: 1701253

14-Feb-17

Client:

Navajo Refining Company

Project:

Quarterly R.O. Reject

Sample ID MB-R40523

SampType: MBLK

TestCode: EPA 335.4: Total Cyanide Subbed

LowLimit

Client ID: Prep Date:

PBW

Batch ID: R40523

RunNo: 40523

Analysis Date: 1/16/2017

SPK value SPK Ref Val

SPK value SPK Ref Val

SeqNo: 1269895

Units: mg/L HighLimit

%RPD **RPDLimit**

Qual

Analyte Cyanide

Result **PQL** ND 0.0100

SampType: LCS

TestCode: EPA 335.4: Total Cyanide Subbed

%REC

RunNo: 40523

Client ID: LCSW

Sample ID LCS-R40523

Batch ID: R40523

PQL

%REC

Units: mg/L

Prep Date:

Analysis Date: 1/16/2017

SeqNo: 1269896

RPDLimit

Analyte

0.5000

90

LowLimit

HighLimit

%RPD

Qual

Cyanide

0.485

0

97.0

110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Н Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Detection Limit

Sample container temperature is out of limit as specified W

Page 19 of 22

Hall Environmental Analysis Laboratory, Inc.

14-Feb-17

1701253

WO#:

130

Client: Navajo Refining Company Quarterly R.O. Reject Project:

Sample ID rb SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range Client ID: PBW Batch ID: G39990 RunNo: 39990

Prep Date: Analysis Date: 1/12/2017 SeqNo: 1253120 Units: mg/L

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual

Gasoline Range Organics (GRO) ND 0.050 Surr: BFB 8.8 10.00 87.5 70

Sample ID 2.5ug gro Ics SampType: LCS TestCode: EPA Method 8015D: Gasoline Range Client ID: LCSW Batch ID: G39990 RunNo: 39990

Analysis Date: 1/12/2017 Prep Date: SeqNo: 1253121 Units: mg/L

Result Analyte PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) 0.55 0.050 0.5000 110 75.4 118

Surr: BFB 9.2 10.00 92.5 70 130

Sample ID 1701253-001a msd SampType: MSD TestCode: EPA Method 8015D: Gasoline Range

Client ID: R.O. Reject Batch ID: G39990 RunNo: 39990

Prep Date: Analysis Date: 1/12/2017 SeqNo: 1253124 Units: mg/L

Result Analyte **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) 0.46 0.050 0.5000 0.01760 89.1 70 130 12.9 20

Surr: BFB 9.0 10.00 89.7 70 130 0 0

Sample ID 1701253-001a ms g SampType: MS TestCode: EPA Method 8015D: Gasoline Range

Client ID: R.O. Reject Batch ID: G39990 RunNo: 40004

Prep Date: Analysis Date: 1/13/2017 SeqNo: 1254101 Units: mg/L

Analyte Result **PQL** SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) 0.53 0.050 0.5000 0.01760 102 70 130

Surr: BFB 8.8 10.00 87.8 70 130

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Η Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix В Analyte detected in the associated Method Blank

Value above quantitation range Е

J Analyte detected below quantitation limits

P Sample pH Not In Range

RLReporting Detection Limit

Sample container temperature is out of limit as specified

Page 20 of 22

Hall Environmental Analysis Laboratory, Inc.

WO#: 1701253

Qual

14-Feb-17

Client:

Navajo Refining Company

Project:

Quarterly R.O. Reject

Sample ID MB-R40526 Client ID: PBW

SampType: MBLK

TestCode: EPA 903.1: Ra 226 and EPA 904.0: Ra 228-Subbed

SPK value SPK Ref Val %REC LowLimit

RunNo: 40526

Prep Date:

Batch ID: R40526 Analysis Date: 2/2/2017

SeqNo: 1269905

Units: pCi/L

HighLimit

%RPD

RPDLimit

Analyte Radium-226

Result PQL 0.127 0.468 0.291 0.468

Radium-226 ± Radium-228 Radium-228 ±

0.0949 0.653 0.29 0.653

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Η Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

Reporting Detection Limit RL

W Sample container temperature is out of limit as specified

Page 21 of 22

Hall Environmental Analysis Laboratory, Inc.

WO#:

1701253 14-Feb-17

Client: Navajo Refining Company Project: Quarterly R.O. Reject

Sample ID MB-29623 SampType: MBLK TestCode: SM2540C MOD: Total Dissolved Solids

Client ID: PBW Batch ID: 29623 RunNo: 39966

Prep Date: 1/10/2017 Analysis Date: 1/11/2017 SeqNo: 1252489 Units: mg/L

Result Analyte **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual

Total Dissolved Solids ND 20.0

Sample ID LCS-29623 SampType: LCS TestCode: SM2540C MOD: Total Dissolved Solids

LCSW Client ID: Batch ID: 29623 RunNo: 39966

Prep Date: 1/10/2017 Analysis Date: 1/11/2017 SeqNo: 1252490 Units: mg/L

Analyte **PQL** SPK value SPK Ref Val %REC %RPD LowLimit HighLimit **RPDLimit** Qual

Total Dissolved Solids 1060 20.0 1000 0 106 80 120

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Н Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

% Recovery outside of range due to dilution or matrix S

В Analyte detected in the associated Method Blank

Е Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RLReporting Detection Limit

W Sample container temperature is out of limit as specified

Page 22 of 22



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: NAVAJO REFINING CO Wo	rk Order Number: 1	701253		RcptNo:	1
Received by/date: RE	71/09/17				
Logged By: Ashley Gallegos 1/9/20	017 9:20:00 AM		A		1
Completed By: Ashiey Gallegos 1/9/20)17 9:54:08 AM		A		
Reviewed By: 01/09/17 Chain of Custody			. ()		
1. Custody seals intact on sample bottles?	,	Yes 🛄	No 🗀	Not Present	
2, Is Chain of Custody complete?		Yes 🗸	No 🔲	Not Present	
3. How was the sample delivered?	9	Courier			
<u>Log In</u>					
4. Was an attempt made to cool the samples?		Yes 🗸	No [NA []	
5. Were all samples received at a temperature of >0°	°C to 6.0°C	∕es 🗹	No []	NA []	
6. Sample(s) in proper container(s)?		Yes 🗹	No 🗀		
7. Sufficient sample volume for indicated test(s)?		Yes 🗸	No 🗌		
8. Are samples (except VOA and ONG) properly prese	erved?	Yes 🔽	No 🗔		
9. Was preservative added to bottles?	,	Yes 🗍	No 🔀	NA []	
10.VOA vials have zero headspace?	,	res 🗹	No [No VOA Vials	
11. Were any sample containers received broken?		Yes 🗆	No 🗸	4 - 6	
12.Does paperwork match bottle labels?	`	res 🗸	No 🗀	# of preserved bottles checked for pH:)
(Note discrepancies on chain of custody)	_	ma		(<2)or	12 unless noted)
13. Are matrices correctly identified on Chain of Custod 14. Is it clear what analyses were requested?		res ✓ res ✓	No 🔲	Adjusted?	700
15. Were all holding times able to be met? (If no, notify customer for authorization.)		∕es 🗹	No 🛄	Checked by:	Re
Special Handling (if applicable)					
		t1	2114	er.	
16. Was client notified of all discrepancies with this order	er? Y	'es	No []	NA 🗹	
Person Notified:	Date		THE WASHINGTON THE PROPERTY OF		
By Whom:	Via:	eMail 📋	Phone Fax	In Person	
Regarding: Client Instructions:		Miller N. Politikké transkéh zeromov, este comerci	PARAMETER TRANSPORTED IN THE MANAGEMENT OF THE PROPERTY OF THE PARAMETER O		
17. Additional remarks:					
18. <u>Cooler Information</u>					
Cooler No Temp °C Condition Seal Intac	t Seal No Sea	I Date	Signed By		
1 1.7 Good Yes					

J	<u>ج</u> <u>و</u>	うせつ	Chain-of-Custody Record	ומומסמליוומיו	<u> </u>						L	7	A THOMNOGIVED 1140	2	<u>u</u>	Z	•		
Client	Navajo	Navajo Refinery		X Standard	□ Rush						ANALYSIS			LABORATORY	3			. >	
				Project Name:	And the second s				i >	Aww.	allen	ironm	(1)	E 03		i I	i i	!	
Mailing	Address	5: P.O. Bo	Mailing Address: P.O. Box 159 Artesia,	Worth R.O.	Reject			4901 F	4901 Hawkins NE	s NE	1	endne	Albuquerque, NM 87109	NM 8	7109				
NM 882	NM 88211-0159	9		Project #: P.O	0, # 167796			Tel. 5	505-345-3975	-397		Fax 5	505-345-4107	5-41(7(
Phone #	¢: 575-7.	Phone #: 575-748-3311			-						Analy	/sis R	Analysis Request	S.					
email o	r Fax#: {	email or Fax#: 575-746-5451	451	Project Manager:	ger.		-					(8			- Constitution of the Cons	***************************************	2		
QA/QC I	QA/QC Package:							S		John Control	**	322-	<u> Marianana</u>				armanumum.		
X Standard	dard		☐ Level 4 (Full Validation)	Robert Combs	S		SOC	~~~			~~.	8ਮ+	***********			8	***********	aprija de	
□ Other				Ø	ad, Hilly	સત્વ	ον t				~ '~	-226	***********			bilo		(N	
☐ EDD (Type)	(Type)					90 LT	C FI		I Cya			у (Ra	əbin		ə	S bav		10 丫)	
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	\$ - 81014 	8260B:WQC	8270C: WQ 	stoT :4.388	7470: Mero	8015: GRO 8015: PCB	Radioactivit	Sulfate Chlo Phenols	Fluoride	Nitrate/Nitrit	lossiG lstoT	Н	504.1:EDB Air Bubbles	
1/5/1	4:30	liquid	R.O. Reject	2 - 500ml P	1-unpres 1- H2SO4	100-							×	×	×	×	×	>	
1/2/L	4:30	liquid	R.O. Reject	3-40ml VOA	HCL		×												
<i>U/s/</i> 11	4:30	liquid	R.O. Reject	1-500ml P	HN03					×									
1/8/17	4:30	liquid	R.O. Reject	1-125ml P	HN03			×											
1/2/11	4:30	liquid	R.O. Reject	1-500ml P	NaOH				×										
u/s/1	ાં.'ન	liquid	R.O. Reject	2-1L P	HN03						h = 40/h = 2	×							
1/5/17 4:30	4:30	liquid	R.O. Reject	3-40ml VOA	Na2S203													×	
i/s/n	4:30	liquid	R.O. Reject	2 - 1L Glass	unpres			necessaria de Maria			×								
1/2/1	4:3°	liquid	R.O. Reject	1 - 1L Glass	unpres			×											
1/5/11	4:30	liquid	R.O. Reject	3-40ml VOA	FC					×							7		
U/s/I	of:}h	liquid	R.O. Reject	1-250mlGlas	unpres			~		×							_		
i/s/n	n:30	liquid	R.O. Reject		H2SO4	7							×						
I/S/I	ž	liquid		2-40ml VOA	HCL					-			\dashv			7	\exists	\dashv	
Date:	Time: :30	Relinquished b	Stat Hospin	Received by:	1	Date Time $(9 7 0726)$		Remarks: Metals: As, Al, Ba, B, Cd, Cr, Co, Cu, Fe, Pb, Mn, Hg, Mo, Ni, Se, Ag, U, Zn VOCs: 1,1,1-Trichloroethane; 1,1,2,2-Tetrachloroethane; 1,1,2,2-Tetrachloroethylene; 1,1,2	t, B, Cd, chloroetha	ς, ς, ine; 1,1	Su, Fe, F 2,2-Tetr	b, Mn, I	B, Cd, Cr, Co, Cu, Fe, Pb, Mn, Hg, Mo, Ni, Se, Ag, U, Zn toroethane; 1,1,2,2-Tetrachlonoethane; 1,1,2,2-Tetrachlon	Vi, Se, 7	kg, U, Z etrachli	n oroethy	fene; 1	.1,2	
Date:	Time:	Relinquished by:	ed by:	Received by:		Date Time	Dibrome	Inchroroethane; 1,1,2-Inchloroethylene; 1,1-Lichloroethane; 1,1-Lichloroethene; 1,2-Dichloroethane; Benzene; Carbon Tetrachloride; Chloroform; Dichloroethane; Ethylbenzene; Total Xylenes; Vinyl Chloride	1,1,2-Inchloroethylene; 1,1-Ulchloroemane; 1,1-Uchloroemene; 1,2-Dichloroethane; Benzene; Carbon Tetrachloride; Chloroform; Ethylbenzene; Toluene; Total Xylenes; Vinyl Chloride	nioroeu roethar izene; T	ylene; 1 e; Benze oluene;	Total X	roeman oon Tetr enes; Vi	er, 1,1-L achloric nyl Chle	ichord le; Chlo xide	eulene; iroform;	<u>'</u>		
	, neasonad j	-	exmeter cultimitated to Livil Equipopopostal many to entry	control of behavioration of summer	omdited laboratoris	SVOCs: It serves as notice of this mossibility	SVOCS	9 I	inzo(a)pyrene, phenol, 1-methylnaphthalene, 2-methylnaphthalen Anv sub-contracted data will be clearly notated on the analytical	ohenol,	1-methy	naphtha	ene, 2-r	nethyln:	aphthai	ene, nag	phthak	e	

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.



Quarterly RO Reject Sample Details Attachment



Z		frievas One	
	Control of the Control		

South Field R.O. Reject Discarge

☐ North Field R.O. Reject Discarge

The transfer Directly to sample jars
> 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5

And the Mark of th	pH, Cl, F, S04, NO2/NO3, TDS	8015 GRO	6020 total metals, 7470 Hg	6020 Dissolved Metals	Cyanide	Radium 226/228	8260 see attached list	8270 see attached list	8082 PCBs	8015 DRO	Radium 226/228
		-									
7 5 4											
e de la composição de l					×						
	×				<u> </u>						
100			×	×		×					
		×					×				×
神 学 学	×							×	×	×	
812 167 1	2	3	1	1	2	3	2	1	2	2	2
Valen	Plastic	VOA	Plastic	Plastic	Plastic	Plastic	VOA	Glass	Glass	VOA	VOA
	500ml	40ml	500ml	125ml	500ml	1,	40ml	1	1	40ml	40ml
Container	P		e6			ij.					

Sportige referred		Shipping vierie	
eld care, wear the Obstructures (Etrono) 1/5/17 Tmp.42.8°F, Humidity 42% , Wind Dir, East, Wind Speed 10.4 mph, Conditions Clear	eld Temp. 17.1C Field pH 7.69		