Susana Martinez Governor

Ken McQueen Cabinet Secretary

Matthias Sayer Deputy Cabinet Secretary

08 January 2018

Mr. Gregory E. Miller, P.G. Enterprise Field Services. LLC P.O. Box 4324 Houston, Texas 77210-4324 Vacant Division Director Oil Conservation Division



Re: Largo Compressor Station 3RP-1001 SOIL VAPOR EXTRACTION AND AIR SPARGING WORK PLAN Revised October 23, 2017

Dear Mr. Miller

OCD has reviewed the subject work plan. OCD approves this work plan with the following conditions.

1.) Routinely monitor sparged air (prior to emissions control) for hydrocarbon vapor concentration, oxygen content, explosive limits, and flow volume. Monitoring records should be available for OCD inspection.

2.) Provide District III staff with a schedule of major activities of tasks in your work plan

3.) Provide District III staff at least 72 hours prior notice of major activities in the schedule so that staff can witness activities.

4.) OCD's approval is for the SOIL VAPOR EXTRACTION AND AIR SPARGING WORK PLAN only.

Randolph Bayliss, P.E. Hydrologist 505-476-3084

lol

Vanessa Fields Environmental Specialist 505-334-6178 ext. 119

Cc: Jim Griswold, Brandon Powell, Cory Smith