



November 15, 2019

Mike Bratcher
Oil Conservation Division, District 2
811 S First St.
Artesia, NM 88210

Ryan Mann
New Mexico State Land Office
1001 S. Atkinson
Roswell, NM 88230

Closure Report

SRO State Com #64H
API #: 30-015-42130
RP#: 2RP-5209
GPS: 32.05748 -104.08201
Unit Letter E, Section 10, Township 26 South, Range 28 East
Eddy County, New Mexico

Mr. Bratcher/Mr. Mann,

COG Operating, LLC (COG) is pleased to submit the following closure report in response to a release that occurred at the SRO State Com 64H on January 10, 2019.

BACKGROUND

The release was discovered on January 10, 2019 and a C-141 initial report was submitted and approved by the New Mexico Oil Conservation Division (NMOCD). The initial C-141 is shown in Appendix A. The release was caused by a hole in the thread adapter on the transfer line. The thread adapter was replaced. Approximately ten (10) barrels (bbls) of produced water were released and five (5) bbls were recovered. The release took place directly behind the tank battery on location. A vacuum truck was utilized to recover all freestanding fluids. Following the release COG had the impacted area evaluated and a remediation work plan was submitted to and subsequently approved by NMOCD and New Mexico State Land Office (NMSLO). A copy of the approved work plan is attached in Appendix B.

GROUNDWATER AND REGULATORY FRAMEWORK

According to the New Mexico Office of the State Engineer (NMOSE) and the USGS National Water Information database, no water wells were located within Section 10. The nearest well is listed in Section 14 on the USGS database, approximately 1.0 mile southeast of the site, and has a reported depth to groundwater of 140' below surface. In addition, the Chevron Trend Map show depth to groundwater in the area is 50'-75' below surface for the area. The water well information is shown in Appendix B.

A risk based evaluation and site determinations were performed in accordance to the New Mexico Oil Conservation Division (NMOCD) Rule (Title 19 Chapter 15 Part 29) for releases on oil and gas development and production in New Mexico (effective August 14, 2018). According to the site characterization evaluation, the affected area has medium potential for cave karst no other receptors (water wells, playas, water course, lake beds or ordinance boundaries) were located within each specific boundaries or distance from the site. The groundwater data and the site characterization evaluation data is summarized in Appendix B. The delineation and closure criteria are listed below:

General Site Characterization and Groundwater:

Site Characterization	Average Groundwater Depth (ft.)
Medium Karst	50-75

Delineation and Closure Criteria:

Recommended Remedial Action Levels (RRALs)	
Chlorides	600 mg/kg
TPH (GRO and DRO and MRO)	100 mg/kg
Benzene	10 mg/kg
Total BTEX	50 mg/kg

REMEDIAL ACTIONS

- The area of BH-1 was excavated to a depth of 4.0' below surface and a 20-mil liner was installed on the floor.
- The area of BH-2 was excavated to a depth of 1.0' below surface.
- The area of BH-3 was excavated to a depth of 3.0' below surface.
- The excavated material was hauled to an NMOCD approved solid waste disposal facility.
- Confirmation soil samples (5-point composite) were collected from the bottom and sidewalls every 200 square feet per the approved sampling plan.

- Upon receipt of acceptable analytical results, the excavation was backfilled with clean “like” material and contoured to match the surrounding location.

SITE RECLAMATION AND RESTORATION

The spill remained on the pad thus no reclamation activities will be required at the site.

CLOSURE REQUEST

COG Operating, LLC respectfully requests that the NMOCD and NMSLO grant closure approval for the SRO State Com #64H incident (2RP-42130) that occurred on January 10, 2019.

Should you have any questions or concerns please do not hesitate to contact me.

Sincerely,

A handwritten signature in black ink that reads "Dakota Neel". The signature is written in a cursive, slightly slanted style.

Dakota Neel
HSE Coordinator
Dneel2@concho.com

FIGURES



TABLES

Table 1
COG Operating LLC.
SRO State Com #64H
Eddy County, New Mexico

[illegible]

(#)	Not Analyzed
-------	--------------

APPENDIX A

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party	OGRID
Contact Name	Contact Telephone
Contact email	Incident # (assigned by OCD)
Contact mailing address	

Location of Release Source

Latitude _____ Longitude _____
(NAD 83 in decimal degrees to 5 decimal places)

Site Name	Site Type
Date Release Discovered	API# (if applicable)

Unit Letter	Section	Township	Range	County

Surface Owner: ☐ State ☐ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

☐ Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
☐ Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	☐ Yes ☐ No
☐ Condensate	Volume Released (bbls)	Volume Recovered (bbls)
☐ Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
☐ Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? ☐ Yes ☐ No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

☐ The source of the release has been stopped.	
☐ The impacted area has been secured to protect human health and the environment.	
☐ Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.	
☐ All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: _____	Title: _____
Signature: <u>Delann Opreant</u>	Date: _____
email: _____	Telephone: _____
<u>OCD Only</u> Received by: _____ Date: _____	

Incident ID	
District RP	2RP-5209
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	>100 (ft bgs)
Did this release impact groundwater or surface water?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ☒ No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☒ No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ☒ No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes ☒ No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ☒ No
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ☒ No
Are the lateral extents of the release overlying an unstable area such as karst geology?	☒ Yes ☐ No
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☒ No
Did the release impact areas not on an exploration, development, production, or storage site?	☒ Yes ☐ No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: <i>Each of the following items must be included in the report.</i> ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells. ☐ Field data ☒ Data table of soil contaminant concentration data ☒ Depth to water determination ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release ☐ Boring or excavation logs ☒ Photographs including date and GIS information ☒ Topographic/Aerial maps ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Incident ID	
District RP	2RP-5209
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Ike Tavaréz Title: Senior HSE Supervisor
Signature:  Date: 4-9-19
email: itavarez@concho.com Telephone: 432-685-2573

OCD Only

Received by: Robert Hamlet Date: 4/17/2019

Incident ID	
District RP	2RP-5209
Facility ID	
Application ID	

Remediation Plan



Remediation Plan Checklist: *Each of the following items must be included in the plan.*

- ☒ Detailed description of proposed remediation technique
- ☒ Scaled sitemap with GPS coordinates showing delineation points
- ☒ Estimated volume of material to be remediated
- ☒ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☒ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- ☐ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☐ Extents of contamination must be fully delineated.
- ☐ Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Ike TavarezTitle: Senior HSE SupervisorSignature: Date: 4-9-19email: itavarez@concho.comTelephone: 432-685-2573**OCD Only**Received by: Robert HamletDate: 4/17/2019☒ Approved ☐ Approved with Attached Conditions of Approval ☐ Denied ☐ Deferral ApprovedSignature: Date: 4/17/2019

Incident ID	2RP-5209
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.

- ☐ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☐ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☐ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☐ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: _____ Title: _____


Signature:  _____ Date: _____

email: _____ Telephone: _____

OCD Only

Received by: Cristina Eads Date: 01/13/2020

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by:  _____ Date: _____

Printed Name: Cristina Eads Title: Environmental Specialist

APPENDIX B

Water Well Data
Average Depth to Groundwater (ft)
COG - SRO State #64
Eddy County, New Mexico

25 South 27 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

25 South 28 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

25 South 29 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

26 South 27 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

26 South 28 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

26 South 29 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

88 New Mexico State Engineers Well Reports

105 USGS Well Reports

90 Geology and Groundwater Conditions in Southern Lea, County, NM (Report 6)

Geology and Groundwater Resources of Eddy County, NM (Report 3)

34 NMOCD - Groundwater Data

121 Abandoned Waterwell (recently measured)

New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has been
replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	Code	POD Sub-basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	DepthWell	DepthWater	Water Column
C 01668		CUB	ED	3	3	12	26S	28E		589957	3546554*		250	100 150
C 02160		CUB	ED	4	1	2	14	26S	28E	589243	3546044*		300	120 180
C 02160 S		CUB	ED	1	1	2	14	26S	28E	589043	3546244*		300	120 180
C 02160 S2		CUB	ED	1	1	2	14	26S	28E	589043	3546244*		300	120 180
C 02160 S3		CUB	ED	2	2	1	14	26S	28E	588834	3546241*		300	120 180
C 02160 S4		CUB	ED	2	2	1	14	26S	28E	588834	3546241*		300	120 180
C 02160 S5		CUB	ED	1	1	1	14	26S	28E	588225	3546237*		300	120 180
C 02160 S6		CUB	ED	3	3	1	14	26S	28E	588232	3545635*		300	120 180
C 02160 S7		CUB	ED	3	3	1	22	26S	28E	586638	3543998*		300	120 180
C 02160 S8		CUB	ED	2	3	3	12	26S	28E	590056	3546653*		200	120 80
C 02160 S9		CUB	ED	3	3	2	02	26S	28E	589020	3548868*		300	120 180
C 02477		CUB	ED		1	1	03	26S	28E	586687	3549347*		150	
C 02478		CUB	ED		2	1	05	26S	28E	583848	3549325*		100	
C 02479		CUB	ED		4	4	10	26S	28E	587909	3546534*		200	
C 02480		CUB	ED		4	4	10	26S	28E	587909	3546534*		150	
C 02481		CUB	ED		1	1	14	26S	28E	588326	3546138*		200	
C 02894		C	ED	2	2	3	12	26S	28E	590458	3547061*		240	
C 02924		C	ED	1	3	2	11	26S	28E	589032	3547451*			
C 04022 POD1		CUB	ED	4	4	2	15	26S	28E	588082	3545647		220	175 45
C 04022 POD2		CUB	ED	2	2	2	27	26S	28E	588106	3543082		250	145 105

Average Depth to Water: **124 feet**

Minimum Depth: **100 feet**

Maximum Depth: **175 feet**

Record Count: 20

PLSS Search:

Township: 26S **Range:** 28E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

2/27/19 2:14 PM

WATER COLUMN/ AVERAGE DEPTH
TO WATER



[USGS Home](#)
[Contact USGS](#)
[Search USGS](#)

National Water Information System: Web Interface

[USGS Water Resources](#)

Data Category:

Groundwater ▼

Geographic Area:

New Mexico ▼

GO

Click to hide News Bulletins

- [Introducing The Next Generation of USGS Water Data for the Nation](#)
- [Full News](#) 

Groundwater levels for New Mexico

Click to hide state-specific text

Search Results -- 1 sites found

site_no list =

- 320309104020401

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 320309104020401 26S.28E.14.11111

Available data for this site

Groundwater: Field measurements ▼

GO

Eddy County, New Mexico

Hydrologic Unit Code 13060011

Latitude 32°02'59.0", Longitude 104°03'58.7" NAD83

Land-surface elevation 2,972.00 feet above NGVD29

This well is completed in the Rustler Formation (312RSLR) local aquifer.


Output formats

[Table of data](#)

[Tab-separated data](#)

[Graph of data](#)

[Reselect period](#)



Breaks in the plot represent a gap of at least one year between field measurements.

[Download a presentation-quality graph](#)

[Questions about sites/data?](#)

[Feedback on this web site](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

[Accessibility](#)

[Plug-Ins](#)

[FOIA](#)

[Privacy](#)

[Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for New Mexico: Water Levels

URL: [https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?](https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?site_no=320309104020401)



Page Contact Information: [New Mexico Water Data Maintainer](#)

Page Last Modified: 2019-03-22 11:39:04 EDT

1.16 0.95 nadww01

SRO State Com #64H

Legend

- 32.05748 -104.08201
- High
- Low
- Medium

32.05748 -104.08201

285

Google Earth

© 2018 Google

N

2 mi

SITE INFORMATION

Report Type: Work Plan 2RP-5209

General Site Information:

Site & Lease No:	SRO State Com #64					
Company:	COG Operating LLC					
Section, Township and Range	Unit E	Sec. 10	T 26S	R 28E		
Lease Number:	API No. 30-015-42130					
County:	Eddy County					
GPS:	32.057491			-104.082026		
Surface Owner:	State					
Directions:	From the intersection of Hwy 285 and Whites City Rd, travel west on Whites City Rd for 1.0 mi, turn south onto lease road and continue for 0.30 mi, turn west onto lease road for 0.20 miles to location.					

Release Data:

Date Released:	1/10/2019
Type Release:	Produced Water
Source of Contamination:	Transfer Line
Fluid Released:	10 bbls
Fluids Recovered:	5 bbls

Official Communication:

Name:	Ike Tavaréz		Clair Gonzales
Company:	COG Operating, LLC		Tetra Tech
Address:	One Concho Center		901 West Wall Street
	600 W. Illinois Ave.		Suite 100
City:	Midland Texas, 79701		Midland, Texas
Phone number:	(432) 686-3023		(432) 687-8110
Fax:	(432) 684-7137		
Email:	itavarez@concho.com		Clair.Gonzales@tetrattech.com

Site Characterization

Depth to Groundwater:	>100'
Karst Potential:	Medium

Recommended Remedial Action Levels (RRALs)

Benzene	Total BTEX	TPH (GRO+DRO+MRO)	Chlorides
10 mg/kg	50 mg/kg	100 mg/kg	600 mg/kg



April 8, 2019

Mr. Mike Bratcher
Oil Conservation Division, District 2
811 S. First Street
Artesia, New Mexico 88210

Re: Work Plan for the COG Operating, LLC, SRO State Com #64, Unit E, Section 10, Township 26 South, Range 28 East, Eddy County, New Mexico. 2RP-5209

Mr. Bratcher:

Tetra Tech, Inc. (Tetra Tech) was contacted by COG Operating, LLC (COG) to assess a release that occurred at the SRO State Com #64, Unit E, Section 10, Township 26 South, Range 28 East, Eddy County, New Mexico (Site). The spill site coordinates are 32.057491°, -104.082026°. The site location is shown on Figures 1 and 2.

Background

According to the State of New Mexico C-141 Initial Report, the leak was discovered on January 10, 2019, and released approximately 10 barrels of produced water due to a hole in the thread adapter on the transfer line. A vacuum truck was dispatched to remove all freestanding fluids, recovering approximately 5 barrels of produced water. The release occurred in the pasture adjacent to the facility and impacted an area measuring approximately 18' x 140'. The C-141 Form is included in Appendix A.

Site Characterization

A site characterization was performed for the site and no watercourses, lakebeds, sinkholes, playa lakes, residences, schools, hospitals, institutions, churches, springs, private domestic water wells, springs, wetlands, incorporated municipal boundaries, subsurface mines, or floodplains are located within the specified distances.

However, the site is located in a medium karst potential area. No water wells were listed within Section 10 on the New Mexico Office of the State Engineer's (NMOSE) database, the Geology and Groundwater Resources of Eddy County (Report 3), or the USGS National Water Information database. The nearest well is listed in Section 14 on the USGS database, approximately 1.0 mile southeast of the site, and has a reported depth to groundwater of 140' below surface. According to the Chevron Texaco Groundwater Trend map, the average depth to groundwater in the area is 50'-75' below surface. The groundwater data is shown in Appendix B

Tetra Tech

901 West Wall, Suite 100, Midland, TX 79701

Tel 432.682.4559 Fax 432.682.3946 www.tetrattech.com

Regulatory

A risk-based evaluation was performed for the Site in accordance with the New Mexico Oil Conservation Division (NMOCD) Guidelines for Remediation of Leaks, Spills and Releases, updated August 14, 2018. The guidelines require a risk-based evaluation of the site to determine recommended remedial action levels (RRAL) for benzene, toluene, ethylbenzene and xylene (collectively referred to as BTEX) and total petroleum hydrocarbons (TPH) in soil. The proposed RRAL for benzene was determined to be 10 parts per million (ppm) or milligrams per kilogram (mg/kg) and 50 ppm for total BTEX (sum of benzene, toluene, ethylbenzene, and xylene). Based upon the site characterization the proposed RRAL for TPH is 100 mg/kg (GRO+DRO+MRO). Additionally, the proposed RRAL for chlorides is 600 mg/kg.

Soil Assessment and Analytical Results

Tetra Tech personnel were onsite on February 21, 2019, to evaluate the release area. A total of three (3) boreholes (BH-1, BH-2, and BH-3) were installed in the release footprint to total depths ranging from 6'-7' to 39'-40' below surface. Additionally, four (4) horizontal samples (Horizontal South 1, Horizontal West 1, Horizontal West 2, and Horizontal North 1) were collected to define the horizontal extents of the release. Selected soil samples were collected and submitted to the laboratory for TPH analysis by EPA method 8015 modified, BTEX by EPA Method 8021B, and chloride by EPA method 300.0. Copies of the boring logs are included in Appendix C. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix D. The results of the sampling are summarized in Table 1. The sample locations are shown on Figure 3.

Bore Holes

Referring to Table 1, the areas of boreholes (BH-1, BH-2, and BH-3) did not show any benzene, total BTEX, or TPH concentrations above the laboratory reporting limits. The areas of boreholes (BH-2 and BH-3) showed chloride concentrations above the 600 mg/kg threshold in the shallow soils, with chloride highs of 714 mg/kg (BH-2) and 850 mg/kg (BH-3) at 0'-1' below surface. The chloride concentrations in these areas then declined with depth to below the RRAL at 2'-3' (BH-2) and 4'-5' (BH-3). The area of borehole (BH-1) showed a chloride high of 7,020 mg/kg at 0'-1', which declined with depth to below the RRAL at 9'-10' with a chloride concentration of 333 mg/kg. However, the chloride concentrations then increased with depth to 5,900 mg/kg at 24'-25' before declining to 140 mg/kg at 34'-35' and 243 mg/kg at 39'-40' below surface.

Horizontals

Referring to Table 1, none of the horizontal samples collected showed benzene, total BTEX, TPH, or chloride concentrations above the RRALs.

Work Plan

Based on the laboratory results, COG proposes to remove the chloride impacted soils as shown on Figure 4 and highlighted (green) on Table 1. Due to access issues and safety concerns, the proposed excavation will be performed to remove the impacted soil to the maximum extent practicable. The areas of borehole (BH-2) will be excavated to 1'-2' and the



area of borehole (BH-3) will be excavated to 2'-3' below surface. Additionally, the area of borehole (BH-1) will be excavated to 4'-5' below surface.

Variance

Per rule 19.15.29.14, COG requests a variance to install a 20-mil liner at 4.0' below surface in the areas of borehole (BH-1) to prevent vertical migration of the deeper chloride concentrations detected. Prior to the liner installation, composite sidewall samples will be collected every 200 square feet, to be representative of the release area, for documentation purposes.

Once completed, the excavated areas will then be backfilled with clean material to surface grade. All the excavated material will be transported offsite for proper disposal. COG estimates approximately 480 cubic yards will be excavated and will be implemented within ninety (90) days of the work plan being approved.

Sampling Plan

Five-point composite bottom hole confirmation samples will be collected in the areas of borehole (BH-2 and BH-3) sidewall confirmation samples will be collected in the areas of borehole (BH-1, BH-2, and BH-3) every 200 square feet in order to ensure proper removal of the impacted areas. The proposed excavation depths may not be reached due to wall cave-ins and safety concerns for onsite personnel. Also, impacted soil around oil and gas equipment, structures or lines may not be viable or practicable to be removed due to safety concerns for on-site personnel. As such, COG will excavate the impacted soils to the maximum extent practicable.

Conclusion

Upon completion, a final report detailing the remediation activities will be submitted to the NMOCD. If you have any questions or comments concerning the assessment or the proposed remediation activities for this site, please call at (432) 682-4559.

Respectfully submitted,
TETRA TECH

A handwritten signature in blue ink that reads "Clair Gonzales".

Clair Gonzales,
Project Manager

A handwritten signature in blue ink that reads "Mike Carmona".

Mike Carmona,
Geologist

cc: Ike Tavaréz - COG
Dakota Neel - COG
Rebecca Haskell - COG
Sheldon Hitchcock - COG
DeAnn Grant - COG

Figures



LEGEND

● SITE LOCATION

CONCHO

FIGURE 1


SRO STATE COM #064H
(32.057491°,-104.082026°)

OVERVIEW MAP


EDDY COUNTY, NEW MEXICO

Project : 212C-MD-01614	
Date : 03/29/2019	
File : H:\GIS\212C-MD-01614	



Sources: Esri, HERE, Garmin, Japan, METI, Esri China (Hong Kong), Swatch, Bing, OpenStreetMap contributors, and the GIS User Community



OVERALL VIEW 1:730,462



SAMPLE POINT LOCATIONS	LATITUDE	LONGITUDE
BH-1	32.05749	-104.082026
BH-2	32.05765	-104.082021
BH-3	32.05775	-104.082018
H-N1	32.05778	-104.082023
H-S1	32.05735	-104.082039
H-W1	32.05751	-104.082066
H-W2	32.05769	-104.082067



LEGEND

- BORE HOLE SAMPLE LOCATIONS
- SPILL AREA
- EQUIPMENT
- ABOVEGROUND POLY LINE
- STEEL PIPE



FIGURE 3

SRO STATE COM #64H
(32.057491°,-104.082026°)

SPILL ASSESSMENT MAP

EDDY COUNTY, NEW MEXICO


Project: 212C-MD-01614

Date: 04/02/2019

File: H:\GIS\212C-MD-01614



SAMPLE POINT LOCATIONS	LATITUDE	LONGITUDE
BH-1	32.05749	-104.082026
BH-2	32.05765	-104.082021
BH-3	32.05775	-104.082018
H-N1	32.05778	-104.082023
H-S1	32.05735	-104.082039
H-W1	32.05751	-104.082066
H-W2	32.05769	-104.082067



H-N1
BH-3
H-W2
BH-2
H-W1
BH-1
H-S1

RELEASE SOURCE

0 20 40
1"=40 FT

LEGEND

- BORE HOLE SAMPLE LOCATIONS
- 1.0' PROPOSED EXCAVATION
- 2.0'-3.0' PROPOSED EXCAVATION
- 4.0'-5.0' PROPOSED EXCAVATION w/LINER
- EQUIPMENT
- ABOVEGROUND POLY LINE
- STEEL PIPE



FIGURE 4

SRO STATE COM #64H
(32.057491°,-104.082026°)

PROPOSED EXCAVATION DEPTH
& AREA MAP
EDDY COUNTY, NEW MEXICO

Project: 212C-MD-01614
Date: 04/02/2019
File: H:\GIS\212C-MD-01614



Tables

Table 1
COG
SRO State Com #64
Eddy County, New Mexico

Sample ID	Sample Date	Sample Depth (ft)	Soil Status		TPH (mg/kg)				Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
			In-Situ	Removed	GRO	DRO	ORO	Total						
BH-1	2/21/2019	0-1	X		<15.0	<15.0	<15.0	<15.0	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	7,020
	"	2-3	X		<15.0	<15.0	<15.0	<15.0	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	6,990
	"	4-5	X		-	-	-	-	-	-	-	-	-	5,790
	"	6-7	X		-	-	-	-	-	-	-	-	-	5,810
	"	9-10	X		-	-	-	-	-	-	-	-	-	333
	"	14-15	X		-	-	-	-	-	-	-	-	-	712
	"	19-20	X		-	-	-	-	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	3,740
	"	24-25	X		-	-	-	-	-	-	-	-	-	5,900
	"	29-30	X		-	-	-	-	-	-	-	-	-	1,690
	"	34-35	X		-	-	-	-	-	-	-	-	-	140
	"	39-40	X		-	-	-	-	-	-	-	-	-	243
BH-2	2/21/2019	0-1	X		<15.0	<15.0	<15.0	<15.0	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	714
	"	2-3	X		<15.0	<15.0	<15.0	<15.0	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	229
	"	4-5	X		-	-	-	-	-	-	-	-	-	421
	"	6-7	X		-	-	-	-	-	-	-	-	-	<49.5
	"	9-10	X		-	-	-	-	-	-	-	-	-	67.0
BH-3	2/21/2019	0-1	X		<14.9	<14.9	<14.9	<14.9	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	850
	"	2-3	X		<14.9	<14.9	<14.9	<14.9	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	619
	"	4-5	X		-	-	-	-	-	-	-	-	-	329
	"	6-7	X		-	-	-	-	-	-	-	-	-	522
Horizontal South 1	2/21/2019	-	X		<15.0	<15.0	<15.0	<15.0	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	224
Horizontal West 1	2/21/2019	-	X		<15.0	<15.0	<15.0	<15.0	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	202
Horizontal West 2	2/21/2019	-	X		<15.0	<15.0	<15.0	<15.0	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	57.6
Horizontal North 1	2/21/2019	-	X		<15.0	<15.0	<15.0	<15.0	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	122

(-) Not Analyzed

 Proposed Excavation Depth

 Proposed Liner

Photos

COG Operating LLC
SRO State Com #64
Eddy County, New Mexico



View South – Area of BH-1



View West – Area of BH-2

COG Operating LLC
SRO State Com #64
Eddy County, New Mexico



TETRA TECH



View Northwest – Area of BH-3

Appendix A

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	
District RP	2RP-5209
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party	COG Operating, LLC	OGRID	229137
Contact Name	Jennifer Knowlton	Contact Telephone	(575) 748-1570
Contact email	JKnowlton@concho.com	Incident # (assigned by OCD)	
Contact mailing address	600 West Illinois Avenue, Midland, Texas 79701		

Location of Release Source

Latitude 32.05748 Longitude -104.08201
(NAD 83 in decimal degrees to 5 decimal places)

Site Name	SRO State Com #064H	Site Type	Flowline
Date Release Discovered	January 10, 2019	API# (if applicable)	30-015-42130

Unit Letter	Section	Township	Range	County
E	10	26S	28E	Eddy

Surface Owner: ☒ State ☐ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

☐ Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
☒ Produced Water	Volume Released (bbls) 10	Volume Recovered (bbls) 5
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	☒ Yes ☐ No
☐ Condensate	Volume Released (bbls)	Volume Recovered (bbls)
☐ Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
☐ Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

The release was caused by a hole in the thread adapter on the transfer line. The thread adapter is being replaced. The release was in the pasture. A vacuum truck was dispatched to remove all freestanding fluids. Concho will evaluate the site to determine if we may commence remediation immediately or delineate any possible impact from the release and we will present a remediation work plan to the NMOCD for approval prior to any significant remediation activities.

Incident ID	
District RP	2RP-5209
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? ☐ Yes ☒ No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

☒ The source of the release has been stopped. ☒ The impacted area has been secured to protect human health and the environment. ☒ Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. ☒ All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: <u>DeAnn Grant</u>	Title: <u>HSE Administrative Assistant</u>
Signature: <u></u>	Date: <u>1/18/2019</u>
email: <u>agrانت@concho.com</u>	Telephone: <u>(432) 253-4513</u>
<u>OCD Only</u>	
Received by: _____	Date: _____

Incident ID	
District RP	2RP-5209
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	>100 (ft bgs)
Did this release impact groundwater or surface water?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ☒ No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☒ No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ☒ No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes ☒ No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ☒ No
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ☒ No
Are the lateral extents of the release overlying an unstable area such as karst geology?	☒ Yes ☐ No
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☒ No
Did the release impact areas not on an exploration, development, production, or storage site?	☒ Yes ☐ No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: Each of the following items must be included in the report.

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☐ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☐ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Incident ID	
District RP	2RP-5209
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Ike Tavaréz Title: Senior HSE Supervisor
Signature:  Date: 4-9-19
email: itavarez@concho.com Telephone: 432-685-2573

OCD Only

Received by: _____ Date: _____

Incident ID	
District RP	2RP-5209
Facility ID	
Application ID	

Remediation Plan


Remediation Plan Checklist: *Each of the following items must be included in the plan.*

- ☒ Detailed description of proposed remediation technique
- ☒ Scaled sitemap with GPS coordinates showing delineation points
- ☒ Estimated volume of material to be remediated
- ☒ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☒ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- ☐ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☐ Extents of contamination must be fully delineated.
- ☐ Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Ike Tavarez Title: Senior HSE Supervisor
Signature:  Date: 4-9-19
email: itavarez@concho.com Telephone: 432-685-2573

OCD Only

Received by: _____ Date: _____

☐ Approved ☐ Approved with Attached Conditions of Approval ☐ Denied ☐ Deferral Approved

Signature: _____ Date: _____

Appendix B

Water Well Data
Average Depth to Groundwater (ft)
COG - SRO State #64
Eddy County, New Mexico

25 South 27 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

25 South 28 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

25 South 29 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

26 South 27 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

26 South 28 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

26 South 29 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

88 New Mexico State Engineers Well Reports

105 USGS Well Reports

90 Geology and Groundwater Conditions in Southern Lea, County, NM (Report 6)

Geology and Groundwater Resources of Eddy County, NM (Report 3)

34 NMOCD - Groundwater Data

121 Abandoned Waterwell (recently measured)

New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has been
replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	Code	POD Sub-basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	DepthWell	DepthWater	Water Column
C 01668		CUB	ED	3	3	12	26S	28E		589957	3546554*		250	100 150
C 02160		CUB	ED	4	1	2	14	26S	28E	589243	3546044*		300	120 180
C 02160 S		CUB	ED	1	1	2	14	26S	28E	589043	3546244*		300	120 180
C 02160 S2		CUB	ED	1	1	2	14	26S	28E	589043	3546244*		300	120 180
C 02160 S3		CUB	ED	2	2	1	14	26S	28E	588834	3546241*		300	120 180
C 02160 S4		CUB	ED	2	2	1	14	26S	28E	588834	3546241*		300	120 180
C 02160 S5		CUB	ED	1	1	1	14	26S	28E	588225	3546237*		300	120 180
C 02160 S6		CUB	ED	3	3	1	14	26S	28E	588232	3545635*		300	120 180
C 02160 S7		CUB	ED	3	3	1	22	26S	28E	586638	3543998*		300	120 180
C 02160 S8		CUB	ED	2	3	3	12	26S	28E	590056	3546653*		200	120 80
C 02160 S9		CUB	ED	3	3	2	02	26S	28E	589020	3548868*		300	120 180
C 02477		CUB	ED		1	1	03	26S	28E	586687	3549347*		150	
C 02478		CUB	ED		2	1	05	26S	28E	583848	3549325*		100	
C 02479		CUB	ED		4	4	10	26S	28E	587909	3546534*		200	
C 02480		CUB	ED		4	4	10	26S	28E	587909	3546534*		150	
C 02481		CUB	ED		1	1	14	26S	28E	588326	3546138*		200	
C 02894		C	ED	2	2	3	12	26S	28E	590458	3547061*		240	
C 02924		C	ED	1	3	2	11	26S	28E	589032	3547451*			
C 04022 POD1		CUB	ED	4	4	2	15	26S	28E	588082	3545647		220	175 45
C 04022 POD2		CUB	ED	2	2	2	27	26S	28E	588106	3543082		250	145 105

Average Depth to Water: **124 feet**

Minimum Depth: **100 feet**

Maximum Depth: **175 feet**

Record Count: 20

PLSS Search:

Township: 26S **Range:** 28E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

2/27/19 2:14 PM

WATER COLUMN/ AVERAGE DEPTH
TO WATER



[USGS Home](#)
[Contact USGS](#)
[Search USGS](#)

National Water Information System: Web Interface

[USGS Water Resources](#)

Data Category:

Groundwater ▼

Geographic Area:

New Mexico ▼

GO

Click to hide News Bulletins

- [Introducing The Next Generation of USGS Water Data for the Nation](#)
- [Full News](#) 

Groundwater levels for New Mexico

Click to hide state-specific text

Search Results -- 1 sites found

site_no list =

- 320309104020401

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 320309104020401 26S.28E.14.11111

Available data for this site

Groundwater: Field measurements ▼

GO

Eddy County, New Mexico

Hydrologic Unit Code 13060011

Latitude 32°02'59.0", Longitude 104°03'58.7" NAD83

Land-surface elevation 2,972.00 feet above NGVD29

This well is completed in the Rustler Formation (312RSLR) local aquifer.


Output formats

[Table of data](#)

[Tab-separated data](#)

[Graph of data](#)

[Reselect period](#)



Breaks in the plot represent a gap of at least one year between field measurements.

[Download a presentation-quality graph](#)

[Questions about sites/data?](#)

[Feedback on this web site](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

[Accessibility](#)

[Plug-Ins](#)

[FOIA](#)

[Privacy](#)

[Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for New Mexico: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?>



Page Contact Information: [New Mexico Water Data Maintainer](#)

Page Last Modified: 2019-03-22 11:39:04 EDT

1.16 0.95 nadww01

SRO State Com #64H

Legend

- 32.05748 -104.08201
- High
- Low
- Medium

32.05748 -104.08201

285


Google Earth

© 2018 Google


N

2 mi

New Mexico NFHL Data



March 22, 2019



FEMA
Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS,

nmfood.org is made possible through a collaboration with NMDHSEM, EDAC, and FEMA
This is a non-regulatory product for informational use only. Please consult your local floodplain administrator for further information.

Appendix C

Analytical Report 615456

for Tetra Tech- Midland

Project Manager: Clair Gonzales

SRO State Com #64

212C-MD-01614

27-FEB-19

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)

Xenco-Atlanta (LELAP Lab ID #04176)

Xenco-Tampa: Florida (E87429), North Carolina (483)

Xenco-Lakeland: Florida (E84098)



27-FEB-19

Project Manager: **Clair Gonzales**

Tetra Tech- Midland

901 West Wall ST

Midland, TX 79701

Reference: XENCO Report No(s): **615456**

SRO State Com #64

Project Address: Eddy County, New Mexico

Clair Gonzales:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 615456. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 615456 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

Tetra Tech- Midland, Midland, TX

SRO State Com #64

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
BH-1 (0'-1')	S	02-21-19 00:00		615456-001
BH-1 (2'-3')	S	02-21-19 00:00		615456-002
BH-1 (4'-5')	S	02-21-19 00:00		615456-003
BH-1 (6'-7')	S	02-21-19 00:00		615456-004
BH-1 (9'-10')	S	02-21-19 00:00		615456-005
BH-1 (14'-15')	S	02-21-19 00:00		615456-006
BH-1 (19'-20')	S	02-21-19 00:00		615456-007
BH-1 (24'-25')	S	02-21-19 00:00		615456-008
BH-1 (29'-30')	S	02-21-19 00:00		615456-009
BH-1 (34'-35')	S	02-21-19 00:00		615456-010
BH-1 (39'-40')	S	02-21-19 00:00		615456-011
BH-2 (0'-1')	S	02-21-19 00:00		615456-012
BH-2 (2'-3')	S	02-21-19 00:00		615456-013
BH-2 (4'-5')	S	02-21-19 00:00		615456-014
BH-2 (6'-7')	S	02-21-19 00:00		615456-015
BH-2 (9'-10')	S	02-21-19 00:00		615456-016
BH-3 (0'-1')	S	02-21-19 00:00		615456-017
BH-3 (2'-3')	S	02-21-19 00:00		615456-018
BH-3 (4'-5')	S	02-21-19 00:00		615456-019
BH-3 (4'-7')	S	02-21-19 00:00		615456-020
Horizontal-South 1	S	02-21-19 00:00		615456-021
Horizontal- West 1	S	02-21-19 00:00		615456-022
Horizontal West-2	S	02-21-19 00:00		615456-023
Horizontal- North 1	S	02-21-19 00:00		615456-024



CASE NARRATIVE

Client Name: Tetra Tech- Midland

Project Name: SRO State Com #64

Project ID: 212C-MD-01614
Work Order Number(s): 615456

Report Date: 27-FEB-19
Date Received: 02/22/2019

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3080460 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analysis Summary 615456

Tetra Tech- Midland, Midland, TX

Project Name: SRO State Com #64



Project Id: 212C-MD-01614
Contact: Clair Gonzales
Project Location: Eddy County, New Mexico

Date Received in Lab: Fri Feb-22-19 10:50 am
Report Date: 27-FEB-19
Project Manager: Jessica Kramer

<i>Analysis Requested</i>	<i>Lab Id:</i>	615456-001	615456-002	615456-003	615456-004	615456-005	615456-006
	<i>Field Id:</i>	BH-1 (0'-1')	BH-1 (2'-3')	BH-1 (4'-5')	BH-1 (6'-7')	BH-1 (9'-10')	BH-1 (14'-15')
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00
BTEX by EPA 8021B	<i>Extracted:</i>	Feb-26-19 13:45	Feb-26-19 13:45				
	<i>Analyzed:</i>	Feb-26-19 15:44	Feb-26-19 17:56				
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL				
Benzene		<0.00201 0.00201	<0.00200 0.00200				
Toluene		<0.00201 0.00201	<0.00200 0.00200				
Ethylbenzene		<0.00201 0.00201	<0.00200 0.00200				
m,p-Xylenes		<0.00402 0.00402	<0.00401 0.00401				
o-Xylene		<0.00201 0.00201	<0.00200 0.00200				
Total Xylenes		<0.00201 0.00201	<0.00200 0.00200				
Total BTEX		<0.00201 0.00201	<0.00200 0.00200				
Chloride by EPA 300	<i>Extracted:</i>	Feb-22-19 14:40	Feb-22-19 14:40	Feb-22-19 14:40	Feb-22-19 14:40	Feb-22-19 14:40	Feb-22-19 14:40
	<i>Analyzed:</i>	Feb-22-19 17:03	Feb-22-19 17:23	Feb-22-19 17:29	Feb-22-19 17:36	Feb-22-19 17:42	Feb-22-19 17:48
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		7020 49.6	6990 49.7	5790 49.9	5810 100	333 50.0	712 25.0
TPH by SW8015 Mod	<i>Extracted:</i>	Feb-22-19 14:00	Feb-22-19 14:00				
	<i>Analyzed:</i>	Feb-23-19 01:43	Feb-23-19 02:42				
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL				
Gasoline Range Hydrocarbons (GRO)		<15.0 15.0	<15.0 15.0				
Diesel Range Organics (DRO)		<15.0 15.0	<15.0 15.0				
Motor Oil Range Hydrocarbons (MRO)		<15.0 15.0	<15.0 15.0				
Total TPH		<15.0 15.0	<15.0 15.0				

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.
The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.
XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.
Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer

Jessica Kramer
Project Assistant



Certificate of Analysis Summary 615456

Tetra Tech- Midland, Midland, TX

Project Name: SRO State Com #64



Project Id: 212C-MD-01614
Contact: Clair Gonzales
Project Location: Eddy County, New Mexico

Date Received in Lab: Fri Feb-22-19 10:50 am
Report Date: 27-FEB-19
Project Manager: Jessica Kramer

<i>Analysis Requested</i>	<i>Lab Id:</i>	615456-007	615456-008	615456-009	615456-010	615456-011	615456-012
	<i>Field Id:</i>	BH-1 (19'-20')	BH-1 (24'-25')	BH-1 (29'-30')	BH-1 (34'-35')	BH-1 (39'-40')	BH-2 (0'-1')
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00
BTEX by EPA 8021B	<i>Extracted:</i>	Feb-26-19 13:45					Feb-26-19 13:45
	<i>Analyzed:</i>	Feb-26-19 20:07					Feb-26-19 20:26
	<i>Units/RL:</i>	mg/kg RL					mg/kg RL
Benzene		<0.00199 0.00199					<0.00202 0.00202
Toluene		<0.00199 0.00199					<0.00202 0.00202
Ethylbenzene		<0.00199 0.00199					<0.00202 0.00202
m,p-Xylenes		<0.00398 0.00398					<0.00403 0.00403
o-Xylene		<0.00199 0.00199					<0.00202 0.00202
Total Xylenes		<0.00199 0.00199					<0.00202 0.00202
Total BTEX		<0.00199 0.00199					<0.00202 0.00202
Chloride by EPA 300	<i>Extracted:</i>	Feb-22-19 14:40	Feb-22-19 14:40	Feb-22-19 14:40	Feb-22-19 14:40	Feb-22-19 14:40	Feb-22-19 14:40
	<i>Analyzed:</i>	Feb-22-19 18:13	Feb-22-19 18:19	Feb-22-19 18:39	Feb-22-19 18:45	Feb-22-19 16:15	Feb-22-19 18:51
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		3740 24.9	5900 49.9	1690 25.0	140 24.8	243 4.97	714 24.8
TPH by SW8015 Mod	<i>Extracted:</i>						Feb-22-19 14:00
	<i>Analyzed:</i>						Feb-23-19 03:01
	<i>Units/RL:</i>						mg/kg RL
Gasoline Range Hydrocarbons (GRO)							<15.0 15.0
Diesel Range Organics (DRO)							<15.0 15.0
Motor Oil Range Hydrocarbons (MRO)							<15.0 15.0
Total TPH							<15.0 15.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer

Jessica Kramer
Project Assistant



Certificate of Analysis Summary 615456

Tetra Tech- Midland, Midland, TX

Project Name: SRO State Com #64



Project Id: 212C-MD-01614
Contact: Clair Gonzales
Project Location: Eddy County, New Mexico

Date Received in Lab: Fri Feb-22-19 10:50 am
Report Date: 27-FEB-19
Project Manager: Jessica Kramer

<i>Analysis Requested</i>	<i>Lab Id:</i>	615456-013	615456-014	615456-015	615456-016	615456-017	615456-018
	<i>Field Id:</i>	BH-2 (2'-3')	BH-2 (4'-5')	BH-2 (6'-7')	BH-2 (9'-10')	BH-3 (0'-1')	BH-3 (2'-3')
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00
BTEX by EPA 8021B	<i>Extracted:</i>	Feb-26-19 13:45				Feb-26-19 13:45	Feb-26-19 13:45
	<i>Analyzed:</i>	Feb-26-19 21:04				Feb-26-19 21:23	Feb-26-19 21:42
	<i>Units/RL:</i>	mg/kg RL				mg/kg RL	mg/kg RL
Benzene		<0.00199 0.00199				<0.00200 0.00200	<0.00200 0.00200
Toluene		<0.00199 0.00199				<0.00200 0.00200	<0.00200 0.00200
Ethylbenzene		<0.00199 0.00199				<0.00200 0.00200	<0.00200 0.00200
m,p-Xylenes		<0.00398 0.00398				<0.00399 0.00399	<0.00401 0.00401
o-Xylene		<0.00199 0.00199				<0.00200 0.00200	<0.00200 0.00200
Total Xylenes		<0.00199 0.00199				<0.00200 0.00200	<0.00200 0.00200
Total BTEX		<0.00199 0.00199				<0.00200 0.00200	<0.00200 0.00200
Chloride by EPA 300	<i>Extracted:</i>	Feb-22-19 14:40	Feb-22-19 14:40	Feb-22-19 14:40	Feb-22-19 14:40	Feb-22-19 14:40	Feb-22-19 15:10
	<i>Analyzed:</i>	Feb-22-19 18:58	Feb-22-19 17:54	Feb-22-19 19:04	Feb-22-19 19:10	Feb-22-19 19:16	Feb-22-19 21:21
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		229 4.95	421 5.00	<49.5 49.5	67.0 25.0	850 25.0	619 24.9
TPH by SW8015 Mod	<i>Extracted:</i>	Feb-22-19 14:00				Feb-22-19 14:00	Feb-22-19 14:00
	<i>Analyzed:</i>	Feb-23-19 03:21				Feb-23-19 03:41	Feb-23-19 04:01
	<i>Units/RL:</i>	mg/kg RL				mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)		<15.0 15.0				<14.9 14.9	<14.9 14.9
Diesel Range Organics (DRO)		<15.0 15.0				<14.9 14.9	<14.9 14.9
Motor Oil Range Hydrocarbons (MRO)		<15.0 15.0				<14.9 14.9	<14.9 14.9
Total TPH		<15.0 15.0				<14.9 14.9	<14.9 14.9

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer

Jessica Kramer
Project Assistant



Certificate of Analysis Summary 615456

Tetra Tech- Midland, Midland, TX

Project Name: SRO State Com #64



Project Id: 212C-MD-01614
Contact: Clair Gonzales
Project Location: Eddy County, New Mexico

Date Received in Lab: Fri Feb-22-19 10:50 am
Report Date: 27-FEB-19
Project Manager: Jessica Kramer

<i>Analysis Requested</i>	<i>Lab Id:</i>	615456-019	615456-020	615456-021	615456-022	615456-023	615456-024
	<i>Field Id:</i>	BH-3 (4'-5')	BH-3 (4'-7')	Horizontal-South 1	Horizontal- West 1	Horizontal West-2	Horizontal- North 1
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00
BTEX by EPA 8021B	<i>Extracted:</i>			Feb-26-19 13:45	Feb-26-19 13:45	Feb-26-19 13:45	Feb-26-19 13:45
	<i>Analyzed:</i>			Feb-26-19 22:01	Feb-26-19 22:20	Feb-26-19 22:39	Feb-26-19 22:58
	<i>Units/RL:</i>			mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene				<0.00199 0.00199	<0.00201 0.00201	<0.00200 0.00200	<0.00199 0.00199
Toluene				<0.00199 0.00199	<0.00201 0.00201	<0.00200 0.00200	<0.00199 0.00199
Ethylbenzene				<0.00199 0.00199	<0.00201 0.00201	<0.00200 0.00200	<0.00199 0.00199
m,p-Xylenes				<0.00398 0.00398	<0.00402 0.00402	<0.00399 0.00399	<0.00398 0.00398
o-Xylene				<0.00199 0.00199	<0.00201 0.00201	<0.00200 0.00200	<0.00199 0.00199
Total Xylenes				<0.00199 0.00199	<0.00201 0.00201	<0.00200 0.00200	<0.00199 0.00199
Total BTEX				<0.00199 0.00199	<0.00201 0.00201	<0.00200 0.00200	<0.00199 0.00199

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.
The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.
XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.
Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer

Jessica Kramer
Project Assistant



Certificate of Analysis Summary 615456

Tetra Tech- Midland, Midland, TX

Project Name: SRO State Com #64



Project Id: 212C-MD-01614
Contact: Clair Gonzales
Project Location: Eddy County, New Mexico

Date Received in Lab: Fri Feb-22-19 10:50 am
Report Date: 27-FEB-19
Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	615456-019	615456-020	615456-021	615456-022	615456-023	615456-024
	Field Id:	BH-3 (4'-5')	BH-3 (4'-7')	Horizontal-South 1	Horizontal- West 1	Horizontal West-2	Horizontal- North 1
	Depth:						
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Sampled:	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00	Feb-21-19 00:00
Chloride by EPA 300	Extracted:	Feb-22-19 15:10	Feb-22-19 15:10	Feb-22-19 15:10	Feb-22-19 15:10	Feb-22-19 15:10	Feb-22-19 15:10
	Analyzed:	Feb-22-19 21:27	Feb-22-19 21:33	Feb-22-19 21:40	Feb-22-19 22:00	Feb-22-19 22:06	Feb-22-19 22:12
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		329 49.9	522 50.0	112 5.00	34.3 5.00	93.2 5.00	134 4.96
TPH by SW8015 Mod	Extracted:			Feb-22-19 14:00	Feb-22-19 14:00	Feb-22-19 14:00	Feb-22-19 14:00
	Analyzed:			Feb-23-19 04:21	Feb-23-19 04:40	Feb-23-19 05:00	Feb-23-19 05:20
	Units/RL:			mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)				<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0
Diesel Range Organics (DRO)				<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0
Motor Oil Range Hydrocarbons (MRO)				<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0
Total TPH				<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer

Jessica Kramer
Project Assistant

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit

SDL Sample Detection Limit

LOD Limit of Detection

PQL Practical Quantitation Limit

MQL Method Quantitation Limit

LOQ Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample

BLK

Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample

BKSD/LCSD

Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate

MS

Matrix Spike

MSD: Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



Form 2 - Surrogate Recoveries

Project Name: SRO State Com #64

Work Orders : 615456,

Lab Batch #: 3080227

Sample: 615456-001 / SMP

Project ID: 212C-MD-01614

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/23/19 01:43

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	98.6	100	99	70-135	
o-Terphenyl	48.7	50.0	97	70-135	

Lab Batch #: 3080227

Sample: 615456-002 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/23/19 02:42

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	99.4	99.7	100	70-135	
o-Terphenyl	49.0	49.9	98	70-135	

Lab Batch #: 3080227

Sample: 615456-012 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/23/19 03:01

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	98.0	100	98	70-135	
o-Terphenyl	48.2	50.0	96	70-135	

Lab Batch #: 3080227

Sample: 615456-013 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/23/19 03:21

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	98.8	99.8	99	70-135	
o-Terphenyl	49.0	49.9	98	70-135	

Lab Batch #: 3080227

Sample: 615456-017 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/23/19 03:41

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	97.3	99.6	98	70-135	
o-Terphenyl	48.4	49.8	97	70-135	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: SRO State Com #64

Work Orders : 615456,

Lab Batch #: 3080227

Sample: 615456-018 / SMP

Project ID: 212C-MD-01614

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/23/19 04:01

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	96.9	99.6	97	70-135	
o-Terphenyl	48.1	49.8	97	70-135	

Lab Batch #: 3080227

Sample: 615456-021 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/23/19 04:21

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	97.7	99.9	98	70-135	
o-Terphenyl	48.0	50.0	96	70-135	

Lab Batch #: 3080227

Sample: 615456-022 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/23/19 04:40

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	95.8	99.8	96	70-135	
o-Terphenyl	47.1	49.9	94	70-135	

Lab Batch #: 3080227

Sample: 615456-023 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/23/19 05:00

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	97.7	99.7	98	70-135	
o-Terphenyl	47.9	49.9	96	70-135	

Lab Batch #: 3080227

Sample: 615456-024 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/23/19 05:20

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	96.9	99.9	97	70-135	
o-Terphenyl	47.3	50.0	95	70-135	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: SRO State Com #64

Work Orders : 615456,

Lab Batch #: 3080460

Sample: 615456-001 / SMP

Project ID: 212C-MD-01614

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/26/19 15:44

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0339	0.0300	113	70-130	
4-Bromofluorobenzene	0.0318	0.0300	106	70-130	

Lab Batch #: 3080460

Sample: 615456-002 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/26/19 17:56

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0346	0.0300	115	70-130	
4-Bromofluorobenzene	0.0346	0.0300	115	70-130	

Lab Batch #: 3080460

Sample: 615456-007 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/26/19 20:07

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0341	0.0300	114	70-130	
4-Bromofluorobenzene	0.0324	0.0300	108	70-130	

Lab Batch #: 3080460

Sample: 615456-012 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/26/19 20:26

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0345	0.0300	115	70-130	
4-Bromofluorobenzene	0.0346	0.0300	115	70-130	

Lab Batch #: 3080460

Sample: 615456-013 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/26/19 21:04

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0340	0.0300	113	70-130	
4-Bromofluorobenzene	0.0343	0.0300	114	70-130	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: SRO State Com #64

Work Orders : 615456,

Lab Batch #: 3080460

Sample: 615456-017 / SMP

Project ID: 212C-MD-01614

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/26/19 21:23

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0346	0.0300	115	70-130	
4-Bromofluorobenzene	0.0346	0.0300	115	70-130	

Lab Batch #: 3080460

Sample: 615456-018 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/26/19 21:42

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0342	0.0300	114	70-130	
4-Bromofluorobenzene	0.0338	0.0300	113	70-130	

Lab Batch #: 3080460

Sample: 615456-021 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/26/19 22:01

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0336	0.0300	112	70-130	
4-Bromofluorobenzene	0.0362	0.0300	121	70-130	

Lab Batch #: 3080460

Sample: 615456-022 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/26/19 22:20

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0340	0.0300	113	70-130	
4-Bromofluorobenzene	0.0344	0.0300	115	70-130	

Lab Batch #: 3080460

Sample: 615456-023 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/26/19 22:39

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0334	0.0300	111	70-130	
4-Bromofluorobenzene	0.0357	0.0300	119	70-130	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: SRO State Com #64

Work Orders : 615456,

Lab Batch #: 3080460

Sample: 615456-024 / SMP

Project ID: 212C-MD-01614

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/26/19 22:58

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0341	0.0300	114	70-130	
4-Bromofluorobenzene	0.0347	0.0300	116	70-130	

Lab Batch #: 3080227

Sample: 7672374-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 02/22/19 21:07

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	101	100	101	70-135	
o-Terphenyl	51.9	50.0	104	70-135	

Lab Batch #: 3080460

Sample: 7672572-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 02/26/19 15:25

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0327	0.0300	109	70-130	
4-Bromofluorobenzene	0.0308	0.0300	103	70-130	

Lab Batch #: 3080227

Sample: 7672374-1-BKS / BKS

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 02/22/19 21:27

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	121	100	121	70-135	
o-Terphenyl	54.6	50.0	109	70-135	

Lab Batch #: 3080460

Sample: 7672572-1-BKS / BKS

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 02/26/19 13:52

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0319	0.0300	106	70-130	
4-Bromofluorobenzene	0.0298	0.0300	99	70-130	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: SRO State Com #64

Work Orders : 615456,

Lab Batch #: 3080227

Sample: 7672374-1-BSD / BSD

Project ID: 212C-MD-01614

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 02/22/19 21:46

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	130	100	130	70-135	
o-Terphenyl	62.7	50.0	125	70-135	

Lab Batch #: 3080460

Sample: 7672572-1-BSD / BSD

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 02/26/19 14:11

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0318	0.0300	106	70-130	
4-Bromofluorobenzene	0.0296	0.0300	99	70-130	

Lab Batch #: 3080227

Sample: 615310-001 S / MS

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/22/19 22:25

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	125	99.9	125	70-135	
o-Terphenyl	60.2	50.0	120	70-135	

Lab Batch #: 3080460

Sample: 615456-001 S / MS

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/26/19 14:30

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0326	0.0300	109	70-130	
4-Bromofluorobenzene	0.0311	0.0300	104	70-130	

Lab Batch #: 3080227

Sample: 615310-001 SD / MSD

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/22/19 22:45

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	122	99.8	122	70-135	
o-Terphenyl	49.9	49.9	100	70-135	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: SRO State Com #64

Work Orders : 615456,

Lab Batch #: 3080460

Sample: 615456-001 SD / MSD

Project ID: 212C-MD-01614

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 02/26/19 14:49

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0329	0.0300	110	70-130	
4-Bromofluorobenzene	0.0314	0.0300	105	70-130	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



BS / BSD Recoveries



Project Name: SRO State Com #64

Work Order #: 615456

Project ID: 212C-MD-01614

Analyst: SCM

Date Prepared: 02/26/2019

Date Analyzed: 02/26/2019

Lab Batch ID: 3080460

Sample: 7672572-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

BTEX by EPA 8021B	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Benzene	<0.000385	0.100	0.119	119	0.101	0.119	118	0	70-130	35	
Toluene	<0.000456	0.100	0.107	107	0.101	0.106	105	1	70-130	35	
Ethylbenzene	<0.000565	0.100	0.104	104	0.101	0.104	103	0	70-130	35	
m,p-Xylenes	<0.00101	0.200	0.210	105	0.201	0.208	103	1	70-130	35	
o-Xylene	<0.000344	0.100	0.103	103	0.101	0.103	102	0	70-130	35	

Analyst: CHE

Date Prepared: 02/22/2019

Date Analyzed: 02/22/2019

Lab Batch ID: 3080218

Sample: 7672335-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	<0.858	250	244	98	250	244	98	0	90-110	20	

Relative Percent Difference RPD = $200 * |(C-F)/(C+F)|$

Blank Spike Recovery [D] = $100 * (C)/[B]$

Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



BS / BSD Recoveries



Project Name: SRO State Com #64

Work Order #: 615456

Project ID: 212C-MD-01614

Analyst: CHE

Date Prepared: 02/22/2019

Date Analyzed: 02/22/2019

Lab Batch ID: 3080220

Sample: 7672336-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	<0.858	250	246	98	250	255	102	4	90-110	20	

Analyst: ARM

Date Prepared: 02/22/2019

Date Analyzed: 02/22/2019

Lab Batch ID: 3080227

Sample: 7672374-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH by SW8015 Mod	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	933	93	1000	915	92	2	70-135	20	
Diesel Range Organics (DRO)	<8.13	1000	1030	103	1000	990	99	4	70-135	20	

Relative Percent Difference RPD = $200 * |(C-F)/(C+F)|$

Blank Spike Recovery [D] = $100 * (C)/[B]$

Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



Form 3 - MS / MSD Recoveries



Project Name: SRO State Com #64

Work Order # : 615456

Project ID: 212C-MD-01614

Lab Batch ID: 3080460

QC- Sample ID: 615456-001 S

Batch #: 1 Matrix: Soil

Date Analyzed: 02/26/2019

Date Prepared: 02/26/2019

Analyst: SCM

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Benzene	<0.000384	0.0998	0.0933	93	0.100	0.0953	95	2	70-130	35	
Toluene	<0.000455	0.0998	0.0814	82	0.100	0.0827	83	2	70-130	35	
Ethylbenzene	<0.000564	0.0998	0.0747	75	0.100	0.0764	76	2	70-130	35	
m,p-Xylenes	<0.00101	0.200	0.152	76	0.200	0.154	77	1	70-130	35	
o-Xylene	<0.000344	0.0998	0.0752	75	0.100	0.0767	77	2	70-130	35	

Lab Batch ID: 3080218

QC- Sample ID: 615456-011 S

Batch #: 1 Matrix: Soil

Date Analyzed: 02/22/2019

Date Prepared: 02/22/2019

Analyst: CHE

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	243	249	509	107	249	499	103	2	90-110	20	

Lab Batch ID: 3080218

QC- Sample ID: 615456-014 S

Batch #: 1 Matrix: Soil

Date Analyzed: 02/22/2019

Date Prepared: 02/22/2019

Analyst: CHE

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	421	250	657	94	250	654	93	0	90-110	20	

Matrix Spike Percent Recovery $[D] = 100 \times (C-A)/B$
Relative Percent Difference $RPD = 200 \times |(C-F)/(C+F)|$

Matrix Spike Duplicate Percent Recovery $[G] = 100 \times (F-A)/E$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable

N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.



Form 3 - MS / MSD Recoveries



Project Name: SRO State Com #64

Work Order # : 615456

Project ID: 212C-MD-01614

Lab Batch ID: 3080220

QC- Sample ID: 615308-002 S

Batch #: 1 Matrix: Soil

Date Analyzed: 02/22/2019

Date Prepared: 02/22/2019

Analyst: CHE

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	30.4	250	279	99	250	290	104	4	90-110	20	

Lab Batch ID: 3080220

QC- Sample ID: 615308-003 S

Batch #: 1 Matrix: Soil

Date Analyzed: 02/22/2019

Date Prepared: 02/22/2019

Analyst: CHE

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	30.4	249	279	100	249	289	104	4	90-110	20	

Lab Batch ID: 3080227

QC- Sample ID: 615310-001 S

Batch #: 1 Matrix: Soil

Date Analyzed: 02/22/2019

Date Prepared: 02/22/2019

Analyst: ARM

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	8.49	999	909	90	998	914	91	1	70-135	20	
Diesel Range Organics (DRO)	52.5	999	998	95	998	1020	97	2	70-135	20	

Matrix Spike Percent Recovery $[D] = 100 * (C - A) / B$
Relative Percent Difference $RPD = 200 * |(C - F) / (C + F)|$

Matrix Spike Duplicate Percent Recovery $[G] = 100 * (F - A) / E$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable

N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.

Analysis Request of Chain of Custody Record

**Tetra Tech, Inc.**900 West Wall Street, Ste 100
Midland, Texas 79701
Tel (432) 682-4559
Fax (432) 682-3946

Page

1 of 3

Client Name:		COG		Site Manager:		Clair Gonzales					
Project Name:		SRO State Corn #64		Project #:		212C-MD-01614					
Project Location: (county, state)		Eddy County, New Mexico		Project #:		212C-MD-01614					
Invoice to:		COG - Ike Tavaréz		Sampler Signature:							
Receiving Laboratory:		Xenco		Sampler Signature:							
Comments:		Run deeper samples if GRO+DRO exceeds 100 mg/kg. Run deeper samples if benzene exceeds 10 mg/kg or total BTEX exceeds 50 mg/kg.									
LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX	PRESERVATIVE METHOD	# CONTAINERS	FILTERED (Y/N)				
		YEAR: 2019	DATE					TIME			
	BH-1 (0'-1')		2/21/2019			X	1	N			
	BH-1 (2'-3')		2/21/2019			X	1	N			
	BH-1 (4'-5')		2/21/2019			X	1	N			
	BH-1 (6'-7')		2/21/2019			X	1	N			
	BH-1 (9'-10')		2/21/2019			X	1	N			
	BH-1 (14'-15')		2/21/2019			X	1	N			
	BH-1 (19'-20')		2/21/2019			X	1	N			
	BH-1 (24'-25')		2/21/2019			X	1	N			
	BH-1 (29'-30')		2/21/2019			X	1	N			
	BH-1 (34'-35')		2/21/2019			X	1	N			
Relinquished by:		Date: 2-22-19		Time:		Received by:		Date: 2/22/19		Time: 1050	
Relinquished by:		Date:		Time:		Received by:		Date:		Time:	
Relinquished by:		Date:		Time:		Received by:		Date:		Time:	

LAB USE ONLY	REMARKS:	STANDARD		RUSH: Same Day 24 hr 48 hr 72 hr		Push Charges Authorized		Special Report Limits or TRRP Report	

ANALYSIS REQUEST (Circle or Specify Method No.)	
BTEX 8021B	BTEX 8260B
TPH TX1005 (Ext to C35)	
TPH 8015M (GRO - DRO - ORO - MRO)	
PAH 8270C	
Total Metals Ag As Ba Cd Cr Pb Se Hg	
TCLP Metals Ag As Ba Cd Cr Pb Se Hg	
TCLP Volatiles	
TCLP Semi Volatiles	
RCI	
GC/MS Vol. 8260B / 624	
GC/MS Semi. Vol. 8270C/625	
PCB's 8082 / 608	
NORM	
PLM (Asbestos)	
Chloride 300.0	
Chloride Sulfate TDS	
General Water Chemistry (see attached list)	
Anion/Cation Balance	
TPH 8015R	
HOLD	

ORIGINAL COPY

Analysis Request of Chain of Custody Record



Tetra Tech. Inc.

900 West Wall Street, Ste 100
Midland, Texas 79701
Tel (432) 682-4559
Fax (432) 682-3946

Client Name:		COG		Site Manager:		Clair Gonzales	
Project Name:		SRO State Com #64					
Project Location: (county, state)		Eddy County, New Mexico		Project #:		212C-MD-01614	
Invoice to:		COG - Ike Tavares					
Receiving Laboratory:		Xenco		Sampler Signature:		<i>[Signature]</i>	
Comments: Run deeper samples if GRO+DRO exceeds 100 mg/kg. Run deeper samples if benzene exceeds 10 mg/kg or total BTEX exceeds 50 mg/kg.							

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX	PRESERVATIVE METHOD					# CONTAINERS	FILTERED (Y/N)	
		DATE	TIME		WATER	SOIL	HCL	HNO ₃	ICE			None
	BH-1 (39'-40')	2/21/2019		X				X			1	N
	BH-2 (0'-1')	2/21/2019		X				X			1	N
	BH-2 (2'-3')	2/21/2019		X				X			1	N
	BH-2 (4'-5')	2/21/2019		X				X			1	N
	BH-2 (6'-7')	2/21/2019		X				X			1	N
	BH-2 (9'-10')	2/21/2019		X				X			1	N
	BH-3 (0'-1')	2/21/2019		X				X			1	N
	BH-3 (2'-3')	2/21/2019		X				X			1	N
	BH-3 (4'-5')	2/21/2019		X				X			1	N
	BH-3 (6'-7')	2/21/2019		X				X			1	N

Relinquished by:	<i>[Signature]</i>	Date:	2-28-19	Time:		Received by:	<i>[Signature]</i>	Date:	2/21/19	Time:	1050
Relinquished by:		Date:		Time:		Received by:		Date:		Time:	

ORIGINAL COPY

LAB USE ONLY		REMARKS:	
☐ STANDARD	☒ RUSH: Same Day 24 hr 48 hr 72 hr		
☐ Rush Charges Authorized	☐ Special Report Limits or TRRP Report		

(Circle or Specify Method No.)	
BTEX 8021B	BTEX 8260B
TPH TX1005 (Ext to C35)	
TPH 8015M (GRO - DRO - ORO - MRO)	
PAH 8270C	
Total Metals Ag As Ba Cd Cr Pb Se Hg	
TCLP Metals Ag As Ba Cd Cr Pb Se Hg	
TCLP Volatiles	
TCLP Semi Volatiles	
RCI	
GC/MS Vol. 8260B / 624	
GC/MS Semi. Vol. 8270C/625	
PCB's 8082 / 608	
NORM	
PLM (Asbestos)	
Chloride 300.0	
Chloride Sulfate TDS	
General Water Chemistry (see attached list)	
Anion/Cation Balance	
TPH 8015R	
HOLD	

10



900 West Wall Street, Ste 100
Midland, Texas 79701
Tel (432) 682-4559
Fax (432) 682-3946

[illegible]

ORIGINAL COPY



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In



Client: Tetra Tech- Midland

Date/ Time Received: 02/22/2019 10:50:00 AM

Work Order #: 615456

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	.4
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Brianna Teel

Brianna Teel

Date: 02/22/2019

Checklist reviewed by:

Jessica Kramer

Jessica Kramer

Date: 02/22/2019

APPENDIX C

August 22, 2019

DAKOTA NEEL

COG OPERATING

P. O. BOX 1630

ARTESIA, NM 88210

RE: SRO #64

Enclosed are the results of analyses for samples received by the laboratory on 08/21/19 12:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-18-11. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

COG OPERATING
DAKOTA NEEL
P. O. BOX 1630
ARTESIA NM, 88210
Fax To: NONE

Received: 08/21/2019
Reported: 08/22/2019
Project Name: SRO #64
Project Number: NONE GIVEN
Project Location: COG

Sampling Date: 08/19/2019
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: BTM - 1 (H902877-01)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2019	ND	1.79	89.7	2.00	0.0805	
Toluene*	<0.050	0.050	08/21/2019	ND	1.99	99.6	2.00	6.86	
Ethylbenzene*	<0.050	0.050	08/21/2019	ND	2.02	101	2.00	7.43	
Total Xylenes*	<0.150	0.150	08/21/2019	ND	6.15	102	6.00	7.61	
Total BTEX	<0.300	0.300	08/21/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	08/22/2019	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/21/2019	ND	204	102	200	2.36	
DRO >C10-C28*	<10.0	10.0	08/21/2019	ND	206	103	200	6.55	
EXT DRO >C28-C36	<10.0	10.0	08/21/2019	ND					

Surrogate: 1-Chlorooctane 91.8 % 41-142

Surrogate: 1-Chlorooctadecane 97.6 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

COG OPERATING
DAKOTA NEEL
P. O. BOX 1630
ARTESIA NM, 88210
Fax To: NONE

Received: 08/21/2019
Reported: 08/22/2019
Project Name: SRO #64
Project Number: NONE GIVEN
Project Location: COG

Sampling Date: 08/19/2019
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: BTM - 2 (H902877-02)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2019	ND	1.79	89.7	2.00	0.0805	
Toluene*	<0.050	0.050	08/21/2019	ND	1.99	99.6	2.00	6.86	
Ethylbenzene*	<0.050	0.050	08/21/2019	ND	2.02	101	2.00	7.43	
Total Xylenes*	<0.150	0.150	08/21/2019	ND	6.15	102	6.00	7.61	
Total BTEX	<0.300	0.300	08/21/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	08/22/2019	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/21/2019	ND	204	102	200	2.36	
DRO >C10-C28*	<10.0	10.0	08/21/2019	ND	206	103	200	6.55	
EXT DRO >C28-C36	<10.0	10.0	08/21/2019	ND					

Surrogate: 1-Chlorooctane 101 % 41-142

Surrogate: 1-Chlorooctadecane 105 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

COG OPERATING
DAKOTA NEEL
P. O. BOX 1630
ARTESIA NM, 88210
Fax To: NONE

Received: 08/21/2019
Reported: 08/22/2019
Project Name: SRO #64
Project Number: NONE GIVEN
Project Location: COG

Sampling Date: 08/19/2019
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: BTM - 3 (H902877-03)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2019	ND	1.79	89.7	2.00	0.0805	
Toluene*	<0.050	0.050	08/21/2019	ND	1.99	99.6	2.00	6.86	
Ethylbenzene*	<0.050	0.050	08/21/2019	ND	2.02	101	2.00	7.43	
Total Xylenes*	<0.150	0.150	08/21/2019	ND	6.15	102	6.00	7.61	
Total BTEX	<0.300	0.300	08/21/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	08/22/2019	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/22/2019	ND	204	102	200	2.36	
DRO >C10-C28*	<10.0	10.0	08/22/2019	ND	206	103	200	6.55	
EXT DRO >C28-C36	<10.0	10.0	08/22/2019	ND					

Surrogate: 1-Chlorooctane 100 % 41-142

Surrogate: 1-Chlorooctadecane 105 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

COG OPERATING
DAKOTA NEEL
P. O. BOX 1630
ARTESIA NM, 88210
Fax To: NONE

Received: 08/21/2019
Reported: 08/22/2019
Project Name: SRO #64
Project Number: NONE GIVEN
Project Location: COG

Sampling Date: 08/19/2019
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: BTM - 4 (H902877-04)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2019	ND	1.79	89.7	2.00	0.0805	
Toluene*	<0.050	0.050	08/21/2019	ND	1.99	99.6	2.00	6.86	
Ethylbenzene*	<0.050	0.050	08/21/2019	ND	2.02	101	2.00	7.43	
Total Xylenes*	<0.150	0.150	08/21/2019	ND	6.15	102	6.00	7.61	
Total BTEX	<0.300	0.300	08/21/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	08/22/2019	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/22/2019	ND	204	102	200	2.36	
DRO >C10-C28*	<10.0	10.0	08/22/2019	ND	206	103	200	6.55	
EXT DRO >C28-C36	<10.0	10.0	08/22/2019	ND					

Surrogate: 1-Chlorooctane 86.5 % 41-142

Surrogate: 1-Chlorooctadecane 89.5 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 COG OPERATING
 DAKOTA NEEL
 P. O. BOX 1630
 ARTESIA NM, 88210
 Fax To: NONE

 Received: 08/21/2019
 Reported: 08/22/2019
 Project Name: SRO #64
 Project Number: NONE GIVEN
 Project Location: COG

 Sampling Date: 08/19/2019
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BTM - 5 (H902877-05)

BTEX 8021B		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/21/2019	ND	1.79	89.7	2.00	0.0805		
Toluene*	<0.050	0.050	08/21/2019	ND	1.99	99.6	2.00	6.86		
Ethylbenzene*	<0.050	0.050	08/21/2019	ND	2.02	101	2.00	7.43		
Total Xylenes*	<0.150	0.150	08/21/2019	ND	6.15	102	6.00	7.61		
Total BTEX	<0.300	0.300	08/21/2019	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	272	16.0	08/22/2019	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/22/2019	ND	204	102	200	2.36	
DRO >C10-C28*	12.2	10.0	08/22/2019	ND	206	103	200	6.55	
EXT DRO >C28-C36	<10.0	10.0	08/22/2019	ND					

Surrogate: 1-Chlorooctane 85.4 % 41-142

Surrogate: 1-Chlorooctadecane 87.9 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

COG OPERATING
DAKOTA NEEL
P. O. BOX 1630
ARTESIA NM, 88210
Fax To: NONE

Received: 08/21/2019
Reported: 08/22/2019
Project Name: SRO #64
Project Number: NONE GIVEN
Project Location: COG

Sampling Date: 08/19/2019
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: BTM - 6 (H902877-06)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2019	ND	1.79	89.7	2.00	0.0805	
Toluene*	<0.050	0.050	08/21/2019	ND	1.99	99.6	2.00	6.86	
Ethylbenzene*	<0.050	0.050	08/21/2019	ND	2.02	101	2.00	7.43	
Total Xylenes*	<0.150	0.150	08/21/2019	ND	6.15	102	6.00	7.61	
Total BTEX	<0.300	0.300	08/21/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	08/22/2019	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/22/2019	ND	204	102	200	2.36	
DRO >C10-C28*	<10.0	10.0	08/22/2019	ND	206	103	200	6.55	
EXT DRO >C28-C36	<10.0	10.0	08/22/2019	ND					

Surrogate: 1-Chlorooctane 92.2 % 41-142

Surrogate: 1-Chlorooctadecane 97.6 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

COG OPERATING
DAKOTA NEEL
P. O. BOX 1630
ARTESIA NM, 88210
Fax To: NONE

Received: 08/21/2019
Reported: 08/22/2019
Project Name: SRO #64
Project Number: NONE GIVEN
Project Location: COG

Sampling Date: 08/19/2019
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: BTM - 7 (H902877-07)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2019	ND	1.79	89.7	2.00	0.0805	
Toluene*	<0.050	0.050	08/21/2019	ND	1.99	99.6	2.00	6.86	
Ethylbenzene*	<0.050	0.050	08/21/2019	ND	2.02	101	2.00	7.43	
Total Xylenes*	<0.150	0.150	08/21/2019	ND	6.15	102	6.00	7.61	
Total BTEX	<0.300	0.300	08/21/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	08/22/2019	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/22/2019	ND	204	102	200	2.36	
DRO >C10-C28*	<10.0	10.0	08/22/2019	ND	206	103	200	6.55	
EXT DRO >C28-C36	<10.0	10.0	08/22/2019	ND					

Surrogate: 1-Chlorooctane 95.7 % 41-142

Surrogate: 1-Chlorooctadecane 102 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 COG OPERATING
 DAKOTA NEEL
 P. O. BOX 1630
 ARTESIA NM, 88210
 Fax To: NONE

 Received: 08/21/2019
 Reported: 08/22/2019
 Project Name: SRO #64
 Project Number: NONE GIVEN
 Project Location: COG

 Sampling Date: 08/19/2019
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: S 1 (H902877-08)

BTX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2019	ND	1.79	89.7	2.00	0.0805	
Toluene*	<0.050	0.050	08/21/2019	ND	1.99	99.6	2.00	6.86	
Ethylbenzene*	<0.050	0.050	08/21/2019	ND	2.02	101	2.00	7.43	
Total Xylenes*	<0.150	0.150	08/21/2019	ND	6.15	102	6.00	7.61	
Total BTX	<0.300	0.300	08/21/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	320	16.0	08/22/2019	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/22/2019	ND	204	102	200	2.36	
DRO >C10-C28*	<10.0	10.0	08/22/2019	ND	206	103	200	6.55	
EXT DRO >C28-C36	<10.0	10.0	08/22/2019	ND					

Surrogate: 1-Chlorooctane 93.2 % 41-142

Surrogate: 1-Chlorooctadecane 95.7 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

COG OPERATING
DAKOTA NEEL
P. O. BOX 1630
ARTESIA NM, 88210
Fax To: NONE

Received: 08/21/2019
Reported: 08/22/2019
Project Name: SRO #64
Project Number: NONE GIVEN
Project Location: COG

Sampling Date: 08/19/2019
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: S 2 (H902877-09)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2019	ND	1.79	89.7	2.00	0.0805	
Toluene*	<0.050	0.050	08/21/2019	ND	1.99	99.6	2.00	6.86	
Ethylbenzene*	<0.050	0.050	08/21/2019	ND	2.02	101	2.00	7.43	
Total Xylenes*	<0.150	0.150	08/21/2019	ND	6.15	102	6.00	7.61	
Total BTEx	<0.300	0.300	08/21/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	256	16.0	08/22/2019	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/22/2019	ND	205	102	200	3.65	
DRO >C10-C28*	<10.0	10.0	08/22/2019	ND	195	97.4	200	2.93	
EXT DRO >C28-C36	<10.0	10.0	08/22/2019	ND					

Surrogate: 1-Chlorooctane 99.9 % 41-142

Surrogate: 1-Chlorooctadecane 103 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 COG OPERATING
 DAKOTA NEEL
 P. O. BOX 1630
 ARTESIA NM, 88210
 Fax To: NONE

 Received: 08/21/2019
 Reported: 08/22/2019
 Project Name: SRO #64
 Project Number: NONE GIVEN
 Project Location: COG

 Sampling Date: 08/19/2019
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: S 3 (H902877-10)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2019	ND	1.79	89.7	2.00	0.0805	
Toluene*	<0.050	0.050	08/21/2019	ND	1.99	99.6	2.00	6.86	
Ethylbenzene*	<0.050	0.050	08/21/2019	ND	2.02	101	2.00	7.43	
Total Xylenes*	<0.150	0.150	08/21/2019	ND	6.15	102	6.00	7.61	
Total BTEx	<0.300	0.300	08/21/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	08/22/2019	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/22/2019	ND	205	102	200	3.65	
DRO >C10-C28*	<10.0	10.0	08/22/2019	ND	195	97.4	200	2.93	
EXT DRO >C28-C36	<10.0	10.0	08/22/2019	ND					

Surrogate: 1-Chlorooctane 92.3 % 41-142

Surrogate: 1-Chlorooctadecane 86.0 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

COG OPERATING
DAKOTA NEEL
P. O. BOX 1630
ARTESIA NM, 88210
Fax To: NONE

Received: 08/21/2019
Reported: 08/22/2019
Project Name: SRO #64
Project Number: NONE GIVEN
Project Location: COG

Sampling Date: 08/19/2019
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: S 4 (H902877-11)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2019	ND	1.79	89.7	2.00	0.0805	
Toluene*	<0.050	0.050	08/21/2019	ND	1.99	99.6	2.00	6.86	
Ethylbenzene*	<0.050	0.050	08/21/2019	ND	2.02	101	2.00	7.43	
Total Xylenes*	<0.150	0.150	08/21/2019	ND	6.15	102	6.00	7.61	
Total BTEx	<0.300	0.300	08/21/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	08/22/2019	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/22/2019	ND	205	102	200	3.65	
DRO >C10-C28*	<10.0	10.0	08/22/2019	ND	195	97.4	200	2.93	
EXT DRO >C28-C36	<10.0	10.0	08/22/2019	ND					

Surrogate: 1-Chlorooctane 87.2 % 41-142

Surrogate: 1-Chlorooctadecane 87.3 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

COG OPERATING
DAKOTA NEEL
P. O. BOX 1630
ARTESIA NM, 88210
Fax To: NONE

Received: 08/21/2019
Reported: 08/22/2019
Project Name: SRO #64
Project Number: NONE GIVEN
Project Location: COG

Sampling Date: 08/19/2019
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: S 5 (H902877-12)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2019	ND	1.79	89.7	2.00	0.0805	
Toluene*	<0.050	0.050	08/21/2019	ND	1.99	99.6	2.00	6.86	
Ethylbenzene*	<0.050	0.050	08/21/2019	ND	2.02	101	2.00	7.43	
Total Xylenes*	<0.150	0.150	08/21/2019	ND	6.15	102	6.00	7.61	
Total BTEx	<0.300	0.300	08/21/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	400	16.0	08/22/2019	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/22/2019	ND	205	102	200	3.65	
DRO >C10-C28*	<10.0	10.0	08/22/2019	ND	195	97.4	200	2.93	
EXT DRO >C28-C36	<10.0	10.0	08/22/2019	ND					

Surrogate: 1-Chlorooctane 87.7 % 41-142

Surrogate: 1-Chlorooctadecane 87.2 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

COG OPERATING
DAKOTA NEEL
P. O. BOX 1630
ARTESIA NM, 88210
Fax To: NONE

Received: 08/21/2019
Reported: 08/22/2019
Project Name: SRO #64
Project Number: NONE GIVEN
Project Location: COG

Sampling Date: 08/19/2019
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: S 6 (H902877-13)

BTX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2019	ND	1.79	89.7	2.00	0.0805	
Toluene*	<0.050	0.050	08/21/2019	ND	1.99	99.6	2.00	6.86	
Ethylbenzene*	<0.050	0.050	08/21/2019	ND	2.02	101	2.00	7.43	
Total Xylenes*	<0.150	0.150	08/21/2019	ND	6.15	102	6.00	7.61	
Total BTX	<0.300	0.300	08/21/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	336	16.0	08/22/2019	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/22/2019	ND	205	102	200	3.65	
DRO >C10-C28*	<10.0	10.0	08/22/2019	ND	195	97.4	200	2.93	
EXT DRO >C28-C36	<10.0	10.0	08/22/2019	ND					

Surrogate: 1-Chlorooctane 92.5 % 41-142

Surrogate: 1-Chlorooctadecane 94.7 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST


[illegible]



5. Please fax written changes to 575-393-2476

APPENDIX D





☀ 354°N (T) ● 32°3'26"N, 104°4'55"W ±16.4ft ▲ 3013ft



02 Aug 2019, 11:18:30



☼ 113°SE (T) ● 32°3'28"N, 104°4'55"W ±16.4ft ▲ 3026ft



02 Aug 2019, 11:19:21