1RF - 451

NDBL Recycle Facility Registration Application

Oilfield Water Logistics March 17, 2020

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District III
1000 Rio Brazos Road, Aztec, NM 87410
District III District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-147 Revised April 3, 2017

Recycling Facility Unly
Type of action: Permit Registration Modification Closure Other (explain)
Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment.
Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Oilfield Water Logistics (For multiple operators attach page with information) OGRID #:308339
Address: 8201 Preston Rd, Suite 520, Dallas, TX 75225
Facility or well name (include API# if associated with a well): NDBL Recy de
OCD Permit Number: (For new facilities the permit number will be assigned by the district office)
U/L or Qtr/Qtr NW/NW Section 23 Township 24S Range 33E County: Lea County
Surface Owner: Federal State Tribal Trust or Indian Allotment
2. Recycling Facility:
Location of recycling facility (if applicable): Latitude 32.20 9590 Longitude -103.550533 NAD83
Proposed Use: Drilling* Completion* Production* Plugging *
*The re-use of produced water may NOT be used until fresh water zones are cased and cemented
Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on
groundwater or surface water.
■ Fluid Storage
■ Above ground tanks
Activity permitted under 19.15.36 NMAC explain type:
Closure Report (required within 60 days of closure completion): Recycling Facility Closure Completion Date:
3. Variances:
Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the
environment.
Check the below box only if a variance is requested: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the
variance information on a separate page and attach it to the C-147 as part of the application.
If a Variance is requested, it must be approved prior to implementation.
4. Operator Application Certification:
I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief.
Name (Print): Jeff Sawyer Title: VP Water Reuse and Supply
Signature: 1 Date: 03/16/2020
e-mail address: jsawyer@oilfieldwaterlogistics.com Telephone: 214-292-2011
5. OCD Representative Signature: Approval/Registration Date:
Title: OCD Permit Number: OCD Permit Number:
Additional OCD Conditions on Attachment