

HBP - 12

MONITORING REPORTS

YEAR(S):

2001 - 1996



December 10, 2001

**Permit HBP-NM-012
Hydrostatic Test Discharges
2000 Annual Report**

RECEIVED
DEC 18 2001
Environmental Bureau
Oil Conservation Division

Martyne Kieling
New Mexico Oil Conservation Division
Environmental Bureau
1220 So. St. Francis Drive
Santa Fe, NM 87505

Dear Mrs. Kieling:


Phillips Pipe Line Company (PPL) hereby submits the 2000 Annual Hydrostatic Discharge Report. This is a summary of hydrostatic test discharges conducted by PPL as authorized by Permit No. HBP-NM-012.

The following is a list of the new pipe and new tank hydrostatic test discharges:

1. A. Location: Section 6, T24S, R37E, Lea County (Jal Unloading Station)
B. Date of Test April 19, 2000
C. Volume Discharged 16,380 gallons
D. Water Source Goldstar Fresh Water Station, Eunice
1. A. Location: Section 29, T17S, R30E, Eddy County (Loco Hills Unloading Station)
B. Date of Test July 21, 2000
C. Volume Discharged 18,690 gallons
D. Water Source I/W Fresh Water Station, Loco Hills
1. A. Location: Section 30, T17S, R35E, Lea County (Buckeye Unloading Station)
B. Date of Test October 20, 2000
C. Volume Discharged 36,960 gallons
D. Water Source Clearfork Enterprises, Inc. (Fresh Water Station) Lea County
1. A. Location: Section 24, T16S, R33E, Eddy County (Anderson Ranch Unloading Station)
B. Date of Test October 20, 2000
C. Volume Discharged 18,480 gallons
D. Water Source McClaskey Fresh Water Station – Hobbs (5,460 gal) &
Linda's Fresh Water Station – Maljamar (13,020 gal)

If you have questions concerning this report, contact me at (918) 661-3557.

Sincerely,


A. C. "Tony" Walker
Staff Environmental Engineer
3B10 Adams Building
Bartlesville, OK 74004

ACW: NMHydroStatTestRep2000.doc


cc: S. E. Maddox r. A. C. Walker r. File; Don Schomp; Kirby Shipp

RECEIVED

NOV 13 2000

Environmental Bureau
Oil Conservation Division

November 9, 2000



Permit HBP-NM-012
Hydrostatic Test Discharges
1997, 1998 & 1999 Annual Report

Martyne Kieling
New Mexico Oil Conservation Division
Environmental Bureau
2040 South Pacheco
Santa Fe, NM 87505

Dear Mrs. Kieling:

In response to your letter dated August 31, 2000, Phillips Pipe Line Company hereby submits the annual reports for 1998, 1999 and 2000 for discharge that occurred under Permit HBP-NM-012 in the years of 1997, 1998 and 1999.

If you have questions concerning the attached reports, please contact me at (918) 661-3557.

Sincerely,

A. C. "Tony" Walker
Staff Environmental Engineer
3B10 Adams Building
Bartlesville, OK 74004

ACW: AnnualReportsRequestCvrLtr.doc



November 9, 2000

**Permit HBP-NM-012
Hydrostatic Test Discharges
1999 Annual Report**

Martyne Kieling
New Mexico Oil Conservation Division
Environmental Bureau
2040 South Pacheco
Santa Fe, NM 87505

Dear Mrs. Kieling:

Phillips Pipe Line Company hereby submits the 1999 Annual Hydrostatic Discharge Report. This is a complete summary of all hydrostatic test discharges conducted by Phillips Pipe Line as authorized by Permit No. HBP-NM-012.

The following is a list of the new pipe and new tank hydrostatic test discharges:

1. A. Location: Section 2, T10S, R36E Lea County
B. Date of Test: April 6, 1999
C. Volume Discharged: 31,500 gallons
D. Water Source: Gandy's Fresh Water Station in Lea County
2. A. Location: Section 29, T17S, R30E Eddy County
B. Date of Test: August 10, 1999
C. Volume Discharged: 33,600 gallons
D. Water Source: I/W Fresh Water Station in Loco Hills, NM


If you have questions concerning this report, contact me at (918) 661-3557.

Sincerely,

Anthony C. Walker

A. C. "Tony" Walker
Staff Environmental Engineer
3B10 Adams Building
Bartlesville, OK 74004

ACW: NMHydroStatTestRep99.doc



November 9, 2000

**Permit HBP-NM-012
Hydrostatic Test Discharges
1998 Annual Report**

Martyne Kieling
New Mexico Oil Conservation Division
Environmental Bureau
2040 South Pacheco
Santa Fe, NM 87505

Dear Mrs. Kieling:

Phillips Pipe Line Company hereby submits the 1998 Annual Hydrostatic Discharge Report. This is a complete summary of all hydrostatic test discharges conducted by Phillips Pipe Line as authorized by Permit No. HBP-NM-012.

The following is a list of the new pipe hydrostatic test discharges:

1. A. Location: Section 34, T17S, R35E Lea County
B. Date of Test: February 16, 1998
C. Volume Discharged: 84 gallons
D. Water Source: PPL's Odessa Station tap water

2. A. Location: Section 9, T19S, R38E Lea County
B. Date of Test: September 24, 1998
C. Volume Discharged: 2,520 gallons
D. Water Source: City of Hobbs

If you have questions concerning this report, contact me at (918) 661-3557.

Sincerely,

A handwritten signature in cursive script that reads 'Anthony C. Walker'.

A. C. "Tony" Walker
Staff Environmental Engineer
3B10 Adams Building
Bartlesville, OK 74004

ACW: NMHydroStatTestRep98.doc



November 9, 2000

**Permit HBP-NM-012
Hydrostatic Test Discharges
1997 Annual Report**

Martyne Kieling
New Mexico Oil Conservation Division
Environmental Bureau
2040 South Pacheco
Santa Fe, NM 87505

Dear Mrs. Kieling:

Phillips Pipe Line Company hereby submits the 1997 Annual Hydrostatic Discharge Report. This is a complete summary of all hydrostatic test discharges conducted by Phillips Pipe Line as authorized by Permit No. HBP-NM-012.

The following is a list of the new pipe hydrostatic test discharges:

1. A. Location: Section 26, T17S, R34E Lea County
B. Date of Test: February 18, 1997
C. Volume Discharged: 15,120 gallons
D. Water Source: City of Hobbs

2. A. Location: Section 7, T18S, R28E Eddy County
B. Date of Test: October 30, 1997
C. Volume Discharged: 420 gallons
D. Water Source: City of Artesia

If you have questions concerning this report, contact me at (918) 661-3557.

Sincerely,

Anthony C. Walker

A. C. "Tony" Walker
Staff Environmental Engineer
3B10 Adams Building
Bartlesville, OK 74004

ACW: NMHydroStatTestRep97.doc

WESTTEX 66 PIPELINE CO.

776 Adams Building
Bartlesville, Oklahoma 74004

G.J. Heinz
President

Phone: 918-661-5371
Fax: 918-662-2256

August 4, 1997

AUG - 6 1997

**RE: Permit HBP-NM-012
Hydrostatic Test Discharges
Revisions to 1996 Annual Report**

Ms. Martyne Kieling
New Mexico Oil Conservation Division
Environmental Bureau
2040 South Pacheco
Santa Fe, NM 87505

Dear Ms. Kieling:

Attached is the revised 1996 Annual Hydrostatic Discharge Report. Per your request, I have included more detail on the source of the water used in the hydrostatic testing. Please replace the previous version in your files with this updated version.

If you have questions concerning this revised report, contact me at (918) 661-3557.

Sincerely,



A. C. "Tony" Walker
Staff Environmental Engineer
3B11 Adams Building
Bartlesville, OK 74006

ACW: NMHydroStatTestRepRev1CvrLtr

cc: Mr. Wayne Price
New Mexico Oil Conservation Division
P.O. Box 1980
Hobbs, NM 88241

WESTTEX 66 PIPELINE CO.

776 Adams Building
Bartlesville, Oklahoma 74004

G.J. Heinz
President

Phone: 918-661-5371
Fax: 918-662-2256

August 4, 1997

**RE: Permit HBP-NM-012
Hydrostatic Test Discharges
1996 Annual Report**

Ms. Martyne Kieling
New Mexico Oil Conservation Division
Environmental Bureau
2040 South Pacheco
Santa Fe, NM 87505

Dear Ms. Kieling:

WestTex 66 Pipeline Company (WestTex 66) hereby submits the 1996 Annual Hydrostatic Discharge Report. This is a complete summary of all hydrostatic test discharges conducted by WestTex 66 and Phillips Pipe Line Company as authorized by Permit No. HBP-NM-012. This submittal fulfills the obligations of permit provision No. 5.

The following is a list of the new pipe hydrostatic test discharges:

1. A. Location: Section 29, T18S, R37E
B. Date of Test: April 29, 1996
C. Volume Discharged: 197 bbls (8,274 gallons)
D. Water Source: City of Hobbs Water Supply delivered by Pate Trucking
2. A. Location: Section 9, T19S, R38E
B. Date of Test: October 24, 1996
C. Volume Discharged: 3 bbls (126 gallons)
D. Water Source: City of Hobbs Water Supply delivered by Sonnies Trucking
3. A. Location: Section 17, T17S, R37E
B. Date of Test: March 24, 1996
C. Volume Discharged: 1 bbls (42 gallons)
D. Water Source: City of Hobbs Water Supply delivered by Pate Trucking
4. A. Location: Section 34, T17S, R35E
B. Date of Test: April 25, 1996
C. Volume Discharged: 8 bbls (336 gallons)
D. Water Source: City of Hobbs Water Supply delivered by Pate Trucking

Ms. Martyne Kieling

July 25, 1997

Page 2

5. A. Location: Section 4, T21S, R36E
B. Date of Test: October 29, 1996
C. Volume Discharged: 15 bbls (630 gallons)
D. Water Source: City of Hobbs Water Supply delivered by Sonnies Trucking

If you have questions concerning this report, contact me at (918) 661-3557.

Sincerely,

A. C. Walker

A. C. "Tony" Walker
Staff Environmental Engineer
3B11 Adams Building
Bartlesville, OK 74006

ACW: NMHydroStatTestRepRev1

cc: Mr. Wayne Price
New Mexico Oil Conservation Division
P.O. Box 1980
Hobbs, NM 88241

WESTTEX 66 PIPELINE CO.

776 Adams Building
Bartlesville, Oklahoma 74004

G.J. Heinz
President

Phone: 918-661-5371
Fax: 918-662-2256

JUL 24 1997

July 21, 1997

**RE: Permit HBP-NM-012
Hydrostatic Test Discharges
1996 Annual Report**

Mr. Chris Eustice
New Mexico Oil Conservation Division
Environmental Bureau
2040 South Pacheco
Santa Fe, NM 87505

Dear Mr. Eustice:

WestTex 66 Pipeline Company (WestTex 66) hereby submits the 1996 Annual Hydrostatic Discharge Report. This is a complete summary of all hydrostatic test discharges conducted by WestTex 66 and Phillips Pipe Line Company as authorized by Permit No. HBP-NM-012. This submittal fulfills the obligations of permit provision No. 5.

The following is a list of the new pipe hydrostatic test discharges:

1. A. Location: Section 29, T18S, R37E
B. Date of Test: April 29, 1996
C. Volume Discharged: 197 bbls (8,274 gallons)
D. Water Source: Pate Trucking
2. A. Location: Section 9, T19S, R38E
B. Date of Test: October 24, 1996
C. Volume Discharged: 3 bbls (126 gallons)
D. Water Source: Sonnies Trucking
3. A. Location: Section 17, T17S, R37E
B. Date of Test: March 24, 1996
C. Volume Discharged: 1 bbls (42 gallons)
D. Water Source: Pate Trucking
4. A. Location: Section 34, T17S, R35E
B. Date of Test: April 25, 1996
C. Volume Discharged: 8 bbls (336 gallons)
D. Water Source: Pate Trucking

Mr. Chris Eustice

July 21, 1997

Page 2

5. A. Location: Section 4, T21S, R36E
B. Date of Test: October 29, 1996
C. Volume Discharged: 15 bbls (630 gallons)
D. Water Source: Sonnies Trucking

If you have questions concerning this report, contact me at (918) 661-3557.

Sincerely,

A. C. Walker

A. C. "Tony" Walker
Staff Environmental Engineer
3B11 Adams Building
Bartlesville, OK 74006

ACW:NMHydroStatTestRep.doc

cc: Mr. Wayne Price
New Mexico Oil Conservation Division
P.O. Box 1980
Hobbs, NM 88241

WESTTEX 66 PIPELINE CO.

January 15, 1996

NEW MEXICO OIL CONSERVATION DIVISION
RECEIVED

96 JAN 18 AM 8 52

Mr. Chris Eustice
New Mexico Oil Conservation Division
Environmental Bureau
2040 South Pacheco
Santa Fe, NM 87505

**RE: Permit HBP-NM-012
Hydrostatic Test Discharges
1995 Annual Report**

Dear Mr. Eustice:

WesTTex 66 Pipeline Company (WesTTex 66) hereby submits the 1995 Annual Hydrostatic Test Discharge Report. This is a complete summary of all hydrostatic test discharges conducted by WesTTex 66 and Phillips Pipe Line Company as authorized by permit No. HBP-NM-012. This submittal fulfills the obligations of permit provision No. 5.

New pipe hydrostatic test discharges:

1. A. Location: Section 27 and 34, T17S, R35E
 B. Date of Test: December 20, 1995
 C. Water discharged: 3,360 gallons
 D. Water source: Forklift Enterprises, Hobbs, New Mexico
2. A. Location: Section 29, T16S, R34E
 B. Date of Test: December 28, 1995
 C. Water discharged: 11,340 gallons
 D. Water source: City Water Supply, Lovington, New Mexico
3. A. Location: Section 8, T19S, R38E
 B. Date of Test: December 31, 1995
 C. Water discharged: 56,700 gallons
 D. Water source: Forklift Enterprises, Hobbs, New Mexico

Contact me at (918)661-1399 if you have any questions concerning this report.

Sincerely,



Scott Maddox
Sr. Environmental Engineer
360 Adams Building
Bartlesville, OK 74004

SEM:NMHydro.rpt/wp3

cc: Mr. Wayne Price
New Mexico Oil Conservation Division
P.O. Box 1980
Hobbs, NM 88241