

HBP - 15

MONITORING REPORTS

YEAR(S):

2004 - 1983

2006 MAR 10 PM 2 08

March 8, 2006

Mr. Ed Martin
New Mexico Energy, Mineral and Natural Resource Department
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505


RE: 2005 Annual Discharge of Hydrostatic Test Water
Permit HBP-NM-015

Dear Mr. Martin,

Enclosed is the annual submittal of hydrostatic water discharged under the conditions of Permit HBP-NM-015 by Duke Energy Field Services, LP (DEFS). The information contained is required by permit condition 8 for calendar year 2005. The log includes the trucking company and the source of the hydrostatic test water. For I & W Inc. and Chalk Trucking, a list of the multiple potable wells sources was attached.

If you require any additional information, please contact me at 432/413-3601 or email lcward@duke-energy.com.

Sincerely,
Duke Energy Field Services, LP


Lynn Ward
Sr. Environmental Specialist
Southern Division
Western Region

Cc: K. Kimura, Corporate Environmental Department
Index File: Gathering System 2.2.5

Hydrostatic Test Water Log - 2005
Duke Energy Field Services, LP
Discharge Permit No. HBP-NM-015

Date	Location	Lat/Long	County	Volume (gallons)	Source of Test Water
1/7/2005	S21, T19S, R28E	32 37 32.135/104 11 46.672	Eddy	3,810	Gandy Corp. - Lovington Public Water Supply*
1/8/2005	S13, T22S, R27E	32 23 09.937/104 14 39.017	Eddy	6,472	Gandy Corp. - Lovington Public Water Supply*
1/12/2005	S3, T22S, R27E	32 25 23.051/104 10 37.080	Eddy	488	I&W - see attached list of Fresh Water Wells
1/20/2005	S13, T20S, R26E	32 34 18.472/104 20 35.317	Eddy	6,312	Gandy Corp. - Lovington Public Water Supply*
2/2/2005	S21, T20S, R26E	32 33 20.883/103 58 25.126	Eddy	246	B&H Trucking - City of Carlsbad Public Water Supply
3/28/2005	S16, T22S, R27E	32 23 40.884/104 11 08.900	Eddy	1,235	Gandy Corp. - Lovington Public Water Supply*
4/5/2005	S7, T20S, R30E	32 34 53.385/104 01 16.755	Eddy	1,121	Gandy Corp. - Lovington Public Water Supply*
4/14/2005	S30, T19S, R30E	32 37 58.146/104 00 46.928	Eddy	131	B&H Trucking - City of Carlsbad Public Water Supply
4/15/2005	S16, T22S, R27E	32 29 00.365/104 11 25.826	Eddy	667	Gandy Corp. - Lovington Public Water Supply*
4/27/2005	S32, T19S, R27E	32 36 44.423/104 18 12.918	Eddy	1,060	Gandy Corp. - Lovington Public Water Supply*
4/29/2005	S18, T21S, R27E	32 28 35.395/104 13 32.519	Eddy	1,277	B&H Trucking - City of Carlsbad Public Water Supply
5/11/2005	S3, T21S, R27E	32 30 13.582/104 10 41.964	Eddy	280	B&H Trucking - City of Carlsbad Public Water Supply
5/3/2005	S29, T22S, R27E	32 21 40.940/104 12 14.913	Eddy	5,267	Gandy Corp. - Lovington Public Water Supply*
5/18/2005	S2, T19S, R27E	32 41 05.847/104 14 46.841	Eddy	228	B&H Trucking - City of Carlsbad Public Water Supply
5/27/2005	S9, T16S, R28E	32 56 01.813/104 11 10.737	Eddy	6,815	Gandy Corp. - Lovington Public Water Supply*
6/3/2005	S11, T19S, R28E	32 40 17.894/104 8 24.131	Eddy	2,129	Gandy Corp. - Lovington Public Water Supply*
6/16/2005	S18, T23S, R27E	32 30 55.089/104 22 46.657	Eddy	148	B&H Trucking - City of Carlsbad Public Water Supply
6/16/2005	S22, T23S, R27E	32 29 54.634/104 18 23.155	Eddy	715	Gandy Corp. - Lovington Public Water Supply*
7/6/2005	S33, T20S, R27E	32 52 77.686/104 29 71.834	Eddy	2,228	Gandy Corp. - Lovington Public Water Supply*
9/10/2005	S36, T22S, R28E	32 35 23.208/104 04 66.172	Eddy	9,474	Gandy Corp. - Lovington Public Water Supply*
9/22/2005	S2, T24S, R27E	32 25 30.484/104 16 13.237	Eddy	90	B&H Trucking - City of Carlsbad Public Water Supply
10/20/2005	S15, T23S, R27E	32 29 54.973/104 18 24.521	Eddy	1,138	Gandy Corp. - Lovington Public Water Supply*
10/25/2005	S26, T22S, R27E	32 36 03.119/104 15 43.309	Eddy	3,803	I&W - see attached list of Fresh Water Wells
10/27/2005	S35, T25S, R26E	32 16 63.574/104 25 53.271	Eddy	1,875	I&W - see attached list of Fresh Water Wells
10/30/2005	S9, T17S, R27E	32 40 25.524/104 18 38.130	Eddy	266	I&W - see attached list of Fresh Water Wells
10/30/2005	S9, T17S, R27E	32 84 14.637/104 28 98.700	Eddy	1,066	I&W - see attached list of Fresh Water Wells
11/3/2005	S34, T18S, R27E	32 70 10.334/104 26 52.810	Eddy	353	B&H Trucking - City of Carlsbad
11/29/2005	S15, T19S, R29E	32 66 11.014/104 07 03.646	Eddy	1,076	I&W - see attached list of Fresh Water Wells
12/9/2005	S15, T22S, R27E	32 39 58.094/104 17 42.902	Eddy	338	I&W - see attached list of Fresh Water Wells
12/14/2005	S21, T20S, R30E	32 55 52.468/103 97 44.068	Eddy	3,100	I&W - see attached list of Fresh Water Wells

Notes: "****" indicates that initial load of water was obtained from Gandy Corp. yard in Lovington, NM. If additional water was required, fresh water was obtained from one of the following water stations: Rockhouse Ranch, Seven Rivers, Half-way Watering Hole, Plains Marketing.

Loco Hills
(505) 677-2111
1 (800) 748-1972

Artesia
(805) 748-4214
1 (800) 748-1972

Carlsbad
(505) 858-6663
1 (800) 858-2739



FRESH WATER

LON HERRERA
Sales

Office: (505) 677-2111
Cell: (505) 385-4478
Fax: (800) 677-2240
Res.: (505) 748-2895

Ballard (Bus Barn)

Berry Ranch

Buddy White

Caprock (Malj./Morewest)

Collier

Cooper

Corn

D & M

Dagger Draw

Delaware

Diamond & Half Ranch

Donahue

Double Eagle (222)

Double M

Doyle

Frontier

G & C Cattle Co.

G. Denkevitz

Gregory's Rockhouse

Haldeman's

Halfway

Horner's

Howell

I & W (LOCO)

I & W (CARLSBAD)

Ives

J.C. Mills

Key Energy (Yard)

KMR (Gravel Pit)

Klien & Son Farms

L & L Cattle Co.

Lusk (Steve Carter)

Marathon

Marley

Michaels

Oasis (Blaine Haines)

Ponderosa

Quality

Rains

Red Sand Water

Roach

RPI

S & H

Salty Dog

Salvage Water Station

Schaeffer

Seven Rivers

Slash X

Smith Ranch

Sterns Inc

Tack

Troy Fort Water Station

Truckers (Key Energy)

Vandiver

Wanger

Wasserlund (water)

Winchester

XL Carter

31 Water Sales



DUKE ENERGY FIELD SERVICES
10 Desta Drive, Suite 400-West
Midland, TX 79705

432 620 4000

2005 APR 15 AM 10 20

April 12, 2005

Mr. Ed Martin
New Mexico Energy, Mineral and Natural Resource Department
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

RE: 2004 Annual Discharge of Hydrostatic Test Water
Permit HBP-NM-015

Dear Mr. Martin,

Enclosed is the annual submittal of hydrostatic water discharged under the conditions of Permit HBP-NM-015 by Duke Energy Field Services, LP (DEFS). The information contained is required by permit condition 8 for calendar year 2004.

If you require any additional information, please contact me at 432/413-3601 or email lcward@duke-energy.com.

Sincerely,
Duke Energy Field Services, LP

Lynn Ward
Sr. Environmental Specialist
Southern Division
Western Region

Cc: K. Kimura, Corporate Environmental Department
Index File: Gathering System 2.2.5

Hydrostatic Test Water Log - 2004
Duke Energy Field Services, LP
Discharge Permit No. HBP-NM-015

Date	Location	County	Volume (gallons)	Source of Test Water
1/6/2004	E/2 Sect. 9, T21S, R27E	Eddy	42	CapRock Water System
1/7/2004	E/2 Sect. 9, T21S, R27E	Eddy	2,568	CapRock Water System
1/8/2004	E/2 Sect. 9, T21S, R27E	Eddy	1	CapRock Water System
1/9/2004	E/2 Sect. 9, T21S, R27E	Eddy	936	CapRock Water System
1/13/2004	E/2 Sect. 9, T21S, R27E	Eddy	264	CapRock Water System
1/14/2004	E/2 Sect. 9, T21S, R27E	Eddy	19	CapRock Water System
1/15/2004	E/2 Sect. 9, T21S, R27E	Eddy	55	CapRock Water System
1/15/2004	Sect. 23, T20S, R27E	Eddy	168	CapRock Water System
1/21/2004	E/2 Sect. 9, T21S, R27E	Eddy	236	CapRock Water System
1/27/2004	Sect. 6, T23S, R27E	Eddy	84	CapRock Water System
1/29/2004	Sect. 29, T22S, R27E	Eddy	497	CapRock Water System
2/3/2004	Sect. 34, T24S, R26E	Eddy	398	CapRock Water System
2/25/2004	E/2 Sect. 9, T21S, R27E	Eddy	23	Carlsbad Wtr System - Eagle
2/26/2004	E/2 Sect. 9, T21S, R27E	Eddy	31	Carlsbad Wtr System - Eagle
3/3/2004	E/2 Sect. 9, T21S, R27E	Eddy	212	Carlsbad Wtr System - Eagle
3/10/2004	SE/4 Sect. 24, T23S, R26E	Eddy	1,755	Carlsbad Wtr System - Eagle
3/23/2004	Sect. 9, T24S, R26E	Eddy	2,314	Carlsbad Wtr System - Eagle
3/25/2004	E/2 Sect. 9, T21S, R27E	Eddy	2	Carlsbad Wtr System - Eagle
4/12/2004	Sect. 13, T20S, R29E	Eddy	2,116	CapRock Water System
4/28/2004	Sect. 23, T20S, R27E	Eddy	8,414	CapRock Water System
4/28/2004	Sect. 25, T20S, R27E	Eddy	8,414	CapRock Water System
4/28/2004	Sect. 26, T20S, R27E	Eddy	8,414	CapRock Water System
4/30/2004	Sect. 10, T22S, R27E	Eddy	95	CapRock Water System
5/12/2004	Sect. 15, T22S, R27E	Eddy	325	CapRock Water System
6/14/2004	Sect. 3, T21S, R25E	Eddy	325	CapRock Water System
8/18/2004	Sect. 35, T24S, R28E	Eddy	2,100	CapRock Water System
8/19/2004	Sect. 4, T22S, R27E	Eddy	250	CapRock Water System
9/17/2004	Sect. 23, T20S, R28E	Eddy	65	CapRock Water System
10/7/2004	Sect. 7, T24S, R26E	Eddy	9,228	Fresh, received by transport - Wasserhund Well

10/25/2004	Sect. 10 & 15, T21S, R27E	Eddy	2,275	Fresh, received by transport - Wasserhund Well
12/7/2004	Sect. 10, T22S, R27E	Eddy	1,247	Fresh, received by transport - Wasserhund Well
12/17/2004	Sect. 28 & 33, T17S, R29E	Eddy	31,468	Fresh, received by transport - Wasserhund Well
12/17/2004	Sect. 4, 9, & 16, T18S, R29E	Eddy	31,468	Fresh, received by transport - Wasserhund Well
12/31/2004	Sect. 15, T22S, R27E	Eddy	1,260	Fresh, received by transport - Wasserhund Well

April 14, 2004

New Mexico Energy, Mineral and Natural Recourse Department
Oil Conservation Division
Attn: Roger C. Anderson
Environmental Bureau Chief
1220 South St. Francis Drive
Santa Fe, New Mexico 87505


RE: 2002 Annual Discharge of Hydrostatic Test Waters
Permit HBP-NM-015

Dear Mr. Anderson,

Duke Energy Field Services is submitting the annual hydro static discharge test waters report for Permit HBP-NM-015. This report covers the DEFS pipelines of New Mexico. The following table includes the information requested in permit condition 8 for the 2002 annual period.

Please review the enclosed table that fulfills the permit reporting requirements. If you need any additional information for this report, please contact me at (432) 620-4144.

Sincerely,



Jennifer Fuqua
Environmental Manager

Enclosure

Cc: Karin Char Kimura, DEFS Denver
Gregg Kardos, DEFS SENM
Environmental Files 2.2.37

2001 HYDROTEST NEW PIPE

Discharge of Hydrostatic Test Waters Permit HBP-NM-015 2002 Annual Report

DATE of Test	Lease Name	Location of Test (Section, Township, Range)	County	Source of Test Water	Volume Discharged
3/14/2003	Sec12 T23S R26E	N32 18'53.490" W104 15'03.151"	Eddy	Gandy Water Station	2198
4/3/2004	Sec 22 T20S R27E	N32 32'57.272" W104 15'55.133"	Eddy	Gandy Water Station	1996
6/18/2003	Sec 22 T20S R26E	SW 0.25 NE 0.25, Sec 1, T24SS R233E	Eddy	Gandy Water Station	2019
6/23/2003	Sec10 T24S R26E	N32 13'40.127" W104 17'02.621"	Eddy	Gandy Water Station	852
7/3/2003	Sec6 T24S R28E	N32 15'06.421" W104 08'32.377"	Eddy	Gandy Water Station	2760
7/15/2003	Sec 14 T24S R26E	N32 13'13.635" W104 16'04.768"	Eddy	Gandy Water Station	2999
5/30/2003	Sec 13 T20S R27E	N32 34'10.573 W104 14'27.455"	Eddy	Gandy Water Station	892
12/15/2003	Sec 9&9 T21S R27E	N32 29'32.792 W104 12'11.719"	Eddy	I&W Water Station	9146
12/15/2003	Sec 34 T20S R28E	N32 31'52.312" W104 09'49.936"	Eddy	I&W Water Station	115
12/15/2003	Sec 35 T20S R28E	N32 31'53.173" W104 09'22.338"	Eddy	I&W Water Station	214
12/16/2003	Sec 3 T21S R27E	N32 30'36.198" W104 10'26.728"	Eddy	I&W Water Station	550
12/13/2003	Sec 09 T21S R27E	Rambo BST E2	Eddy	Lovington City Water Supply	2940
2/23/2003	Sec 09 T21S R27E	Rambo Booster Suction Line 10" and 12"	Eddy	Cap Rock Water System	979



DUKE ENERGY FIELD SERVICES
3300 North A Street
Building 7
Midland, TX 79705
915 620 4000

April 9, 2003

New Mexico Energy, Minerals and Natural Resources Department
Oil Conservation Division
Attn: Roger C. Anderson
Environmental Bureau Chief
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

RECEIVED
APR 14 2003
Environmental Bureau
Oil Conservation Division


RE: 2002 Annual Discharge of Hydrostatic Test Waters
Permit HBP-NM-015

Dear Mr. Anderson,

Duke Energy Field Services is submitting the annual hydrostatic discharge test waters report for Permit HBP-NM-015. This report covers the DEFS (previously GPM Corporation) pipelines of New Mexico. The following table includes the information requested in permit condition 8 for the 2002 annual period.

Please review the enclosed table that fulfills the permit reporting requirements. If you need any additional information for this report contact me, please contact me at (915) 620-4144.

Sincerely,



Jennifer Fuqua
Environmental Manager

Enclosure

CC: Karin Char Kimura, Environmental Specialist, Denver, CO (File Copy 2.2.3.7)
Mark Nault, Linam Ranch Asset Manager, Hobbs, NM
Environmental Files 2.2.3.7

2002 HYDROTEST NEW PIPE

Discharge of Hydrostatic Test Waters Permit HBP-NM-015 2002 Annual Report

DATE of Test	Lease Name	Location of Test (Section, Township, Range)	County	Source of Test Water	Volume Discharged
4/4/2002	Mack Energy Antelope ST #4 (Sugart Booster Pipe Revision)	N 32 45' 26.0" W 103 48' 54.4", SE 0.25, Sec 12 T18 R31E	Lea	Gandy Water Station	8 bbls
6/14/2002	V-F Petroleum Denali 33	N 32 47' 32.3" W 103 53' 05.5", NE 0.25, Sec 33 T17s R31e	Eddy	Gandy Water Station	59 bbls
6/25/2002	Agave Fuel line	N32 54' 10.6" W103 28' 51.0", SW 0.25, Sec 20 T16S R35E	Lea	Wasserhund (Gandy) Station	260 bbls
7/2/2002	Agave Fuel line	N32 54' 10.6" W103 28' 51.0", SW 0.25, Sec 20 T16S R35E	Lea	Wasserhund (Gandy) Station	247 bbls
8/14/2002	Agave Fuel line	N32 54' 10.6" W103 28' 51.0", NE 0.25, Sec 30 T17S R35E	Lea	Wasserhund (Gandy) Station	45 bbls
10/3/2002	Phillips Petroleum GACH 31 State #2 -Gach Project Line Loop	N32 47' 21.3" W103 36' 11.2", SW0.25, Sec 31 T17s R34E	Lea	Gandy Water Station	22 bbls
10/7/2002	DEFS Loco Hills 2nd Unit Road Bore	N32 49' 08.7" W104 01' 17.1", SE0.25, Sec 24 T17s R29E	Eddy	Gandy Water Station	22 bbls
11/18/2002	Duke SC-1-13-1-2 Tie over to BE 7-4-4-3-1	N32 10' 17.5" W104 17' 59.5", Sec 33 T24s R26E	Eddy	Gandy Water Station	180 bbls
5/28/2002	Oneil B Federal 2	Sec 10 T24S R26E	Eddy	Carlsbad Irrigation District	82.5 bbls
11/15/2002	Gulf Federal Com #3	Sec 1 T23S R26E	Eddy	Carlsbad Irrigation District	42 bbls
8/30/2002	Black River Relocation	Sec 24, 25, & 36, T24S R26E	Eddy	Carlsbad Irrigation District	133 bbls



March 4, 2002

RECEIVED

MAR 11 2002

Environmental Bureau
Oil Conservation Division

Duke Energy Field Services, LP
3300 North "A" Street, Building 7
Midland, Texas 79705-5421

P.O. Box 50020
Midland, Texas 79710-0020

New Mexico Energy, Minerals and Natural Resources Department
Oil Conservation Division
Attn: Roger C. Anderson
Environmental Bureau Chief
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

RE: Annual Discharge of Hydrostatic Test Waters
Permit HBP-NM-015

Dear Mr. Anderson,

Duke Energy Field Services is submitting the annual hydrostatic discharge test waters report for Permit HBP-NM-015. This report covers the DEFS (previously GPM Corporation) pipelines of New Mexico. After receiving the letter on December 3, 2001, DEFS obtained a copy of this blanket permit and became aware of the annual reporting requirements. Martyne Kieling, of the OCD, granted an extension to generate the information requested by March 4, 2002.

The following table includes the information requested in permit condition 8 for the years 2000 and 2001. DEFS obtained ownership of these properties on April 1, 2000, therefore we were only able to submit information for discharges after obtaining ownership of the GPM's assets.

Please review the enclosed table that fulfills the permit reporting requirements. If you need any additional information for this report contact me, please contact me at (915) 620-4144.

Sincerely,

Jennifer Fuqua
Environmental Manager

Enclosure

CC: John Admire, Director of Environmental Protection, Denver, CO (Denver File Copy)
Stephen McNair, Western Regional General Manager, Midland, TX
Mark Nault, Linam Ranch Asset Manager, Hobbs, NM
Environmental Files 2.2.3.7

2001 HYDROTEST NEW PIPE

Discharge of Hydrostatic Test Waters Permit HBP-NM-015 2001 Annual Report

DATE of Test	Lease Name	Location of Test (Section, Township, Range)	County	Source of Test Water	Volume Discharged
2/15/01	Lusk Deep #16	NE 0.25 SW0.25, Sec 18, T19S R32E	Lea	Gandy Water Station	30 BBL
4/6/01	Phillips Pet. Uncas 31 St #1	NW 0.25 SE 0.25, Sec 30, T12 R34E	Lea	Gandy Water Station	75 BBL
5/3/01	Duke Bell Lake to Sand Dunes	SW 0.25 NE 0.25, Sec 1, T24S R23E	Lea	Pate (City of Eunice)	120 BBL
5/15/01	Murchison Jackson Unit # 8	SW 0.25 NE 0.25, Sec 1, T24S R23E	Lea	Gandy Water Station	30 BBL
5/29/02	Maynard Oil Wilson Deep Unit #2	SE 0.25 NW 0.25, Sec 13, T21S R 34E	Lea	Pate (City of Eunice)	22 BBL
6/19/01	Marbob Energy S.L. Deep Fed. Com #1	NE 0.25 SW0.25, Sec 20, T19S R32E	Lea	Pate (City of Eunice)	144 BBL
7/17/01	Marbob, Lusk Deep VT. A # 21	NE 0.25 SW0.25, Sec 30, T19S R32E	Lea	Pate (City of Eunice)	68 BBL
8/13/01	Duke, Kathleen BSTR. Disch	NE 0.25 SE 0.25, Sec 1, T18S R28E	Lea	Gandy Water Station	120 BBL
8/27/01	Concho / Devon, W. Shugart 31 Fed 1	NE 0.25 SW 0.25, Sec 31, T18S R31E	Eddy	Gandy Water Station	5 BBL
11/26/01	Yates Pet., Cedar '32' St Corn #2	NE 0.25 SE 0.25, Sec 32, T17S R31E	Eddy	Gandy Water Station	62 BBL
12/3/01	Murchison Briminstool 4 St #2	SE 0.25 SW 0.25, Sec 4, T24S R33E	Lea	Gandy Water Station	20 BBL
4/17/00	LOCO DISCHARGE	SW 0.25 NE 0.25, Sec 18, T17S R30E	Eddy	Gandy Water Station	155 BBL
4/18/00	PHILLIPS, HAWKEYE STATE '30 #1	NW 0.25 SE 0.25, Sec 19, T17S R34E	Lea	Gandy Water Station	96 BBL
6/2/00	(DUKE) KEMNITZ DISCH. BB LINE	NW 0.25 NW 0.25, Sec 15, T17S R34E	Lea	Gandy Water Station	1,472 BBL
7/14/00	POGO PROD. SHUGART 6 COM #1	SE 0.25 SE 0.25, Sec 6, T18S R31E	Lea	Gandy Water Station	21.6 BBL
8/31/00	TRISTIE DRAW 12"	NW 0.25 SE 0.25, Sec 1, T23S R33E	Lea	Gandy at Brimmonstool Water Station	2,880 BBL
9/11/00	DUKE, P-LINE,	SW 0.25, NE 0.25, Sec 15, T19S R31E	Lea	Duke, Eunice, PLT FRESH WATER	1,664 BBL

RECEIVED

MAR 11 2002
Environmental Bureau
Oil Conservation Division



A New Kind of Energy

Duke Energy Field Services
Western Division
Midland, Texas

DATE: March 4, 2002

TO: Roger C. Anderson
COMPANY: New Mexico Energy, Minerals + Natural
Resources Dept.

FAX: 505-476-3462

We are transmitting 3 pages of text, including this cover sheet, from
Fax number 915-620-4162

FROM: Jennifer Jugueta
PHONE: _____

Additional Messages:

Annual Discharge of Hydrostatic Test
Water. Permit HBP-NM-015

Office: 3300 North "A" Street, Bldg 7, Midland, TX 79705



March 4, 2002

Duke Energy Field Services, LP
3300 North "A" Street, Building 7
Midland, Texas 79705-5421

P.O. Box 50020
Midland, Texas 79710-0020

New Mexico Energy, Minerals and Natural Resources Department
Oil Conservation Division
Attn: Roger C. Anderson
Environmental Bureau Chief
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

RE: Annual Discharge of Hydrostatic Test Waters
Permit HBP-NM-015

Dear Mr. Anderson,

Duke Energy Field Services is submitting the annual hydrostatic discharge test waters report for Permit HBP-NM-015. This report covers the DEFS (previously GPM Corporation) pipelines of New Mexico. After receiving the letter on December 3, 2001, DEFS obtained a copy of this blanket permit and became aware of the annual reporting requirements. Martyne Kieling, of the OCD, granted an extension to generate the information requested by March 4, 2002.

The following table includes the information requested in permit condition 8 for the years 2000 and 2001. DEFS obtained ownership of these properties on April 1, 2000, therefore we were only able to submit information for discharges after obtaining ownership of the GPM's assets.

Please review the enclosed table that fulfills the permit reporting requirements. If you need any additional information for this report contact me, please contact me at (915) 620-4144.

Sincerely,

Jennifer Fuqua
Environmental Manager


Enclosure

CC: John Admire, Director of Environmental Protection, Denver, CO (Denver File Copy)
Stephen McNair, Western Regional General Manager, Midland, TX
Mark Nault, Linam Ranch Asset Manager, Hobbs, NM
Environmental Files 2.2.3.7

2001 HYDROTEST NEW PIPE

Discharge of Hydrostatic Test Waters Permit HBP-NM-015
2001 Annual Report

DATE of Test	Lessee Name	Location of Test (Section, Township, Range)	County	Source of Test Water	Volume Discharged
2/15/01	Lusk Deep #16	NE 0.25 SW0.25, Sec 18, T19S R32E	Lea	Gandy Water Station	30 BBL
4/8/01	Phillips Pat. Uncas 31 St #1	NW 0.25 SE 0.25, Sec 30, T12 R34E	Lea	Gandy Water Station	75 BBL
5/3/01	Duke Bell Lake to Sand Dunes	SW 0.25 NE 0.25, Sec 1, T24SS R23SE	Lea	Pate (City of Eunice)	120 BBL
5/15/01	Murchison Jackson Unit # 8	SW 0.25 NE 0.25, Sec 1, T24SS R23SE	Lea	Gandy Water Station	30 BBL
5/29/02	Maynard Oil Wilson Deep Unit #2	SE 0.25 NW 0.25, Sec 13, T21S R 34E	Lea	Pate (City of Eunice)	22 BBL
6/12/01	Marbob Energy S.L. Deep Fed Com #1	NE 0.25 SW0.25, Sec 20, T19S R32E	Lea	Pate (City of Eunice)	144 BBL
7/17/01	Marbob, Lusk Deep VT, A # 21	NE 0.25 SW0.25, Sec 30, T19S R32E	Lea	Pate (City of Eunice)	68 BBL
8/13/01	Duke, Kathleen BSITR, Oissh	NE 0.25 SE 0.25, Sec 1, T18S R28E	Lea	Gandy Water Station	120 BBL
8/27/01	Concho/Devon, W. Shugart 31 Fed 1	NE 0.25 SW 0.25, Sec 31, T18S R31E	Eddy	Gandy Water Station	5 BBL
11/28/01	Yates Pat. Cedar "32" St Corn #2	NE 0.25 SE 0.25, Sec 32, T17S R31E	Eddy	Gandy Water Station	62 BBL
12/3/01	Murchison Briminston 4 St #2	SE 0.25 SW 0.25, Sec 4, T24S R33E	Lea	Gandy Water Station	20 BBL
4/17/00	LOCO DISCHARGE	SW 0.25 NE 0.25, Sec 18, T17S R30E	Eddy	Gandy Water Station	155 BBL
4/18/00	PHILLIPS, HAWKEYE STATE "30" #1	NW 0.25 SE 0.25, Sec 19, T17S R34E	Lea	Gandy Water Station	96 BBL
6/2/00	(DUKE) KEMNITZ DISCH BB LINE	NW 0.25 NW 0.25, Sec 15, T17S R34E	Lea	Gandy Water Station	1,472 BBL
7/14/00	POGO PROD. SHUGART 6 COOM #1	SE 0.25 SE 0.25, Sec 6, T18S R31E	Lea	Gandy Water Station	21.6 BBL
8/31/00	TRISTIE DRAW 12"	NW 0.25 SE 0.25, Sec 1, T23S R33E	Lea	Gandy at Briminston Water Station	2,880 BBL
9/11/00	DUKE, P-LINE,	SW 0.25, NE 0.25, Sec 15, T19S R31E	Lea	Duke, Eunice, PLT FRESH WATER	1,664 BBL



August 24, 1983

Sub: Hydrostatic Test
Discharges On In-
Place Pipelines

Mr. Joe D. Ramey
Division Director

Dear Sir:

In answer to your letter of August 5, 1983, requesting information regarding the above subject, Phillips Pipe Line Company conducted hydrostatic tests on the following lines during the January, 1981 to July, 1983 period:

<u>PHILLIPS PIPE LINE COMPANY'S LINE NO.</u>	<u>LOCATION</u>	<u>VOLUMES OF WATER UTILIZED</u>
80-11	Phillips Petroleum Company's Lee Plant to Hobbs	897 bbls.
80-5	West of Hobbs to Phillips Petroleum Company's Hobbs Plant	140 bbls.
80-1-5-1	El Paso's Jal # 4 Plant to Union 76- Dollarhide Plant	700 bbls.
80 & 80-11 Ext.	West of Hobbs to Phillips Pipe Line Company's Gaines Station	2,621 bbls. 4,358 bbls. or 183,036 gallons

Please advise if additional information is required.

Very truly yours,

D. R. DuBois
D. R. DuBois
General Superintendent

DRD:JHL"fb

cc: J. W. Maharg