

HBP - 18

**PERMITS,
RENEWALS, &
MODS**

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

Ken McQueen
Cabinet Secretary

Matthias Sayer
Deputy Cabinet Secretary

David R. Catanach, Division Director
Oil Conservation Division



June 15, 2017

Mr. James G. White
Enterprise Products Operating, LLC
P.O. Box 4324
Houston, Texas 77210-4324

**Re: Annual Temporary Permission To Discharge Hydrostatic Test Water Renewal
Enterprise Products Operating, LLC
Permit HBP - 018**

Dear Mr. White:

The Oil Conservation Division (OCD) has received Enterprise Products Operating, LLC's (Enterprise) renewal request, dated June 2, 2017, for an annual temporary permission to discharge small quantities of hydrostatic test wastewater generated from the testing of new transmission pipelines of oil and gas or products thereof throughout the State of New Mexico, which expires June 30, 2017. Also, the OCD acknowledges receipt of the filing fee (\$100.00) and temporary permission fee (\$150.00) with the June 2, 2017 request.

Based on the information provided in the request, annual temporary permission is hereby granted to Enterprise for the discharge of the hydrostatic test wastewater generated from all new pipeline hydrostatic tests an operator may perform during an approved one-year period with the following understandings and conditions are applicable:

1. the volume does not exceed 25,000 gallons per hydrostatic test;
2. water from a public/municipal water supply or other OCD approved sources (upon specific request to OCD) is used for each test;
3. email or written notification must be provided to the OCD 72 hours prior to each hydrostatic discharge event;
4. the discharge does not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;
5. no discharge shall occur to a surface water body without obtaining a National Pollution Discharge Elimination Systems (NPDES) permit from the US EPA, NMED, and OCD prior to the discharge;
6. best management practices must be implemented to contain the discharge onsite, to ensure that the discharge does not impact adjacent property, and to control erosion;


7. the discharge does not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsections A, B, and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations);
8. Enterprise shall report all unauthorized discharges, spills, leaks and releases of hydrostatic test water and conduct corrective action pursuant to WQCC Regulation 20.6.2.1203 NMAC and release notification pursuant to OCD Rule 29 (19.15.29 NMAC);
9. the landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location must be properly notified of the activities prior to each proposed hydrostatic test event; and
10. an annual report, summarizing each test of new pipeline with less than 25,000 gallons per hydrostatic test event, will be submitted to OCD within 45 days after the temporary permission expiration date and shall contain the following information:
 - a. the location of hydrostatic test (Section/Township/Range or GPS coordinates);
 - b. the date of each discharge;
 - c. the volume of each discharge; and
 - d. the source and quality of test water (laboratory analysis, if necessary).

Annual temporary permissions shall expire one (1) year after issuance. This temporary permission will expire June 30, 2018. Renewal requests for annual temporary permission to discharge shall be submitted forty-five (45) days prior to the expiration date. An annual temporary permission may be revoked or suspended for violation of any applicable provisions and/or conditions of the permit.

Please be advised that approval of this request does not relieve Enterprise of liability should operations result in pollution of surface water, ground water or the environment. Enterprise shall use due diligence to monitor and oversee all activity associated with this temporary approval. Nor does approval relieve Enterprise of its responsibility to comply with any other applicable governmental authority's rules and regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,



Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District Offices

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin
Cabinet Secretary

Tony Delfin
Deputy Cabinet Secretary

David R. Catanach, Division Director
Oil Conservation Division



May 25, 2016

Mr. James G. White
Enterprise Products Operating, LLC
P.O. Box 4324
Houston, Texas 77210-4324

**Re: Annual Temporary Permission To Discharge Hydrostatic Test Water Renewal
Enterprise Products Operating, LLC
Permit HBP - 018**

Dear Mr. White:

The Oil Conservation Division (OCD) has received Enterprise Products Operating, LLC's (Enterprise) renewal request, dated May 20, 2016, for an annual temporary permission to discharge small quantities of hydrostatic test wastewater generated from the testing of new transmission pipelines of oil and gas or products thereof throughout the State of New Mexico, which expires June 30, 2016. Also, the OCD acknowledges receipt of the filing fee (\$100.00) and temporary permission fee (\$150.00) with the May 20, 2016 request.

Based on the information provided in the request, annual temporary permission is hereby granted to Enterprise for the discharge of the hydrostatic test wastewater generated from all new pipeline hydrostatic tests an operator may perform during an approved one-year period with the following understandings and conditions are applicable:

1. the volume does not exceed 25,000 gallons per hydrostatic test;
2. water from a public/municipal water supply or other OCD approved sources (upon specific request to OCD) is used for each test;
3. email or written notification must be provided to the OCD 72 hours prior to each hydrostatic discharge event;
4. the discharge does not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;
5. no discharge shall occur to a surface water body without obtaining a National Pollution Discharge Elimination Systems (NPDES) permit from the US EPA, NMED, and OCD prior to the discharge;
6. best management practices must be implemented to contain the discharge onsite, to ensure that the discharge does not impact adjacent property, and to control erosion;

7. the discharge does not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsections A, B, and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations);
8. Enterprise shall report all unauthorized discharges, spills, leaks and releases of hydrostatic test water and conduct corrective action pursuant to OCD Rule 19.15.29 NMAC;
9. the landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location must be properly notified of the activities prior to each proposed hydrostatic test event; and
10. an annual report, summarizing each test of new pipeline with less than 25,000 gallons per hydrostatic test event, will be submitted to OCD within 45 days after the temporary permission expiration date and shall contain the following information:
 - a. the location of hydrostatic test (Section/Township/Range or GPS coordinates);
 - b. the date of each discharge;
 - c. the volume of each discharge; and
 - d. the source and quality of test water (laboratory analysis, if necessary).

Annual temporary permissions shall expire one (1) year after issuance. This temporary permission will expire June 30, 2017. Renewal requests for annual temporary permission to discharge shall be submitted forty-five (45) days prior to the expiration date. An annual temporary permission may be revoked or suspended for violation of any applicable provisions and/or conditions of the permit.

Please be advised that approval of this request does not relieve Enterprise of liability should operations result in pollution of surface water, ground water or the environment. Enterprise shall use due diligence to monitor and oversee all activity associated with this temporary approval. Nor does approval relieve Enterprise of its responsibility to comply with any other applicable governmental authority's rules and regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,

A handwritten signature in black ink, appearing to read 'Brad A. Jones', enclosed within a large, loopy oval shape.

Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District Offices

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin
Cabinet Secretary

Brett F. Woods, Ph.D.
Deputy Cabinet Secretary

David R. Catanach, Division Director
Oil Conservation Division



May 18, 2015

Mr. James G. White
Enterprise Products Operating, LLC
P.O. Box 4324
Houston, Texas 77210-4324

**Re: Annual Temporary Permission To Discharge Hydrostatic Test Water Renewal
Enterprise Products Operating, LLC
Permit HBP - 018**

Dear Mr. White:

The Oil Conservation Division (OCD) has received Enterprise Products Operating, LLC's (Enterprise) renewal request, dated May 7, 2015, for an annual temporary permission to discharge small quantities of hydrostatic test wastewater generated from the testing of new transmission pipelines of oil and gas or products thereof throughout the State of New Mexico, which expires June 30, 2015. Also, the OCD acknowledges receipt of the filing fee (\$100.00) and temporary permission fee (\$150.00) with the May 7, 2015 request.

Based on the information provided in the request, annual temporary permission is hereby granted to Enterprise for the discharge of the hydrostatic test wastewater generated from all new pipeline hydrostatic tests an operator may perform during an approved one-year period with the following understandings and conditions are applicable:

1. the volume does not exceed 25,000 gallons per hydrostatic test;
2. water from a public/municipal water supply or other OCD approved sources (upon specific request to OCD) is used for each test;
3. email or written notification must be provided to the OCD 72 hours prior to each hydrostatic discharge event;
4. the discharge does not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;
5. no discharge shall occur to a surface water body without obtaining a National Pollution Discharge Elimination Systems (NPDES) permit from the US EPA, NMED, and OCD prior to the discharge;

6. best management practices must be implemented to contain the discharge onsite, to ensure that the discharge does not impact adjacent property, and to control erosion;
7. the discharge does not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsections A, B, and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations);
8. Enterprise shall report all unauthorized discharges, spills, leaks and releases of hydrostatic test water and conduct corrective action pursuant to OCD Rule 19.15.29 NMAC;
9. the landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location must be properly notified of the activities prior to each proposed hydrostatic test event; and
10. an annual report, summarizing each test of new pipeline with less than 25,000 gallons per hydrostatic test event, will be submitted to OCD within 45 days after the temporary permission expiration date and shall contain the following information:
 - a. the location of hydrostatic test (Section/Township/Range or GPS coordinates);
 - b. the date of each discharge;
 - c. the volume of each discharge; and
 - d. the source and quality of test water (laboratory analysis, if necessary).

Annual temporary permissions shall expire one (1) year after issuance. This temporary permission will expire June 30, 2016. Renewal requests for annual temporary permission to discharge shall be submitted forty-five (45) days prior to the expiration date. An annual temporary permission may be revoked or suspended for violation of any applicable provisions and/or conditions of the permit.

Please be advised that approval of this request does not relieve Enterprise of liability should operations result in pollution of surface water, ground water or the environment. Enterprise shall use due diligence to monitor and oversee all activity associated with this temporary approval. Nor does approval relieve Enterprise of its responsibility to comply with any other applicable governmental authority's rules and regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,



Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District Offices

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin
Cabinet Secretary-Designate

Brett F. Woods, Ph.D.
Deputy Cabinet Secretary

Jami Bailey, Division Director
Oil Conservation Division



May 13, 2013

Mr. James G. White
Enterprise Products Operating, LLC
P.O. Box 4324
Houston, Texas 77210-4324

**Re: Annual Temporary Permission To Discharge Hydrostatic Test Water
Enterprise Products Operating, LLC
Permit HBP - 018**

Dear Mr. White:

The Oil Conservation Division (OCD) has received Enterprise Products Operating, LLC's (Enterprise) renewal request, dated May 8, 2013, for an annual temporary permission to discharge small quantities of hydrostatic test wastewater generated from the testing of new transmission pipelines of oil and gas or products thereof throughout the State of New Mexico, which expires June 30, 2013. Also, the OCD acknowledges receipt of the filing fee (\$100.00) and temporary permission fee (\$150.00) with the May 8, 2013 request.

Based on the information provided in the request, annual temporary permission is hereby granted to Enterprise for the discharge of the hydrostatic test wastewater generated from all new pipeline hydrostatic tests an operator may perform during an approved one-year period with the following understandings and conditions are applicable:

1. the volume does not exceed 25,000 gallons per hydrostatic test;
2. water from a public/municipal water supply or other OCD approved sources is used for each test;
3. written notification must be provided to the OCD 72 hours prior to each hydrostatic discharge event;
4. the discharge does not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;
5. no discharge shall occur to a surface water body without obtaining a National Pollution Discharge Elimination Systems (NPDES) permit from the US EPA, NMED, and OCD prior to the discharge;


6. best management practices must be implemented to contain the discharge onsite, to ensure that the discharge does not impact adjacent property, and to control erosion;
7. the discharge does not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsections A, B, and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations);
8. Enterprise shall report all unauthorized discharges, spills, leaks and releases of hydrostatic test water and conduct corrective action pursuant to OCD Rule 19.15.29 NMAC;
9. the landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location must be properly notified of the activities prior to each proposed hydrostatic test event; and
10. an annual report, summarizing each test of new pipeline with less than 25,000 gallons per hydrostatic test event, will be submitted to OCD within 45 days after the temporary permission expiration date and shall contain the following information:
 - a. the location of hydrostatic test (Section/Township/Range or GPS coordinates);
 - b. the date of each test;
 - c. the volume of each discharge; and
 - d. the source and quality of test water (laboratory analysis, if necessary).

Annual temporary permissions shall expire one (1) year after issuance. This temporary permission will expire June 30, 2014. Renewal requests for annual temporary permission to discharge shall be submitted forty-five (45) days prior to the expiration date. An annual temporary permission may be revoked or suspended for violation of any applicable provisions and/or conditions of the permit.

This approval does not relieve Enterprise of responsibility should its operation result in pollution of surface water, ground water, or the environment. In addition, OCD approval does not relieve Enterprise of responsibility for compliance with other federal, state or local regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,

A handwritten signature in black ink, appearing to read 'Brad A. Jones', with a long horizontal line extending to the right.

Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District Offices

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

John Bemis
Cabinet Secretary

Brett F. Woods, Ph.D.
Deputy Cabinet Secretary

Jami Bailey
Division Director
Oil Conservation Division



June 26, 2012

Mr. Matthew E. Marra
Enterprise Products Operating, LLC
P.O. Box 4324
Houston, Texas 77210-4324

**Re: Annual Temporary Permission To Discharge Hydrostatic Test Water
Enterprise Products Operating, LLC
Permit HBP - 018**

Dear Mr. Marra:

The Oil Conservation Division (OCD) has received Enterprise Products Operating, LLC's (Enterprise) renewal request, dated June 21, 2012, for an annual temporary permission to discharge small quantities of hydrostatic test wastewater generated from the testing of new transmission pipelines of oil and gas or products thereof throughout the State of New Mexico. Also, the OCD acknowledges receipt of the filing fee (\$100.00) and temporary permission fee (\$150.00) with the June 21, 2012 request.

Based on the information provided in the request, the OCD hereby grants annual temporary permission. Hydrostatic test wastewater generated from all hydrostatic tests that Enterprise may perform during an approved one-year period with the following conditions:

1. the volume does not exceed 25,000 gallons per hydrostatic test;
2. water from a public/municipal water supply or other OCD approved sources is used for each test;
3. oral or written notification must be provided to the OCD 72 hours prior to each hydrostatic discharge event;
4. the discharge does not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;
5. no discharge shall occur:
 - a. the volume does not exceed 25,000 gallons per hydrostatic test;
 - b. water from a public/municipal water supply or other OCD approved sources is used for each test;
 - c. written notification must be provided to the OCD 72 hours prior to each hydrostatic discharge event;
 - d. the discharge does not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;


- e. no discharge shall occur:
6. best management practices must be implemented to contain the discharge onsite, does not impact adjacent property, and to control erosion;
 7. the discharge does not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsections A, B, and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations);
 8. the operator shall report all unauthorized discharges, spills, leaks, and releases of hydrostatic test wastewater and conduct corrective action pursuant to WQCC Regulation 20.6.2.1203 NMAC and OCD Rule 19.15.29 NMAC;
 9. the landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location must be properly notified of the activities prior to each proposed hydrostatic test event; and
 10. an annual report, summarizing all tests of new pipeline with less than 25,000 gallons per hydrostatic test event, will be submitted to the OCD within 45 days after the temporary permission expiration date and shall contain the following information:
 - a. the location of hydrostatic test (Section/Township/Range or GPS coordinates);
 - b. the date of each test;
 - c. the volume of each discharge; and
 - d. the source and quality of test water (laboratory analysis, if necessary).

Annual temporary permissions shall expire one (1) year after issuance. This temporary permission will expire June 30, 2013. Renewal requests for annual temporary permission to discharge shall be submitted forty-five (45) days prior to the expiration date. An annual temporary permission may be revoked or suspended for violation of any applicable provisions and/or conditions of the permit.

This approval does not relieve Enterprise of responsibility should its operation result in pollution of surface water, ground water, or the environment. In addition, OCD approval does not relieve Enterprise of responsibility for compliance with other federal, state or local regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,



Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District Offices



New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

John H. Bemis

Cabinet Secretary-Designate

Brett F. Woods, Ph.D.

Deputy Cabinet Secretary

Jami Bailey

Division Director

Oil Conservation Division



April 19, 2011

Mr. Jon E. Fields
Manager, Environmental Permitting
Enterprise Products Operating, LLC
P.O. Box 4324
Houston, Texas 77210-4324

**Re: Annual Temporary Permission To Discharge Hydrostatic Test Water
Enterprise Products Operating, LLC
Permit HBP - 018**

Dear Mr. Fields:

The New Mexico Oil Conservation Division (OCD) has received Enterprise Products Operating, LLC's (Enterprise) renewal request, dated April 14, 2011, for an annual temporary permission to discharge small quantities of hydrostatic test wastewater generated from the testing of new natural gas pipelines throughout the State of New Mexico.

Based on the information provided in the request, **annual temporary permission is hereby granted** for the discharge of the hydrostatic test wastewater generated from all new pipeline hydrostatic tests an operator may perform during an approved one-year period when the following understandings and conditions are applicable:

1. the volume does not exceed 25,000 gallons per hydrostatic test;
2. water from a public/municipal water supply or other OCD approved sources is used for each test;
3. oral or written notification must be provided to the OCD 72 hours prior to each hydrostatic discharge event;
4. the discharge does not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;
5. no discharge shall occur:
 - a. where ground water is less than 10 feet below ground surface.
 - b. within 200 feet of a watercourse, lakebed, sinkhole or playa lake;
 - c. within an existing wellhead protection area;
 - d. within, or within 500 feet of a wetland; or




- e. within 500 feet from the nearest permanent residence, school, hospital, institution or church;
6. best management practices must be implemented to contain the discharge onsite, does not impact adjacent property, and to control erosion;
7. the discharge does not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsections A, B, and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations);
8. the operator shall report all unauthorized discharges, spills, leaks, and releases of hydrostatic test wastewater and conduct corrective action pursuant to WQCC Regulation 20.6.2.1203 NMAC and OCD Rule 9.15.29 NMAC;
9. the landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location must be properly notified of the activities prior to each proposed hydrostatic test event; and
10. an annual report, summarizing all tests of new pipeline with less than 25,000 gallons per hydrostatic test event, will be submitted to the OCD within 45 days after the temporary permission expiration date and shall contain the following information:
 - a. the location of hydrostatic test (Section/Township/Range or GPS coordinates);
 - b. the date of each test;
 - c. the volume of each discharge; and
 - d. the source and quality of test water (laboratory analysis, if necessary).

Annual temporary permissions shall expire one (1) year after issuance. **This temporary permission will expire June 30, 2012.** *Renewal requests for annual temporary permission to discharge shall be submitted forty-five (45) days prior to the expiration date.* An annual temporary permission may be revoked or suspended for violation of any applicable provisions and/or conditions of the permit.

This approval does not relieve Enterprise of responsibility should its operation result in pollution of surface water, ground water, or the environment. In addition, OCD approval does not relieve Enterprise of responsibility for compliance with other federal, state or local regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,



Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District Offices

New Mexico Energy, Minerals and Natural Resources Department

Bill Richardson

Governor

Joanna Prukop
Cabinet Secretary

Mark Fesmire
Division Director
Oil Conservation Division



June 30, 2009

Mr. Clayton Roesler
Manager, Environmental Permitting
Enterprise Products Operating, LLC
614 Reilly Avenue
Farmington, New Mexico 87401

**Re: Annual Temporary Permission To Discharge Hydrostatic Test Water
Enterprise Products Operating, LLC
Permit HBP - 018**

Dear Mr. Roesler:

The New Mexico Oil Conservation Division (OCD) has received Enterprise Products Operating, LLC's (Enterprise) request, dated July 23, 2009, for an annual temporary permission to discharge small quantities of hydrostatic test wastewater generated from the testing of new natural gas pipelines throughout the State of New Mexico.

Based on the information provided in the request, **annual temporary permission is hereby granted** for the discharge of the hydrostatic test wastewater generated from all new pipeline hydrostatic tests an operator may perform during an approved one-year period when the following understandings and conditions are applicable:

1. the volume does not exceed 25,000 gallons per hydrostatic test;
2. water from a public/municipal water supply or other OCD approved sources is used for each test;
3. oral or written notification must be provided to the OCD 72 hours prior to each hydrostatic discharge event;
4. the discharge does not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;
5. no discharge shall occur:
 - a. where ground water is less than 10 feet below ground surface.
 - b. within 200 feet of a watercourse, lakebed, sinkhole or playa lake;
 - c. within an existing wellhead protection area;
 - d. within, or within 500 feet of a wetland; or
 - e. within 500 feet from the nearest permanent residence, school, hospital, institution or church;
6. best management practices must be implemented to contain the discharge onsite, does not impact adjacent property, and to control erosion;



7. the discharge does not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsections A, B, and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations);
8. the operator shall report all unauthorized discharges, spills, leaks, and releases of hydrostatic test wastewater and conduct corrective action pursuant to WQCC Regulation 20.6.2.1203 NMAC and OCD Rule 9.15.29 NMAC;
9. the landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location must be properly notified of the activities prior to each proposed hydrostatic test event; and
10. an annual report, summarizing all tests of new pipeline with less than 25,000 gallons per hydrostatic test event, will be submitted to the OCD within 45 days after the temporary permission expiration date and shall contain the following information:
 - a. the location of hydrostatic test (Section/Township/Range or GPS coordinates);
 - b. the date of each test;
 - c. the volume of each discharge; and
 - d. the source and quality of test water (laboratory analysis, if necessary).


Annual temporary permissions shall expire one (1) year after issuance. **This temporary permission will expire June 30, 2010.** Renewal requests for annual temporary permission to discharge shall be submitted forty-five (45) days prior to the expiration date. An annual temporary permission may be revoked or suspended for violation of any applicable provisions and/or conditions of the permit.

This renewal approval is contingent upon Enterprise satisfaction of completing the annual report provision of Condition #9-of-the-February-2007-annual-temporary-permission.

This approval does not relieve Enterprise of responsibility should its operation result in pollution of surface water, ground water, or the environment. In addition, OCD approval does not relieve Enterprise of responsibility for compliance with other federal, state or local regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.


Sincerely,



Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District Offices



NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

BILL RICHARDSON

Governor

Joanna Prukop

Cabinet Secretary

Mark E. Fesmire, P.E.

Director

Oil Conservation Division

February 22, 2007

Mr. Clayton Roesler
Manager, Environmental Permitting
Enterprise Products Operating, L.P.
P.O. Box 4324
Houston, Texas 77210-4324

Re: Annual Temporary Permission To Discharge Hydrostatic Test Water HB-NM-018

Dear Mr. Roesler:

The New Mexico Oil Conservation Division (OCD) has received Enterprise Products Operating, L.P.'s (Enterprise) request, dated February 13, 2007, for an annual temporary permission to discharge small quantities of hydrostatic test wastewater generated from the testing of new natural gas pipelines throughout the State of New Mexico.

Based on the information provided in the request, **annual temporary permission is hereby granted** for the discharge of the hydrostatic test wastewater generated from all new pipeline hydrostatic tests an operator may perform during an approved one-year period when the following understandings and conditions are applicable:

1. the volume does not exceed 25,000 gallons per hydrostatic test;
2. water from a public/municipal water supply or other OCD approved sources is used for each test;
3. oral or written notification must be provided to the OCD 72 hours prior to each hydrostatic discharge event;
4. the discharge does not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;
5. no discharge shall occur:
 - a. where ground water is less than 10 feet below ground surface.
 - b. within 200 feet of a watercourse, lakebed, sinkhole or playa lake;
 - c. within an existing wellhead protection area;
 - d. within, or within 500 feet of a wetland; or
 - e. within 500 feet from the nearest permanent residence, school, hospital, institution or church;


6. best management practices must be implemented to contain the discharge onsite, does not impact adjacent property, and to control erosion;
7. the discharge does not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsections A, B, and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations);
8. the landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location must be properly notified of the activities prior to each proposed hydrostatic test event; and
9. an annual report, summarizing all tests of new pipeline with less than 25,000 gallons per hydrostatic test event, will be submitted to the OCD within 45 days after the temporary permission expiration date and shall contain the following information:
 - a. the location of hydrostatic test (Section/Township/Range or GPS coordinates);
 - b. the date of each test;
 - c. the volume of each discharge; and
 - d. the source and quality of test water (laboratory analysis, if necessary).

Annual temporary permissions shall expire one (1) year after issuance. **This temporary permission will expire February 22, 2008.** Renewal requests for annual temporary permission to discharge shall be submitted forty-five (45) days prior to the expiration date. An annual temporary permission may be revoked or suspended for violation of any applicable provisions and/or conditions of the permit.

This approval does not relieve Enterprise of responsibility should its operation result in pollution of surface water, ground water, or the environment. In addition, OCD approval does not relieve Enterprise of responsibility for compliance with other federal, state or local regulations.

If there are any questions regarding this matter, please do not hesitate to contact Brad A. Jones at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,


Wayne Price
Environmental Bureau Chief

LWP/baj

cc: OCD District IV Office, Santa Fe, NM