1R - /93

# GENERAL CORRESPONDENCE

YEAR(S):

2/95



OF CONSERVE FOR DIVISION FREE FREE FED

OXY USA INC.
Box 50250, Midland, TX 79710
February 7, 1995

Mr. Jerry Sexton State of New Mexico Oil Conservation Division District 1 - Hobbs P. O. Box 1980 Hobbs, NM 88241-1980

Re: Pit Closure Report - Myers Langlie Mattix Unit

Dear Mr. Sexton:

OXY USA Inc. (OXY) would like to submit the attached closure reports for three pits and a tank battery location at our Myers Langlie Mattix Unit located in Lea County. Also, included for your information, is a copy of the closure report prepared by Big D Environmental Services, the contractor we used to remediate these sites. The closures were completed in October, 1994. Mr. Wayne Price of your office inspected the sites during closure.

If you have any questions concerning this closure report please contact me at (915) 685-5669.

Lance W. Bowers
Engineering Tech
Western Region

cc: C. Oney

B. Meadows

B. Hunt

C. Pollard

S. Nichols

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division
P. O. Box 2088
Santa Fe, New Mexico 87504-2088

F: Hobbs PFA NMOCD Correspondence

District I P.O. Box 1980, Hobbs, NM District II P.O. Drawer DD, Artesia, NM 88211

### State of New Mexico Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TO APPROPRIATE DISTRICT OFFICE AND 1 COPY TO

District III

OIL CONSERVATION DIVISION

SANTA FE OFFICE The same of the sa

Santa Fe, New Mexico 87504-2088

(Revised 3/9/94)

### PIT REMEDIATION AND CLOSURE REPORT

Operator: OXY USA INC.	Telephone: 915/685-5669							
	-							
Address: P. O. Box 50250, Midland,	Texas 79710-0250							
Facility Or: Myers Langlie Mattix Un	it Well No. 196							
Well Name								
Location: Unit or Qtr/Qtr Secs	ec 9 T 24SR 37E County Lea							
Pit Type: Separator Dehydrator Other								
Land Type: BLM, State, Fee X	, Other							
and the state of the second of the state of the state of the state of the second of the second of the state of the second of the state of the second of the state of the second of								
44. The state of t	And the second of the second o							
Pit Location: Pit dimensions: length 30', width 30', depth 9'								
(Attach diagram)	i so , widen so , depth s							
Reference: wellhead X	, other							
Footage from reference:								
Direction from reference	ce: Degrees East North							
	of							
	West South							
Depth To Ground Water:	Less than 50 feet (20 points)							
(Vertical distance from	50 feet to 99 feet (10 points)							
contaminants to seasonal	Greater than 100 feet (0 Points) NA							
high water elevation of ground water)								
ground water,								
Wellhead Protection Area:	Yes (20 points)							
(Less than 200 feet from a private	No (0 points) NA							
domestic water source, or; less than								
1000 feet from all other water sources)								
Control (a) and the second control (a) and the s	and a contraction of the contrac							
Distance To Surface Water:	Less than 200 feet (20 points)							
(Horizontal distance to perennial	200 feet to 1000 feet (10 points)							
lakes, ponds, rivers, streams, creeks,	Greater than 1000 feet (0 points) NA							
irrigation canals and ditches)	· · · · · · · · · · · · · · · · · · ·							
	RANKING SCORE (TOTAL POINTS):							

Date Remediation St	arted: _	7/27/94	Date Completed:	10/26/94
Remediation Method:	Excavat	ion X	Approx. cubic yards	210
(Check all appropriate sections)	Landfar	med X	Insitu Bioremediation	Х
Remediation Location (ie. landfarmed onsite, name and location of offsite facility)	on: On	site <u>X</u> Off	fsite	
General Description	of Reme	dial Action	n:	
clean dirt. Set	up bioce	ll and mair	ntained until Sentember 2	1 1994
	<u>up 21000</u>	<u> </u>	reasiled direct beyonder 2	<del></del>
	meral Description Of Remedial Action:  Excavated and hauled extremely oil material to CRI. Backfilled with clean dirt. Set up biocell and maintained until September 21, 1994.  Dound Water Encountered: No X Yes Depth  Dound Water Sampling:  Mail Pit: Sample location Composit - surface to 8'  Dound Water Samples, ach sample depth 8'  Sample depth 8'  Sample depth 9/21/94 Sample time  Sample Results  Benzene(ppm)  Total BTEX(ppm)  Field headspace(ppm)  TOTAL BTEX(ppm)  TOTAL BTEX(ppm)			
	· · · · · · · · · · · · · · · · · · ·			
Ground Water Encour	tered:	No X	Yes Depth	· · · · · · · · · · · · · · · · · · ·
Final Pit: Closure Sampling: (if multiple samples.				
attach sample results and diagram of sample				
locations and depths)		<del></del> -		
'	Sample	date 9/2	21/94 Sample time	
·		· · · · · ·	Sample time	
·	Sample	Results		
	Sample Be	Results		i izavi Tilitanos
	Sample Be To	Results nzene(ppm) tal BTEX(pp	om)	
	Sample Be To Fi	Results nzene(ppm) tal BTEX(pr	om)	1. 1504 1. 1. 1505 1. 184 (\$1.1 1843)
	Sample Be To Fi	Results nzene(ppm) tal BTEX(pr	om)	1.1284) 1.121.130000 1.221.131 1.221.131 1.221.131 1.231.131
Ground Water Sample	Sample Be To Fi TP	Results nzene(ppm) tal BTEX(pp eld headspa	om)	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
I HEREBY CERTIFY TH	Sample Be To Fi TP Yes	Results nzene(ppm) tal BTEX(pp eld headspa H 2,471 No X	om)ace(ppm) K (If yes, attach sample	results)
I HEREBY CERTIFY TH OF MY KNOWLEDGE AND	Sample Be To Fi TP Yes	Results nzene(ppm) tal BTEX(pp eld headspa H 2,471 No X	om)ace(ppm) K (If yes, attach sample	results)
I HEREBY CERTIFY TH	Sample Be To Fi TP Yes	Results nzene(ppm) tal BTEX(pred) eld headspace H 2,471 No X NFORMATION PRINTED	Om)  Ace(ppm)  K (If yes, attach sample  ABOVE IS TRUE AND COMPLE	TE TO THE BEST



LUDBIC ERVATION DIVISION RECEIVED

19414 25 AM 8 50

OXY USA INC.
Box 50250, Midland, TX 79710

July 15, 1994

#### VIA OVERNIGHT MAIL

Mr. Jerry Sexton State of New Mexico Oil Conservation Division District 1 - Hobbs 1000 W. Broadway Hobbs, NM 88240

Re: Unit Wide Pit and Tank Battery Closure Plan

Dear Mr. Sexton:

OXY USA Inc. (OXY) would like to submit the attached closure plan for your approval. The plan is a unit wide closure plan for three pits and two tank batteries located on our Myers Langlie Mattix Unit located in Lea County. Big D Environmental will be performing the remediation of the pits and batteries and have prepared this Remediation Action Plan (RAP) in accordance with the New Mexico Oil Conservation Divisions guidance document on closure of surface impoundments.

If you have any questions concerning the RAP please contact me at 915/685-5824.

Charles W. Lock

Sr. Environmental Advisor

Attachment

cc: Chuck Pollard (w/attach)
Sid Nichols (w/attach)

Mr. Wayne Price (w/attach)
State of New Mexico Oil Conservation Division
District 1 - Hobbs
1000 W. Broadway
Hobbs, NM 88240

F: Loco Hills PFA Corresp.

State of New Mexico Subrisit 3 Coolies Form C-103 to Appropriate District Office minerals and Natural Resources Department Revised 1-1-89 OIL CONSERVATION DIVISION WELL API NO. P.O. Box 1980, Hobbs, NM 88240 310 Old Santa Fe Trail, Room 206 Santa Fe. New Mexico 87503 **DISTRICT'II** P.O. Drawer DD, Artesia, NM 88210 5. Indicate Type of Lease STATE FEE X 1000 Rio Brazos Rd., Aztec, NM 87410 6. State Oil & Gas Lease No. SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A 7. Lease Name or Unit Agreement Name DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) Type of Well: WELL. WELL Myers Langlie Mattix OTHER See Block 12 2. Name of Operator 8. Well No. OXY USA INC. 3. Address of Operator 9. Pool name or Wildcat P. O. Box 50250, Midland, Texas 79710 4. Well Location \_\_ Feet From The \_ Feet From The Line and Lea Section Township hip Range
10. Elevation (Show whether DF, RKB, RT, GR, etc.) County Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON ALTERING CASING REMEDIAL WORK TEMPORARILY ABANDON **CHANGE PLANS** COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT PULL OR ALTER CASING CASING TEST AND CEMENT JOB OTHER: OTHER: 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. Remediation of three (3) pits and two (2) tank batteries located on Unit. See attached Remedial Action Plan for location of pits and batteries.

I hereby certify that the inform	•	•	_Environmental Advis	sor DATE 7/15/94
TYPE OR PRINT NAME	Charles	W. Lock	 TELEPHONE NO.	915/685-5824
(This space for State Use)			 DISTRICT 1 SUPERVISO	OR JUL 19 1994

CONDITIONS OF APPROVAL, IP ANY:

## PROPOSED UNIT WIDE PIT CLOSURE AND TANK BATTERY REMEDIATION ACTION PLANS MYERS LANGLIE MATTIX UNIT, LEA COUNTY, NEW MEXICO

### Prepared for:

Mr. Charles Lock
Senior Environmental Advisor
OXY USA
P.O. Box 50250
Midland, Texas 79710

### Prepared by:

BIG D ENVIRONMENTAL SERVICES P.O. Box 7808 Midland, Texas 79708

Barry L. Keith, Geologist

### NOTICE OF INTENTION TO PERFORM REMEDIAL WORK

### PROPOSED UNIT WIDE PIT CLOSURE AND BATTERY SITE REMEDIATION ACTION PLAN

Big D Environmental Services proposes to conduct the following Remedial Activities on the OXY USA, MYERS LANGLIE MATTIX UNIT, LEA COUNTY, NEW MEXICO.

Based on the hydrological data presented in a Phase I Environmental Assessment, conducted during October, 1994, at the Myers Langlie Mattix Unit, the ranking criteria (NMOCD Environ. Regs., Unlined Surface Impoundment Closure Guidelines, Section II.A.2.a.), would be Zero (0). This ranking indicates recommended remediation levels for this ranking score to be 10ppm Benzene, 50ppm for BTEX and 5000ppm for TPH. These are the target levels upon which the following REMEDIAL ACTION PLANS (RAP) are based.

upon which the following REMEDIAL ACTION PLANS (RAP) are based.

The pits located near Well 196 and Well 226 contain "Sediment Oil". This material will be excavated and manifested to the CRI, Inc. recovery facility for processing. The "Sediment Oil" will be tested for recoverability, prior to transport.

The asphalt like pads, at the abandoned Battery Sites, will be excavated and manifested to CRI, Inc. disposal facility for disposal. These pads were apparently added, years ago, for enhanced vehicular access.

Five sites are addressed in this RAP and they are as follows (see attached plat for locations):

- \* Pit near Well 196--R37E, T24S, Sec9--660FNL, 2010FWL
- \* Pit near Well 226--R37E, T24S, Sec 11--1980FNL, 660FWL
- \* Pit near Well 11--R36E, T23S, Sec 25--660FNL, 1980FEL
- \* Old Battery Site near Well 227--R37E, T24S, Sec 10--1980FSL,1980FEL
- \* Old Battery Site Near Well 226--R37E, T24S, Sec 11--1980FNL,660FWL

The estimated start up date is immediately after NMOCD approval of this plan.

The Remedial Action Plan for the soils at the above sites is proposed as follows:

- \* Priority will be given those sites where disposal is a factor.
- \* The impacted soils at the site will be excavated and placed in an adjacent bermed area for <u>bioremediation via enhanced</u> landfarming.
- \* The areas will be over excavated and <u>composite samples will</u> <u>be collected</u> to verify walls and bottoms are equal to or below ranking criteria levels.
- \* The contaminated <u>soils will be inoculated</u> with a urea based nutrient, disced, tilled and moisturized.
- \* Hay will be added as a <u>bulking agent</u>, moisture retainer and additional enhancement.
- \* Fresh water will be applied on an as needed basis, via hand sprinklers.
- \* A 120 day bio-maintenance program will be conducted as part of these remedial activities. This program includes one or more of the following: aeration, sample collecting, moisturization, reinoculation, onsite inspections, etc.
- \* Open pit areas will be <u>protected by temporary fencing</u> and appropriate sinage.
- \* Once ranking criteria levels are reached or exceeded, the remediated soils will be <u>returned to the original site</u>, graded to guideline specifications and then seeded with a BLM mix of native species.
- \* A final <u>Closure Report</u> document, outlining procedures and results, will be prepared for submittal.

Soil samples collected at these sites will be taken to Environmental Lab of Texas, at Midland, Texas, for analyses. All samples will be analyzed using EPA or OCD approved methods. Soil sampling for laboratory analyses will be conducted using approved industry standards or other OCD approved procedures.

The enhanced remediation procedure is proposed, in order to shorten degradation time and maximize the remaining summer heat.

All remedial activities undertaken, will be done in accordance with all applicable federal, state and local regulations. An area wide Closure Document will be prepared for final closure.

87				SS.	F (1)	<b>60</b>		2		- <b>3</b> 6		=			
	<del></del>	<b>4</b> —						ŧ.	4	i L			<b>\$</b> 2		
								*	i,	A	١.		Mell 226	!	
				_	· ——				*	'. 	<b>.</b>	<u> </u>			
ì				3				£ .	<b>,</b>	:	'. 			Web 227	
				,·				<u>"</u> 	', 	i			``	1,335	*
					٠.	*	!,			r		*	•	"\ :	·. 
				*	••	*	<b>.</b>		<del></del>			*	<b>4</b>	 	
8				B.	*.	*	i,	* 14	i,	4	i,	6.4	٠.		
				`	4	٠,	*	٠.		¥.	*	Well 196.	! !		
		٠,	•.	*	•	*	ι,	*	3.	4	٠.	¥.	<b>s.</b>	4	
		*	*		*	•	*	•.	<b>!</b>	'. 	4	+	*	<b>,</b>	
₹ 	·	*	•	32	*	*	٩.	s. •	1,	4	•	8 .4	1,	4	
<u></u>	<u>'</u> 4			ī	<b>*</b> 8	•	*	8.	<b>.</b>	<b>•.</b> □	₽.	1	4	۹.	  - 
*	•	*	, ,	*	*.	*	1			-# 	ŧ,	4	١.	*	i   
•	*	. *	`∢	•.	*	٠,	*	8.	<b>!</b>	١.		1		;	4
જે અ	*	*	<u>.</u>	ξ	2.	*	*	ω <sub>3</sub> ′	ī,	*	ŧ.	~ #a	ı,	¥	1,
•	•.	•	••	••	*	٠.	¥	•.	1,	8,		۹.	<b>₩</b>	i.	4
<b>ĕ</b>	٤,	*	٠,	*	*.	*	•		•. 	4	ē,	•	i,	[	1,
•	*	٠.	*	•	*	٠.	*	•.				١.	4	]   	₹
ي.	*.	*	٠.	36	2.	*	•	- **	!			12		į,	ļ,
. He	, , , ,	•	*	٠.	*	•	A	[	•				*	٠,	<b></b>     
	•	*	Α.	i <sub>d</sub>	•		ŧ,						١,	Ą	; i !

MYERS LANGLIE MATTIX QUEEN UNIT

Web Service 46), 800

MATER BARDTOR