1R - 425 - 9

REPORTS

DATE:

DEC 12,2005

Vac. Vent B-5-1 (Boot)

1R0425-09

Final Report

RICE OPERATING COMPANY JUNCTION BOX FINAL REPORT

				BOX LOCA	TION				
SWD SYSTEM J	JUNCTION	UNIT	SECTION	TOWNSHIF	RANGE	COUNT	Y BOX D	IMENSIONS -	FEET
Vacuum B-	5-1 boot vent	в	5	185	35E	Lea	Length	Width	Depth
no boxsystem abandonment									nment
LAND TYPE: BLM	1STA	TE <u>X</u>	FEE LAND	OWNER	<u></u>				
Depth to Groundw	vater	70	feet	NMOCD	SITE ASSE	ESSMEN	T RANKING S		10
Date Started	9/13/20	05	Date Co	mpleted	12/2/2005	NM	OCD Witness	n	0
Soil Excavated	7	cubic yar	ds Exe	cavation Le	ngth 8	Wie	1th3	_ Depth	8feet
Soil Disposed	0	cubic yar	ds Of	fsite Facility	n	/a	Location	n	la
	FINAL ANALYTICAL RESULTS: Sample Date <u>9/13/2005</u> Sample Depth 8 ft								
testin	ng procedures	s pursuant to	NMOCD (guidelines.	loved lab an	u	CHLUr		2010
							LOCATION	DEPTH (ft)	ppm
Sample	PID	GR	20	DRO	<u>Chloride</u>	2		3	52
Location	ppm	mg/	/kg	mg/kg	mg/kg		delineation	4	92
VERTICAL GRAB	0.0	8.2	22	113	46.9		trench at	5	85
@ 8 ft BGS							junction	6	87
								7	72
General Description of	of Remedial A	Action:				Ļ		8	57
		-	This junction	box contained	a vent and a	L	background	surface	72
boot and was addressed as	s part of the Vac	cuum SWD S	ystem abando	onment. After	the box was				
removed, a delineation tren	nch was made a	t the junction v	with a backho	be. Soil sampl	es were collect	ted every ft	of depth from 3	to 8 ft BGS. Chie	oride
field tests were conducted	on every sample	e and concent	rations were	<100 ppm for	all samples. L	aboratory a	nalysis of the 8 t	ft grab sample yie	lded
46.9 ppm chloride, similar t	to background le	evel. There we	ere no physic	al indicators o	f hydrocarbon	impact in th	ne soil samples a	ind all PID screer	nings
performed on the samples	were 0.0 ppm.	Lab analysis c	confirmed that	t NOMCD TP	H guidelines w	ere met. T	he excavated so	il was blended on	site and then
backfilled into the trench.	The disturbed si	urface was see	eded with a b	lend of native	vegetation on	12/2/2005	and is expected t	o return to produ	ctive
capacity at a normal rate.							-,_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
				·····					
						enc	dosures: photos,	hab results, PID	held screenings
I HEREBY	CERTIFY TH	IAT THE INI	FORMATIC KNOW	ON ABOVE	IS TRUE AN ID BELIEF.		PLETE TO TH	E BEST OF N	IY
	Roy Rascon	SIGN		by R.	Rasi		MPANY <u>RIC</u>	E Operating Cor	npany
REPORT ASSEMBLED B	9Y Kri:	stin Farris Pop)e	SIGNATURE	Kni	tin_	Janis	, Rope	
DATE	I	12/12/2005		TITLE			Project Scienti	st	

111

11 î î î

11.146

- Ei

TEFE



delineation trench at former box site



junction box removed 8/18/2005

Vacuum B-5-1 boot vent

Unit 'B', Sec. 5, T18S, R35E



12/2/2005

seeding and watering backfilled site



9/13/2005

8-ft-deep delineation trench





8-ft-deep delineation trench 9/13/2005





Analytical Report

Prepared for:

Roy Rascon Rice Operating Co. 122 W. Taylor Hobbs, NM 88240

Project: Vacuum Vent B-5-1 (Boot) Project Number: None Given Location: None Given

Lab Order Number: 5I15004

Report Date: 09/20/05

Rice Operating Co.	Project:	Vacuum Vent B-5-1 (Boot)	Fax: (505) 397-1471
122 W. Taylor	Project Number:	None Given	Reported:
Hobbs NM, 88240	Project Manager:	Roy Rascon	09/20/05 12:39

ANALYTICAL REPORT FOR SAMPLES

.

١,

THE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Vert@ 8'	5115004-01	Soil	09/13/05 13:00	09/15/05 07:40

11

H H. .

Rice Operating Co. 122 W. Taylor Hobbs NM, 88240		Project: Vacuum Vent B-5-1 (Boot) Project Number: None Given Project Manager: Roy Rascon						Fax: (505) 397-1471 Reported: 09/20/05 12:39	
		Or Environr	ganics b nental L	y GC .ab of T	Texas				
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Vert@ 8' (5115004-01) Soil									
Gasoline Range Organics C6-C12	J [8.22]	10.0	mg/kg dry	1	EI51514	09/15/05	09/16/05	EPA 8015M	j
Diesel Range Organics >C12-C35	113	10.0	п	н	и	11	**	11	
Total Hydrocarbon C6-C35	113	10.0	11		u	"	н	31	
Surrogate: 1-Chlorooctane		83.8 %	70-1	30	"	H	"	"	
Surrogate: 1-Chlorooctadecane		100 %	70-1	30	"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Rice Operating Co.	Project:	Vacuum Vent B-5-1 (Boot)	Fax: (505) 397-1471
122 W. Taylor	Project Number:	None Given	Reported:
Hobbs NM, 88240	Project Manager:	Roy Rascon	09/20/05 12:39

General Chemistry Parameters by EPA / Standard Methods

Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Vert@ 8' (5115004-01) Soil									
Chloride	46.9	5.00	mg/kg	10	EI51603	09/15/05	09/15/05	EPA 300.0	
% Moisture	8.2	0.1	%	1	EI51609	09/15/05	09/16/05	% calculation	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 3 of 6

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

T

Organics by GC - Quality Control

Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EI51514 - Solvent Extraction (GC)									
Blank (EI51514-BLK1)				Prepared:	09/15/05	Analyzed	1: 09/16/05			
Gasoline Range Organics C6-C12	ND	10.0	mg/kg wet							
Diesel Range Organics >C12-C35	ND	10.0	н							
Total Hydrocarbon C6-C35	ND	10.0	н							
Surrogate: 1-Chlorooctane	40.4		mg/kg	50.0		80.8	70-130			
Surrogate: 1-Chlorooctadecane	52.0		"	50.0		104	70-130			
LCS (EI51514-BS1)				Prepared:	09/15/05	Analyzed	I: 09/16/05			
Gasoline Range Organics C6-C12	433	10.0	mg/kg wet	500		86.6	75-125			
Diesel Range Organics >C12-C35	419	10.0	н	500		83.8	75-125			
Total Hydrocarbon C6-C35	852	10.0	н	1000		85.2	75-125			
Surrogate: 1-Chlorooctane	50.0		mg/kg	50.0		100	70-130			-,, *
Surrogate: 1-Chlorooctadecane	51.2		"	50.0		102	70-130			
Calibration Check (EI51514-CCV1)				Prepared:	09/15/05	Analyzed	l: 09/19/05			
Gasoline Range Organics C6-C12	413		mg/kg	500		82.6	80-120			
Diesel Range Organics >C12-C35	460		н	500		92.0	80-120			
Total Hydrocarbon C6-C35	873		и	1000		87.3	80-120			
Surrogate: 1-Chlorooctane	53.5	· · · · · · · · · · · · · · · · · · ·	"	50.0		107	0-200			
Surrogate: 1-Chlorooctadecane	53.8		"	50.0		108	0-200			
Matrix Spike (EI51514-MS1)	So	urce: 51150	02-02	Prepared:	09/15/05	Analyzed	I: 09/16/05			
Gasoline Range Organics C6-C12	558	10.0	mg/kg dry	549	ND	102	75-125			
Diesel Range Organics >C12-C35	569	10.0	н	549	ND	104	75-125			
Total Hydrocarbon C6-C35	1130	10.0	н	1100	ND	103	75-125			
Surrogate: 1-Chlorooctane	53.9		mg/kg	50.0		108	70-130			
Surrogate: 1-Chlorooctadecane	46.8		"	50.0		93.6	70-130			
Matrix Spike Dup (EI51514-MSD1)	So	urce: 51150	02-02	Prepared:	09/15/05	Analyzec	1: 09/16/05			
Gasoline Range Organics C6-C12	551	10.0	mg/kg dry	549	ND	100	75-125	1.26	20	
Diesel Range Organics >C12-C35	589	10.0	н	549	ND	107	75-125	3.45	20	
Total Hydrocarbon C6-C35	1140	10.0	"	1100	ND	104	75-125	0.881	20	
Surrogate: 1-Chlorooctane	54.2		mg/kg	50.0		108	70-130			
Surrogate: 1-Chlorooctadecane	46.7		"	50.0		93.4	70-130			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 4 of 6

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

General Chemistry Parameters by EPA / Standard Methods - Quality Control

Environmental Lab of Texas

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch EI51603 - Water Extraction										······································
Blank (EI51603-BLK1)				Prepared	& Analyze	ed: 09/15/	05			
Chloride	ND	0.500	mg/kg							
LCS (EI51603-BS1)				Prepared	& Analyze	ed: 09/15/	05			
Chloride	8.59		mg/L	10.0		85.9	80-120			
Calibration Check (EI51603-CCV1)				Prepared	& Analyze	ed: 09/15/	05			
Chloride	8.66		mg/L	10.0		86.6	80-120			
Duplicate (EI51603-DUP1)	So	urce: 511301	6-04	Prepared	& Analyze	ed: 09/15/	05			
Chloride	896	10.0	mg/kg		897			0.112	20	
Batch EI51609 - General Preparation	ı (Prep)									
Blank (EI51609-BLK1)				Prepared:	09/15/05	Analyzed	1: 09/16/05			
% Solids	100		%		·					
Duplicate (EI51609-DUP1)	So	urce: 511400	3-01	Prepared:	09/15/05	Analyzed	1: 09/16/05			
% Solids	90.2		%		89.6			0.667	20	
Duplicate (EI51609-DUP2)	So	urce: 511501	3-01	Prepared:	09/15/05	Analyzed	1: 09/16/05			
% Solids	89.9		%		88.9			1.12	20	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Rice Operating Co.	Project: Vacuum Vent B-5-1 (Boot)	Fax: (505) 397-1471
122 W. Taylor	Project Number: None Given	Reported:
Hobbs NM, 88240	Project Manager: Roy Rascon	09/20/05 12:39

Notes and Definitions

J Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).

- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- LCS Laboratory Control Spike
- MS Matrix Spike
- Dup Duplicate

alander A Laly Report Approved By: Date: 0-05

Raland K. Tuttle, Lab Manager Celey D. Keene, Lab Director, Org. Tech Director Peggy Allen, QA Officer Jeanne Mc Murrey, Inorg. Tech Director LaTasha Cornish, Chemist Sandra Sanchez, Lab Tech.

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 6 of 6



Environmental Lab of Texas Variance / Corrective Action Report – Sample Log-In

Client: <u>Kic</u>	e Operati	<u>09</u>		<u>,</u>
Date/Time: _	9-15-05		0740	
Order #:	ST150	00	1	

Initials: rg

Sample Receipt Checklist

Temperature of container/cooler?	Yes No	3.5 C
Shipping container/cooler in good condition?	Yes No	
Custody Seals intact on shipping container/cooler?	Yes No	Not present
Custody Seals intact on sample bottles?	Yes No	Not present
Chain of custody present?	Ves No	
Sample Instructions complete on Chain of Custody?	Yes No	
Chain of Custody signed when relinquished and received?	Yes No	
Chain of custody agrees with sample label(s)	Yes No	
Container labels legible and intact?	Yes No	
Sample Matrix and properties same as on chain of custody?	Yes No	
Samples in proper container/bottle?	I Yes No	
Sampies procerly preserved?	Yes No	
Sample bottles intact?	Yes No	
Preservations documented on Chain of Custody?	Yes No	
Containers documented on Chain of Custody?	≪Yes) No	
Sufficient sample amount for indicated test?	Yes No	
All samples received within sufficient hold time?	Yes No	
VOC samples have zero headspace?	Yes No	Not Applicable

Other observations:

۱. ji

Contact Person: Regarding:	Variance Documentation: Date/Time:	_ Contacted by:
Corrective Action Taken:		

RICE OPERATING COMPANY 122 WEST TAYLOR HOBBS, NEW MEXICO 88240 PHONE: (505) 393-9174 FAX: (505) 397-1471 VOC FIELD TEST REPORT FORM MINI RAE PLUS CLASSIC PHOTOIONIZATION GAS DETECTOR

MODEL NO: PGM 761S
CALIBRATION GAS
GAS COMPOSITION: ISOBUTYLENE
AIR
LOT NO: $0 - 2 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7$
EXP. DATE: 8-1-06
METER READING
ACCURACY: /00.0

SERIAL NO: 104412

100 PPM	
BALANCE	
FILL DATE:	2-1-06
ACCURACY:	+1- 2%

SYSTEM JUNC	TION	UNIT	SECTION	TOWNSHIP	RANGE	
VAC (BOO	 +)	XB	₹5	185	35E	
VERTICAL @ SAMPLE	Sou PID	RCE OD RESULT	ly SAMPI	E PII	DRESULT	-
3'	0	10		<u> </u>		
4'	0	0				
5'	6.	0				
6	0,	0				1.
	0,	0				
	<u> D</u>		ļ			
 				<u> </u>	······	
		~	MP)\{\		
			UF	<u> </u>		7
	P					
		· · · · · · · · · · · · · · · · · · ·				
				1		

I certify that I have calibrated the above instrument in accordance to the manufacture operation manual.

Roy R. RASCON Signature

9-13-05 Date