1R - <u>264</u>

REPORTS

DATE: 9/8/1998



633 Seventeenth Street Suite 1550 Denver, Colorado 80202

SEP 1 0 1993 OIL CONGE

September 8, 1998

CERTIFIED MAIL

Mr. William C. Olson New Mexico Oil Conservation Division 2040 South Pacheco Santa Fe, NM 87505

RE: Work Plan & 6/98 Progress Report Tatum Pit Closure Project Lea County, NM

Dear Mr. Olson:

In response to your June 29,1998 correspondence, please find enclosed the following:

- 1. A delineation work plan as requested for the pits requiring additional lateral data.
- 2. Additional results from the closure of ten pits in the project area. These results are from water samples taken from the monitor wells on June 25, 1998. In general, all pits have shown consistent reductions in BTEX concentrations with the total reduction being 32% during the past four quarters.

If you have any questions, please call me at (303) 293-9379.

Very truly yours,

Lany G Sagano

Larry G. Sugano Vice President - Engineering

cc: Wayne Price, NMOCD Hobbs Office

Enclosures



3

Delineation Protocol Tipperary Corporation Tatum Pit Closure Project

1.0 Purpose

This protocol is provide a detailed outline of the steps to be employed in the remediation and final closure of the Tipperary Tatum, New Mexico pits.

2.0 Scope

This protocol is site specific for the above stated site.

3.0 Define the Lateral Extent of Contamination

3.1 Whole Earth Environmental will contact Mr. Wayne Price of the Hobbs office of the NMOCD and request a site visit to five pits presently requiring lateral delineation. Mr. Price will select the best location for an additional monitoring well at each pit site. The location will be marked with pin flags and plotted on a plat map.

3.2 Atkins Engineering will be instructed to drill, case and develop an additional monitoring well at each pit site. Whole Earth will collect water samples in accordance with WEQP-76 (previously submitted) and transfer them to Environmental Labs of Tx. for testing. For purposes of defining the lateral extent of contamination we propose that a single BTEX measurement run in accordance with EPA Method 8020 be used.

3.3 The analysis will be reviewed by Whole Earth to confirm that the individual BTEX values all fall below NMWQCC standards. If not, we will repeat the steps contained within paragraph 3 of this protocol until the final results pass NMWQCC standards.

3.4 Once established, these delineation wells will not be subject to quarterly monitoring. They will be tested to insure acceptable concentrations of all criteria pollutants at the time of final pit closure.

4.0 Documentation & Reporting

4.1 At the conclusion of the pit remediation project, Whole Earth will prepare a closure report to include the following information:

ţ

- A plat map of the location showing the exact location of the pits, the location and orientation of all monitoring wells associated with the pit.
- Laboratory analyses of the BTEX concentration within the ground water.
- Well diagram to include the construction, soil morphology and final depth of the monitor wells.



Tipperary Tatum Pit Closure Project One Year Sampling Summary

Project History

Tipperary began the excavation and remediation of ten pit locations located west of Tatum, New Mexico in August 1997. The remediation protocol was to model the potential migration of all pits having hydrocarbon concentrations in excess of 1, 000 ppm TPH and 10 ppm benzene, to determine their potential for impacting the Ogallala Aquifer. The model was "ground truthed" by the installation of twenty-four down gradient monitor wells. Free product was discovered within three monitor wells and wind driven recovery wells were erected to capture the hydrocarbons. The seven sites not having recovery wells were covered with 20 mill polyethylene liners to prevent any further potential vertical migration of hydrocarbons. Each monitoring well was sampled quarterly and the BTEX concentrations studied to determine trending.

Present Status

One pit site is ready for closure having never shown BTEX concentrations in excess of WQCC standards. Three sites have shown two or more consecutive quarters with BTEX concentrations within WQCC standards. All remaining sites have shown consistent reductions in BTEX concentrations and will continue to be sampled quarterly until four consecutive quarters of acceptable results are obtained. The attached bar graph shows the total reduction in BTEX concentrations for all wells to have been 32% over the past year.

Future Activities

Tipperary will install an additional monitoring well at each of five sites to delineate the lateral extent of contamination. Those monitor wells not showing four consecutive quarters of acceptable BTEX concentrations will be monitored quarterly until they do.



One Year BTEX Survey



"Don't Treat Your Soil Like Dirt!"

TIPPERARY ATTN: MR. VICTOR A. VICE P.O. BOX 857 TATUM, NM 88267 FAX: 1-281-646-8996

Receiving Date: 06/26/98 Sample Type: WATER Project : TATUM, NM Project Location: TATUM, NM

å

Analysis Date: 06/26/98 Sampling Date: 06/25/98 Sample Condition: Intact/Iced

		BENZENE		ETHYLBENZENE	m.p-XYLENE	o-XYLENE	
LLIW		(ingly	(11947)				
14657	IVA COM M/W #1	0.006	0.005	0.002	0.008	0.009	
14658	MABLE COM M/W #3	0.009	0.011	0.009	0.033	0.009	
14659	MABLE COM M/W #4	0.020	0.006	0.003	0.015	0.005	
14660	VERA M/W #5	0.007	0.006	0.005	0.011	0.008	
14661	BELL A M/W #6	0.203	0.008	0.015	0.017	0.006	
14662	NBN M/W #7	0.009	0.007	0.007	0.016	0.009	
14663	NBF M/W #8	0.034	0.003	0.007	0.011	0.003	
14664	SATELITE #4 M/W #9	0.055	0.003	0.010	0.011	0.002	
14665	SOHIO STATE #1 M/W #10	1.313	0.113	0.206	0.611	0.180	
14666	SOHIO STATE A M/W #11	0.093	0.009	0.005	0.020	0.014	
14667	BELL A M/W #13	0.016	0.014	0.005	0.015	0.006	
14668	BELL A M/W #14	0.735	0.009	0.005	0.011	0.004	
14669	NBF M/W #15	1.415	1.165	0.270	0.927	0.412	
14670	NBF M/W #16	1.058	0.113	0.070	0.145	0.060	
14671	SOHIO STATE #1 M/W #17	1.111	0.138	0.118	0.379	0.174	
14672	SOHIO STATE #1 M/W #18	1.357	0.272	0.131	0.589	0.252	
14673	SOHIO STATE A #1 M/W #19	0.029	0.010	0.007	0.022	0.011	
14674	SOHIO STATE A #1 MW/ #20	0.517	0.009	0.008	0.061	0.009	
14675	GS STATE #1 M/W #21	0.047	0.009	0.019	0.086	0.038	
14676	GS STATE #1 M/W #22	0.183	0.012	0.062	0.077	0.010	
14677	SATELITE #4 M/W #23	0.002	<.001	0.001	0.003	0.001	
14678	SATELITE #4 M/W #24	0.003	0.003	0.002	0.006	0.003	
14679	IVA COM WINDMILL SW #1	1.174	1.290	0.265	1.262	1.241	
	% IA	99	95	92	90	94	
	% EA	98	95	94	92	95	
	BLANK	<0.001	<0.001	<0.001	<0.001	<0.001	

METHODS: SW 846-8020,5030

Michael R. Fowler

Date

Environmental]	Lab of Texas,	Inc.	(2600 West I-	20 East 3-1800	Odese FAX (A Term 797 915) 563-17	13 13 13	ONIVI	ទី	TOD	REC	ORD A	UNA dNJ	SISAT	REQU	EST	•
Project Missinger:			Prome #	8	458-	-4358-	-										
ULEDE A.	0100		FAX #:								CYSIS	JOAN	ISI				
Company Name & Address:															-		\vdash
TIPRAN	IL dens	P.o. 9	102 85'	2				•5	•								
Project #:			Project Nam				[BH	s 8†								
Totum, N.V	467 88267							49 x	1 9d								
Froject Locator:			Sampler Sign	ature:				0 P	i) P								
Tatum, Nº 18	•							0 =8 1	99 B			_					
	รบ		MATRIX	PRESE	RVATIV THOD	E SANPLI		EY 6Y	sy By	e isiiteio		ð¢				<u>.</u>	
	8 ₩ Э₩ATHO.	иотАлиц ИОТА	אפא 100E זייייייייייייייייייייייייייייייייייי	<u>٤</u> ٥ ۲:	BNE		EX 8030	1.814 H	k elejsM is	LP Semi V	S	- vol A					<u></u>
	и с —	V011	נס זרר שוע סs	NH DH		AU	NIT 18	1C 1b	10	101	201	Ø.					
14657 IUA COM	1 1 mm/m				_	6-2598	×										}
14658 MADIA Com	MIW3 1						×									İ	
14654 L N	1 2***						×							_			
HERC UCA M	1 5 # m		 				<u> </u>					Pro					
INGEL BEILA M	1 9 # 01						4	_						_			
HEEZ NBN n	1/10#2		 				~										
14663 UBE A	1/m # 8/1						Ņ.										[
14664 SatenTe#4	1 9 12m/m				_		<u>×</u> .										
1465 Solio STAF	1 attain / the				_		X										
14666 Soluo STATE	A M/W P II T				=		<u>×</u>										
		-									<u>}</u>						
Retinquished by:	Date: 6-26-98	There: //	135.	Real of the	S B	K/ulu	EMARKS		1	}					╡	1	-
Actinquished by:	Date:	H F		Received	F	5											
Relinquished by:	Date	These		Received	by Labo	ralery:											
	-								ł			Ì					