# 3**R** - <u>166</u>

# REPORTS

DATE: 1998



### Certified Mail: #Z 211 324 121

March 31, 1999

Mr. William C. Olson New Mexico Oil Conservation Division 2040 S. Pacheco Santa Fe, NM 87504 RECEIVED

. . .

APR 0 5 1999

ENVIRONMENTAL BUREAU OIL CONSERVATION DIVISION

### **RE: 1998 Pit Project Annual Groundwater Report**

Dear Mr. Olson:

In accordance with reporting requirements, El Paso Field Services (EPFS) has enclosed annual updates for the 49 remaining groundwater impacted locations that were identified during our pit closure project of 1994 / 1995.

Of the 49 reports, EPFS hereby requests closure of 18 of these locations. The 18 sites EPFS is requesting closure on are presented in 4 separate binders entitled "Final Closure Report for Groundwater Sites with Four Consecutive Quarters Below Standards".

The Jaquez Com. C #1 and Jaquez Com. E #1 site is included in a separate report which is entitled "Jaquez Com. C #1 and Jaquez Com. E #1 Annual Report for Soil and Groundwater Remediation".

If you have any questions concerning the enclosed reports or closure requests, please call me at (505) 599-2124.

Sincerely,

Scott T. Pope P.G. Senior Environmental Scientist

xc: Mr. Denny Foust, NMOCD, Aztec - w / enclosures; Certified Mail # Z 211 324 122
Mr. Bill Liesse, BLM - w / enclosures; Certified Mail # Z 211 324 123
Ms. Charmaine Tso, Navajo EPA - w / enclosures; Certified Mail # Z 211 324 120

### EPFS GROUNDWATE PITS 1998 ANNUAL GROUNDWATER REPORT

### D LOOP LINE DRIP Meter/Line ID - LD169

## RECEIVED

## SITE DETAILS

### APR 0 5 1999

Legals - Twn: 28NRng: 8WSec: 33NMOCD Hazard Ranking: 30Operator: EL PASO FIELD SERVICES

Unit: 1 Land Type: FEDERAL

ENVIRONMENTAL BUREAU OIL CONSERVATION DIVISION

### PREVIOUS ACTIVITIES

Site Assessment: Jan-95Excavation: Feb-95 (80 cy)Monitor Well: Nov-95Geoprobe: Dec-96

Soil Boring: Nov-95 Quarterly Sampling Initiated: Nov-96

### **1998 ACTIVITIES**

**Quarterly Groundwater Monitoring -** Quarterly groundwater monitoring continued through 1998. Groundwater analytical data are presented in Table 1. A site map is presented as Figure 1.

#### **CONCLUSIONS**

Analytical results of groundwater samples collected from MW-1 show levels of hydrocarbon constituents below New Mexico Groundwater Standards for all constituents during the last two sampling events in 1998. Natural attenuation has reduced benzene levels by more than 50 percent since monitoring began at this site.

Pertinent data from the 1997 groundwater report include the following: Based on groundwater levels collected from temporary well point data, the groundwater flow trends to the northwest on this site. This site is approximately 200 yards from Largo Wash in a remote location.

### **RECOMMENDATIONS**

- The OCD requests that EPFS install groundwater monitoring wells to monitor and determine the extent of groundwater contamination. This may not be necessary if current trends continue.
- Collect groundwater sample down-gradient of MW-1. If the contaminant plume can be defined, the site may be a candidate for risk based closure.
- Quarterly sampling will continue at MW-1 until analytical results show hydrocarbon constituents are below New Mexico Groundwater Standards for four consecutive quarters.
- Following OCD approval for closure, MW-1 will be abandoned using OCD approved abandonment procedures.



\_\_\_\_\_

\_\_\_\_\_

0
---

\* - 1 .

EPFS Groundwater Pits 1998 Annual Groundwater Report

i i

TABLE 1

EN	16.0	9.0	1.7	9.6	
<b>BT</b>	154	134	ন	ς Ω	
Otal					
			11	11	
nes	0.0	0.0	4.9	1.2	
(Vlei B)	146	111	0		
tal X					
-10 L	н	-	I		
	00	00	88	77	
zen	33.	23.	6.	4	
Ben PB)		I			
ihyi (I					
<b>B</b>	11	11	11	Ш	
Э.	.10	.20	.84	17.	
pPB	25	34	Ś	9	
E E	I	11	Ш	Ш	
	20	20	10	97	
nzer PB)	28.	82.	4.	6.	
Be (I	II.	11	П		
	er	er	er	er	
	uart	uart	uart	uart	
	0 G	р Ч	О г	0 U	
ojec	- 6t	- 7t	- 8t	- 9t	
	e 4	e 4	e 4	6 4	
	lqu	lqn	ldu	ldu	
	Sai	Sai	Sai	Sai	
<b>X</b> #					
E			Ĺ		
)afc	98	98	98	98	[
ple I	(03/	/L0,	04/	03/	
San Ba	02/	05/	08/	11/	
	<u> </u>				
	Dri	Dii	Drit	Drif	
<b>Inc</b>	ine	ine	ne	ne	
, Z	b F]	p Li	b Li	D LI	
S.	00	00	007	00	
		D		D	
***					
Jue	69	69	69	69	
er/ 1	q	DI	D	Ę	
Net					
<b>#</b>					
Jet	133	359	41	766	
	)80	980	:080	80,	
Š	5	12	5	5	

1.

J:\17520\Report98\Table1

1

## 1998 GROUNDWATER ANALYTICAL

JULA KURA Date 2-2-70 Reviewer

-----



### FIELD SERVICES LABORATORY

ANALYTICAL REPORT

PIT CLOSURE PROJECT

### SAMPLE IDENTIFICATION

	Field ID	Lab ID
SAMPLE NUMBER:	N/A	980133
MTR CODE   SITE NAME:	LD169	D Loop Line Drip
SAMPLE DATE   TIME (Hrs):	2/3/98	1359
PROJECT:	Sample 4 6	ih Quarter
DATE OF BTEX EXT.   ANAL.:	2/6/98	2/6/98
TYPE   DESCRIPTION:	MW-1	Water

Field Remarks:

### RESULTS

PARAMETER	RESULT	UNITS	DF	QUALII Q	FIERS	
BENZENE	28.2	РРВ				9
TOLUENE	25.1	РРВ				
ETHYL BENZENE	33.0	РРВ				
TOTAL XYLENES	1460	PPB	4			
TOTAL BTEX	1546	РРВ				

--BTEX is by EPA Method 8020 --

The Surrogate Recovery was at 108.0 % for this sample All QA/QC was acceptable. DF = Dilution Factor Used

John Farch-

Narrative:

Approved By:

980133BTEXMW,2/10/98

2/17/98 Date:

A 2188	Remarks	op LINE DRIP MW-1		Date/Time Received by: (Signature)	Date/Time Received by: (Signature)	oy: (Signature)
The second secon	ype No. Mo. Mo. Mo. Mo. Mo. Mo. Mo. Mo. Mo. M	27 0 X Job 1-2		Relinquished by: (Signature)	Relinquished by: (Signature)	iture) $2/$ Date/Time Remarks: 5/98 $1500$ Date Results Reported / t
4 STH PTP BUNCHAIN OI	R. H. D. K. G. Date: 2-3-98 S. S. Date: 2-3-98 Sample Number	950133 1		Date/Time Received by: (Signature)	Date/Time Received by: (Signature)	Date/Time Received for Laboratory by: (Sign
● SAMPLE	Project No. Project Name Samplers: (Signature) ULCNUNU2 ( AMT/AN Date Time Comp. GRAB	WATER 2-3-78 1359 X		Relinquished by: (Signature)	Relinquished by: (Signature)	Relinquished by: (Signature) Carrier Co:

11

11

18

1.1

I

Ite Name     D.D.D.P.D. (Line)     Well Number     Wurder     Wurder       volopment Criteria     Neter Code     6.0.167       volopment Criteria     Neter Code     6.0.167       volopment Criteria     Mater Volume Calculation     Meter Code     6.0.167       volopment Criteria     Nater Volume Calculation     Meter Code     6.0.167       volopment contradiation     Nater Volume Calculation     Nater Volume Nater     Nater Volume Nater       volopment contradiation     Nater Volume Nater     Nater Volume Nater     Nater Volume Nater       volopment contradiation     Nater Volume Nater     Nater Volume Nater     Nater Disposal       volopment contradiation     Nater Disposal     Nater Disposal     Nater Disposal       volopment contopolopment contradiati polopment contradiation <t< th=""><th></th><th>SERVICE</th><th>(A)</th><th></th><th></th><th>Well Do</th><th>evelopm</th><th>ient anc</th><th>l Purgì</th><th>ng Data</th><th>m</th><th></th><th></th><th></th><th></th></t<>		SERVICE	(A)			Well Do	evelopm	ient anc	l Purgì	ng Data	m				
Sevential     Section of Interacting Framewing and Depindent of Water Framewing and Depindent of Water Framewing office     Water Volume Calculation and Material Framewing and Depindent of Water Wolume Calculation and Depindent of Water Participation and Depindent of Water Disposal and The The Mater Participation and Depindent of Water Disposal and The Mater Participation and The Mater Disposal and The Score Alpha Alber	te Name Z	Coop CIN	VE OPL	0				Developmer Purging	ţ.	Well Nui Meter Co	mber	MW-10			
ater Removal Mate     Conductivity Described       ater Removal Mate     Fording Water Volume     Frached Volume     Conductivity Described       Date     Tume     Description     Removal (gal)	evelopment at 5 C stabiliz stabiliz stabiliz other Pum Pum Pum Pumer	Criteria asing Volumes of Wa asing Volumes of Wa ation of Indicator Para evelopment gal 🕅 Bailer gal 🕅 Double sible 🔲 Double ic Stainte	ater Removel mieters i Valve e Check Valve ess-steel Kem	a E	Water VC Initial Depth of Initial Depth of Height of Wate Diameter (inch Item Well Casing Gravel Pack Drilling Fluids	Diume Ca r Well (feet)	Iculation サライン (Culation アレート・シート・シート・シート・シート・シート・シート・シート・シート・シート・シ	ack Ballon Remc Remc	is to be		Instrun $\mathbb{X}$	nents PH Meter DO Monitor Conductivit Conductivit Conductivit	y Meter e Meter C, CHC	1675 KIT	
Date     Time     Method     Real     Depth     Removed (gel)     Removed (gel)     Removed (gel)     Number of the second (gel)     Number of the s	ater Remov	al Data Development	Removal	Intake	Ending Water	Vater	- Volume	Product V	Volume	Temperature		Conductivity	Dissolved		
7-99 1223 1 17.7 624 36.90 18.2 647 3560 7.92 132 647 3560 7.92 1327 632 647 3560 7.92 1327 647 3560 7.92 1327 647 3560 7.92 1327 132 647 3560 7.95 1327 132 647 3560 7.95 1327 132 647 3560 7.95 1327 132 647 3560 7.95 1327 132 647 3560 7.95 1327 132 647 3560 7.95 1327 132 647 3560 7.95 1327 132 647 3560 7.95 1327 132 647 3560 7.95 1327 132 647 3560 7.95 1327 132 647 3560 7.95 1327 132 647 3560 7.95 1327 647 3560 7.95 1327 647 3560 7.95 132 7.57 122 132 7560 7.57 122 132 7567 152 1327 132 7567 152 1327 132 7567 152 1327 1327 1327 1327 1327 1327 1327 132	Date Time	Method Pump Bailer	Rate (gal/min)	Depth (feet)	Depth (feel)	Remo	oved (gal) Cumulative	Removed ( Increment (	(gallons) Cumulative	ç	Hd	humho/cm	Oxygen	Comments	
7.87 1329 1.229 5.847 3560 1.22 6.47 3560 1.278 1.327 1.28 6.84 2870 1.272 1.32 1.32 1.32 1.32 1.32 1.32 1.32 1.3	7-98 1323									12,7	6.26	3690	5		
7-98/337 7-98/335 7-98/335 7-98/333 7-98/333 7-98/333 7-98/333 7-98/333 7-98/333 7-98/333 7-98/333 7-98/333 7-98/333 7-98/333 7-98/33 7-98/33 7-98/33 7-98/33 7-98/33 7-98/33 7-98/33 7-98/33 7-98/23	7-98 1329					50	N.			17.2	6.47	3560			
7-97/345 7-97/353 7-97/353 7-97/353 7-97/353 7-97/35 7-92/26/20 7/20/27/32 7/20/27/3 7/20/	7-98 1337					NO.	100			16.9	6.84	2820			
7-97/33 172 7/37 172 7/372 05	7-98/345					2.0	150		~	17.0	30%	2660			
ments THE WATCH HAD A LIGHT HUDDOCN SULFIDE SMCU.	7-981353					29	12.2			17.0	7.13	7580	6.5		
ments TRE WATER HAD & LIGHT HUDDEEN SUGTOE SMELL. reloper's Signature DEMAN SUGA Date 57-78 Reviewer Munder Date															
religence Demonstration of Date 57.78 Reviewer Julie Julie Date Date		· WATT ??	10124	9 611	242	4411406	5/21/ 5	511001	12 20	MELL.					
	veloper's Signature	Kenni	o On	Co				Date S. 7	25 R	eviewer	I'A'	Leve	Dat	" S/12/lag	
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		3					•	2	- Arres	whe she	1	<b>n</b> , ) _ ) ] _ ]	

# FIELD SERVICES

FIELD SERVICES LABORATORY ANALYTICAL REPORT PIT CLOSURE PROJECT

### SAMPLE IDENTIFICATION

	Field ID	Lab ID
SAMPLE NUMBER:	N/A	980359
MTR CODE   SITE NAME:	LD169	D Loop Line Drip
SAMPLE DATE   TIME (Hrs):	5/7/98	1403
PROJECT:	Sample 4 71	h Quarter
DATE OF BTEX EXT.   ANAL.:	5/8/98	5/8/98
TYPE   DESCRIPTION:	MW-1	Water

Field Remarks:

	ng ng tanàng ang kaong mang kaong kaong Ng kaong k	RESULTS		22 - 22 - 24 - 24 - 24 - 24 - 24 - 24 -	anna a chantair fhair a gu an sao an sao an sao an sao an sao an
PARAMETER	RESULT	UNITS	2 DF	QUALIFI	ERS
BENZENE	82.2	РРВ			
TOLUENE	34.2	PPB			
ETHYL BENZENE	123	ррв			
TOTAL XYLENES	1110	РРВ	5X	D1	
TOTAL BTEX	1349	РРВ			

--BTEX is by EPA Method 8020 --

The Surrogate Recovery was at 107.5 % for this sample All QA/QC was acceptable.

DF = Dilution Factor Used

The "D1" qualifier indicates that the analyte concentration exceeded the calibration curve limit.

1111

Narrative:

du Jarle Approved By:

980359BTEXMW,5/12/98

Date: 5/12/48

# OLPASOOFIELD SERVICES

### FIELD SERVICES LABORATORY ANALYTICAL REPORT PIT CLOSURE PROJECT

### SAMPLE IDENTIFICATION

	Field ID	Lab ID
SAMPLE NUMBER:	N/A	980360
MTR CODE   SITE NAME:	LD169	D Loop Line Drip
SAMPLE DATE   TIME (Hrs):	5/7/98	1403
PROJECT:	Sample 4 7	th Quarter
DATE OF BTEX EXT.   ANAL.:	5/8/98	5/8/98
TYPE   DESCRIPTION:	MW-1 Field Dup	Water

Field Remarks:

#### RESULTS PARAMETER RESULT UNITS QUALIFIERS DE **0** BENZENE 80.9 PPB ۶., TOLUENE 31.9 PPB ETHYL BENZENE 121 PPB TOTAL XYLENES 1320 PPB 5X D1 TOTAL BTEX PPB 1554

--BTEX is by EPA Method 8020 --

The Surrogate Recovery was at 91.7 % for this sample All QA/QC was acceptable. DF = Dilution Factor Used

The "D1" qualifier indicates that the analyte concentration exceeded the calibration curve limit.

Narrative:

Approved By:

John Furd

Date: <u>5/12/48</u>

980360BTEXMW,5/12/98

SAMPLA.	マイ フアボ	D	Matural B	as Company		<b>A</b> 2349	, ,
		CHAIN	OF CUS	TODY RECORD			
Project No. Project Name	107201	59	Type and		Requested Analysis		
Samplers: (Signature) 4	Buch	Date: St. 7.75	No. of Sample	entrano outereseres		Remarks	
ALTIN Date Time Comp. GR/	A.B. S.a	imple Number	Contain- ers				
X Series Starts 1425	22	20359	5/1	X Det	00000	415 OND 1924	
MM 5-7-82 1403 X	E.	0360 -	511-5	X Cot	D deep 0	WW DRID MWY SR	
						j	
			/				
							D
Retinguished by: (Signature)	Date/Time	Received by: (Signature)		Relinquished by: (Signature)	Date/T	ime Received by: (Signature)	Λ
altor of the	27.2 12						
Relinquisfied by: (Signature)	Date/Time	Received by: (Signature)		Relinquished by: (Signature)	Date/T	me Received by: (Signature)	
Helinquished by: (Signature)	Uate/ I ime	Hecelved for Laboratory by: (Sig	jnature)	S Date/Time Ren	narks.		
Carrier Co:		111/and / Month	e No.	198 0945	e Results Reported / by: (Sign	ature)	
		-					
AL DIN N		-		-			

	SERVICES			0			·		U		
			Well Deve	elopme	nt and Purg	jing Data	_				
Site Name Z	DLOOD LINE L	divic	- F		Jevelopment Jurging	Well Nun Meter Co	hber $M_{\rm H}$	1-1			
Development (X3 3to 5 C (X3 3to 5 C Stabiliz: Other Purmi Purmi Purmi Purmi	Criteria asing Volumes of Water Removel ation of Indicator Parameters evelopment p Bailer igal X Bottom Valve risble Double Check Valve tic Stainless-steel Kemm	Water V Initial Depth to Initial Depth to Height of Wat Diameter (inc Well Casing herer Gravel Pack Dritting Fluids Total	olume Calcu of Well (feet) <u>43</u> o Water (feet) <u>36</u> (feet) <u>36</u> (feet) <u>36</u> (feet) <u>36</u> (feet) <u>76</u> (cubic Feet	Idation Gravel Pack Gallons Gallons	B Gallons to be Removed	· · · · · · · · · · · · · · · · · · ·	Water Disp	s Meter Monito	Reter CHEME	TS KIT	
Water Remov	A Data Development Removal Method Rate Domo Bailar (rat/min)	Intake Ending Wate Depth Depth (feet)	Removed Thoremore	lume I (gal) Dumulative It	Product Volume Removed (gallons)	Temperature	pH Cond	uctivity Diss 10/cm Ox m	solved ygen	Comments	
8-4-98 0932 8-4-98 0933			5.0	25		0:2/ 2:2/	4.44 28	202			) 1 .
8-4-80099 8-4-80999 8-4-8000			2.00	15:0		8.11	5.77 23 5.77 23 7.0/ 72	20 20 1.	0		
		4/12/14				- 20 E [ ]					
Comments <u>/ / / / C</u> Developer's Signature	Nermas Ba	101011	ANIN 11	Dat	. P-4-98	S/N/U/W Reviewer	· Jala the	Ada	Date	11/98	

### **EL PASO** FIELD SERVICES

### FIELD SERVICES LABORATORY ANALYTICAL REPORT **PIT CLOSURE PROJECT**

### SAMPLE IDENTIFICATION

	Field ID	Lab ID
SAMPLE NUMBER:	N/A	980541
MTR CODE   SITE NAME:	LD169	D Loop Line Drip
SAMPLE DATE   TIME (Hrs):	8/4/98	1019
PROJECT:	Sample 4 81	h Quarter
DATE OF BTEX EXT.   ANAL.:	8/10/98	8/10/98
TYPE   DESCRIPTION:	MW-1 ~	Water

Field Remarks:

RESULTS PARAMETER RESULT UNITS QUALIFIERS DE O BENZENE 4.10 PPB 2 D TOLUENE 5.84 PPB 2 D ETHYL BENZENE 6.88 PPB 2 D TOTAL XYLENES 24.9 PPB 2 D TOTAL BTEX PPB 41.7 --BTEX is by EPA Method 8020 --

The Surrogate Recovery was at 92.2 % for this sample All QA/QC was acceptable. DF = Dilution Factor Used

The "D" qualifier indiciates that the analyte calculated is based on a secondary dilution factor.

Narrative:

Approved By: John Satch

Date: <u>8/12/48</u> 980541BTEXMW,8/11/98

P     UME     DRIP       P     UME     DRIP       Ia     mes of Water Removel     Water Value       Initial Depth     hitial Depth       Initial Depth     hitial Depth       Icator Parameters     Water Value       Icator Parameters     Water Value       Icator Parameters     Nater Removel       Initial Depth     Height of W       Icator Parameters     Nater Value       Icator Parameters     Nater (initial Depth       Icator Parameters     Double Check Value       Icator Parameter     Double Check Value       Icator Parameter     Initial Depth       Icator Parameter     Initial Depth       Icator Parameter     Icator Parameter       Icator Parameter     Initial Depth       Icator Parameter     Icator Parameter	Well Development and Purging Data	Development Well Number $MW^{-1}$ Purging Meter Code $\Delta D/69$	Induction of the conductivity meter of	er Water Volume Product Volume Temperature Conductivity Dissolved Removed (gal) Removed (gallons) <sup>o</sup> C pH <sub>µ</sub> mho/cm Oxygen Comments Increment Cumulative Increment Cumulative mg/L	5.0 5.0 100 13.7 4.9/ 3200 5.0 100 13.7 5.33 3040	5.0 15.0 13.7 6.58 2700 10 5.0 220 13.9 6.89 2730 1.0	DROGEN SUCHIDE SMELL.
	RVICES	20 LINE DRIP	ia Immes of Water Removel incator Parameters incator Parameters mitial Depth of Well hitial Depth of Water hitial Depth of Water hitian hitian Depth of Water hitian h	elopment Removal Intake Ending Water lethod Rate Depth Depth Bailer (gal/min) (feet) (feet) in			TER HAD A LIGHT HYDR



### FIELD SERVICES LABORATORY ANALYTICAL REPORT PIT CLOSURE PROJECT

### SAMPLE IDENTIFICATION

	Field ID	Lab ID
SAMPLE NUMBER:	N/A	980767
MTR CODE   SITE NAME:	LD169	D Loop Line Drip
SAMPLE DATE   TIME (Hrs):	11/3/98	1012
PROJECT:	Sample 4 9	th Quarter
DATE OF BTEX EXT.   ANAL.:	11/5/98	11/5/98
TYPE   DESCRIPTION:	MW-1 Field Dup	Water

Field Remarks:

### RESULTS

PARAMETER	RESULT	UNITS		QUALIFI	ERS
			DF		
BENZENE	6.96	РРВ	2	D	
TOLUENE	6.84	PPB	2	D	
ETHYL BENZENE	5.33	PPB	2	D	
TOTAL XYLENES	22.4	PPB	2	D	
TOTAL BTEX	41.5	РРВ			

--BTEX is by EPA Method 8020 --

The Surrogate Recovery was at 101.9 % for this sample All QA/QC was acceptable.

DF = Dilution Factor Used

The "D" qualifier indiciates that the analyte calculated is based on a secondary dilution factor.

Narrative:

<u> </u>				
Approved By:	John Larder	980767BTEXMW,11/6/98	Date:	11/9/48

ļ



### FIELD SERVICES LABORATORY ANALYTICAL REPORT PIT CLOSURE PROJECT

### SAMPLE IDENTIFICATION

·	Field ID	Lab ID	
SAMPLE NUMBER:	N/A	980766	
MTR CODE   SITE NAME:	LD169	D Loop Line Drip	
SAMPLE DATE   TIME (Hrs):	11/3/98	1012	
PROJECT:	Sample 4	9th Quarter	
DATE OF BTEX EXT.   ANAL.:	11/5/98	11/5/98	
TYPE   DESCRIPTION:	M W - 1	Water	

Field Remarks:

### RESULTS

PARAMETER	RESULT	UNITS	DF	QUALIFII Q	ERS
BENZENE	6.97	PPB	2	D	
TOLUENE	6.71	РРВ	2/	D	
ETHYL BENZENE	4.77	РРВ	2	D	
TOTAL XYLENES	21.2	РРВ	2	D	
TOTAL BTEX	39.6	РРВ			

--BTEX is by EPA Method 8020 --

The Surrogate Recovery was at \_\_\_\_\_\_% for this sample All QA/QC was acceptable.

DF = Dilution Factor Used

The "D" qualifier indiciates that the analyte calculated is based on a secondary dilution factor.

oh Habde

Narrative:

Approved By:

980766BTEXMW,11/6/98

Date: <u>11/9/48</u>

€ SHAPOE	1446 D		atural Gas Company		<b>A</b> 2401
<b>,</b>		CHAIN OI	E CUSTODY RECORD		
Project No. Project Name	C20169		edition	Requested Analysis	
Samplers: (Signature)	a Elist	Date: // - Z - GT	No. of ample		Remarks
A Date Time Comp. GR.	AB	Cc npie Number	ers		
10121 12-5 1072 X		5775 C	31388 X	00000	CINE OPLE MW-1
C 201 11-5 1 121.00		2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5   36 °F   X	0 6000	LING ORID FICTOR
人	·		<u> </u>	710101	CIENN '
				••	
	-/				
		Sp.			
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Relinquished by: (Signatu	re) Date	/Time Received by: (Signature)
Logar and a south	21/1 2-2-11	1961). National companya a management was not not a figure and the second state of the	na mangang mang	and a subscript of the	
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Relinquished by: (Signatu	re) Date	Time Received by: (Signature)
Relinquished by: (Signature)	Date/Time	Received for Laboratory by: (Sign	ature) 11/ Date/Time	Remarks:	
		111/aum Nonde	05c118// /		
Carrier Co:		/ / Carrier Phone	No.	Date Results Heported / by: (Se	gnature)
. →IN N.→ .					и